







TI921-1, Fig. B4Wd: 16 equidistante passi $W-C_d$; $W-M_d$; $W-Y_d$; $W-N$; $rgb/cmy_0 \rightarrow rgb_d$ setrgbcolor




TI921-3, Fig. B5Wd: codice i Landolt anelli N ; C_d ; M_d ; Y_d ; Z ; PS operator $rgb \rightarrow rgb_d$ setrgbcolor



TI921-5, Fig. B6Wd: anelli di Landolt $W-C_d$; $W-M_d$; PS operator $rgb \rightarrow rgb_d$ setrgbcolor




TI921-7, Fig. B7Wd: anelli di Landolt $W-Y_d$; $W-N$; PS operator $rgb \rightarrow rgb_d$ setrgbcolor




TI920-5, Fig. B2Wd: reticoli radiali $W-C_d$; $W-M_d$; $W-Y_d$; $W-N$; PS operator $rgb \rightarrow rgb_d$ setrgbcolor




TI920-7, Fig. B3Wd: 14 prova colori CIE i 2 + 16 grigio passi (sf); $rgb/cmy_0 \rightarrow rgb_d$ setrgbcolor




TI921-1, Fig. B4We: 16 equidistante passi $W-C_e$; $W-M_e$; $W-Y_e$; $W-N$; $rgb/cmy0 \rightarrow rgb_e$ setrgbcolor




TI921-3, Fig. B5We: codice i Landolt anelli N ; C_e ; M_e ; Y_e ; Z ; PS operator $rgb \rightarrow rgb_e$ setrgbcolor




TI921-5, Fig. B6We: anelli di Landolt $W-C_e$; $W-M_e$; PS operator $rgb \rightarrow rgb_e$ setrgbcolor




TI921-7, Fig. B7We: anelli di Landolt $W-Y_e$; $W-N$; PS operator $rgb \rightarrow rgb_e$ setrgbcolor




TI920-5, Fig. B2We: reticoli radiali $W-C_e$; $W-M_e$; $W-Y_e$; $W-N$; PS operator $rgb \rightarrow rgb_e$ setrgbcolor




TI920-7, Fig. B3We: 14 prova colori CIE i 2 + 16 grigio passi (sf); $rgb/cmy0 \rightarrow rgb_e$ setrgbcolor




TI921-1, Fig. B4Wdd: 16 equidistant passi $W-C_d$; $W-M_d$; $W-Y_d$; $W-N$; $rgb/cmy0 \rightarrow rgb_{dd}$ setrgbcolor




TI921-3, Fig. B5Wdd: codice i Landolt anelli N ; C_d ; M_d ; Y_d ; Z ; PS operator $rgb \rightarrow rgb_{dd}$ setrgbcolor



TI921-5, Fig. B6Wdd: anelli di Landolt $W-C_d$; $W-M_d$; PS operator $rgb \rightarrow rgb_{dd}$ setrgbcolor




TI921-7, Fig. B7Wdd: anelli di Landolt $W-Y_d$; $W-N$; PS operator $rgb \rightarrow rgb_{dd}$ setrgbcolor




TI920-5, Fig. B2Wdd: reticoli radiali $W-C_d$; $W-M_d$; $W-Y_d$; $W-N$; PS operator $rgb \rightarrow rgb_{dd}$ setrgbcolor




TI920-7, Fig. B3Wdd: 14 prova colori CIE i 2 + 16 grigio passi (sf); $rgb/cmy0 \rightarrow rgb_{dd}$ setrgbcolor




TI921-1, Fig. B4Wde: 16 equidistante passi $W-C_e$; $W-M_e$; $W-Y_e$; $W-N$; $rgb/cmy0 \rightarrow rgb_{de}$ setrgbcolor




TI921-3, Fig. B5Wde: codice i Landolt anelli N ; C_e ; M_e ; Y_e ; Z ; PS operator $rgb \rightarrow rgb_{de}$ setrgbcolor




TI921-5, Fig. B6Wde: anelli di Landolt $W-C_e$; $W-M_e$; PS operator $rgb \rightarrow rgb_{de}$ setrgbcolor



TI921-7, Fig. B7Wde: anelli di Landolt $W-Y_e$; $W-N$; PS operator $rgb \rightarrow rgb_{de}$ setrgbcolor



TI920-5, Fig. B2Wde: reticoli radiali $W-C_e$; $W-M_e$; $W-Y_e$; $W-N$; PS operator $rgb \rightarrow rgb_{de}$ setrgbcolor



TI920-7, Fig. B3Wde: 14 prova colori CIE i 2 + 16 grigio passi (sf); $rgb/cmy0 \rightarrow rgb_{de}$ setrgbcolor