






TI981-1, Fig. B4Wd: 16 equidistanti passi $W-C_d$; $W-M_d$; $W-Y_d$; $W-N$; $rgb/cmy0 \rightarrow rgb_d$ setrgbcolor




TI981-3, Fig. B5Wd: codice i Landolt anelli N ; C_d ; M_d ; Y_d ; Z ; PS operator: $rgb \rightarrow rgb_d$ setrgbcolor




TI980-5, Fig. B2Wd: reticoli radiali $W-C_d$; $W-M_d$; $W-Y_d$; $W-N$; PS operator: $rgb \rightarrow rgb_d$ setrgbcolor




TI980-7, Fig. B3Wd: 14 prova colori CIE i 2 + 16 grigio passi (sf); PS operator: $rgb/cmy0 \rightarrow rgb_d$ setrgbcolor




TI981-5, Fig. B6Wd: anelli di Landolt $W-C_d$; $W-M_d$; PS operator: $rgb \rightarrow rgb_d$ setrgbcolor




TI981-7, Fig. B7Wd: anelli di Landolt $W-Y_d$; $W-N$; PS operator: $rgb \rightarrow rgb_d$ setrgbcolor



TI980-5, Fig. B2We: reticoli radiali W-C_e; W-M_e; W-Y_e; W-N; PS operator: *rgb-cmy0->rgb_e setrgbcolor*




TI980-7, Fig. B3We: 14 prova colori CIE i 2 + 16 grigio passi (sf); PS operator: *rgb-cmy0->rgb_e setrgbcolor*




TI981-1, Fig. B4We: 16 equidistanti passi W-C_e; W-M_e; W-Y_e; W-N; *rgb/cmy0->rgb_e setrgbcolor*


4-013131-F0





TI981-3, Fig. B5We: codice i Landolt anelli N; C_e; M_e; Y_e; Z; PS operator: *rgb->rgb_e setrgbcolor*




TI981-5, Fig. B6We: anelli di Landolt W-C_e; W-M_e; PS operator: *rgb->rgb_e setrgbcolor*





TI981-7, Fig. B7We: anelli di Landolt W-Y_e; W-N; PS operator: *rgb->rgb_e setrgbcolor*



TI981-1, Fig. B4Wdd: 16 equidistanti passi $W-C_d$; $W-M_d$; $W-Y_d$; $W-N$; $rgb/cmy0 \rightarrow rgb_{dd}$ setrgbcolor




TI981-3, Fig. B5Wdd: codice i Landolt anelli N; C_d ; M_d ; Y_d ; Z; PS operator: $rgb \rightarrow rgb_{dd}$ setrgbcolor




TI980-5, Fig. B2Wdd: reticoli radiali $W-C_d$; $W-M_d$; $W-Y_d$; $W-N$; PS operator: $rgb \rightarrow rgb_{dd}$ setrgbcolor

TI981-5, Fig. B6Wdd: anelli di Landolt $W-C_d$; $W-M_d$; PS operator: $rgb \rightarrow rgb_{dd}$ setrgbcolor




TI980-7, Fig. B3Wdd: 14 prova colori CIE i 2 + 16 grigio passi (sf); PS operator: $rgb/cmy0 \rightarrow rgb_{dd}$ setrgbcolor


TI981-7, Fig. B7Wdd: anelli di Landolt $W-Y_d$; $W-N$; PS operator: $rgb \rightarrow rgb_{dd}$ setrgbcolor



TI981-1, Fig. B4Wde: 16 equidistanti passi $W-C_e$; $W-M_e$; $W-Y_e$; $W-N$; $rgb/cmy0 \rightarrow rgb_{de}$ setrgbcolor




TI981-3, Fig. B5Wde: codice i Landolt anelli N; C_e ; M_e ; Y_e ; Z; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor




TI980-5, Fig. B2Wde: reticoli radiali $W-C_e$; $W-M_e$; $W-Y_e$; $W-N$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor



TI980-7, Fig. B3Wde: 14 prova colori CIE i 2 + 16 grigio passi (sf); PS operator: $rgb/cmy0 \rightarrow rgb_{de}$ setrgbcolor



TI981-5, Fig. B6Wde: anelli di Landolt $W-C_e$; $W-M_e$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor



TI981-7, Fig. B7Wde: anelli di Landolt $W-Y_e$; $W-N$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor