

















see similar files: <http://130.149.60.45/~farbmertik/TN63/TN63.HTML>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmertik>



















TUB-test chart TN63; threshold data Avramopoulos (89)
630cd/m²

input: w/rgb/cmyk -> w/rgb/cmyk
output: no change compared

TUB registration: 20130201-TN63/TN63L0NA.TXT/.PS
application for measurement of display output, no separation

TUB material: code=rha4ta



TUB-test chart TN63; threshold data Avramopoulos (89)
63cd/m²

















input: w/rgb/cmyk → rgbd
output: no change compared

see similar files: <http://130.149.60.45/~farbmertik/TN63/TN63.HTML>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmertik/TN63/TN63.TXT>

TUB registration: 20130201-TN63/TN63L0NA.TXT/.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmertik/TN63.HTML
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmertik



TUB-test chart TN63; threshold data Avramopoulos (89)
6,3cd/m²

5-000230-F0

input: w/rgb/cmyk -> rgbd
output: no change compared

















TUB registration: 20130201-TN63/TN63L0NA.TXT/.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

<http://130.149.60.45/~farbmertik/TN63/TN63L0NA.TXT/.PS>; start output

N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 4/9

see similar files: <http://130.149.60.45/~farbmertik/TN63.HTML>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmertik>



















TUB-test chart TN63; threshold data Avramopoulos (89)
630cd/m²

5-000330-F0

input: w/rgb/cmyk → rgbd
output: no change compared

TUB registration: 20130201-TN63/TN63L0NA.TXT/.PS
application for measurement of display output, no separation

TUB material: code=rha4ta



TUB-test chart TN63; threshold data Avramopoulos (89)
63cd/m²

















input: w/rgb/cmyk → rgbd
output: no change compared

see similar files: <http://130.149.60.45/~farbmertik/TN63/TN63L0NA.TXT/.PS>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmertik/TN63/TN63.HTML>

TUB registration: 20130201-TN63/TN63L0NA.TXT/.PS
application for measurement of display output, no separation
TUB material: code=rha4ta

http://130.149.60.45/~farbmertik/TN63/TN63L0NA.TXT/.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 6/9

see similar files: http://130.149.60.45/~farbmertik/TN63/TN63.HTML
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmertik



TUB-test chart TN63; threshold data Avramopoulos (89)
6,3cd/m²


















5-000530-F0

input: w/rgb/cmyk -> rgbd
output: no change compared

see similar files: <http://130.149.60.45/~farbmertik/TN63/TN63L0NA.TXT.PS>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmertik/TN63.THTM>



http://130.149.60.45/~farbmertik/TN63/TN63L0NA.TXT.PS; start output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/9



TUB-test chart TN63; threshold data Avramopoulos (89)
 630cd/m²

5-000630-F0

C

M

Y

O

L

V

C

TUB registration: 20130201-TN63/TN63L0NA.TXT.PS
 application for measurement of display output, no separation

TUB material: code=rha4ta

















input: w/rgb/cmyk -> rgbd
 output: no change compared



TUB registration: 20130201-TN63/TN63L0NA.TXT/.PS
 application for measurement of display output, no separation

TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmertik/TN63.HTML
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmertik



TUB-test chart TN63; threshold data Avramopoulos (89)
 63cd/m²

















5-000730-F0

input: w/rgb/cmyk -> rgbd
 output: no change compared

TUB registration: 20130201-TN63/TN63L0NA.TXT/.PS
 application for measurement of display output, no separation

TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmertik/TN63.HTML
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmertik



TUB-test chart TN63; threshold data Avramopoulos (89)
 6,3cd/m²

5-000830-F0

input: w/rgb/cmyk -> rgbd
 output: no change compared