

































see similar files: <http://130.149.60.45/~farbmetrik/TN66/TN66L0NA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-TN66/TN66L0NA.TXT /PS
application for measurement of display output
TUB material: code=rh4ta



see similar files: <http://130.149.60.45/~farbmetrik/TN66/TN66L0NA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-TN66/TN66L0NA.TXT /PS
application for measurement of display output, no separation
TUB material: code=rh4ta



















http://130.149.60.45/~farbmetrik/TN66/TN66L0NA.TXT /PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 3/3

see similar files: <http://130.149.60.45/~farbmetrik/TN66/TN66L0NA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-TN66/TN66L0NA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rh4ta



TUB-test chart TN66; threshold data Avramopolos (89)
6,3cd/m²

input: w/rgb/cmyk -> rgb_d
output: transfer to rgb_d