



TN720-3, Figur C1Wd: Element A: Radielt gitter N-W, W-N, N-Z og W-Z; PS operator: $rgb/cm\gamma 0$



TN720-5, Figur C2Wd: Element B: 5 visuelle ekvidistante L^* -gråtrinn + $N_0 + W_I$; PS operator: $rgb/cm\gamma 0$




TN720-7, Figur C3Wd: Element C: 16 visuelle ekvidistante L^* -gråtrinn; PS operator: $rgb/cm\gamma 0$


<i>omfelt-trinn</i>	0		1 <i>ring-trinn</i>	0-1
<i>Hex-code</i>	7		8	7-8
	E		F	E-F
	2		0	2-0
	8		6	8-6
	F		D	F-D

Landoltringer W-N
kode: *omfelt-ring*


TN721-1, Figur C4Wd: Element D: Landoltringer W-N; PS operator: $rgb/cm\gamma 0$







TN721-3, Figur C5Wd: Element E: Linjeraster med 45° (eller 135°); PS operator: $rgb/cm\gamma 0$




TN721-5, Figur C6Wd: Element F: Linjeraster med 90° (eller 0°); PS operator: $rgb/cm\gamma 0$




TN720-7, Figur C3Wd: Element C: 16 visuelle ekvidistante L^* -gråtrinn; PS operator: $rgb/cm\gamma 0$



TN720-3, Figur C1We: Element A: Radielt gitter N-W, W-N, N-Z og W-Z; PS operator: $rgb/cm\gamma 0$



TN720-5, Figur C2We: Element B: 5 visuelle ekvidistante L^* -gråtrinn + N_0 + W_I ; PS operator: $rgb/cm\gamma 0$




TN720-7, Figur C3We: Element C: 16 visuelle ekvidistante L^* -gråtrinn; PS operator: $rgb/cm\gamma 0$


<i>omfelt-trinn</i>	0		1 <i>ring-trinn</i>	0-1
<i>Hex-code</i>	7		8	7-8
	E		F	E-F
	2		0	2-0
	8		6	8-6
	F		D	F-D

Landoltringer W-N
kode: *omfelt-ring*


TN721-1, Figur C4We: Element D: Landoltringer W-N; PS operator: $rgb/cm\gamma 0$




TN721-3, Figur C5We: Element E: Linjeraster med 45° (eller 135°); PS operator: $rgb/cm\gamma 0$




TN721-5, Figur C6We: Element F: Linjeraster med 90° (eller 0°); PS operator: $rgb/cm\gamma 0$




TN720-7, Figur C3We: Element C: 16 visuelle ekvidistante L^* -gråtrinn; PS operator: $rgb/cm\gamma 0$




radielt gitter (Siemens-stjerner) N-W



radielt gitter (Siemens-stjerner) W-N



radielt gitter (Siemens-stjerner) N-Z



radielt gitter (Siemens-stjerner) W-Z

TN720-3, Figur C1Wdd: Element A: Radielet gitter N-W, W-N, N-Z og W-Z; PS operator: *rgb/cmy0*


$L^*/Y_{intendert}$ 18.0/18.0 37.3/37.3 56.7/56.7 76.1/76.0 95.4/95.4 N_0 (min.) W_1 (max.)
(absolutt)



$w^*-l^*_CIELAB, r$ (relativ) 0,000 0,250 0,500 0,750 1,000 N_0 (min.) W_1 (max.)
 w^*_{input}
 w^*_{output}

TN720-5, Figur C2Wdd: Element B: 5 visuelle ekvidistante L^* -gråtrinn + $N_0 + W_1$; PS operator: *rgb/cmy0*

$L^*/Y_{intendert}$ 18.0/18.0 23.2/23.2 28.3/28.3 33.5/33.5 38.6/38.6 43.8/43.8 49.0/49.0 54.1/54.1
(absolutt)




Nr. og Hex-code 00;F 01;E 02;D 03;C 04;B 05;A 06;9 07;8 08;7 09;6 10;5 11;4 12;3 13;2 14;1 15;0
 $w^*-l^*_CIELAB, r$ (relativ) 0,000 0,067 0,133 0,200 0,267 0,333 0,400 0,467 0,533 0,600 0,667 0,733 0,800 0,867 0,933 1,000
 w^*_{input}
 w^*_{output}

TN720-7, Figur C3Wdd: Element C: 16 visuelle ekvidistante L^* -gråtrinn; PS operator: *rgb/cmy0*


<i>omfelt-trinn</i>	0		1 <i>ring-trinn</i>	0-1
<i>Hex-code</i>	7		8	7-8
	E		F	E-F
	2		0	2-0
	8		6	8-6
	F		D	F-D

Landoltringer W-N
kode: *omfelt-ring*


TN721-1, Figur C4Wdd: Element D: Landoltringer W-N; PS operator: *rgb/cmy0*








TN721-3, Figur C5Wdd: Element E: Linjeraster med 45° (eller 135°); PS operator: *rgb/cmy0*




TN721-5, Figur C6Wdd: Element F: Linjeraster med 90° (eller 0°); PS operator: *rgb/cmy0*







TN720-5, Figur C2Wde: Element B: 5 visuelle ekvidistante L^* -gråtrinn + $N_0 + W_1$; PS operator: *rgb/cmy0*




TN720-7, Figur C3Wde: Element C: 16 visuelle ekvidistante L^* -gråtrinn; PS operator: *rgb/cmy0*




TN721-1, Figur C4Wde: Element D: Landoltringer W-N; PS operator: *rgb/cmy0*



TN721-3, Figur C5Wde: Element E: Linjeraster med 45° (eller 135°); PS operator: *rgb/cmy0*



TN721-5, Figur C6Wde: Element F: Linjeraster med 90° (eller 0°); PS operator: *rgb/cmy0*



TN720-7, Figur C3Wde: Element C: 16 visuelle ekvidistante L^* -gråtrinn; PS operator: *rgb/cmy0*