





v http://130.149.60.45/~farbmetrikk/TN74/TN74L0NP.PDF/.PS; start output
 L o M C Y O V
 N: ingen 3D-linearisering (OL) i fil (F) eller PS-startup (S), side 1/22




radielt gitter (Siemens-stjerner) N-W



radielt gitter (Siemens-stjerner) W-N




radielt gitter (Siemens-stjerner) N-Z




radielt gitter (Siemens-stjerner) W-Z

TN740-3, Figur C1W-: Element A: Radielt gitter N-W, W-N, N-Z og W-Z; PS operator: *rgb/cmy0*




TN740-5, Figur C2W-: Element B: 5 visuelle ekvidistante L^* -gråtrinn + $N_0 + W_1$; PS operator: *rgb/cmy0*




TN740-7, Figur C3W-: Element C: 16 visuelle ekvidistante L^* -gråtrinn; PS operator: *rgb/cmy0*




prøveplansje TN74; ME16(ISO 9241-306), 3(ISO/IEC 15775) input: *rgb/cmyk -> rgb/cmyk*
 akromatisk prøveplansje N output: ingen endring




TN741-1, Figur C4W-: Element D: Landoltringer W-N; PS operator: *rgb/cmy0*








TN741-3, Figur C5W-: Element E: Linjeraster med 45° (eller 135°); PS operator: *rgb/cmy0*



TN741-5, Figur C6W-: Element F: Linjeraster med 90° (eller 0°); PS operator: *rgb/cmy0*



TN740-3, Figur C1Wd: Element A: Radielt gitter N-W, W-N, N-Z og W-Z; PS operator: *rgb/cmy0*TN740-5, Figur C2Wd: Element B: 5 visuelle ekvidistante L^* -gråtrinn + $N_0 + W_I$; PS operator: *rgb/cmy0*TN741-3, Figur C5Wd: Element E: Linjeraster med 45° (eller 135°); PS operator: *rgb/cmy0*TN741-5, Figur C6Wd: Element F: Linjeraster med 90° (eller 0°); PS operator: *rgb/cmy0*TN740-7, Figur C3Wd: Element C: 16 visuelle ekvidistante L^* -gråtrinn; PS operator: *rgb/cmy0*

