

$XYZ_w=95.0443, 100.0, 108.89$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D65$

**CIELAB D65**

**Nombre y cromaticidad**

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$


$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

**Colores de dispositivo y elementales,  $Y_w=100$**

**de color sRGB bajo D65**

**en el diagrama croma ( $a^*_{D65}, b^*_{D65}$ )**

**Parameter: Y**



$XYZ_w=96.4228, 100.0, 82.49$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D50$

**CIELAB D65**

**Nombre y cromaticidad**

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$


**Colores de dispositivo y elementales,  $Y_w=100$**

**de color sRGB bajo D50**

**en el diagrama croma ( $a^*_{D65}, b^*_{D65}$ )**

$b^*_{D65}$

Parameter: Y



$XYZ_w=100.932, 100.0, 64.68$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.21946$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P40$

**CIELAB D65**

**Nombre y cromaticidad**

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$


**Colores de dispositivo y elementales,  $Y_w=100$**

**de color sRGB bajo P40**

**en el diagrama croma ( $a^*_{D65}, b^*_{D65}$ )**

$b^*_{D65}$

Parameter: Y



$XYZ_w = 109.849, 100.0, 35.58$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = A00$

**CIELAB D65**

**Nombre y cromaticidad**

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$


$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

**Colores de dispositivo y elementales,  $Y_w = 100$   
de color sRGB bajo A00**

**en el diagrama croma ( $a^*_{D65}, b^*_{D65}$ )**

$b^*_{D65}$

Parameter: Y



$XYZ_w = 100.001, 100.0, 100.0$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = E00$

**CIELAB D65**

**Nombre y cromaticidad**


$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

**Colores de dispositivo y elementales,  $Y_w = 100$   
de color sRGB bajo E00**

**en el diagrama croma ( $a^*_{D65}, b^*_{D65}$ )**



$XYZ_w=98.0718, 100.0, 118.22$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.0837666$

$n = C00$

**CIELAB D65**

**Nombre y cromaticidad**


$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

**Colores de dispositivo y elementales,  $Y_w=100$   
de color sRGB bajo C00**

**en el diagrama croma ( $a^*_{D65}, b^*_{D65}$ )**



$XYZ_w = 102.067, 100.0, 81.06$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P00$

**CIELAB D65**

**Nombre y cromaticidad**

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$


**Colores de dispositivo y elementales,  $Y_w = 100$**

**de color sRGB bajo P00**

**en el diagrama croma ( $a^*_{D65}, b^*_{D65}$ )**

$b^*_{D65}$

Parameter: Y



$XYZ_w=97.9332, 100.0, 118.95$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.0837666$

$n = Q00$

**CIELAB D65**

**Nombre y cromaticidad**

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$


$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

**Colores de dispositivo y elementales,  $Y_w=100$**

**de color sRGB bajo Q00**

**en el diagrama croma ( $a^*_{D65}, b^*_{D65}$ )**

**Parameter: Y**





$XYZ_w=94.8136, 100.0, 107.33$   $b^*_{D65}$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$


$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D65$

Parameter:  $Y$



**CIE LAB D65**

**Nombre y cromaticidad**

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

**Colores de dispositivo y elementales,  $Y_w=100$**

**de color sRGB bajo D65**

**en el diagrama croma ( $a^*_{D65}, b^*_{D65}$ )**

$XYZ_w=96.7256, 100.0, 81.41$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D50$

**CIELAB D65**

**Nombre y cromaticidad**

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$


**Colores de dispositivo y elementales,  $Y_w=100$**

**de color sRGB bajo D50**

**en el diagrama croma ( $a^*_{D65}, b^*_{D65}$ )**

$b^*_{D65}$

Parameter: Y



$XYZ_w = 101.751, 100.0, 64.44$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.21965$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P40$

**CIELAB D65**

**Nombre y cromaticidad**

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$


**Colores de dispositivo y elementales,  $Y_w = 100$**

**de color sRGB bajo P40**

**en el diagrama croma ( $a^*_{D65}, b^*_{D65}$ )**

$b^*_{D65}$

Parameter: Y



$XYZ_w = 111.15, 100.0, 35.19$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = A00$

**CIELAB D65**

**Nombre y cromaticidad**

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$


$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

**Colores de dispositivo y elementales,  $Y_w = 100$   
de color sRGB bajo A00**

**en el diagrama croma ( $a^*_{D65}, b^*_{D65}$ )**

$b^*_{D65}$

Parameter: Y



$XYZ_w=99.9908, 99.9999, 100.0$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = E00$

**CIELAB D65**

**Nombre y cromaticidad**

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$


$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

**Colores de dispositivo y elementales,  $Y_w=100$**

**de color sRGB bajo E00**

**en el diagrama croma ( $a^*_{D65}, b^*_{D65}$ )**



$XYZ_w=97.2866, 100.0, 116.14$   $b^*_{D65}$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.0837666$

$n = C00$

**CIELAB D65**

**Nombre y cromaticidad**

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$


$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

**Colores de dispositivo y elementales,  $Y_w=100$**

**de color sRGB bajo C00**

**en el diagrama croma ( $a^*_{D65}, b^*_{D65}$ )**

**Parameter: Y**



$XYZ_w = 102.375, 100.0, 81.25$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P00$

**CIELAB D65**

**Nombre y cromaticidad**

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$


**Colores de dispositivo y elementales,  $Y_w = 100$**

**de color sRGB bajo P00**

**en el diagrama croma ( $a^*_{D65}, b^*_{D65}$ )**

$b^*_{D65}$

Parameter: Y



$XYZ_w=97.65, 100.0, 118.42$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.0837666$

$n = Q00$

**CIELAB D65**

**Nombre y cromaticidad**

$R_{d,sRGB} \quad x=0,64 \quad y=0,33$

$G_{d,sRGB} \quad x=0,30 \quad y=0,60$

$B_{d,sRGB} \quad x=0,18 \quad y=0,06$

**Colores de dispositivo y elementales,  $Y_w=100$   
de color sRGB bajo Q00**

**en el diagrama croma ( $a^*_{D65}, b^*_{D65}$ )**

