







TS881-1, Fig. D4W-: 16 equidistante pasos W-R-; W-G-; W-B-; W-N-; *rgb/cmy0 set(rgb/cmyk)color*




TS881-3, Fig. D5W-: código y Landolt anillos N-; R-; G-; B-; Z; PS operator: *rgb setrgbcolor*




TS880-5, Fig. D2W-: rejillas radial W-R-; W-G-; W-B-; W-N-; PS operator: *rgb setrgbcolor*



TS880-7, Fig. D3W-: CIE 14 colores del test y 2 + 16 pasos de gris (sf); PS operator: *rgb/cmy0 set(rgb/cmyk)color*



TS881-5, Fig. D6W-: anillos de Landolt W-R-; W-G-; PS operator: *rgb setrgbcolor*




TS881-7, Fig. D7W-: anillos de Landolt W-B-; W-N-; PS operator: *rgb setrgbcolor*




gráfico TS88; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
test cromático gráfico RGB

entrada: *rgb/cmyk* -> *w/rgb/cmyk*-
salida: ningún cambio







TS881-1, Fig. D4Wde: 16 equidistantes pasos $W-R_e$; $W-G_e$; $W-B_e$; $W-N$; $rgb/cmy0 \rightarrow rgb_{de}$ setrgbcolor




TS881-3, Fig. D5Wde: código y Landolt anillos N ; R_e ; G_e ; B_e ; Z ; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor



TS881-5, Fig. D6Wde: anillos de Landolt $W-R_e$; $W-G_e$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor



TS881-7, Fig. D7Wde: anillos de Landolt $W-B_e$; $W-N$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor




TS880-5, Fig. D2Wde: rejillas radial $W-R_e$; $W-G_e$; $W-B_e$; $W-N$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor




TS880-7, Fig. D3Wde: CIE 14 colores del test y 2 + 16 pasos de gris (sf); PS operator: $rgb/cmy0 \rightarrow rgb_{de}$ setrgbcolor

gráfico TS88; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
test cromático gráfico RGB, 3D=1, de=1, cmy0*


entrada: $rgb/cmyk \rightarrow rgb_{de}$
salida: 3D-linealización a $cmy0^*_{de}$



TS881-1, Fig. D4Wde: 16 equidistantes pasos $W-R_e$; $W-G_e$; $W-B_e$; $W-N$; $rgb/cmy0 \rightarrow rgb_{de}$ setrgbcolor




TS881-3, Fig. D5Wde: código y Landolt anillos N ; R_e ; G_e ; B_e ; Z ; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor




TS880-5, Fig. D2Wde: rejillas radial $W-R_e$; $W-G_e$; $W-B_e$; $W-N$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor



TS880-7, Fig. D3Wde: CIE 14 colores del test y 2 + 16 pasos de gris (sf); PS operator: $rgb/cmy0 \rightarrow rgb_{de}$ setrgbcolor




TS881-5, Fig. D6Wde: anillos de Landolt $W-R_e$; $W-G_e$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor




TS881-7, Fig. D7Wde: anillos de Landolt $W-B_e$; $W-N$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor

gráfico TS88; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
test cromático gráfico RGB, 3D=1, de=1, cmy0*


entrada: $rgb/cmyk \rightarrow rgb_{de}$
salida: 3D-linealización a $cmy0^*_{de}$



TS881-1, Fig. D4Wde: 16 equidistantes pasos $W-R_e$; $W-G_e$; $W-B_e$; $W-N$; $rgb/cmy0 \rightarrow rgb_{de}$ setrgbcolor




TS881-3, Fig. D5Wde: código y Landolt anillos N ; R_e ; G_e ; B_e ; Z ; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor




TS880-5, Fig. D2Wde: rejillas radial $W-R_e$; $W-G_e$; $W-B_e$; $W-N$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor




TS880-7, Fig. D3Wde: CIE 14 colores del test y 2 + 16 pasos de gris (sf); PS operator: $rgb/cmy0 \rightarrow rgb_{de}$ setrgbcolor




TS881-5, Fig. D6Wde: anillos de Landolt $W-R_e$; $W-G_e$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor




TS881-7, Fig. D7Wde: anillos de Landolt $W-B_e$; $W-N$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor



TS881-1, Fig. D4Wde: 16 equidistantes pasos $W-R_e$; $W-G_e$; $W-B_e$; $W-N$; $rgb/cmy0 \rightarrow rgb_{de}$ setrgbcolor




TS881-3, Fig. D5Wde: código y Landolt anillos N ; R_e ; G_e ; B_e ; Z ; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor




TS880-5, Fig. D2Wde: rejillas radial $W-R_e$; $W-G_e$; $W-B_e$; $W-N$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor




TS880-7, Fig. D3Wde: CIE 14 colores del test y 2 + 16 pasos de gris (sf); PS operator: $rgb/cmy0 \rightarrow rgb_{de}$ setrgbcolor



TS881-5, Fig. D6Wde: anillos de Landolt $W-R_e$; $W-G_e$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor




TS881-7, Fig. D7Wde: anillos de Landolt $W-B_e$; $W-N$; PS operator: $rgb \rightarrow rgb_{de}$ setrgbcolor




TS880-5, Fig. D2Wde: rejillas radial W-Re; W-Ge; W-Be; W-N; PS operator: *rgb->rgb_{de} setrgbcolor*




TS880-7, Fig. D3Wde: CIE 14 colores del test y 2 + 16 pasos de gris (sf); PS operator: *rgb/cmy0->rgb_{de} setrgbcolor*




TS881-1, Fig. D4Wde: 16 equidistantes pasos W-Re; W-Ge; W-Be; W-N; *rgb/cmy0->rgb_{de} setrgbcolor*



TS881-3, Fig. D5Wde: código y Landolt anillos N; R_e; G_e; B_e; Z; PS operator: *rgb->rgb_{de} setrgbcolor*



TS881-5, Fig. D6Wde: anillos de Landolt W-Re; W-Ge; PS operator: *rgb->rgb_{de} setrgbcolor*



TS881-7, Fig. D7Wde: anillos de Landolt W-Be; W-N; PS operator: *rgb->rgb_{de} setrgbcolor*

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/TS88/TS88.L0FA.TXT> /.PS
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20150701-TS88/TS88L0FA.TXT /.PS
aplicación para la medida salida en la impresión offset, separación $cmY0^*$ (CMY0)
TUB material: code=rha4ta

n/f	HIC*F _{de}	rgb_F _{de}		ict_F _{de}		hsi_F _{de}	rgb*F _{de}	LabCh*F _{de}				cmyn*sep.F _{de}				hsiM _{de}	rgb*M _{de}	LabCh*M _{de}												
0/648	R00Y_100_100 _{de}	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.254	45.6	72.2	34.4	80.0	25.4	0.0	1.0	0.744	0.0	0.0	375	1.0	0.0	0.254	45.6	72.2	34.4	80.0	25.4
1/657	R13Y_100_100 _{de}	1.0	0.125	0.0	1.0	1.0	0.5	37	1.0	0.02	0.0	46.0	69.6	45.6	83.2	33.2	0.0	0.979	1.0	0.0	0.0	31	1.0	0.02	0.0	46.0	69.6	45.6	83.2	33.2
2/666	R25Y_100_100 _{de}	1.0	0.25	0.0	1.0	1.0	0.5	44	1.0	0.166	0.0	50.5	59.2	51.6	78.6	41.0	0.0	0.832	1.0	0.0	0.0	38	1.0	0.166	0.0	50.5	59.2	51.6	78.6	41.0
3/675	R38Y_100_100 _{de}	1.0	0.375	0.0	1.0	1.0	0.5	52	1.0	0.288	0.0	55.3	48.4	57.7	75.4	49.9	0.0	0.71	1.0	0.0	0.0	46	1.0	0.288	0.0	55.3	48.4	57.7	75.4	49.9
4/684	R50Y_100_100 _{de}	1.0	0.5	0.0	1.0	1.0	0.5	60	1.0	0.398	0.0	60.2	38.2	63.4	74.1	58.8	0.0	0.6	1.0	0.0	0.0	53	1.0	0.398	0.0	60.2	38.2	63.4	74.1	58.8
5/693	R63Y_100_100 _{de}	1.0	0.625	0.0	1.0	1.0	0.5	68	1.0	0.506	0.0	65.3	28.2	69.2	74.7	67.8	0.0	0.491	1.0	0.0	0.0	60	1.0	0.506	0.0	65.3	28.2	69.2	74.7	67.8
6/702	R75Y_100_100 _{de}	1.0	0.75	0.0	1.0	1.0	0.5	76	1.0	0.604	0.0	70.9	17.9	75.9	77.9	76.7	0.0	0.397	1.0	0.0	0.0	66	1.0	0.604	0.0	70.9	17.9	75.9	77.9	76.7
7/711	R88Y_100_100 _{de}	1.0	0.875	0.0	1.0	1.0	0.5	83	1.0	0.721	0.0	76.6	7.9	82.4	82.8	84.5	0.0	0.28	1.0	0.0	0.0	74	1.0	0.721	0.0	76.6	7.9	82.4	82.8	84.5
8/720	Y00G_100_100 _{de}	1.0	1.0	0.0	1.0	1.0	0.5	90	1.0	0.878	0.0	83.6	-3.6	90.4	90.4	92.3	0.0	0.121	1.0	0.0	0.0	83	1.0	0.878	0.0	83.6	-3.6	90.4	90.4	92.3
9/639	Y13G_100_100 _{de}	0.875	1.0	0.0	1.0	1.0	0.5	97	0.807	1.0	0.0	82.4	-15.9	86.2	87.6	100.4	0.194	0.0	1.0	0.0	0.0	100	0.807	1.0	0.0	82.4	-15.9	86.2	87.6	100.4
10/558	Y25G_100_100 _{de}	0.75	1.0	0.0	1.0	1.0	0.5	104	0.605	1.0	0.0	74.5	-25.0	74.3	78.4	108.6	0.396	0.0	1.0	0.0	0.0	113	0.605	1.0	0.0	74.5	-25.0	74.3	78.4	108.6
11/477	Y38G_100_100 _{de}	0.625	1.0	0.0	1.0	1.0	0.5	112	0.434	1.0	0.0	68.0	-33.0	62.2	70.4	117.9	0.565	0.0	1.0	0.0	0.0	124	0.434	1.0	0.0	68.0	-33.0	62.2	70.4	117.9
12/396	Y50G_100_100 _{de}	0.5	1.0	0.0	1.0	1.0	0.5	120	0.322	1.0	0.0	62.6	-40.9	53.8	67.6	127.2	0.678	0.0	1.0	0.0	0.0	131	0.322	1.0	0.0	62.6	-40.9	53.8	67.6	127.2
13/315	Y63G_100_100 _{de}	0.375	1.0	0.0	1.0	1.0	0.5	128	0.232	1.0	0.0	57.8	-48.3	45.7	66.5	136.5	0.766	0.0	1.0	0.0	0.0	137	0.232	1.0	0.0	57.8	-48.3	45.7	66.5	136.5
14/234	Y75G_100_100 _{de}	0.25	1.0	0.0	1.0	1.0	0.5	136	0.108	1.0	0.0	54.1	-55.5	37.5	67.0	145.9	0.891	0.0	1.0	0.0	0.0	144	0.108	1.0	0.0	54.1	-55.5	37.5	67.0	145.9
15/153	Y88G_100_100 _{de}	0.125	1.0	0.0	1.0	1.0	0.5	143	0.016	1.0	0.0	50.6	-63.6	30.9	70.7	154.0	0.983	0.0	1.0	0.0	0.0	149	0.016	1.0	0.0	50.6	-63.6	30.9	70.7	154.0
16/72	G00C_100_100 _{de}	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.151	50.6	-62.1	19.9	65.2	162.2	1.0	0.0	0.847	0.0	0.0	158	0.0	1.0	0.151	50.6	-62.1	19.9	65.2	162.2
17/73	G13C_100_100 _{de}	0.0	1.0	0.125	1.0	1.0	0.5	157	0.0	1.0	0.261	51.3	-58.6	11.8	59.7	168.6	1.0	0.0	0.736	0.0	0.0	164	0.0	1.0	0.261	51.3	-58.6	11.8	59.7	168.6
18/74	G25C_100_100 _{de}	0.0	1.0	0.25	1.0	1.0	0.5	164	0.0	1.0	0.35	51.8	-55.5	4.8	55.7	175.0	1.0	0.0	0.646	0.0	0.0	170	0.0	1.0	0.35	51.8	-55.5	4.8	55.7	175.0
19/75	G38C_100_100 _{de}	0.0	1.0	0.375	1.0	1.0	0.5	172	0.0	1.0	0.43	52.4	-52.2	-2.1	52.3	182.3	1.0	0.0	0.566	0.0	0.0	175	0.0	1.0	0.43	52.4	-52.2	-2.1	52.3	182.3
20/76	G50C_100_100 _{de}	0.0	1.0	0.5	1.0	1.0	0.5	180	0.0	1.0	0.502	53.0	-48.6	-8.2	49.2	189.6	1.0	0.0	0.495	0.0	0.0	180	0.0	1.0	0.502	53.0	-48.6	-8.2	49.2	189.6
21/77	G63C_100_100 _{de}	0.0	1.0	0.625	1.0	1.0	0.5	188	0.0	1.0	0.568	53.5	-45.5	-13.8	47.5	196.9	1.0	0.0	0.429	0.0	0.0	184	0.0	1.0	0.568	53.5	-45.5	-13.8	47.5	196.9
22/78	G75C_100_100 _{de}	0.0	1.0	0.75	1.0	1.0	0.5	196	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204.2	1.0	0.0	0.367	0.0	0.0	188	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204.2
23/79	G88C_100_100 _{de}	0.0	1.0	0.875	1.0	1.0	0.5	203	0.0	1.0	0.69	54.5	-39.3	-23.2	45.6	210.5	1.0	0.0	0.309	0.0	0.0	192	0.0	1.0	0.69	54.5	-39.3	-23.2	45.6	210.5
24/80	C00B_100_100 _{de}	0.0	1.0	1.0	1.0	1.0	0.5	210	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9	1.0	0.0	0.253	0.0	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9
25/71	C13B_100_100 _{de}	0.0	0.875	1.0	1.0	1.0	0.5	217	0.0	1.0	0.818	55.5	-33.2	-31.4	45.7	223.3	1.0	0.0	0.181	0.0	0.0	200	0.0	1.0	0.818	55.5	-33.2	-31.4	45.7	223.3
26/62	C25B_100_100 _{de}	0.0	0.75	1.0	1.0	1.0	0.5	224	0.0	1.0	0.892	56.0	-30.0	-35.5	46.5	229.7	1.0	0.0	0.107	0.0	0.0	204	0.0	1.0	0.892	56.0	-30.0	-35.5	46.5	229.7
27/53	C38B_100_100 _{de}	0.0	0.625	1.0	1.0	1.0	0.5	232	0.0	1.0	0.982	56.6	-26.3	-40.6	48.3	237.0	1.0	0.0	0.017	0.0	0.0	209	0.0	1.0	0.982	56.6	-26.3	-40.6	48.3	237.0
28/44	C50B_100_100 _{de}	0.0	0.5	1.0	1.0	1.0	0.5	240	0.0	0.846	1.0	53.3	-19.8	-41.3	45.9	244.3	1.0	0.153	0.0	0.0	0.0	218	0.0	0.846	1.0	53.3	-19.8	-41.3	45.9	244.3
29/35	C63B_100_100 _{de}	0.0	0.375	1.0	1.0	1.0	0.5	248	0.0	0.711	1.0	49.2	-13.6	-41.1	43.3	251.6	1.0	0.289	0.0	0.0	0.0	226	0.0	0.711	1.0	49.2	-13.6	-41.1	43.3	251.6
30/26	C75B_100_100 _{de}	0.0	0.25	1.0	1.0	1.0	0.5	256	0.0	0.602	1.0	45.6	-7.9	-40.9	41.7	258.9	1.0	0.397	0.0	0.0	0.0	233	0.0	0.602	1.0	45.6	-7.9	-40.9	41.7	258.9
31/17	C88B_100_100 _{de}	0.0	0.125	1.0	1.0	1.0	0.5	263	0.0	0.532	1.0	42.9	-3.3	-40.8	41.0	265.3	1.0	0.466	0.0	0.0	0.0	237	0.0	0.532	1.0	42.9	-3.3	-40.8	41.0	265.3
32/8	B00M_100_100 _{de}	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.458	1.0	40.2	1.2	-40.6	40.6	271.7	1.0	0.539	0.0	0.0	0.0	242	0.0	0.458	1.0	40.2	1.2	-40.6	40.6	271.7
33/89	B13M_100_100 _{de}	0.125	0.0	1.0	1.0	1.0	0.5	277	0.0	0.378	1.0	37.4	5.9	-40.2	40.7	278.3	1.0	0.62	0.0	0.0	0.0	248	0.0	0.378	1.0	37.4	5.9	-40.2	40.7	278.3
34/170	B25M_100_100 _{de}	0.25	0.0	1.0	1.0	1.0	0.5	284	0.0	0.302	1.0	34.7	10.8	-40.4	41.8	285.0	1.0	0.695	0.0	0.0	0.0	252	0.0	0.302	1.0	34.7	10.8	-40.4	41.8	285.0
35/251	B38M_100_100 _{de}	0.375																												

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/TS88/T888.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20150701-TS88/TS88L0FA.TXT /.PS
aplicación para la medida salida en la impresión offset, separación cmy0* (CMY0)
TUB material: code=rha4ta

n/f	HIC*F _{de}	rgb_F _{de}	ict_F _{de}	hsi_F _{de}	rgb*F _{de}	LabCh*F _{de}	cmyn*sep,F _{de}	hsiM _{de}	rgb*M _{de}	LabCh*M _{de}	
0/648	R00Y_100_100 _{de}	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.254	45.6 72.2 34.4	80.0 25.4	0.0 1.0 0.744	0.0	45.6 72.2 34.4	80.0 25.4
1/666	R25Y_100_100 _{de}	1.0 0.25 0.0	1.0 1.0 0.5	44	1.0 0.166 0.0	50.5 59.2 51.6	78.6 41.0	0.0 0.832 1.0	0.0	50.5 59.2 51.6	78.6 41.0
2/684	R50Y_100_100 _{de}	1.0 0.5 0.0	1.0 1.0 0.5	60	1.0 0.398 0.0	60.2 38.2 63.4	74.1 58.8	0.0 0.6 1.0	0.0	60.2 38.2 63.4	74.1 58.8
3/702	R75Y_100_100 _{de}	1.0 0.75 0.0	1.0 1.0 0.5	76	1.0 0.604 0.0	70.9 17.9 75.9	77.9 76.7	0.0 0.397 1.0	0.0	70.9 17.9 75.9	77.9 76.7
4/720	Y00G_100_100 _{de}	1.0 1.0 0.0	1.0 1.0 0.5	90	1.0 0.878 0.0	83.6 -3.6 90.4	90.4 92.3	0.0 0.121 1.0	0.0	83.6 -3.6 90.4	90.4 92.3
5/558	Y25G_100_100 _{de}	0.75 1.0 0.0	1.0 1.0 0.5	104	0.605 1.0 0.0	74.5 -25.0 74.3	78.4 108.6	0.396 0.0 1.0	0.0	74.5 -25.0 74.3	78.4 108.6
6/396	Y50G_100_100 _{de}	0.5 1.0 0.0	1.0 1.0 0.5	120	0.322 1.0 0.0	62.6 -40.9 53.8	67.6 127.2	0.678 0.0 1.0	0.0	62.6 -40.9 53.8	67.6 127.2
7/234	Y75G_100_100 _{de}	0.25 1.0 0.0	1.0 1.0 0.5	136	0.108 1.0 0.0	54.1 -55.5 37.5	67.0 145.9	0.891 0.0 1.0	0.0	54.1 -55.5 37.5	67.0 145.9
8/72	G00B_100_100 _{de}	0.0 1.0 0.0	1.0 1.0 0.5	150	0.0 1.0 0.151	50.6 -62.1 19.9	65.2 162.2	1.0 0.0 0.847	0.0	50.6 -62.1 19.9	65.2 162.2
9/72	G00B_100_100 _{de}	0.0 1.0 0.0	1.0 1.0 0.5	150	0.0 1.0 0.151	50.6 -62.1 19.9	65.2 162.2	1.0 0.0 0.847	0.0	50.6 -62.1 19.9	65.2 162.2
10/76	G25B_100_100 _{de}	0.0 1.0 0.5	1.0 1.0 0.5	180	0.0 1.0 0.502	53.0 -48.6 -8.2	49.2 189.6	1.0 0.0 0.495	0.0	53.0 -48.6 -8.2	49.2 189.6
11/80	G50B_100_100 _{de}	0.0 1.0 1.0	1.0 1.0 0.5	210	0.0 1.0 0.747	55.0 -36.2 -27.2	45.3 216.9	1.0 0.0 0.253	0.0	55.0 -36.2 -27.2	45.3 216.9
12/44	G75B_100_100 _{de}	0.0 0.5 1.0	1.0 1.0 0.5	240	0.0 0.846 1.0	53.3 -19.8 -41.3	45.9 244.3	1.0 0.153 0.0	0.0	53.3 -19.8 -41.3	45.9 244.3
13/8	B00M_100_100 _{de}	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.458 1.0	40.2 1.2 -40.6	40.6 271.7	1.0 0.539 0.0	0.0	40.2 1.2 -40.6	40.6 271.7
14/332	B25R_100_100 _{de}	0.5 0.0 1.0	1.0 1.0 0.5	300	0.0 0.105 1.0	28.1 23.4 -40.3	300.1 1.0	0.893 0.0 0.0	0.0	28.1 23.4 -40.3	300.1 1.0
15/656	B50R_100_100 _{de}	1.0 0.0 1.0	1.0 1.0 0.5	330	0.321 0.0 1.0	31.1 47.7 -29.1	55.9 328.6	0.677 0.999 0.0	0.0	31.1 47.7 -29.1	55.9 328.6
16/652	B75R_100_100 _{de}	1.0 0.0 0.5	1.0 1.0 0.5	360	0.736 0.0 1.0	41.4 70.4 -9.8	71.1 352.0	0.264 1.0 0.0	0.0	41.4 70.4 -9.8	71.1 352.0
17/648	R00Y_100_100 _{de}	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.254	45.6 72.2 34.4	80.0 25.4	0.0 1.0 0.744	0.0	45.6 72.2 34.4	80.0 25.4
18/688	R00Y_100_050 _{de}	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.627	70.6 36.1 17.2	40.0 25.4	0.0 0.498 0.295	0.0	70.6 36.1 17.2	40.0 25.4
19/706	R50Y_100_050 _{de}	1.0 0.75 0.5	1.0 0.5 0.75	60	1.0 0.699 0.5	77.9 19.1 31.7	37.0 58.8	0.0 0.375 0.5	0.0	77.9 19.1 31.7	37.0 58.8
20/724	Y00G_100_050 _{de}	1.0 1.0 0.5	1.0 0.5 0.75	90	1.0 0.939 0.5	89.6 -1.8 45.2	45.2 92.3	0.0 0.087 0.5	0.0	89.6 -1.8 45.2	45.2 92.3
21/562	Y50G_100_050 _{de}	0.75 1.0 0.5	1.0 0.5 0.75	120	0.661 1.0 0.5	79.1 -20.4 26.9	33.8 127.2	0.371 0.0 0.498	0.0	79.1 -20.4 26.9	33.8 127.2
22/400	G00B_100_050 _{de}	0.5 1.0 0.5	1.0 0.5 0.75	150	0.5 1.0 0.575	73.1 -31.0 9.9	32.6 162.2	0.613 0.0 0.418	0.0	73.1 -31.0 9.9	32.6 162.2
23/404	G50B_100_050 _{de}	0.5 1.0 1.0	1.0 0.5 0.75	210	0.5 1.0 0.873	75.3 -18.1 -13.6	22.6 216.9	0.578 0.0 0.13	0.0	75.3 -18.1 -13.6	22.6 216.9
24/368	B00R_100_050 _{de}	0.5 0.5 1.0	1.0 0.5 0.75	270	0.5 0.729 1.0	67.9 0.6 -20.3	20.3 271.7	0.53 0.252 0.01	0.0	67.9 0.6 -20.3	20.3 271.7
25/692	B50R_100_050 _{de}	1.0 0.5 1.0	1.0 0.5 0.75	330	0.66 0.5 1.0	63.3 23.8 -14.5	27.9 328.6	0.326 0.478 0.0	0.0	63.3 23.8 -14.5	27.9 328.6
26/688	R00Y_100_050 _{de}	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.627	70.6 36.1 17.2	40.0 25.4	0.0 0.498 0.295	0.0	70.6 36.1 17.2	40.0 25.4
27/506	R00Y_075_050 _{de}	0.75 0.25 0.25	0.75 0.5 0.5	390	0.75 0.25 0.377	52.8 36.1 17.2	40.0 25.4	0.271 0.698 0.52	0.0	52.8 36.1 17.2	40.0 25.4
28/524	R50Y_075_050 _{de}	0.75 0.5 0.25	0.75 0.5 0.5	60	0.75 0.449 0.25	60.1 19.1 31.7	37.0 58.8	0.274 0.513 0.664	0.0	60.1 19.1 31.7	37.0 58.8
29/542	Y00G_075_050 _{de}	0.75 0.75 0.25	0.75 0.5 0.5	90	0.75 0.689 0.25	71.8 -1.8 45.2	45.2 92.3	0.268 0.252 0.724	0.0	71.8 -1.8 45.2	45.2 92.3
30/380	Y50G_075_050 _{de}	0.5 0.75 0.25	0.75 0.5 0.5	120	0.411 0.75 0.25	61.3 -20.4 26.9	33.8 127.2	0.61 0.205 0.699	0.0	61.3 -20.4 26.9	33.8 127.2
31/218	G00B_075_050 _{de}	0.25 0.75 0.25	0.75 0.5 0.5	150	0.25 0.75 0.325	55.3 -31.0 9.9	32.6 162.2	0.782 0.181 0.592	0.0	55.3 -31.0 9.9	32.6 162.2
32/222	G50B_075_050 _{de}	0.25 0.75 0.75	0.75 0.5 0.5	210	0.25 0.75 0.623	57.5 -18.1 -13.6	22.6 216.9	0.748 0.207 0.288	0.0	57.5 -18.1 -13.6	22.6 216.9
33/186	B00R_075_050 _{de}	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.479 0.75	50.1 0.6 -20.3	20.3 271.7	0.727 0.448 0.191	0.0	50.1 0.6 -20.3	20.3 271.7
34/510	B50R_075_050 _{de}	0.75 0.25 0.75	0.75 0.5 0.5	330	0.41 0.25 0.75	45.5 23.8 -14.5	27.9 328.6	0.6 0.69 0.212	0.0	45.5 23.8 -14.5	27.9 328.6
35/506	R00Y_075_050 _{de}	0.75 0.25 0.25	0.75 0.5 0.5	390	0.75 0.25 0.377	52.8 36.1 17.2	40.0 25.4	0.271 0.698 0.52	0.0	52.8 36.1 17.2	40.0 25.4
36/324	R00Y_050_050 _{de}	0.5 0.0 0.0	0.5 0.5 0.25	390	0.5 0.0 0.127	35.0 36.1 17.2	40.0 25.4	0.567 0.932 0.871	0.0	35.0 36.1 17.2	40.0 25.4
37/342	R50Y_050_050 _{de}	0.5 0.25 0.0	0.5 0.5 0.25	60	0.5 0.199 0.0	42.3 19.1 31.7	37.0 58.8	0.557 0.734 1.0	0.0	42.3 19.1 31.7	37.0 58.8
38/360	Y00G_050_050 _{de}	0.5 0.5 0.0	0.5 0.5 0.25	90	0.5 0.439 0.0	54.0 -1.8 45.2	45.2 92.3	0.531 0.448 0.991	0.0	54.0 -1.8 45.2	45.2 92.3
39/198	Y50G_050_050 _{de}	0.25 0.5 0.0	0.5 0.5 0.25	120	0.161 0.5 0.0	43.5 -20.4 26.9	33.8 127.2	0.796 0.465 0.995	0.0	43.5 -20.4 26.9	33.8 127.2
40/36	G00B_050_050 _{de}	0.0 0.5 0.0	0.5 0.5 0.25	150	0.0 0.5 0.075	37.5 -31.0 9.9	32.6 162.2	0.984 0.519 0.873	0.0	37.5 -31.0 9.9	32.6 162.2
41/40	G50B_050_050 _{de}	0.0 0.5 0.5	0.5 0.5 0.25	210	0.0 0.5 0.373	39.7 -18.1 -13.6	22.6 216.9	0.974 0.514 0.479	0.0	39.7 -18.1 -13.6	22.6 216.9
42/4	B00R_050_050 _{de}	0.0 0.0 0.5	0.5 0.5 0.25	270	0.0 0.229 0.5	32.3 0.6 -20.3	20.3 271.7	0.977 0.758 0.404	0.0	32.3 0.6 -20.3	20.3 271.7
43/328	B50R_050_050 _{de}	0.5 0.0 0.5	0.5 0.5 0.25	330	0.16 0.0 0.5	27.7 23.8 -14.5	27.9 328.6	0.84 0.99 0.486	0.0	27.7 23.8 -14.5	27.9 328.6
44/324	R00Y_050_050 _{de}	0.5 0.0 0.0	0.5 0.5 0.25	390	0.5 0.0 0.127	35.0 36.1 17.2	40.0 25.4	0.567 0.932 0.871	0.0	35.0 36.1 17.2	40.0 25.4
45/0	NW_000 _{de}	0.0 0.0 0.0	0.0 0.0 0.0	360	0.0 0.0 0.0	24.3 0.0 0.0	0.0 0.0	1.0 1.0 1.0	0.0	95.6 0.0 0.0	0.0 0.0
46/91	NW_013 _{de}	0.125 0.125 0.125	0.125 0.0 0.125	360	0.125 0.125 0.125	33.2 0.0 0.0	0.0 0.0	0.885 0.774 0.736	0.0	95.6 0.0 0.0	0.0 0.0
47/182	NW_025 _{de}	0.25 0.25 0.25	0.25 0.0 0.25	360	0.25 0.25 0.25	42.1 0.0 0.0	0.0 0.0	0.743 0.587 0.55	0.0	95.6 0.0 0.0	0.0 0.0
48/273	NW_038 _{de}	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	51.0 0.0 0.0	0.0 0.0	0.653 0.473 0.452	0.0	95.6 0.0 0.0	0.0 0.0
49/364	NW_050 _{de}	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	60.0 0.0 0.0	0.0 0.0	0.54 0.382 0.356	0.0	95.6 0.0 0.0	0.0 0.0
50/455	NW_063 _{de}	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	68.9 0.0 0.0	0.0 0.0	0.417 0.26 0.26	0.0	95.6 0.0 0.0	0.0 0.0
51/546	NW_075 _{de}	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	77.8 0.0 0.0	0.0 0.0	0.299 0.181 0.177	0.0	95.6 0.0 0.0	0.0 0.0
52/637	NW_088 _{de}	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	86.7 0.0 0.0	0.0 0.0	0.162 0.101 0.093	0.0	95.6 0.0 0.0	0.0 0.0
53/728	NW_100 _{de}	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0 0.0	0.0 0.0 0.0	0.0	95.6 0.0 0.0	0.0 0.0

delta

gráfico TS88; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
colores y diferencia en color, ΔE^* , 3D=1, de=1, cmy0*

entrada: *rgb/cmyk* -> *rgb*_{de}
salida: 3D-linealización a *cmy0**_{de}

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/TS88/TS88L0FA.TXT> / .PS
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20150701-TS88/TS88L0FA.TXT /.PS
aplicación para la medida salida en la impresión offset, separación cmY^0 (CMY0)
TUB material: code=rha4ta

n=j	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	cmyn*sep.Fde	hsiM.de	rgb*Mde	LabCh*Mde	
0	NW_000de	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	24.3 0.0 0.0	0.0 1.0 1.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0 0.0 0.0
1	B00R_012_012de	0.0 0.0 0.125	0.125 0.125 0.062	270	0.0 0.057 0.125	26.3 0.1 -5.0	0.5 0.0 0.0	271.7	0.984 0.915 0.774	40.2 1.2 -40.6	40.6 271.7
2	B00R_025_025de	0.0 0.0 0.25	0.25 0.25 0.125	270	0.0 0.114 0.25	28.3 0.3 -10.1	0.1 0.1 0.1	271.7	0.979 0.856 0.619	40.2 1.2 -40.6	40.6 271.7
3	B00R_037_037de	0.0 0.0 0.375	0.375 0.375 0.187	270	0.0 0.171 0.375	30.3 0.4 -15.2	0.1 0.1 0.1	271.7	0.976 0.807 0.511	40.2 1.2 -40.6	40.6 271.7
4	B00R_050_050de	0.0 0.0 0.5	0.5 0.5 0.25	270	0.0 0.229 0.5	32.3 0.6 -20.3	0.1 0.1 0.1	271.7	0.977 0.758 0.404	40.2 1.2 -40.6	40.6 271.7
5	B00R_062_062de	0.0 0.0 0.625	0.625 0.625 0.312	270	0.0 0.286 0.625	34.3 0.7 -25.4	0.1 0.1 0.1	271.7	0.979 0.705 0.302	40.2 1.2 -40.6	40.6 271.7
6	B00R_075_075de	0.0 0.0 0.75	0.75 0.75 0.375	270	0.0 0.343 0.75	36.2 0.9 -30.5	0.1 0.1 0.1	271.7	0.983 0.644 0.199	40.2 1.2 -40.6	40.6 271.7
7	B00R_087_087de	0.0 0.0 0.875	0.875 0.875 0.437	270	0.0 0.4 0.875	38.2 1.0 -35.5	0.1 0.1 0.0	271.7	0.991 0.591 0.1	40.2 1.2 -40.6	40.6 271.7
8	B00R_100_100de	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.458 1.0	40.2 1.2 -40.6	0.0 0.0 0.0	271.7	1.0 0.539 0.0	40.2 1.2 -40.6	40.6 271.7
9	G00B_012_012de	0.0 0.125 0.0	0.125 0.125 0.062	150	0.0 0.125 0.018	27.6 -7.7 2.4	0.1 0.1 0.1	162.2	0.991 0.859 0.959	50.6 -62.1 19.9	65.2 162.2
10	G50B_012_012de	0.0 0.125 0.125	0.125 0.125 0.062	210	0.0 0.125 0.093	28.2 -4.5 -3.4	0.1 0.1 0.1	162.2	0.983 0.849 0.779	50.6 -62.1 19.9	65.2 162.2
11	G75B_025_025de	0.0 0.125 0.25	0.25 0.25 0.125	240	0.0 0.211 0.25	31.6 -4.9 -10.3	0.1 0.1 0.1	162.2	0.973 0.771 0.583	53.3 -19.8 -41.3	45.9 244.3
12	G84B_037_037de	0.0 0.125 0.375	0.375 0.375 0.187	251	0.0 0.25 0.375	33.1 -4.3 -15.4	0.1 0.1 0.1	162.2	0.972 0.73 0.485	53.3 -19.8 -41.3	45.9 244.3
13	G88B_050_050de	0.0 0.125 0.5	0.5 0.5 0.25	256	0.0 0.301 0.5	35.0 -3.9 -20.4	0.1 0.1 0.1	162.2	0.973 0.683 0.385	47.8 -11.4 -41.0	42.6 254.3
14	G90B_062_062de	0.0 0.125 0.625	0.625 0.625 0.312	259	0.0 0.357 0.625	36.9 -3.7 -25.6	0.1 0.1 0.1	162.2	0.976 0.63 0.287	45.6 -7.9 -40.9	41.7 258.9
15	G92B_075_075de	0.0 0.125 0.75	0.75 0.75 0.375	261	0.0 0.414 0.75	38.9 -3.4 -30.7	0.1 0.1 0.1	162.2	0.983 0.575 0.192	44.5 -5.9 -40.9	41.4 261.6
16	G93B_087_087de	0.0 0.125 0.875	0.875 0.875 0.437	262	0.0 0.474 0.875	40.9 -3.4 -35.8	0.1 0.1 0.1	162.2	0.991 0.521 0.096	43.7 -4.6 -40.9	41.2 263.5
17	G94B_100_100de	0.0 0.125 1.0	1.0 1.0 0.5	263	0.0 0.532 1.0	42.9 -3.3 -40.8	0.1 0.1 0.1	162.2	1.0 0.466 0.0	43.3 -3.9 -40.9	41.1 264.4
18	G00B_025_025de	0.0 0.25 0.0	0.25 0.25 0.125	150	0.0 0.25 0.037	30.9 -15.5 4.9	0.1 0.1 0.1	162.2	0.987 0.751 0.917	42.9 -3.3 -40.8	41.0 265.3
19	G25B_025_025de	0.0 0.25 0.125	0.25 0.25 0.125	180	0.0 0.25 0.125	31.5 -12.1 -2.0	0.1 0.1 0.1	162.2	0.985 0.748 0.749	53.0 -48.6 -8.2	49.2 189.6
20	G50B_025_025de	0.0 0.25 0.25	0.25 0.25 0.125	210	0.0 0.25 0.186	32.0 -9.0 -6.8	0.1 0.1 0.1	162.2	0.978 0.752 0.643	53.0 -48.6 -8.2	49.2 189.6
21	G65B_037_037de	0.0 0.25 0.375	0.375 0.375 0.187	229	0.0 0.375 0.355	36.3 -10.4 -14.5	0.1 0.1 0.1	162.2	0.969 0.636 0.48	55.0 -36.2 -27.2	45.3 216.9
22	G75B_050_050de	0.0 0.25 0.5	0.5 0.5 0.25	240	0.0 0.423 0.5	38.8 -9.9 -20.6	0.1 0.1 0.1	162.2	0.968 0.578 0.365	56.4 -27.8 -38.7	47.7 234.3
23	G80B_062_062de	0.0 0.25 0.625	0.625 0.625 0.312	247	0.0 0.453 0.625	40.2 -8.9 -25.7	0.1 0.1 0.1	162.2	0.974 0.541 0.276	53.3 -19.8 -41.3	45.9 244.3
24	G84B_075_075de	0.0 0.25 0.75	0.75 0.75 0.375	251	0.0 0.5 0.75	41.9 -8.6 -30.8	0.1 0.1 0.1	162.2	0.982 0.496 0.186	47.8 -11.4 -41.0	42.6 254.3
25	G86B_087_087de	0.0 0.25 0.875	0.875 0.875 0.437	254	0.0 0.545 0.875	43.7 -8.1 -35.7	0.1 0.1 0.1	162.2	0.99 0.45 0.095	49.7 -14.3 -41.1	43.5 250.7
26	G88B_100_100de	0.0 0.25 1.0	1.0 1.0 0.5	256	0.0 0.602 1.0	45.6 -7.9 -40.9	0.1 0.1 0.1	162.2	1.0 0.397 0.0	46.4 -9.3 -40.9	41.9 257.1
27	G00B_037_037de	0.0 0.375 0.0	0.375 0.375 0.187	150	0.0 0.375 0.056	34.2 -23.2 7.4	0.1 0.1 0.1	162.2	0.984 0.637 0.89	45.6 -7.9 -40.9	41.7 258.9
28	G15B_037_037de	0.0 0.375 0.125	0.375 0.375 0.187	169	0.0 0.375 0.151	34.8 -20.0 0.1	0.1 0.1 0.1	162.2	0.985 0.636 0.752	50.6 -62.1 19.9	65.2 162.2
29	G34B_037_037de	0.0 0.375 0.25	0.375 0.375 0.187	191	0.0 0.375 0.222	35.4 -16.5 -5.9	0.1 0.1 0.1	162.2	0.98 0.629 0.626	53.4 0.4 53.4	179.5
30	G50B_037_037de	0.0 0.375 0.375	0.375 0.375 0.187	210	0.0 0.375 0.28	35.8 -13.5 -10.2	0.1 0.1 0.1	162.2	0.976 0.633 0.555	50.6 -62.1 19.9	65.2 162.2
31	G61B_050_050de	0.0 0.375 0.5	0.5 0.5 0.25	224	0.0 0.5 0.446	40.1 -15.0 -17.7	0.1 0.1 0.1	162.2	0.971 0.522 0.41	53.7 -44.2 -15.7	46.9 199.6
32	G69B_062_062de	0.0 0.375 0.625	0.625 0.625 0.312	233	0.0 0.625 0.621	44.6 -16.1 -25.7	0.1 0.1 0.1	162.2	0.972 0.422 0.263	55.0 -36.2 -27.2	45.3 216.9
33	G75B_075_075de	0.0 0.375 0.75	0.75 0.75 0.375	240	0.0 0.634 0.75	46.0 -14.8 -31.0	0.1 0.1 0.1	162.2	0.978 0.389 0.172	56.0 -30.0 -35.5	46.5 229.7
34	G79B_087_087de	0.0 0.375 0.875	0.875 0.875 0.437	245	0.0 0.662 0.875	47.3 -13.8 -36.0	0.1 0.1 0.1	162.2	0.987 0.349 0.087	48.6 -23.7 -41.2	48.6 237.9
35	G81B_100_100de	0.0 0.375 1.0	1.0 1.0 0.5	248	0.0 0.711 1.0	49.2 -13.6 -41.1	0.1 0.1 0.1	162.2	1.0 0.289 0.0	53.3 -19.8 -41.3	45.9 244.3
36	G00B_050_050de	0.0 0.5 0.0	0.5 0.5 0.25	150	0.0 0.5 0.075	37.5 -31.0 9.9	0.1 0.1 0.1	162.2	0.984 0.519 0.873	50.6 -62.1 19.9	65.2 162.2
37	G11B_050_050de	0.0 0.5 0.125	0.5 0.5 0.25	164	0.0 0.5 0.175	38.1 -27.7 2.4	0.1 0.1 0.1	162.2	0.984 0.516 0.747	53.3 -19.8 -41.3	45.9 244.3
38	G25B_050_050de	0.0 0.5 0.25	0.5 0.5 0.25	180	0.0 0.5 0.251	38.6 -24.3 -4.1	0.1 0.1 0.1	162.2	0.986 0.514 0.639	55.0 -36.2 -27.2	45.3 216.9
39	G38B_050_050de	0.0 0.5 0.375	0.5 0.5 0.25	196	0.0 0.5 0.316	39.2 -21.0 -9.4	0.1 0.1 0.1	162.2	0.982 0.512 0.549	47.8 -11.4 -41.0	42.6 254.3
40	G50B_050_050de	0.0 0.5 0.5	0.5 0.5 0.25	210	0.0 0.5 0.373	39.7 -18.1 -13.6	0.1 0.1 0.1	162.2	0.974 0.514 0.479	45.6 -7.9 -40.9	41.7 258.9
41	G59B_062_062de	0.0 0.5 0.625	0.625 0.625 0.312	221	0.0 0.625 0.537	44.0 -19.6 -21.0	0.1 0.1 0.1	162.2	0.977 0.417 0.344	44.5 -5.9 -40.9	41.4 261.6
42	G65B_075_075de	0.0 0.5 0.75	0.75 0.75 0.375	229	0.0 0.75 0.711	48.4 -20.8 -29.0	0.1 0.1 0.1	162.2	0.981 0.292 0.205	43.7 -4.6 -40.9	41.2 263.5
43	G70B_087_087de	0.0 0.5 0.875	0.875 0.875 0.437	235	0.0 0.841 0.875	52.0 -21.1 -36.3	0.1 0.1 0.1	162.2	0.989 0.188 0.081	43.3 -3.9 -40.9	41.1 264.4
44	G75B_100_100de	0.0 0.5 1.0	1.0 1.0 0.5	240	0.0 0.846 1.0	53.3 -19.8 -41.3	0.1 0.1 0.1	162.2	1.0 0.153 0.0	42.9 -3.3 -40.8	41.0 265.3
45	G00B_062_062de	0.0 0.625 0.0	0.625 0.625 0.312	150	0.0 0.625 0.094	40.8 -38.8 12.4	0.1 0.1 0.1	162.2	0.987 0.415 0.862	53.0 -48.6 -8.2	49.2 189.6
46	G09B_062_062de	0.0 0.625 0.125	0.625 0.625 0.312	161	0.0 0.625 0.195	41.4 -35.6 4.8	0.1 0.1 0.1	162.2	0.987 0.413 0.743	55.0 -36.2 -27.2	45.3 216.9
47	G19B_062_062de	0.0 0.625 0.25	0.625 0.625 0.312	173	0.0 0.625 0.274	41.9 -32.4 -1.8	0.1 0.1 0.1	162.2	0.988 0.41 0.65	56.4 -27.8 -38.7	47.7 234.3
48	G30B_062_062de	0.0 0.625 0.375	0.625 0.625 0.312	187	0.0 0.625 0.349	42.5 -28.7 -8.2	0.1 0.1 0.1	162.2	0.986 0.408 0.553	53.3 -19.8 -41.3	45.9 244.3
49	G40B_062_062de	0.0 0.625 0.5	0.625 0.625 0.312	199	0.0 0.625 0.411	43.0 -25.5 -12.9	0.1 0.1 0.1	162.2	0.982 0.408 0.477	55.0 -36.2 -27.2	45.3 216.9
50	G50B_062_062de	0.0 0.625 0.625	0.625 0.625 0.312	210	0.0 0.625 0.467	43.5 -22.6 -17.0	0.1 0.1 0.1	162.2	0.979 0.413 0.411	56.0 -30.0 -35.5	46.5 229.7
51	G57B_075_075de	0.0 0.625 0.75	0.75 0.75 0.375	219	0.0 0.75 0.629	47.8 -24.2 -24.4	0.1 0.1 0.1	162.2	0.983 0.288 0.287	48.6 -23.7 -41.2	48.6 237.9
52	G63B_087_087de	0.0 0.625 0.875	0.875 0.875 0.437								

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/TS88/TS88L0FA.TXT> /.PS
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	cmyn*sep.Fde	hsiM.de	rgb*Mde	LabCh*Mde	
81	R00Y_012_012de	0.125 0.0 0.0	0.125 0.125 0.062	390	0.125 0.0 0.031	27.0 9.0 4.3	10.0 25.4	0.901 0.963	0.999 0.0	375 1.0 0.0 0.254	45.6 72.2 34.4 80.0 25.4
82	B50R_012_012de	0.125 0.0 0.125	0.125 0.125 0.062	330	0.04 0.0 0.125	25.2 5.9 -3.6	6.9 328.6	0.961 0.98	0.829 0.0	0.321 0.0 1.0	31.1 47.7 -29.1 55.9 328.6
83	B25R_025_025de	0.125 0.0 0.25	0.25 0.25 0.125	300	0.0 0.026 0.25	25.3 5.8 -10.0	11.6 300.1	0.983 0.965	0.66 0.0	0.0 0.105 1.0	28.1 23.4 -40.3 46.7 300.1
84	B15R_037_037de	0.125 0.0 0.375	0.375 0.375 0.187	289	0.0 0.093 0.375	27.5 5.4 -15.0	16.0 289.7	0.978 0.885	0.538 0.0	0.0 0.248 1.0	32.8 14.4 -40.2 42.7 289.7
85	B11R_050_050de	0.125 0.0 0.5	0.5 0.5 0.25	284	0.0 0.151 0.5	29.5 5.4 -20.2	20.9 285.0	0.978 0.834	0.428 0.0	0.0 0.302 1.0	34.7 10.8 -40.4 41.8 285.0
86	B09R_062_062de	0.125 0.0 0.625	0.625 0.625 0.312	281	0.0 0.209 0.625	31.5 5.4 -25.2	25.8 282.1	0.981 0.781	0.319 0.0	0.0 0.335 1.0	35.9 8.7 -40.4 41.3 282.1
87	B07R_075_075de	0.125 0.0 0.75	0.75 0.75 0.375	279	0.0 0.267 0.75	33.6 5.4 -30.2	30.7 280.2	0.985 0.722	0.213 0.0	0.0 0.356 1.0	36.6 7.3 -40.3 40.9 280.2
88	B06R_087_087de	0.125 0.0 0.875	0.875 0.875 0.437	278	0.0 0.321 0.875	35.4 5.7 -35.2	35.7 279.3	0.99 0.666	0.108 0.0	0.0 0.367 1.0	37.0 6.6 -40.2 40.8 279.3
89	B05R_100_100de	0.125 0.0 1.0	1.0 1.0 0.5	277	0.0 0.378 1.0	37.4 5.9 -40.2	40.7 278.3	1.0 0.62	0.0 0.0	0.0 0.378 1.0	37.4 5.9 -40.2 40.7 278.3
90	Y00G_012_012de	0.125 0.125 0.0	0.125 0.125 0.062	90	0.125 0.109 0.0	31.7 -0.4 11.3	11.3 92.3	0.878 0.805	1.0 0.0	1.0 0.878 0.0	83.6 -3.6 90.4 90.4 92.3
91	NW_012de	0.125 0.125 0.125	0.125 0.0 0.125	360	0.125 0.125 0.125	33.2 0.0 0.0	0.0 0.0	0.885 0.774	0.736 0.0	1.0 1.0 1.0	95.6 0.0 0.0 0.0 0.0
92	B00R_025_012de	0.125 0.125 0.25	0.25 0.125 0.187	270	0.124 0.182 0.25	35.2 0.1 -5.0	5.0 271.7	0.877 0.732	0.61 0.0	0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
93	B00R_037_025de	0.125 0.125 0.375	0.375 0.25 0.25	270	0.124 0.239 0.375	37.2 0.3 -10.1	10.1 271.7	0.867 0.69	0.504 0.0	0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
94	B00R_050_037de	0.125 0.125 0.5	0.5 0.375 0.312	270	0.124 0.296 0.5	39.2 0.4 -15.2	15.2 271.7	0.862 0.64	0.395 0.0	0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
95	B00R_062_050de	0.125 0.125 0.625	0.625 0.5 0.375	270	0.125 0.354 0.625	41.2 0.6 -20.3	20.3 271.7	0.86 0.592	0.3 0.0	0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
96	B00R_075_062de	0.125 0.125 0.75	0.75 0.625 0.437	270	0.125 0.411 0.75	43.2 0.7 -25.4	25.4 271.7	0.863 0.548	0.204 0.0	0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
97	B00R_087_075de	0.125 0.125 0.875	0.875 0.75 0.5	270	0.125 0.468 0.875	45.1 0.9 -30.5	30.5 271.7	0.867 0.501	0.105 0.0	0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
98	B00R_100_087de	0.125 0.125 1.0	1.0 0.875 0.562	270	0.125 0.525 1.0	47.1 1.0 -35.5	35.6 271.7	0.872 0.46	0.006 0.0	0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
99	Y50G_025_025de	0.125 0.25 0.0	0.25 0.25 0.125	120	0.08 0.25 0.0	33.9 -10.2 13.4	16.9 127.2	0.901 0.717	1.0 0.0	0.322 1.0 0.0	62.6 -40.9 53.8 67.6 127.2
100	G00B_025_012de	0.125 0.25 0.125	0.25 0.125 0.187	150	0.124 0.25 0.143	36.5 -7.7 2.4	8.1 162.2	0.885 0.672	0.733 0.0	0.0 1.0 0.151	50.6 -62.1 19.9 65.2 162.2
101	G50B_025_012de	0.125 0.25 0.25	0.25 0.125 0.187	210	0.124 0.25 0.218	37.1 -4.5 -3.4	5.6 216.9	0.878 0.673	0.621 0.0	0.0 1.0 0.747	55.0 -36.2 -27.2 45.3 216.9
102	G75B_037_025de	0.125 0.25 0.375	0.375 0.25 0.25	240	0.124 0.336 0.375	40.5 -4.9 -10.3	11.4 244.3	0.863 0.6	0.472 0.0	0.0 0.846 1.0	53.3 -19.8 -41.3 45.9 244.3
103	G84B_050_037de	0.125 0.25 0.5	0.5 0.375 0.312	251	0.124 0.375 0.5	42.0 -4.3 -15.4	15.9 254.3	0.861 0.563	0.379 0.0	0.0 0.666 1.0	47.8 -11.4 -41.0 42.6 254.3
104	G88B_062_050de	0.125 0.25 0.625	0.625 0.5 0.375	256	0.125 0.426 0.625	43.9 -3.9 -20.4	20.8 258.9	0.862 0.524	0.288 0.0	0.0 0.602 1.0	45.6 -7.9 -40.9 41.7 258.9
105	G90B_075_062de	0.125 0.25 0.75	0.75 0.625 0.437	259	0.125 0.482 0.75	45.8 -3.7 -25.6	25.8 261.6	0.865 0.482	0.193 0.0	0.0 0.572 1.0	44.5 -5.9 -40.9 41.4 261.6
106	G92B_087_075de	0.125 0.25 0.875	0.875 0.75 0.5	261	0.125 0.539 0.875	47.8 -3.4 -30.7	30.9 263.5	0.872 0.441	0.098 0.0	0.0 0.552 1.0	43.7 -4.6 -40.9 41.2 263.5
107	G93B_100_087de	0.125 0.25 1.0	1.0 0.875 0.562	262	0.125 0.599 1.0	49.8 -3.4 -35.8	35.9 264.4	0.875 0.399	0.001 0.0	0.0 0.542 1.0	43.3 -3.9 -40.9 41.1 264.4
108	Y68G_037_037de	0.125 0.375 0.0	0.375 0.375 0.187	131	0.069 0.375 0.0	36.4 -19.1 15.9	24.9 140.0	0.912 0.622	1.0 0.0	0.184 1.0 0.0	56.4 -50.9 42.6 66.4 140.0
109	G00B_037_025de	0.125 0.375 0.125	0.375 0.25 0.25	150	0.124 0.375 0.162	39.8 -15.5 4.9	16.3 162.2	0.887 0.564	0.733 0.0	0.0 1.0 0.151	50.6 -62.1 19.9 65.2 162.2
110	G25B_037_025de	0.125 0.375 0.25	0.375 0.25 0.25	180	0.124 0.375 0.25	40.4 -12.1 -2.0	12.3 189.6	0.882 0.564	0.617 0.0	0.0 1.0 0.502	53.0 -48.6 -8.2 49.2 189.6
111	G50B_037_025de	0.125 0.375 0.375	0.375 0.25 0.25	210	0.124 0.375 0.311	40.9 -9.0 -6.8	11.3 216.9	0.874 0.571	0.533 0.0	0.0 1.0 0.747	55.0 -36.2 -27.2 45.3 216.9
112	G65B_050_037de	0.125 0.375 0.5	0.5 0.375 0.312	229	0.124 0.5 0.48	45.3 -10.4 -14.5	17.8 234.3	0.862 0.474	0.379 0.0	0.0 1.0 0.948	56.4 -27.8 -38.7 47.7 234.3
113	G75B_062_050de	0.125 0.375 0.625	0.625 0.5 0.375	240	0.125 0.548 0.625	47.7 -9.9 -20.6	22.9 244.3	0.86 0.43	0.27 0.0	0.0 0.846 1.0	53.3 -19.8 -41.3 45.9 244.3
114	G80B_075_062de	0.125 0.375 0.75	0.75 0.625 0.437	247	0.125 0.578 0.75	49.1 -8.9 -25.7	27.2 250.7	0.868 0.406	0.183 0.0	0.0 0.726 1.0	49.7 -14.3 -41.1 43.5 250.7
115	G84B_087_075de	0.125 0.375 0.875	0.875 0.75 0.5	251	0.125 0.625 0.875	50.8 -8.6 -30.8	31.9 254.3	0.875 0.371	0.093 0.0	0.0 0.666 1.0	47.8 -11.4 -41.0 42.6 254.3
116	G86B_100_087de	0.125 0.375 1.0	1.0 0.875 0.562	254	0.125 0.67 1.0	52.6 -8.1 -35.7	36.7 257.1	0.879 0.319	0.005 0.0	0.0 0.622 1.0	46.4 -9.3 -40.9 41.9 257.1
117	Y76G_050_050de	0.125 0.5 0.0	0.5 0.5 0.25	136	0.054 0.5 0.0	39.2 -27.7 18.7	33.5 145.9	0.923 0.511	1.0 0.0	0.108 1.0 0.0	54.1 -55.5 37.5 67.0 145.9
118	G00B_050_037de	0.125 0.5 0.125	0.5 0.375 0.312	150	0.124 0.5 0.181	43.1 -23.2 7.4	24.4 162.2	0.891 0.458	0.732 0.0	0.0 1.0 0.151	50.6 -62.1 19.9 65.2 162.2
119	G15B_050_037de	0.125 0.5 0.25	0.5 0.375 0.312	169	0.124 0.5 0.276	43.7 -20.0 0.1	20.0 179.5	0.889 0.458	0.623 0.0	0.0 1.0 0.403	52.2 -53.4 0.4 53.4 179.5
120	G34B_050_037de	0.125 0.5 0.375	0.5 0.375 0.312	191	0.124 0.5 0.347	44.3 -16.5 -5.9	17.6 199.6	0.882 0.458	0.525 0.0	0.0 1.0 0.592	53.7 -44.2 -15.7 46.9 199.6
121	G50B_050_037de	0.125 0.5 0.5	0.5 0.375 0.312	210	0.124 0.5 0.405	44.7 -13.5 -10.2	16.9 216.9	0.874 0.465	0.454 0.0	0.0 1.0 0.747	55.0 -36.2 -27.2 45.3 216.9
122	G61B_062_050de	0.125 0.5 0.625	0.625 0.5 0.375	224	0.125 0.625 0.571	49.0 -15.0 -17.7	23.2 229.7	0.869 0.381	0.315 0.0	0.0 1.0 0.892	56.0 -30.0 -35.5 46.5 229.7
123	G69B_075_062de	0.125 0.5 0.75	0.75 0.625 0.437	233	0.125 0.7 0.746	53.5 -16.1 -25.7	30.3 237.9	0.871 0.265	0.176 0.0	0.0 1.0 0.994	56.7 -25.7 -41.2 48.6 237.9
124	G75B_087_075de	0.125 0.5 0.875	0.875 0.75 0.5	240	0.125 0.759 0.875	54.9 -14.8 -31.0	34.4 244.3	0.877 0.235	0.088 0.0	0.0 0.846 1.0	53.3 -19.8 -41.3 45.9 244.3
125	G79B_100_087de	0.125 0.5 1.0	1.0 0.875 0.562	245	0.125 0.787 1.0	56.2 -13.8 -36.0	38.5 248.9	0.882 0.202	0.004 0.0	0.0 0.757 1.0	50.6 -15.8 -41.1 44.1 248.9
126	Y81G_062_062de	0.125 0.625 0.0	0.625 0.625 0.312	139	0.043 0.625 0.0	42.0 -36.9 21.8	42.8 149.4	0.937 0.412	1.0 0.0	0.069 1.0 0.0	52.6 -59.0 34.9 68.6 149.4
127	G00B_062_050de	0.125 0.625 0.125	0.625 0.5 0.375	150	0.125 0.625 0.2	46.4 -31.0 9.9	32.6 162.2	0.897 0.356	0.727 0.0	0.0 1.0 0.151	50.6 -62.1 19.9 65.2 162.2
128	G11B_062_050de	0.125 0.625 0.25	0.625 0.5 0.375	164	0.125 0.625 0.3	47.0 -27.7 2.4	27.8 175.0	0.896 0.359	0.622 0.0	0.0 1.0 0.35	51.8 -55.5 4.8 55.7 175.0
129	G2><										

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/TS88/TS88L0FA.TXT> /.PS
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	cmyn*sep.Fde	hsiM.de	rgb*Mde	LabCh*Mde
162	R00Y_025_025de	0.25 0.0 0.0	0.25 0.25 0.125	390	0.25 0.0 0.063	29.6 18.0 8.6	20.0 25.4	0.767 0.924 0.963 0.0	375 1.0 0.0 0.254	45.6 72.2 34.4 80.0 25.4
163	R00Y_025_025de	0.25 0.0 0.125	0.25 0.25 0.125	360	0.184 0.0 0.25	28.6 17.6 -2.4	17.7 352.0	0.833 0.949 0.735 0.0	315 0.736 0.0 1.0	41.4 70.4 -9.8 71.1 352.0
164	B50R_025_025de	0.25 0.0 0.25	0.25 0.25 0.125	330	0.08 0.0 0.25	26.0 11.9 -7.2	13.9 328.6	0.927 0.983 0.705 0.0	288 0.321 0.0 1.0	31.1 47.7 -29.1 55.9 328.6
165	B34R_037_037de	0.25 0.0 0.375	0.375 0.375 0.187	311	0.024 0.0 0.375	25.1 12.3 -14.4	19.0 310.5	0.96 0.993 0.562 0.0	273 0.064 0.0 1.0	26.5 32.9 -38.4 50.6 310.5
166	B25R_050_050de	0.25 0.0 0.5	0.5 0.5 0.25	300	0.0 0.052 0.5	26.2 11.7 -20.1	23.3 300.1	0.979 0.945 0.451 0.0	264 0.0 0.105 1.0	28.1 23.4 -40.3 46.7 300.1
167	B19R_062_062de	0.25 0.0 0.625	0.625 0.625 0.312	293	0.0 0.123 0.625	28.5 11.0 -25.2	27.5 293.5	0.981 0.868 0.34 0.0	259 0.0 0.198 1.0	31.1 17.6 -40.4 44.1 293.5
168	B15R_075_075de	0.25 0.0 0.75	0.75 0.75 0.375	289	0.0 0.186 0.75	30.6 10.8 -30.1	32.0 289.7	0.984 0.81 0.228 0.0	256 0.0 0.248 1.0	32.8 14.4 -40.2 42.7 289.7
169	B13R_087_087de	0.25 0.0 0.875	0.875 0.875 0.437	286	0.0 0.245 0.875	32.7 10.7 -35.3	36.9 286.9	0.992 0.746 0.11 0.0	254 0.0 0.281 1.0	33.9 12.2 -40.3 42.2 286.9
170	B11R_100_100de	0.25 0.0 1.0	1.0 1.0 0.5	284	0.0 0.302 1.0	34.7 10.8 -40.4	41.8 285.0	1.0 0.695 0.0 0.0	252 0.0 0.302 1.0	34.7 10.8 -40.4 41.8 285.0
171	R50Y_025_025de	0.25 0.125 0.0	0.25 0.25 0.125	60	0.25 0.099 0.0	33.3 9.5 15.8	18.5 58.8	0.749 0.802 1.0 0.0	53 1.0 0.398 0.0	60.2 38.2 63.4 74.1 58.8
172	R00Y_025_012de	0.25 0.125 0.125	0.25 0.125 0.187	390	0.25 0.124 0.156	35.9 9.0 4.3	10.0 25.4	0.746 0.753 0.692 0.0	375 1.0 0.0 0.254	45.6 72.2 34.4 80.0 25.4
173	B50R_025_012de	0.25 0.125 0.25	0.25 0.125 0.187	330	0.165 0.124 0.25	34.1 5.9 -3.6	6.9 328.6	0.84 0.778 0.626 0.0	288 0.321 0.0 1.0	31.1 47.7 -29.1 55.9 328.6
174	B25R_037_025de	0.25 0.125 0.375	0.375 0.25 0.25	300	0.124 0.151 0.375	34.2 5.8 -10.0	11.6 300.1	0.868 0.771 0.532 0.0	264 0.0 0.105 1.0	28.1 23.4 -40.3 46.7 300.1
175	B15R_050_037de	0.25 0.125 0.5	0.5 0.375 0.312	289	0.124 0.218 0.5	36.4 5.4 -15.0	16.0 289.7	0.864 0.718 0.419 0.0	256 0.0 0.248 1.0	32.8 14.4 -40.2 42.7 289.7
176	B11R_062_050de	0.25 0.125 0.625	0.625 0.5 0.375	284	0.125 0.276 0.625	38.4 5.4 -20.2	20.9 285.0	0.861 0.667 0.314 0.0	252 0.0 0.302 1.0	34.7 10.8 -40.4 41.8 285.0
177	B09R_075_062de	0.25 0.125 0.75	0.75 0.625 0.437	281	0.125 0.334 0.75	40.4 5.4 -25.2	25.8 282.1	0.86 0.616 0.215 0.0	250 0.0 0.335 1.0	35.9 8.7 -40.4 41.3 282.1
178	B07R_087_075de	0.25 0.125 0.875	0.875 0.75 0.5	279	0.125 0.392 0.875	42.5 5.4 -30.2	30.7 280.2	0.864 0.57 0.113 0.0	249 0.0 0.356 1.0	36.6 7.3 -40.3 40.9 280.2
179	B06R_100_087de	0.25 0.125 1.0	1.0 0.875 0.562	278	0.125 0.446 1.0	44.3 5.7 -35.2	35.7 279.3	0.869 0.525 0.009 0.0	248 0.0 0.367 1.0	37.0 6.6 -40.2 40.8 279.3
180	Y00G_025_025de	0.25 0.25 0.0	0.25 0.25 0.125	90	0.25 0.219 0.0	39.1 -0.9 22.6	22.6 92.3	0.732 0.649 0.98 0.0	83 1.0 0.878 0.0	83.6 -3.6 90.4 90.4 92.3
181	Y00G_025_012de	0.25 0.25 0.125	0.25 0.125 0.187	90	0.25 0.234 0.124	40.6 -0.4 11.3	11.3 92.3	0.734 0.621 0.738 0.0	83 1.0 0.878 0.0	83.6 -3.6 90.4 90.4 92.3
182	NW_025de	0.25 0.25 0.25	0.25 0.0 0.25	360	0.25 0.25 0.25	42.1 0.0 0.0	0.0 0.0	0.743 0.587 0.55 0.0	360 1.0 1.0 1.0	95.6 0.0 0.0 0.0 0.0
183	B00R_037_012de	0.25 0.25 0.375	0.375 0.125 0.312	270	0.249 0.307 0.375	44.1 0.1 -5.0	5.0 271.7	0.736 0.55 0.46 0.0	242 0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
184	B00R_050_025de	0.25 0.25 0.5	0.5 0.25 0.375	270	0.249 0.364 0.5	46.1 0.3 -10.1	10.1 271.7	0.731 0.519 0.371 0.0	242 0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
185	B00R_062_037de	0.25 0.25 0.625	0.625 0.375 0.437	270	0.25 0.421 0.625	48.1 0.4 -15.2	15.2 271.7	0.727 0.485 0.285 0.0	242 0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
186	B00R_075_050de	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.479 0.75	50.1 0.6 -20.3	20.3 271.7	0.727 0.448 0.191 0.0	242 0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
187	B00R_087_062de	0.25 0.25 0.875	0.875 0.625 0.562	270	0.25 0.536 0.875	52.1 0.7 -25.4	25.4 271.7	0.729 0.413 0.097 0.0	242 0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
188	B00R_100_075de	0.25 0.25 1.0	1.0 0.75 0.625	270	0.25 0.593 1.0	54.1 0.9 -30.5	30.5 271.7	0.73 0.377 0.004 0.0	242 0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
189	Y31G_037_037de	0.25 0.375 0.0	0.375 0.375 0.187	109	0.185 0.375 0.0	41.6 -11.2 24.7	27.2 114.4	0.76 0.544 0.977 0.0	120 0.493 1.0 0.0	70.3 -30.0 66.1 72.6 114.4
190	Y50G_037_025de	0.25 0.375 0.125	0.375 0.25 0.25	120	0.205 0.375 0.124	42.8 -10.2 13.4	16.9 127.2	0.767 0.527 0.76 0.0	131 0.322 1.0 0.0	62.6 -40.9 53.8 67.6 127.2
191	G00B_037_012de	0.25 0.375 0.25	0.375 0.125 0.312	150	0.249 0.375 0.268	45.4 -7.7 2.4	8.1 162.2	0.748 0.488 0.562 0.0	158 0.0 1.0 0.151	50.6 -62.1 19.9 65.2 162.2
192	G50B_037_012de	0.25 0.375 0.375	0.375 0.125 0.312	210	0.249 0.375 0.343	46.0 -4.5 -3.4	5.6 216.9	0.738 0.494 0.476 0.0	195 0.0 1.0 0.747	55.0 -36.2 -27.2 45.3 216.9
193	G75B_050_025de	0.25 0.375 0.5	0.5 0.25 0.375	240	0.249 0.461 0.5	49.4 -4.9 -10.3	11.4 244.3	0.731 0.442 0.353 0.0	218 0.0 0.846 1.0	53.3 -19.8 -41.3 45.9 244.3
194	G84B_062_037de	0.25 0.375 0.625	0.625 0.375 0.437	251	0.25 0.5 0.625	50.9 -4.3 -15.4	15.9 254.3	0.729 0.423 0.272 0.0	229 0.0 0.666 1.0	47.8 -11.4 -41.0 42.6 254.3
195	G88B_075_050de	0.25 0.375 0.75	0.75 0.5 0.5	256	0.25 0.551 0.75	52.8 -3.9 -20.4	20.8 258.9	0.731 0.392 0.183 0.0	233 0.0 0.602 1.0	45.6 -7.9 -40.9 41.7 258.9
196	G90B_087_062de	0.25 0.375 0.875	0.875 0.625 0.562	259	0.25 0.607 0.875	54.7 -3.7 -25.6	25.8 261.6	0.732 0.351 0.092 0.0	235 0.0 0.572 1.0	44.5 -5.9 -40.9 41.4 261.6
197	G92B_100_075de	0.25 0.375 1.0	1.0 0.75 0.625	261	0.25 0.664 1.0	56.7 -3.4 -30.7	30.9 263.5	0.736 0.305 0.003 0.0	236 0.0 0.552 1.0	43.7 -4.6 -40.9 41.2 263.5
198	Y50G_050_050de	0.25 0.5 0.0	0.5 0.5 0.25	120	0.161 0.5 0.0	43.5 -20.4 26.9	33.8 127.2	0.796 0.465 0.995 0.0	131 0.322 1.0 0.0	62.6 -40.9 53.8 67.6 127.2
199	Y68G_050_037de	0.25 0.5 0.125	0.5 0.375 0.312	131	0.194 0.5 0.124	45.3 -19.1 15.9	24.9 140.0	0.794 0.442 0.781 0.0	139 0.184 1.0 0.0	56.4 -50.9 42.6 66.4 140.0
200	G00B_050_025de	0.25 0.5 0.25	0.5 0.25 0.375	180	0.249 0.5 0.287	48.7 -15.5 4.9	16.3 162.2	0.754 0.401 0.574 0.0	158 0.0 1.0 0.151	50.6 -62.1 19.9 65.2 162.2
201	C25B_050_025de	0.25 0.5 0.375	0.5 0.25 0.375	180	0.249 0.5 0.375	49.3 -12.1 -2.0	12.3 189.6	0.745 0.406 0.48 0.0	180 0.0 1.0 0.502	53.0 -48.6 -8.2 49.2 189.6
202	G50B_050_025de	0.25 0.5 0.5	0.5 0.25 0.375	210	0.249 0.5 0.436	49.8 -9.0 -6.8	11.3 216.9	0.739 0.413 0.406 0.0	195 0.0 1.0 0.747	55.0 -36.2 -27.2 45.3 216.9
203	G65B_062_037de	0.25 0.5 0.625	0.625 0.375 0.437	229	0.25 0.625 0.605	54.2 -10.4 -14.5	17.8 234.3	0.734 0.331 0.275 0.0	207 0.0 1.0 0.948	56.4 -27.8 -38.7 47.7 234.3
204	G75B_075_050de	0.25 0.5 0.75	0.75 0.5 0.5	240	0.25 0.673 0.75	56.6 -9.9 -20.6	22.9 244.3	0.733 0.281 0.171 0.0	218 0.0 0.846 1.0	53.3 -19.8 -41.3 45.9 244.3
205	G80B_087_062de	0.25 0.5 0.875	0.875 0.625 0.562	247	0.25 0.703 0.875	58.0 -8.9 -25.7	27.2 250.7	0.736 0.256 0.089 0.0	225 0.0 0.726 1.0	49.7 -14.3 -41.1 43.5 250.7
206	G84B_100_075de	0.25 0.5 1.0	1.0 0.75 0.625	251	0.25 0.75 1.0	59.7 -8.6 -30.8	31.9 254.3	0.741 0.22 0.005 0.0	229 0.0 0.666 1.0	47.8 -11.4 -41.0 42.6 254.3
207	Y61G_062_062de	0.25 0.625 0.0	0.625 0.625 0.312	127	0.155 0.625 0.0	45.6 -29.6 29.2	41.6 135.4	0.828 0.385 1.0 0.0	136 0.248 1.0 0.0	58.3 -47.4 46.7 66.6 135.4
208	Y76G_062_050de	0.25 0.625 0.125	0.625 0.5 0.375	136	0.179 0.625 0.125	48.1 -27.7 18.7	33.5 145.9	0.818 0.347 0.796 0.0	144 0.108 1.0 0.0	54.1 -55.5 37.5 67.0 145.9
209	G00B_062_037de	0.25 0.625 0.25	0.625 0.375 0.437	150	0.25 0.625 0.306	52.0 -23.2 7.4	24.4 162.2	0.769 0.292 0.584 0.0	158 0.0 1.0 0.151	50.6 -62.1 19.9 65.2 162.2
210	G15B_062_037de	0.25 0.625 0.375	0.625 0.3							

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/TS88/TS88L0FA.TXT /.PS>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	cmyn*sep.Fde	hsiM_de	rgb*Mde	LabCh*Mde
243	R00Y_037_037de	0.375 0.0 0.0	0.375 0.375 0.187	390	0.375 0.0 0.095	32.3 27.0 12.9	30.0 25.4 0.671	0.921 0.895 0.0	375 1.0 0.0 0.254	45.6 72.2 34.4 80.0 25.4
244	R18Y_037_037de	0.375 0.0 0.125	0.375 0.375 0.187	371	0.375 0.0 0.31	32.4 29.2 2.2	29.2 4.3 0.68	0.92 0.651 0.0	339 1.0 0.0 0.827	45.9 77.8 5.8 78.1 4.3
245	B65R_037_037de	0.375 0.0 0.25	0.375 0.375 0.187	349	0.226 0.0 0.375	29.3 24.1 -5.7	24.7 346.6 0.778	0.953 0.604 0.0	306 0.603 0.0 1.0	37.6 64.3 -15.3 66.1 346.6
246	B50R_037_037de	0.375 0.0 0.375	0.375 0.375 0.187	330	0.12 0.0 0.375	26.9 17.9 -10.9	20.9 328.6 0.887	0.986 0.593 0.0	328 0.321 0.0 1.0	31.1 47.7 -29.1 55.9 328.6
247	B38R_050_050de	0.375 0.0 0.5	0.5 0.5 0.25	316	0.067 0.0 0.5	26.1 18.2 -18.0	25.7 315.3 0.924	0.993 0.469 0.0	277 0.135 0.0 1.0	27.9 36.5 -36.1 51.4 315.3
248	B30R_062_062de	0.375 0.0 0.625	0.625 0.625 0.312	307	0.005 0.0 0.625	24.9 18.7 -25.1	31.3 306.8 0.977	1.0 0.354 0.0	270 0.008 0.0 1.0	25.2 30.0 -40.1 50.1 306.8
249	B25R_075_075de	0.375 0.0 0.75	0.75 0.75 0.375	300	0.0 0.079 0.75	27.1 17.6 -30.2	35.0 300.1 0.984	0.924 0.243 0.0	264 0.0 0.105 1.0	28.1 23.4 -40.3 46.7 300.1
250	B20R_087_087de	0.375 0.0 0.875	0.875 0.875 0.375	295	0.0 0.151 0.875	29.5 16.8 -35.3	39.1 295.4 0.991	0.845 0.12 0.0	260 0.0 0.173 1.0	30.2 19.2 -40.4 44.7 295.4
251	B18R_100_100de	0.375 0.0 1.0	1.0 1.0 0.5	292	0.0 0.21 1.0	31.5 16.8 -40.4	43.7 292.5 1.0	0.787 0.0 0.0	258 0.0 0.21 1.0	31.5 16.8 -40.4 43.7 292.5
252	R31Y_037_037de	0.375 0.125 0.0	0.375 0.375 0.187	49	0.375 0.092 0.0	35.3 19.6 20.7	28.5 46.6 0.666	0.828 1.0 0.0	43 1.0 0.246 0.0	53.5 52.2 55.3 76.1 46.6
253	R00Y_037_025de	0.375 0.125 0.125	0.375 0.25 0.25	390	0.375 0.124 0.188	38.6 18.0 8.6	20.0 25.4 0.655	0.765 0.675 0.0	375 1.0 0.0 0.254	45.6 72.2 34.4 80.0 25.4
254	R00Y_037_025de	0.375 0.125 0.25	0.375 0.25 0.25	360	0.309 0.124 0.375	37.5 17.6 -2.4	17.7 352.0 0.696	0.771 0.531 0.0	315 0.736 0.0 1.0	41.4 70.4 -9.8 71.1 352.0
255	B50R_037_025de	0.375 0.125 0.375	0.375 0.25 0.25	330	0.205 0.124 0.375	34.9 11.9 -7.2	13.9 328.6 0.783	0.778 0.524 0.0	288 0.321 0.0 1.0	31.1 47.7 -29.1 55.9 328.6
256	B34R_050_037de	0.375 0.125 0.5	0.5 0.375 0.312	311	0.149 0.124 0.5	34.0 12.3 -14.4	19.0 310.5 0.834	0.793 0.435 0.0	273 0.064 0.0 1.0	26.5 32.9 -38.4 50.6 310.5
257	B25R_062_050de	0.375 0.125 0.625	0.625 0.5 0.375	300	0.125 0.177 0.625	35.1 11.7 -20.1	23.3 300.1 0.86	0.763 0.232 0.0	264 0.0 0.105 1.0	28.1 23.4 -40.3 46.7 300.1
258	B19R_075_062de	0.375 0.125 0.75	0.75 0.625 0.437	293	0.125 0.248 0.75	37.4 11.0 -25.2	27.5 293.5 0.862	0.705 0.225 0.0	259 0.0 0.198 1.0	31.1 17.6 -40.4 44.1 293.5
259	B15R_087_075de	0.375 0.125 0.875	0.875 0.75 0.5	289	0.125 0.311 0.875	39.6 10.8 -30.1	32.0 289.7 0.861	0.65 0.119 0.0	256 0.0 0.248 1.0	32.8 14.4 -40.2 42.7 289.7
260	B13R_100_087de	0.375 0.125 1.0	1.0 0.875 0.562	286	0.125 0.37 1.0	41.6 10.7 -35.3	36.9 286.9 0.868	0.594 0.006 0.0	254 0.0 0.281 1.0	33.9 12.2 -40.3 42.2 286.9
261	R68Y_037_037de	0.375 0.25 0.0	0.375 0.375 0.187	71	0.375 0.203 0.0	40.5 9.2 26.9	28.4 71.1 0.656	0.694 0.99 0.0	62 1.0 0.543 0.0	67.4 24.5 71.9 75.9 71.1
262	R50Y_037_025de	0.375 0.25 0.125	0.375 0.25 0.25	60	0.375 0.224 0.124	42.2 9.5 15.8	18.5 58.8 0.65	0.664 0.749 0.0	53 1.0 0.398 0.0	60.2 38.2 63.4 74.1 58.8
263	R00Y_037_012de	0.375 0.25 0.25	0.375 0.125 0.312	390	0.375 0.249 0.281	44.8 9.0 4.3	10.0 25.4 0.651	0.62 0.55 0.0	375 1.0 0.0 0.254	45.6 72.2 34.4 80.0 25.4
264	B50R_037_012de	0.375 0.25 0.375	0.375 0.125 0.312	330	0.29 0.249 0.375	43.0 5.9 -3.6	6.9 328.6 0.709	0.61 0.475 0.0	288 0.321 0.0 1.0	31.1 47.7 -29.1 55.9 328.6
265	B25R_050_025de	0.375 0.25 0.5	0.5 0.25 0.375	300	0.249 0.276 0.5	43.1 5.8 -10.0	11.6 300.1 0.727	0.592 0.383 0.0	264 0.0 0.105 1.0	28.1 23.4 -40.3 46.7 300.1
266	B15R_062_037de	0.375 0.25 0.625	0.625 0.375 0.437	289	0.25 0.343 0.625	45.3 5.4 -15.0	16.0 289.7 0.726	0.552 0.293 0.0	256 0.0 0.248 1.0	32.8 14.4 -40.2 42.7 289.7
267	B11R_075_050de	0.375 0.25 0.75	0.75 0.5 0.5	284	0.25 0.401 0.75	47.3 5.4 -20.2	20.9 285.0 0.724	0.509 0.199 0.0	252 0.0 0.302 1.0	34.7 10.8 -40.4 41.8 285.0
268	B09R_087_062de	0.375 0.25 0.875	0.875 0.625 0.562	281	0.25 0.459 0.875	49.4 5.4 -25.2	25.8 282.1 0.727	0.469 0.102 0.0	250 0.0 0.335 1.0	35.9 8.7 -40.4 41.3 282.1
269	B07R_100_075de	0.375 0.25 1.0	1.0 0.75 0.625	279	0.25 0.517 1.0	51.4 5.4 -30.2	30.7 280.2 0.728	0.435 0.007 0.0	249 0.0 0.356 1.0	36.6 7.3 -40.3 40.9 280.2
270	Y00G_037_037de	0.375 0.375 0.0	0.375 0.375 0.187	90	0.375 0.329 0.0	46.5 -1.3 33.9	33.9 92.3 0.646	0.537 0.977 0.0	83 1.0 0.878 0.0	83.6 -3.6 90.4 90.4 92.3
271	Y00G_037_025de	0.375 0.375 0.125	0.375 0.25 0.25	90	0.375 0.344 0.124	48.0 -0.9 22.6	22.6 92.3 0.64	0.52 0.778 0.0	83 1.0 0.878 0.0	83.6 -3.6 90.4 90.4 92.3
272	Y00G_037_012de	0.375 0.375 0.25	0.375 0.125 0.312	90	0.375 0.359 0.249	49.5 -0.4 11.3	11.3 92.3 0.644	0.497 0.607 0.0	83 1.0 0.878 0.0	83.6 -3.6 90.4 90.4 92.3
273	NW_037de	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	51.0 0.0 0.0	0.0 0.0 0.653	0.473 0.452 0.0	360 1.0 1.0 1.0	95.6 0.0 0.0 0.0 0.0
274	B00R_050_012de	0.375 0.375 0.5	0.5 0.125 0.437	270	0.375 0.432 0.5	53.0 0.1 -5.0	5.0 271.7 0.648	0.445 0.366 0.0	242 0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
275	B00R_062_025de	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.489 0.625	55.0 0.3 -10.1	10.1 271.7 0.645	0.421 0.282 0.0	242 0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
276	B00R_075_037de	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.546 0.75	57.0 0.4 -15.2	15.2 271.7 0.645	0.394 0.192 0.0	242 0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
277	B00R_087_050de	0.375 0.375 0.875	0.875 0.5 0.625	270	0.375 0.604 0.875	59.0 0.6 -20.3	20.3 271.7 0.645	0.361 0.099 0.0	242 0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
278	B00R_100_062de	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.661 1.0	61.0 0.7 -25.4	25.4 271.7 0.646	0.317 0.008 0.0	242 0.0 0.458 1.0	40.2 1.2 -40.6 40.6 271.7
279	Y23G_050_050de	0.375 0.5 0.0	0.5 0.5 0.25	104	0.302 0.5 0.0	49.4 -12.5 37.1	39.2 108.6 0.671	0.432 0.989 0.0	113 0.605 1.0 0.0	74.5 -25.0 74.3 78.4 108.6
280	Y31G_050_037de	0.375 0.5 0.125	0.5 0.375 0.312	109	0.31 0.5 0.124	50.5 -11.2 24.7	27.2 114.4 0.668	0.426 0.791 0.0	120 0.493 1.0 0.0	70.3 -30.0 66.1 72.6 114.4
281	Y50G_050_025de	0.375 0.5 0.25	0.5 0.25 0.375	120	0.33 0.5 0.249	51.7 -10.2 13.4	16.9 127.2 0.675	0.412 0.625 0.0	131 0.322 1.0 0.0	62.6 -40.9 53.8 67.6 127.2
282	G00B_050_012de	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.393	54.3 -7.7 2.4	8.1 162.2 0.66	0.388 0.469 0.0	158 0.0 1.0 0.151	50.6 -62.1 19.9 65.2 162.2
283	G50B_050_012de	0.375 0.5 0.5	0.5 0.125 0.437	210	0.375 0.5 0.468	54.9 -4.5 -3.4	5.6 216.9 0.652	0.395 0.382 0.0	195 0.0 1.0 0.747	55.0 -36.2 -27.2 45.3 216.9
284	G75B_062_025de	0.375 0.5 0.625	0.625 0.25 0.5	240	0.375 0.586 0.625	58.3 -4.9 -10.3	11.4 244.3 0.647	0.342 0.268 0.0	218 0.0 0.846 1.0	53.3 -19.8 -41.3 45.9 244.3
285	G84B_075_037de	0.375 0.5 0.75	0.75 0.375 0.562	251	0.375 0.625 0.75	59.8 -4.3 -15.4	15.9 254.3 0.649	0.317 0.183 0.0	229 0.0 0.666 1.0	47.8 -11.4 -41.0 42.6 254.3
286	G88B_087_050de	0.375 0.5 0.875	0.875 0.5 0.625	256	0.375 0.676 0.875	61.7 -3.9 -20.4	20.8 258.9 0.65	0.284 0.096 0.0	233 0.0 0.602 1.0	45.6 -7.9 -40.9 41.7 258.9
287	G90B_100_062de	0.375 0.5 1.0	1.0 0.625 0.687	259	0.375 0.732 1.0	63.6 -3.7 -25.6	25.8 261.6 0.652	0.247 0.006 0.0	235 0.0 0.572 1.0	44.5 -5.9 -40.9 41.4 261.6
288	Y38G_062_062de	0.375 0.625 0.0	0.625 0.625 0.312	113	0.258 0.625 0.0	51.1 -21.2 38.0	43.5 119.1 0.694	0.352 0.984 0.0	125 0.414 1.0 0.0	67.2 -33.9 60.9 69.7 119.1
289	Y50G_062_050de	0.375 0.625 0.125	0.625 0.5 0.375	120	0.286 0.625 0.125	52.4 -20.4 26.9	33.8 127.2 0.695	0.334 0.807 0.0	131 0.322 1.0 0.0	62.6 -40.9 53.8 67.6 127.2
290	Y68G_062_037de	0.375 0.625 0.25	0.625 0.375 0.437	131	0.319 0.625 0.25	54.2 -19.1 15.9	24.9 140.0 0.697	0.308 0.646 0.0	139 0.184 1.0 0.0	56.4 -50.9 42.6 66.4 6

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	cmyn*sep.Fde	hsiM.de	rgb*Mde	LabCh*Mde
324	R00Y_050_050de	0.5 0.0 0.0	0.5 0.5 0.25	390	0.5 0.0 0.127	35.0 36.1 17.2	40.0 25.4	0.567 0.932	0.871 0.0	
325	R26Y_050_050de	0.5 0.0 0.125	0.5 0.5 0.25	376	0.5 0.0 0.328	35.1 38.0 6.6	38.6 9.8	0.572 0.928	0.643 0.0	
326	R00Y_050_050de	0.5 0.0 0.25	0.5 0.5 0.25	360	0.368 0.0 0.5	32.8 35.2 -4.9	35.5 352.0	0.659 0.942	0.499 0.0	
327	B61R_050_050de	0.5 0.0 0.375	0.5 0.5 0.25	344	0.261 0.0 0.5	30.2 29.9 -9.8	31.5 341.8	0.73 0.959	0.486 0.0	
328	B50R_050_050de	0.5 0.0 0.5	0.5 0.5 0.25	330	0.16 0.0 0.5	27.7 23.8 -14.5	27.9 328.6	0.84 0.99	0.486 0.0	
329	B40R_062_062de	0.5 0.0 0.625	0.625 0.25	312	0.114 0.0 0.625	26.8 24.2 -21.7	32.5 318.1	0.888 1.0	0.376 0.0	
330	B34R_075_075de	0.5 0.0 0.75	0.75 0.75 0.375	311	0.048 0.0 0.75	25.9 24.7 -28.8	38.0 310.5	0.94 1.0	0.253 0.0	
331	B29R_087_087de	0.5 0.0 0.875	0.875 0.375	305	0.0 0.02 0.875	25.5 24.7 -35.4	43.1 304.9	0.991 0.981	0.131 0.0	
332	B25R_100_100de	0.5 0.0 1.0	1.0 1.0 0.5	300	0.0 0.105 1.0	28.1 23.4 -40.3	46.7 300.1	1.0 0.893	0.0 0.0	
333	R23Y_050_050de	0.5 0.125 0.0	0.5 0.5 0.25	44	0.5 0.083 0.0	37.4 29.6 25.8	39.3 41.0	0.564 0.849	1.0 0.0	
334	R00Y_050_037de	0.5 0.125 0.125	0.5 0.375 0.312	390	0.5 0.124 0.22	41.2 27.0 12.9	30.0 25.4	0.545 0.784	0.677 0.0	
335	R18Y_050_037de	0.5 0.125 0.25	0.5 0.375 0.312	371	0.5 0.124 0.435	41.3 29.2 2.2	29.2 4.3	0.558 0.789	0.507 0.0	
336	B65R_050_037de	0.5 0.125 0.375	0.5 0.375 0.312	349	0.351 0.124 0.5	38.2 24.1 -5.7	24.7 346.6	0.659 0.793	0.448 0.0	
337	B50R_050_037de	0.5 0.125 0.5	0.5 0.375 0.312	330	0.245 0.124 0.5	35.8 17.9 -10.9	20.9 328.6	0.736 0.786	0.43 0.0	
338	B38R_062_050de	0.5 0.125 0.625	0.625 0.5 0.375	316	0.192 0.125 0.625	35.0 18.2 -18.0	25.7 315.3	0.78 0.792	0.331 0.0	
339	B30R_075_062de	0.5 0.125 0.75	0.75 0.625 0.437	307	0.13 0.125 0.75	33.8 18.7 -25.1	31.3 306.8	0.847 0.814	0.241 0.0	
340	B25R_087_075de	0.5 0.125 0.875	0.875 0.75 0.5	300	0.125 0.204 0.875	36.0 17.6 -30.2	35.0 300.1	0.86 0.756	0.124 0.0	
341	B20R_100_087de	0.5 0.125 1.0	1.0 0.875 0.562	295	0.125 0.276 1.0	38.4 16.8 -35.3	39.1 295.4	0.863 0.691	0.001 0.0	
342	R50Y_050_050de	0.5 0.25 0.0	0.5 0.5 0.25	60	0.5 0.199 0.0	42.3 19.1 31.7	37.0 58.8	0.557 0.734	1.0 0.0	
343	R31Y_050_037de	0.5 0.25 0.125	0.5 0.375 0.312	49	0.5 0.217 0.124	44.2 19.6 20.7	28.5 46.6	0.54 0.705	0.771 0.0	
344	R00Y_050_025de	0.5 0.25 0.25	0.5 0.25 0.375	390	0.5 0.249 0.313	47.5 18.0 8.6	20.0 25.4	0.534 0.65	0.549 0.0	
345	R00Y_050_025de	0.5 0.25 0.375	0.5 0.25 0.375	360	0.434 0.249 0.5	46.4 17.6 -2.4	17.7 352.0	0.591 0.65	0.41 0.0	
346	B50R_050_025de	0.5 0.25 0.5	0.5 0.25 0.375	330	0.33 0.249 0.5	43.9 11.9 -7.2	13.9 328.6	0.675 0.632	0.39 0.0	
347	B34R_062_037de	0.5 0.25 0.625	0.625 0.375 0.437	311	0.274 0.25 0.625	42.9 12.3 -14.4	19.0 310.5	0.706 0.632	0.298 0.0	
348	B25R_075_050de	0.5 0.25 0.75	0.75 0.5 0.5	300	0.25 0.302 0.75	44.0 11.7 -20.1	23.3 300.1	0.72 0.598	0.205 0.0	
349	B19R_087_062de	0.5 0.25 0.875	0.875 0.625 0.293	293	0.225 0.373 0.875	46.4 11.0 -25.2	27.5 293.5	0.541 0.105	0.259 0.0	
350	B15R_100_075de	0.5 0.25 1.0	1.0 0.75 0.625	289	0.25 0.436 1.0	48.5 10.8 -30.1	32.0 289.7	0.724 0.5	0.005 0.0	
351	R76Y_050_050de	0.5 0.375 0.0	0.5 0.5 0.25	76	0.5 0.302 0.0	47.6 8.9 37.9	38.9 76.7	0.544 0.599	0.996 0.0	
352	R68Y_050_037de	0.5 0.375 0.125	0.5 0.375 0.312	71	0.5 0.328 0.124	49.4 9.2 26.9	28.4 71.1	0.533 0.575	0.797 0.0	
353	R50Y_050_025de	0.5 0.375 0.25	0.5 0.25 0.375	60	0.5 0.349 0.249	51.1 9.5 15.8	18.5 58.8	0.531 0.553	0.62 0.0	
354	R00Y_050_012de	0.5 0.375 0.375	0.5 0.125 0.437	390	0.5 0.375 0.406	53.7 9.0 4.3	10.0 25.4	0.534 0.509	0.45 0.0	
355	B50R_050_012de	0.5 0.375 0.5	0.5 0.125 0.437	330	0.415 0.375 0.5	51.9 5.9 -3.6	6.9 328.6	0.618 0.497	0.38 0.0	
356	B25R_062_025de	0.5 0.375 0.625	0.625 0.25 0.5	300	0.375 0.401 0.625	52.0 5.8 -10.0	11.6 300.1	0.64 0.487	0.291 0.0	
357	B15R_075_037de	0.5 0.375 0.75	0.75 0.375 0.562	289	0.375 0.468 0.75	54.2 5.4 -15.0	16.0 289.7	0.64 0.453	0.199 0.0	
358	B11R_087_050de	0.5 0.375 0.875	0.875 0.5 0.625	284	0.375 0.526 0.875	56.2 5.4 -20.2	20.9 285.0	0.641 0.421	0.103 0.0	
359	B09R_100_062de	0.5 0.375 1.0	1.0 0.625 0.687	281	0.375 0.584 1.0	58.3 5.4 -25.2	25.8 282.1	0.639 0.387	0.008 0.0	
360	Y00G_050_050de	0.5 0.5 0.0	0.5 0.5 0.25	90	0.5 0.439 0.0	54.0 -1.8 45.2	45.2 92.3	0.531 0.448	0.991 0.0	
361	Y00G_050_037de	0.5 0.5 0.125	0.5 0.375 0.312	90	0.5 0.454 0.124	55.5 -1.3 33.9	33.9 92.3	0.52 0.436	0.814 0.0	
362	Y00G_050_025de	0.5 0.5 0.25	0.5 0.25 0.375	90	0.5 0.469 0.249	57.0 -0.9 22.6	22.6 92.3	0.519 0.421	0.655 0.0	
363	Y00G_050_012de	0.5 0.5 0.375	0.5 0.125 0.437	90	0.5 0.484 0.375	58.5 -0.4 11.3	11.3 92.3	0.524 0.403	0.506 0.0	
364	NW_050de	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	60.0 0.0 0.0	0.0 0.0	0.54 0.382	0.356 0.0	
365	B00R_062_012de	0.5 0.5 0.625	0.625 0.125 0.562	270	0.5 0.557 0.625	61.9 0.1 -5.0	5.0 271.7	0.536 0.353	0.274 0.0	
366	B00R_075_025de	0.5 0.5 0.75	0.75 0.25 0.625	270	0.5 0.614 0.75	63.9 0.3 -10.1	10.1 271.7	0.531 0.319	0.187 0.0	
367	B00R_087_037de	0.5 0.5 0.875	0.875 0.375 0.687	270	0.5 0.671 0.875	65.9 0.4 -15.2	15.2 271.7	0.529 0.287	0.099 0.0	
368	B00R_100_050de	0.5 0.5 1.0	1.0 0.5 0.75	270	0.5 0.729 1.0	67.9 0.6 -20.3	20.3 271.7	0.53 0.252	0.01 0.0	
369	Y18G_062_062de	0.5 0.625 0.0	0.625 0.625 0.312	101	0.424 0.625 0.0	57.6 -13.3 49.4	51.2 105.1	0.567 0.322	0.996 0.0	
370	Y23G_062_050de	0.5 0.625 0.125	0.625 0.5 0.375	104	0.427 0.625 0.125	58.3 -12.5 37.1	39.2 108.6	0.565 0.322	0.832 0.0	
371	Y31G_062_037de	0.5 0.625 0.25	0.625 0.375 0.437	109	0.435 0.625 0.25	59.4 -11.2 24.7	27.2 114.4	0.565 0.312	0.675 0.0	
372	Y50G_062_025de	0.5 0.625 0.375	0.625 0.25 0.5	120	0.455 0.625 0.375	60.6 -10.2 13.4	16.9 127.2	0.576 0.296	0.531 0.0	
373	G00B_062_012de	0.5 0.625 0.5	0.625 0.125 0.562	150	0.5 0.625 0.518	63.2 -7.7 2.4	8.1 162.2	0.557 0.269	0.384 0.0	
374	G50B_062_012de	0.5 0.625 0.625	0.625 0.125 0.562	210	0.5 0.625 0.593	63.8 -4.5 -3.4	5.6 216.9	0.546 0.284	0.296 0.0	
375	G75B_075_025de	0.5 0.625 0.75	0.75 0.25 0.625	240	0.5 0.711 0.75	67.2 -4.9 -10.3	11.4 244.3	0.538 0.23	0.179 0.0	
376	G84B_087_037de	0.5 0.625 0.875	0.875 0.375 0.687	251	0.5 0.75 0.875	68.8 -4.3 -15.4	15.9 254.3	0.538 0.211	0.094 0.0	
377	G88B_100_050de	0.5 0.625 1.0	1.0 0.5 0.75	256	0.5 0.801 1.0	70.6 -3.9 -20.4	20.8 258.9	0.539 0.18	0.009 0.0	
378	Y31G_075_075de	0.5 0.75 0.0	0.75 0.75 0.375	109	0.37 0.75 0.0	58.8 -22.5 49.5	54.4 114.4	0.619 0.226	0.996 0.0	
379	Y38G_075_062de	0.5 0.75 0.125	0.75 0.625 0.437	113	0.383 0.75 0.125	60.0 -21.2 38.0	43.5 119.1	0.606 0.22 0.838		
380	Y50G_075_050de	0.5 0.75 0.25	0.75 0.5 0.5	120	0.411 0.75 0.25	61.3 -20.4 26.9	33.8 127.2	0.61 0.205	0.699 0.0	
381	Y68G_075_037de	0.5 0.75 0.375	0.75 0.375 0.562	131	0.444 0.75 0.375	63.1 -19.1 15.9	24.9 140.0	0.613 0.186	0.557 0.0	
382	G00B_075_025de	0.5 0.75 0.5	0.75 0.25 0.625	150	0.5 0.75 0.537	66.5 -15.5 4.9	16.3 162.2	0.575 0.165	0.403 0.0	
383	G25B_075_025de	0.5 0.75 0.625	0.75 0.25 0.625	180	0.5 0.75 0.625	67.1 -12.1 -2.0	12.3 189.6	0.567 0.177	0.312 0.0	
384	G50B_075_025de	0.5 0.75 0.75	0.75 0.25 0.625	210	0.5 0.75 0.686	67.6 -9.0 -6.8	11.3 216.9	0.552 0.191	0.241 0.0	
385	G65B_087_037de	0.5 0.75 0.875	0.875 0.375 0.687	229	0.5 0.875 0.875	72.0 -10.4 -14.5	17.8 234.3	0.549 0.117	0.108 0.0	
386	G75B_100_050de	0.5 0.75 1.0	1.0 0.5 0.75	240	0.5 0.923 1.0	74.4 -9.9 -20.6	22.9 244.3	0.549 0.068	0.004 0.0	
387	Y41G_087_087de	0.5 0.875 0.0	0.875 0.875 0.437	115	0.327 0.875 0.0	60.5 -31.1 51.0	59.7 121.4	0.646 0.135	0.995 0.0	
388	Y50G_087_075de	0.5 0.875 0.125	0.875 0.75 0.5	120	0.366 0.875 0.125	61.9 -30.7 40.3	50.7 127.2	0.643 0.117	0.852 0.0	
389	Y61G_087_062de	0.5 0.875 0.25	0.875 0.625 0.562	127	0.405 0.875 0.25	63.4 -29.6 29.2	41.6 135.4	0.646 0.095	0.718 0.0	
390	Y76G_087_050de	0.5 0.875 0.375	0.875 0.5 0.625	136	0.429 0.875 0.375	65.9 -27.7 18.7	33.5 145.9	0.637 0.064	0.576 0.0	
391	G00B_087_037de	0.5 0.875 0.5	0.875 0.375 0.687	150	0.5 0.875 0.556	69.8 -23.2 7.4	24.4 162.2	0.595 0.041	0.413 0.0	
392	G15B_087_037de	0.5 0.875 0.625	0.875 0.375 0.687	169	0.5 0.875 0.651	70.4 -20.0 0.1	20.0 179.5	0.589 0.055	0.329 0.0	
393	G34B_087_037de	0.5 0.875 0.75	0.875 0.375 0.687	191	0.5 0.875 0.722	71.0 -16.5 -5.9	17.6 199.6	0.576 0.076	0.254 0.0	
394	G50B_087_037de	0.5 0.875 0.875	0.875 0.375 0.687	210	0.5 0.875 0.78	71.4 -13.5 -10.2	16.9 216.9	0.564 0.095	0.183 0.0	
395	G61B_100_050de	0.5 0.875 1.0	1.0 0.5 0.75	224	0.5 1.0 0.946	75.8 -15.0 -17.7	23.2 229.7	0.566 0.0	0.055 0.0	
396	Y50G_100_100de	0.5 1.0 0.0	1.0 1.0 0.5	120	0.322 1.0 0.0	62.6 -40.9 53.8	67.6 127.2	0.678 0.0	1.0 0.0	
397	Y58G_100_087de	0.5 1.0 0.125	1.0 0.875 0.562	125	0.361 1.0 0.125	64.0 -39.9 42.7	58.5 133.0	0.67 0.0	0.859 0.0	
398	Y68G_100_075de	0.5 1.0 0.25	1.0 0.75 0.625	131	0.388 1.0 0.25	66.2 -38.2 31.9	49.8 140.0	0.667 0.0	0.749 0.0	
399	Y81G_100_062de	0.5 1.0 0.375	1.0 0.625 0.687	139	0.418 1.0 0.375					

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	cmyn*sep.Fde	hsiM.de	rgb*Mde	LabCh*Mde
405	R00Y_062_062da	0.625 0.0 0.0	0.625 0.625 0.312	390	0.625 0.0 0.159	37.6 45.1 21.5	50.0 25.4	0.446 0.94	0.851 0.0	
406	R31Y_062_062da	0.625 0.0 0.125	0.625 0.625 0.312	379	0.625 0.0 0.356	37.8 46.9 11.0	48.2 13.2	0.447 0.937	0.634 0.0	
407	R11Y_062_062da	0.625 0.0 0.25	0.625 0.625 0.312	367	0.625 0.0 0.624	37.9 49.5 -0.1	49.5 359.8	0.456 0.941	0.426 0.0	
408	B69R_062_062da	0.625 0.0 0.375	0.625 0.625 0.312	353	0.432 0.0 0.625	34.2 42.8 -7.2	43.4 350.4	0.601 0.958	0.4 0.0	
409	B59R_062_062da	0.625 0.0 0.5	0.625 0.625 0.312	341	0.296 0.0 0.625	31.0 35.7 -13.7	38.3 339.0	0.697 0.97	0.377 0.0	
410	B50R_062_062da	0.625 0.0 0.625	0.625 0.625 0.312	330	0.201 0.0 0.625	28.5 29.8 -18.2	34.9 328.6	0.781 0.984	0.373 0.0	
411	B42R_075_075da	0.625 0.0 0.75	0.75 0.75 0.375	321	0.161 0.0 0.75	27.5 30.2 -25.3	39.4 320.0	0.848 1.0	0.269 0.0	
412	B36R_087_087da	0.625 0.0 0.875	0.875 0.875 0.437	314	0.092 0.0 0.875	27.0 30.7 -32.4	44.7 313.4	0.901 0.994	0.135 0.0	
413	B31R_100_100da	0.625 0.0 1.0	1.0 1.0 0.5	308	0.022 0.0 1.0	25.5 30.7 -39.7	50.3 307.7	0.977 0.999	0.0 0.0	
414	R18Y_062_062da	0.625 0.125 0.0	0.625 0.625 0.312	41	0.625 0.072 0.0	39.5 39.6 30.6	50.1 37.7	0.442 0.865	1.0 0.0	
415	R00Y_062_050da	0.625 0.125 0.125	0.625 0.5 0.375	390	0.625 0.125 0.252	43.9 36.1 17.2	40.0 25.4	0.418 0.79	0.65 0.0	
416	R26Y_062_050da	0.625 0.125 0.25	0.625 0.5 0.375	376	0.625 0.125 0.453	44.0 38.0 6.6	38.6 9.8	0.426 0.795	0.492 0.0	
417	R00Y_062_050da	0.625 0.125 0.375	0.625 0.5 0.375	360	0.493 0.125 0.625	41.8 35.2 -4.9	35.5 352.0	0.526 0.811	0.364 0.0	
418	B61R_062_050da	0.625 0.125 0.5	0.625 0.5 0.375	344	0.386 0.125 0.625	39.1 29.9 -9.8	31.5 341.8	0.623 0.81	0.345 0.0	
419	B50R_062_050da	0.625 0.125 0.625	0.625 0.5 0.375	330	0.285 0.125 0.625	36.6 23.8 -14.5	27.9 328.6	0.703 0.802	0.334 0.0	
420	B40R_075_062da	0.625 0.125 0.75	0.75 0.625 0.437	319	0.239 0.125 0.75	35.7 24.2 -21.7	32.5 318.1	0.737 0.804	0.227 0.0	
421	B34R_087_075da	0.625 0.125 0.875	0.875 0.75 0.5	311	0.173 0.125 0.875	34.9 24.7 -28.8	38.0 310.5	0.792 0.811	0.116 0.0	
422	B29R_100_087da	0.625 0.125 1.0	1.0 0.875 0.562	305	0.125 0.145 1.0	34.4 24.7 -35.4	43.1 304.9	0.855 0.81	0.0 0.0	
423	R38Y_062_062da	0.625 0.25 0.0	0.625 0.625 0.312	53	0.625 0.188 0.0	44.1 29.5 36.5	46.9 51.0	0.437 0.749	1.0 0.0	
424	R23Y_062_050da	0.625 0.25 0.125	0.625 0.5 0.375	44	0.625 0.208 0.125	46.3 29.6 25.8	39.3 41.0	0.413 0.726	0.763 0.0	
425	R00Y_062_037da	0.625 0.25 0.25	0.625 0.375 0.437	390	0.625 0.25 0.345	50.1 27.0 12.9	30.0 25.4	0.401 0.657	0.522 0.0	
426	R18Y_062_037da	0.625 0.25 0.375	0.625 0.375 0.437	371	0.625 0.25 0.56	50.2 29.2 2.2	29.2 4.3	0.415 0.668	0.372 0.0	
427	B65R_062_037da	0.625 0.25 0.5	0.625 0.375 0.437	349	0.476 0.25 0.625	47.1 24.1 -5.7	24.7 346.6	0.537 0.684	0.329 0.0	
428	B50R_062_037da	0.625 0.25 0.625	0.625 0.375 0.437	330	0.37 0.25 0.625	44.7 17.9 -10.9	20.9 328.6	0.642 0.662	0.305 0.0	
429	B38R_075_050da	0.625 0.25 0.75	0.75 0.5 0.5	316	0.317 0.25 0.75	43.9 18.2 -18.0	25.7 315.3	0.672 0.658	0.206 0.0	
430	B30R_087_062da	0.625 0.25 0.875	0.875 0.5 0.625	307	0.255 0.25 0.875	42.7 18.7 -25.1	31.2 306.8	0.711 0.655	0.106 0.0	
431	B25R_100_075da	0.625 0.25 1.0	1.0 0.75 0.625	300	0.25 0.329 1.0	44.9 17.6 -30.2	35.0 300.1	0.717 0.593	0.0 0.0	
432	R61Y_062_062da	0.625 0.375 0.0	0.625 0.625 0.312	67	0.625 0.308 0.0	49.5 18.4 42.7	46.5 66.6	0.426 0.629	0.996 0.0	
433	R50Y_062_050da	0.625 0.375 0.125	0.625 0.5 0.375	60	0.625 0.324 0.125	51.2 19.1 31.7	37.0 58.8	0.411 0.602	0.79 0.0	
434	R31Y_062_037da	0.625 0.375 0.25	0.625 0.375 0.437	49	0.625 0.342 0.25	53.1 19.6 20.7	28.5 46.6	0.399 0.579	0.607 0.0	
435	R00Y_062_025da	0.625 0.375 0.375	0.625 0.25 0.5	390	0.625 0.375 0.438	56.4 18.0 8.6	20.0 25.4	0.398 0.522	0.423 0.0	
436	R00Y_062_025da	0.625 0.375 0.5	0.625 0.25 0.5	360	0.559 0.375 0.625	55.3 17.6 -2.4	17.7 352.0	0.458 0.538	0.303 0.0	
437	B50R_062_025da	0.625 0.375 0.625	0.625 0.25 0.5	330	0.455 0.375 0.625	52.7 11.9 -7.2	13.9 328.6	0.568 0.528	0.295 0.0	
438	B34R_075_037da	0.625 0.375 0.75	0.75 0.375 0.562	311	0.399 0.375 0.75	51.9 12.3 -14.4	19.0 310.5	0.614 0.527	0.199 0.0	
439	B25R_087_050da	0.625 0.375 0.875	0.875 0.5 0.625	300	0.375 0.427 0.875	52.9 11.7 -20.1	23.3 300.1	0.632 0.491	0.104 0.0	
440	B19R_100_062da	0.625 0.375 1.0	1.0 0.625 0.687	293	0.375 0.498 1.0	55.3 11.0 -25.2	27.5 293.5	0.633 0.453	0.006 0.0	
441	R81Y_062_062da	0.625 0.5 0.0	0.625 0.625 0.312	79	0.625 0.405 0.0	54.8 8.5 49.0	49.8 80.0	0.415 0.494	0.985 0.0	
442	R76Y_062_050da	0.625 0.5 0.125	0.625 0.5 0.375	76	0.625 0.427 0.125	56.5 8.9 37.9	38.9 76.7	0.404 0.48	0.806 0.0	
443	R68Y_062_037da	0.625 0.5 0.25	0.625 0.375 0.437	71	0.625 0.453 0.25	58.3 9.2 26.9	28.4 71.1	0.398 0.459	0.644 0.0	
444	R50Y_062_025da	0.625 0.5 0.375	0.625 0.25 0.5	60	0.625 0.474 0.375	60.0 9.5 15.8	18.5 58.8	0.395 0.44	0.495 0.0	
445	R00Y_062_012da	0.625 0.5 0.5	0.625 0.125 0.562	390	0.625 0.5 0.531	62.6 9.0 4.3	10.0 25.4	0.402 0.407	0.335 0.0	
446	B50R_062_012da	0.625 0.5 0.625	0.625 0.125 0.562	330	0.54 0.5 0.625	60.8 5.9 -3.6	6.9 328.6	0.49 0.41	0.278 0.0	
447	B25R_075_025da	0.625 0.5 0.75	0.75 0.25 0.625	300	0.5 0.526 0.75	60.9 5.8 -10.0	11.6 300.1	0.52 0.401	0.194 0.0	
448	B15R_087_037da	0.625 0.5 0.875	0.875 0.375 0.687	289	0.5 0.593 0.875	63.1 5.4 -15.0	16.0 289.7	0.516 0.362	0.102 0.0	
449	B11R_100_050da	0.625 0.5 1.0	1.0 0.5 0.75	284	0.5 0.651 1.0	65.1 5.4 -20.2	20.9 285.0	0.519 0.323	0.009 0.0	
450	Y00G_062_062da	0.625 0.625 0.0	0.625 0.625 0.312	90	0.625 0.549 0.0	61.4 -2.2 56.5	56.5 92.3	0.401 0.354	0.978 0.0	
451	Y00G_062_050da	0.625 0.625 0.125	0.625 0.5 0.375	90	0.625 0.564 0.125	62.9 -1.8 45.2	45.2 92.3	0.392 0.339	0.815 0.0	
452	Y00G_062_037da	0.625 0.625 0.25	0.625 0.375 0.437	90	0.625 0.579 0.25	64.4 -1.3 33.9	33.9 92.3	0.387 0.322	0.668 0.0	
453	Y00G_062_025da	0.625 0.625 0.375	0.625 0.25 0.5	90	0.625 0.594 0.375	65.9 -0.9 22.6	22.6 92.3	0.388 0.306	0.532 0.0	
454	Y00G_062_012da	0.625 0.625 0.5	0.625 0.125 0.562	90	0.625 0.609 0.5	67.4 -0.4 11.3	11.3 92.3	0.399 0.286	0.399 0.0	
455	NW_062da	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	68.9 0.0 0.0	0.0 0.0	0.417 0.26	0.26 0.0	
456	B00R_075_012da	0.625 0.625 0.75	0.75 0.125 0.687	270	0.625 0.682 0.75	70.8 0.1 -5.0	5.0 271.7	0.412 0.236	0.176 0.0	
457	B00R_087_025da	0.625 0.625 0.875	0.875 0.25 0.75	270	0.625 0.739 0.875	72.8 0.3 -10.1	10.1 271.7	0.408 0.21	0.093 0.0	
458	B00R_100_037da	0.625 0.625 1.0	1.0 0.375 0.812	270	0.625 0.796 1.0	74.8 0.4 -15.2	15.2 271.7	0.406 0.182	0.009 0.0	
459	Y15G_075_075da	0.625 0.75 0.0	0.75 0.75 0.375	99	0.546 0.75 0.0	66.0 -14.0 61.7	63.3 102.7	0.443 0.206	0.989 0.0	
460	Y18G_075_062da	0.625 0.75 0.125	0.75 0.625 0.437	101	0.549 0.75 0.125	66.5 -13.3 49.4	51.2 105.1	0.441 0.207	0.844 0.0	
461	Y23G_075_050da	0.625 0.75 0.25	0.75 0.5 0.5	104	0.552 0.75 0.25	67.2 -12.5 37.1	39.2 108.6	0.439 0.202	0.704 0.0	
462	Y31G_075_037da	0.625 0.75 0.375	0.75 0.375 0.562	109	0.56 0.75 0.375	68.3 -11.2 24.7	27.2 114.4	0.443 0.198	0.566 0.0	
463	Y50G_075_025da	0.625 0.75 0.5	0.75 0.25 0.625	120	0.58 0.75 0.5	69.5 -10.2 13.4	16.9 127.2	0.454 0.187	0.439 0.0	
464	G00B_075_012da	0.625 0.75 0.625	0.75 0.125 0.687	150	0.625 0.75 0.643	72.1 -7.7 2.4	8.1 162.2	0.438 0.167	0.29 0.0	
465	G50B_075_012da	0.625 0.75 0.75	0.75 0.125 0.687	210	0.625 0.75 0.718	72.7 -4.5 -3.4	5.6 216.9	0.424 0.181	0.203 0.0	
466	G75B_087_025da	0.625 0.75 0.875	0.875 0.25 0.75	240	0.625 0.836 0.875	76.1 -4.9 -10.3	11.4 244.3	0.415 0.134	0.089 0.0	
467	G84B_100_037da	0.625 0.75 1.0	1.0 0.375 0.812	251	0.625 0.875 1.0	77.7 -4.3 -15.4	15.9 254.3	0.415 0.115	0.008 0.0	
468	Y26G_087_087da	0.625 0.875 0.0	0.875 0.875 0.437	106	0.49 0.875 0.0	66.8 -23.7 62.1	66.5 110.9	0.514 0.123	1.0 0.0	
469	Y31G_087_075da	0.625 0.875 0.125	0.875 0.75 0.5	109	0.495 0.875 0.125	67.7 -22.5 49.5	54.4 114.4	0.495 0.121	0.855 0.0	
470	Y38G_087_062da	0.625 0.875 0.25	0.875 0.625 0.562	113	0.508 0.875 0.25	68.9 -21.2 38.0	43.5 119.1	0.482 0.113	0.72 0.0	
471	Y50G_087_050da	0.625 0.875 0.375	0.875 0.5 0.625	120	0.536 0.875 0.375	70.2 -20.4 26.9	33.8 127.2	0.488 0.097	0.596 0.0	
472	Y68G_087_037da	0.625 0.875 0.5	0.875 0.375 0.687	131	0.569 0.875 0.5	72.0 -19.1 15.9	24.9 140.0	0.493 0.076	0.469 0.0	
473	G00B_087_025da	0.625 0.875 0.625	0.875 0.25 0.75	150	0.625 0.875 0.662	75.4 -15.5 4.9	16.3 162.2	0.458 0.054	0.312 0.0	
474	G25B_087_025da	0.625 0.875 0.75	0.875 0.25 0.75	180	0.625 0.875 0.75	76.0 -12.1 -2.0	12.3 189.6	0.448 0.073	0.22 0.0	
475	G50B_087_025da	0.625 0.875 0.875	0.875 0.25 0.75	210	0.625 0.875 0.811	76.5 -9.0 -6.8	11.3 216.9	0.433 0.093	0.148 0.0	
476	G65B_100_037da	0.625 0.875 1.0	1.0 0.375 0.812	229	0.625 1.0 0.98	80.9 -10.4 -14.5	17.8 234.3	0.43 0.001	0.018 0.0	
477	Y36G_100_100da	0.625 1.0 0.0	1.0 1.0 0.5	112	0.434 1.0 0.0	68.0 -33.0 62.2	70.4 117.9	0.565 0.0	1.0 0.0	
478	Y41G_100_087da	0.625 1.0 0.125	1.0 0.875 0.562	115	0.452 1.0 0.125	69.4 -31.1 51.0	59.7 121			

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	cmyn*sep.Fde	hsiM.de	rgb*Mde	LabCh*Mde
486	R00Y_075_075de	0.75 0.0 0.0	0.75 0.75 0.375	390	0.75 0.0 0.191	40.3 54.1 25.8	60.0 25.4 0.317	0.955	0.803 0.0	0.254
487	R35Y_075_075de	0.75 0.0 0.125	0.75 0.75 0.375	381	0.75 0.0 0.384	40.5 55.7 15.4	57.8 15.4 0.318	0.953	0.6 0.0	0.512
488	R18Y_075_075de	0.75 0.0 0.25	0.75 0.75 0.375	371	0.75 0.0 0.62	40.5 58.4 4.4	58.5 4.3 0.321	0.957	0.405 0.0	0.827
489	R00Y_075_075de	0.75 0.0 0.375	0.75 0.75 0.375	360	0.552 0.0 0.75	37.1 52.8 -7.3	53.3 352.0 0.475	0.97	0.29 0.0	1.0
490	B65R_075_075de	0.75 0.0 0.5	0.75 0.75 0.375	349	0.452 0.0 0.75	34.3 48.2 -11.4	49.5 346.6 0.572	0.984	0.294 0.0	1.0
491	B57R_075_075de	0.75 0.0 0.625	0.75 0.75 0.375	339	0.33 0.0 0.75	31.7 41.6 -17.5	45.1 337.1 0.667	0.982	0.267 0.0	1.0
492	B50R_075_075de	0.75 0.0 0.75	0.75 0.75 0.375	330	0.241 0.0 0.75	29.4 35.8 -21.8	41.9 328.6 0.738	0.985	0.261 0.0	1.0
493	B43R_087_087de	0.75 0.0 0.875	0.875 0.875 0.437	322	0.201 0.0 0.875	28.1 35.9 -29.0	46.2 321.0 0.803	0.999	0.145 0.0	1.0
494	B38R_100_100de	0.75 0.0 1.0	1.0 1.0 0.5	316	0.135 0.0 1.0	27.9 36.5 -36.1	51.4 315.3 0.864	1.0	0.0 0.0	1.0
495	R15Y_075_075de	0.75 0.125 0.0	0.75 0.75 0.375	39	0.75 0.051 0.0	41.6 49.9 35.6	61.3 35.5 0.313	0.899	0.999 0.0	1.0
496	R00Y_075_062de	0.75 0.125 0.125	0.75 0.625 0.437	390	0.75 0.125 0.284	46.5 45.1 21.5	50.0 25.4 0.288	0.815	0.63 0.0	1.0
497	R31Y_075_062de	0.75 0.125 0.25	0.75 0.625 0.437	379	0.75 0.125 0.481	46.7 46.9 11.0	48.2 13.2 0.292	0.818	0.48 0.0	1.0
498	R11Y_075_062de	0.75 0.125 0.375	0.75 0.625 0.437	367	0.75 0.125 0.749	46.8 49.5 -0.1	49.5 359.8 0.303	0.826	0.283 0.0	1.0
499	B69R_075_062de	0.75 0.125 0.5	0.75 0.625 0.437	353	0.557 0.125 0.75	43.1 42.8 -7.2	43.4 350.4 0.455	0.831	0.264 0.0	1.0
500	B59R_075_062de	0.75 0.125 0.625	0.75 0.625 0.437	341	0.421 0.125 0.75	39.9 35.7 -13.7	38.3 339.0 0.581	0.829	0.243 0.0	1.0
501	B50R_075_062de	0.75 0.125 0.75	0.75 0.625 0.437	330	0.326 0.125 0.75	37.5 29.8 -18.2	34.9 328.6 0.668	0.82	0.232 0.0	1.0
502	B42R_087_075de	0.75 0.125 0.875	0.875 0.75 0.5	321	0.286 0.125 0.875	36.4 30.2 -25.3	39.4 320.0 0.706	0.823	0.12 0.0	1.0
503	B36R_100_087de	0.75 0.125 1.0	1.0 0.875 0.562	314	0.217 0.125 1.0	35.9 30.7 -32.4	44.7 313.4 0.739	0.812	0.0 0.0	1.0
504	R31Y_075_075de	0.75 0.25 0.0	0.75 0.75 0.375	49	0.75 0.184 0.0	46.2 39.2 41.5	57.1 46.6 0.311	0.772	0.995 0.0	1.0
505	R18Y_075_062de	0.75 0.25 0.125	0.75 0.625 0.437	41	0.75 0.197 0.125	48.4 39.6 30.6	50.1 37.7 0.284	0.765	0.762 0.0	1.0
506	R00Y_075_050de	0.75 0.25 0.25	0.75 0.5 0.5	390	0.75 0.25 0.377	52.8 36.1 17.2	40.0 25.4 0.271	0.698	0.52 0.0	1.0
507	R26Y_075_050de	0.75 0.25 0.375	0.75 0.5 0.5	376	0.75 0.25 0.578	53.0 38.0 6.6	38.6 9.8 0.279	0.706	0.375 0.0	1.0
508	R00Y_075_050de	0.75 0.25 0.5	0.75 0.5 0.5	360	0.618 0.25 0.75	50.7 35.2 -4.9	35.5 352.0 0.385	0.696	0.229 0.0	1.0
509	B61R_075_050de	0.75 0.25 0.625	0.75 0.5 0.5	344	0.511 0.25 0.75	48.0 29.9 -9.8	31.5 341.8 0.487	0.707	0.228 0.0	1.0
510	B50R_075_050de	0.75 0.25 0.75	0.75 0.5 0.5	330	0.41 0.25 0.75	45.5 23.8 -14.5	27.9 328.6 0.6	0.69	0.122 0.0	1.0
511	B40R_087_062de	0.75 0.25 0.875	0.875 0.625 0.562	319	0.364 0.25 0.875	44.6 24.2 -21.7	32.5 318.1 0.641	0.689	0.104 0.0	1.0
512	B34R_100_075de	0.75 0.25 1.0	1.0 0.75 0.625	311	0.298 0.25 1.0	43.8 24.7 -28.8	38.0 310.5 0.676	0.677	0.0 0.0	1.0
513	R50Y_075_075de	0.75 0.375 0.0	0.75 0.75 0.375	60	0.75 0.298 0.0	51.2 28.7 47.5	55.5 58.8 0.304	0.659	0.99 0.0	1.0
514	R38Y_075_062de	0.75 0.375 0.125	0.75 0.625 0.437	53	0.75 0.313 0.125	53.0 29.5 36.5	46.9 51.0 0.285	0.645	0.798 0.0	1.0
515	R23Y_075_050de	0.75 0.375 0.25	0.75 0.5 0.5	44	0.75 0.333 0.25	55.2 29.6 25.8	39.3 41.0 0.268	0.637	0.625 0.0	1.0
516	R00Y_075_037de	0.75 0.375 0.375	0.75 0.375 0.562	390	0.75 0.375 0.47	59.0 27.0 12.9	30.0 25.4 0.264	0.577	0.428 0.0	1.0
517	R18Y_075_037de	0.75 0.375 0.5	0.75 0.375 0.562	371	0.75 0.375 0.685	59.1 29.2 2.2	29.2 4.3 0.276	0.582	0.271 0.0	1.0
518	B65R_075_037de	0.75 0.375 0.625	0.75 0.375 0.562	349	0.601 0.375 0.75	56.0 24.1 -5.7	24.7 346.6 0.398	0.56	0.211 0.0	1.0
519	B50R_075_037de	0.75 0.375 0.75	0.75 0.375 0.562	330	0.495 0.375 0.75	53.6 17.9 -10.9	20.9 328.6 0.515	0.56	0.205 0.0	1.0
520	B38R_087_050de	0.75 0.375 0.875	0.875 0.5 0.625	316	0.442 0.375 0.875	52.9 18.2 -18.0	25.7 315.3 0.56	0.555	0.1 0.0	1.0
521	B30R_100_062de	0.75 0.375 1.0	1.0 0.625 0.687	307	0.38 0.375 1.0	51.6 18.7 -25.1	31.3 306.8 0.616	0.551	0.0 0.0	1.0
522	R68Y_075_075de	0.75 0.5 0.0	0.75 0.75 0.375	71	0.75 0.407 0.0	56.6 18.4 53.9	56.9 71.1 0.298	0.544	0.988 0.0	1.0
523	R61Y_075_062de	0.75 0.5 0.125	0.75 0.625 0.437	67	0.75 0.433 0.125	58.4 18.4 42.7	46.5 66.6 0.286	0.526	0.82 0.0	1.0
524	R50Y_075_050de	0.75 0.5 0.25	0.75 0.5 0.5	60	0.75 0.449 0.25	60.1 19.1 31.7	37.0 58.8 0.274	0.513	0.664 0.0	1.0
525	R31Y_075_037de	0.75 0.5 0.375	0.75 0.375 0.562	49	0.75 0.467 0.375	62.0 19.6 20.7	28.5 46.6 0.266	0.499	0.515 0.0	1.0
526	R00Y_075_025de	0.75 0.5 0.5	0.75 0.25 0.625	390	0.75 0.5 0.563	65.3 18.0 8.6	20.0 25.4 0.269	0.457	0.339 0.0	1.0
527	R00Y_075_025de	0.75 0.5 0.625	0.75 0.25 0.625	360	0.684 0.5 0.75	64.2 17.6 -2.4	17.7 352.0 0.324	0.446	0.198 0.0	1.0
528	B50R_075_025de	0.75 0.5 0.75	0.75 0.25 0.625	330	0.58 0.5 0.75	61.6 11.9 -7.2	13.9 328.6 0.434	0.428	0.188 0.0	1.0
529	B34R_087_037de	0.75 0.5 0.875	0.875 0.375 0.687	311	0.524 0.5 0.875	60.8 12.3 -14.4	19.0 310.5 0.479	0.434	0.098 0.0	1.0
530	B25R_100_050de	0.75 0.5 1.0	1.0 0.5 0.75	300	0.5 0.552 1.0	61.8 11.7 -20.1	23.3 300.1 0.501	0.411	0.005 0.0	1.0
531	R85Y_075_075de	0.75 0.625 0.0	0.75 0.75 0.375	81	0.75 0.513 0.0	62.2 8.1 60.3	60.9 82.2 0.293	0.431	0.988 0.0	1.0
532	R81Y_075_062de	0.75 0.625 0.125	0.75 0.625 0.437	79	0.75 0.53 0.125	63.8 8.5 49.0	49.8 80.0 0.283	0.424	0.837 0.0	1.0
533	R76Y_075_050de	0.75 0.625 0.25	0.75 0.5 0.5	76	0.75 0.552 0.25	65.4 8.9 37.9	38.9 76.7 0.275	0.411	0.695 0.0	1.0
534	R68Y_075_037de	0.75 0.625 0.375	0.75 0.375 0.562	71	0.75 0.578 0.375	67.2 9.2 26.9	28.4 71.1 0.27	0.395	0.557 0.0	1.0
535	R50Y_075_025de	0.75 0.625 0.5	0.75 0.25 0.625	60	0.75 0.599 0.5	68.9 9.5 15.8	18.5 58.8 0.272	0.38	0.418 0.0	1.0
536	R00Y_075_012de	0.75 0.625 0.625	0.75 0.125 0.687	390	0.75 0.625 0.656	71.5 9.0 4.3	10.0 25.4 0.28	0.335	0.255 0.0	1.0
537	B50R_075_012de	0.75 0.625 0.75	0.75 0.125 0.687	330	0.665 0.625 0.75	69.7 5.9 -3.6	6.9 328.6 0.362	0.3	0.177 0.0	1.0
538	B25R_087_025de	0.75 0.625 0.875	0.875 0.25 0.75	300	0.625 0.651 0.875	69.8 5.8 -10.0	11.6 300.1 0.393	0.287	0.094 0.0	1.0
539	B15R_100_037de	0.75 0.625 1.0	1.0 0.375 0.812	289	0.625 0.718 1.0	72.0 5.4 -15.0	16.0 289.7 0.396	0.247	0.008 0.0	1.0
540	Y00G_075_075de	0.75 0.75 0.0	0.75 0.75 0.375	90	0.75 0.659 0.0	68.8 -2.7 67.8	67.8 92.3 0.285	0.269	0.986 0.0	1.0
541	Y00G_075_062de	0.75 0.75 0.125	0.75 0.625 0.437	90	0.75 0.674 0.125	70.3 -2.2 56.5	56.5 92.3 0.274	0.262	0.852 0.0	1.0
542	Y00G_075_050de	0.75 0.75 0.25	0.75 0.5 0.5	90	0.75 0.689 0.25	71.8 -1.8 45.2	45.2 92.3 0.268	0.252	0.724 0.0	1.0
543	Y00G_075_037de	0.75 0.75 0.375	0.75 0.375 0.562	90	0.75 0.704 0.375	73.3 -1.3 33.9	33.9 92.3 0.267	0.24	0.591 0.0	1.0
544	Y00G_075_025de	0.75 0.75 0.5	0.75 0.25 0.625	90	0.75 0.719 0.5	74.8 -0.9 22.6	22.6 92.3 0.272	0.226	0.465 0.0	1.0
545	Y00G_075_012de	0.75 0.75 0.625	0.75 0.125 0.687	90	0.75 0.734 0.625	76.3 -0.4 11.3	11.3 92.3 0.282	0.206	0.329 0.0	1.0
546	NW_075de	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	77.8 0.0 0.0	0.0 0.0 0.299	0.181	0.177 0.0	1.0
547	B00R_087_012de	0.75 0.75 0.875	0.875 0.125 0.812	270	0.75 0.807 0.875	79.7 0.1 -5.0	5.0 271.7 0.292	0.159	0.094 0.0	1.0
548	B00R_100_025de	0.75 0.75 1.0	1.0 0.25 0.875	270	0.75 0.864 1.0	81.7 0.3 -10.1	10.1 271.7 0.289	0.133	0.009 0.0	1.0
549	Y13G_087_087de	0.75 0.875 0.0	0.875 0.875 0.437	98	0.663 0.875 0.0	73.9 -15.1 73.4	75.0 101.6 0.327	0.112	0.988 0.0	1.0
550	Y15G_087_075de	0.75 0.875 0.125	0.875 0.75 0.5	99	0.671 0.875 0.125	74.9 -14.0 61.7	63.3 102.7 0.317	0.117	0.861 0.0	1.0
551	Y18G_087_062de	0.75 0.875 0.25	0.875 0.625 0.562	101	0.678 0.875 0.25	75.4 -13.3 49.4	51.2 105.1 0.321	0.115	0.735 0.0	1.0
552	Y23G_087_050de	0.75 0.875 0.375	0.875 0.5 0.625	104	0.677 0.875 0.375	76.1 -12.5 37.1	39.2 108.6 0.323	0.114	0.607 0.0	1.0
553	Y31G_087_037de	0.75 0.875 0.5	0.875 0.375 0.687	109	0.685 0.875 0.5	77.2 -11.2 24.7	27.2 114.4 0.325	0.108	0.483 0.0	1.0
554	Y50G_087_025de	0.75 0.875 0.625	0.875 0.25 0.75	120	0.705 0.875 0.625	78.4 -10.2 13.4	16.9 127.2 0.338	0.093	0.357 0.0	1.0
555	G00B_087_012de	0.75 0.875 0.75	0.875 0.125 0.812	150	0.75 0.875 0.768	81.1 -7.7 2.4	8.1 162.2 0.321	0.074	0.205 0.0	1.0
556	G50B_087_012de	0.75 0.875 0.875	0.875 0.125 0.812	210	0.75 0.875 0.843	81.6 -4.5 -3.4	5.6 216.9 0.306	0.095	0.118 0.0	1.0
557	G75B_100_025de	0.75 0.875 1.0	1.0 0.25 0.875	240	0.75 0.961 1.0	85.0 -4.9 -10.3	11.4 244.3 0.3	0.034	0.002 0.0	1.0
558	Y23G_100_100de	0.75 1.0 0.0	1.0 1.0 0.5	104	0.605 1.0 0.0	74.5 -25.0 74.3	78.4 108.6 0.396	0.0	1.0 0.0	1.0

110B matricua: 20150701-15881588L0A.1X1/.ps 110B materia
aplicación para la medida salida en la impresión offset, separacióncm0* (CM)

entrada: $rgb/cmyk \rightarrow rgb_{de}$
salida: 3D-linealización a $cmy0^*_{de}$

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/TS88/TS88L0FA.TXT> /.PS
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	cmyn*sep,Fde	hsiM,de	rgb*Mde	LabCh*Mde
648	R00Y_100_100de	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.254	45.6 72.2 34.4	80.0 25.4	0.0 1.0 0.744	0.0	0.254 45.6 72.2 34.4 80.0 25.4
649	R38Y_100_100de	1.0 0.0 0.125	1.0 1.0 0.5	383	1.0 0.0 0.458	45.8 73.8 23.5	77.5 17.6	0.0 1.0 0.538	0.0	1.0 0.0 0.458 45.8 73.8 23.5 77.5 17.6
650	R26Y_100_100de	1.0 0.0 0.25	1.0 1.0 0.5	376	1.0 0.0 0.657	46.0 76.1 13.2	77.2 9.8	0.0 1.0 0.343	0.0	1.0 0.0 0.657 46.0 76.1 13.2 77.2 9.8
651	R13Y_100_100de	1.0 0.0 0.375	1.0 1.0 0.5	368	1.0 0.0 0.955	46.0 78.9 1.3	78.9 0.9	0.0 1.0 0.044	0.0	1.0 0.0 0.955 46.0 78.9 1.3 78.9 0.9
652	R00Y_100_100de	1.0 0.0 0.5	1.0 1.0 0.5	360	0.736 0.0 1.0	41.4 70.4 -9.8	71.1 352.0	0.264 1.0 0.0	0.0	315 0.736 0.0 1.0 41.4 70.4 -9.8 71.1 352.0
653	B68R_100_100de	1.0 0.0 0.625	1.0 1.0 0.5	352	0.666 0.0 1.0	39.3 67.3 -12.5	68.5 349.4	0.334 1.0 0.0	0.0	310 0.666 0.0 1.0 39.3 67.3 -12.5 68.5 349.4
654	B61R_100_100de	1.0 0.0 0.75	1.0 1.0 0.5	344	0.522 0.0 1.0	36.0 59.9 -19.6	63.0 341.8	0.475 0.999 0.0 0.0	0.0	301 0.522 0.0 1.0 36.0 59.9 -19.6 63.0 341.8
655	B55R_100_100de	1.0 0.0 0.875	1.0 1.0 0.5	337	0.407 0.0 1.0	33.5 53.6 -24.7	59.1 335.2	0.59 0.999 0.0 0.0	0.0	293 0.407 0.0 1.0 33.5 53.6 -24.7 59.1 335.2
656	B50R_100_100de	1.0 0.0 1.0	1.0 1.0 0.5	330	0.321 0.0 1.0	31.1 47.7 -29.1	55.9 328.6	0.677 0.999 0.0 0.0	0.0	288 0.321 0.0 1.0 31.1 47.7 -29.1 55.9 328.6
657	R11Y_100_100de	1.0 0.125 0.0	1.0 1.0 0.5	37	1.0 0.02 0.0	46.0 69.6 45.6	83.2 33.2	0.0 0.979 1.0 0.0	0.0	31 0.0 0.02 0.0 46.0 69.6 45.6 83.2 33.2
658	R00Y_100_087de	1.0 0.125 0.125	1.0 0.875 0.562	390	1.0 0.125 0.347	51.9 63.1 30.1	70.0 25.4	0.0 0.875 0.625 0.0	0.0	375 1.0 0.0 0.254 45.6 72.2 34.4 80.0 25.4
659	R36Y_100_087de	1.0 0.125 0.25	1.0 0.875 0.562	382	1.0 0.125 0.549	52.1 64.8 19.2	67.6 16.5	0.0 0.852 0.422 0.0	0.0	360 1.0 0.0 0.485 45.8 74.1 22.0 77.3 16.5
660	R23Y_100_087de	1.0 0.125 0.375	1.0 0.875 0.562	374	1.0 0.125 0.752	52.1 67.2 9.0	67.8 7.6	0.0 0.874 0.254 0.0	0.0	345 1.0 0.0 0.716 45.9 76.8 10.3 77.5 7.6
661	R08Y_100_087de	1.0 0.125 0.5	1.0 0.875 0.562	365	0.934 0.125 1.0	51.3 67.2 -2.7	67.3 357.6	0.028 0.867 0.015 0.0	0.0	326 0.925 0.0 1.0 45.0 76.8 -3.1 76.9 357.6
662	B70R_100_087de	1.0 0.125 0.625	1.0 0.875 0.562	355	0.775 0.125 1.0	48.3 61.8 -8.3	62.4 352.3	0.194 0.871 0.009 0.0	0.0	315 0.742 0.0 1.0 41.6 70.7 -9.5 71.3 352.3
663	B63R_100_087de	1.0 0.125 0.75	1.0 0.875 0.562	346	0.61 0.125 1.0	44.0 54.0 -15.7	56.2 343.7	0.379 0.852 0.0 0.0	0.0	303 0.554 0.0 1.0 36.6 61.7 -17.9 64.2 343.7
664	B56R_100_087de	1.0 0.125 0.875	1.0 0.875 0.562	338	0.496 0.125 1.0	41.6 47.7 -21.0	52.2 336.1	0.483 0.856 0.0 0.0	0.0	295 0.424 0.0 1.0 33.8 54.5 -24.0 59.6 336.1
665	B50R_100_087de	1.0 0.125 1.0	1.0 0.875 0.562	330	0.406 0.125 1.0	39.1 41.8 -25.5	48.9 328.6	0.587 0.848 0.0 0.0	0.0	288 0.321 0.0 1.0 31.1 47.7 -29.1 55.9 328.6
666	R23Y_100_100de	1.0 0.25 0.0	1.0 1.0 0.5	44	1.0 0.166 0.0	50.5 59.2 51.6	78.6 41.0	0.0 0.832 1.0 0.0	0.0	38 1.0 0.166 0.0 50.5 59.2 51.6 78.6 41.0
667	R13Y_100_087de	1.0 0.25 0.125	1.0 0.875 0.562	38	1.0 0.163 0.125	52.8 59.5 40.7	72.2 34.3	0.0 0.817 0.759 0.0	0.0	32 1.0 0.044 0.0 46.6 68.0 46.6 82.5 34.3
668	R00Y_100_075de	1.0 0.25 0.25	1.0 0.75 0.625	390	1.0 0.25 0.441	58.1 54.1 25.8	60.0 25.4	0.0 0.75 0.5 0.0	0.0	389 1.0 0.0 0.254 45.6 72.2 34.4 80.0 25.4
669	R35Y_100_075de	1.0 0.25 0.375	1.0 0.75 0.625	381	1.0 0.25 0.634	58.3 55.5 15.4	57.8 15.4	0.0 0.75 0.375 0.0	0.0	370 1.0 0.0 0.512 45.9 74.3 20.5 77.1 15.4
670	R18Y_100_075de	1.0 0.25 0.5	1.0 0.75 0.625	371	1.0 0.25 0.87	58.4 54.4 4.4	58.5 4.3	0.0 0.75 0.141 0.0	0.0	339 1.0 0.0 0.827 45.9 78.8 5.8 78.8 4.3
671	R00Y_100_075de	1.0 0.25 0.625	1.0 0.75 0.625	360	0.802 0.25 1.0	54.9 52.8 -7.3	53.3 352.0	0.15 0.767 0.006 0.0	0.0	315 0.736 0.0 1.0 41.4 70.4 -9.5 71.1 352.0
672	B65R_100_075de	1.0 0.25 0.75	1.0 0.75 0.625	349	0.702 0.25 1.0	52.1 48.2 -11.4	49.5 346.6	0.724 0.762 0.006 0.0	0.0	306 0.603 0.0 1.0 37.6 64.3 -15.3 66.1 346.6
673	B57R_100_075de	1.0 0.25 0.875	1.0 0.75 0.625	339	0.58 0.25 1.0	49.6 41.6 -17.5	45.1 337.1	0.391 0.73 0.0	0.0	296 0.44 0.0 1.0 34.2 55.4 -23.3 60.2 337.1
674	B50R_100_075de	1.0 0.25 1.0	1.0 0.75 0.625	330	0.491 0.25 1.0	47.2 35.8 -21.8	41.9 328.6	0.498 0.735 0.0 0.0	0.0	288 0.321 0.0 1.0 31.1 47.7 -29.1 55.9 328.6
675	R36Y_100_100de	1.0 0.375 0.0	1.0 1.0 0.5	52	1.0 0.288 0.0	55.3 48.4 57.7	75.4 49.9	0.0 0.71 1.0 0.0	0.0	46 1.0 0.288 0.0 55.3 48.4 57.7 75.4 49.9
676	R26Y_100_087de	1.0 0.375 0.125	1.0 0.875 0.562	46	1.0 0.298 0.125	57.2 49.4 46.5	67.9 43.3	0.0 0.702 0.797 0.0	0.0	40 1.0 0.198 0.0 51.7 56.5 53.2 77.6 43.3
677	R15Y_100_075de	1.0 0.375 0.25	1.0 0.75 0.625	39	1.0 0.301 0.25	59.4 49.9 35.6	61.3 35.5	0.0 0.691 0.623 0.0	0.0	33 1.0 0.068 0.0 47.3 66.5 47.4 81.7 35.5
678	R00Y_100_062de	1.0 0.375 0.375	1.0 0.625 0.687	390	1.0 0.375 0.534	64.3 45.1 21.5	50.0 25.4	0.0 0.625 0.375 0.0	0.0	375 1.0 0.0 0.254 45.6 72.2 34.4 80.0 25.4
679	R31Y_100_062de	1.0 0.375 0.5	1.0 0.625 0.687	379	1.0 0.375 0.731	64.5 46.9 11.0	48.2 13.2	0.0 0.625 0.25 0.0	0.0	355 1.0 0.0 0.57 45.9 75.0 17.6 77.1 13.2
680	R11Y_100_062de	1.0 0.375 0.625	1.0 0.625 0.687	367	1.0 0.375 0.999	64.6 49.5 -0.1	49.5 359.8	0.0 0.639 0.029 0.0	0.0	330 1.0 0.0 0.999 46.1 79.3 -0.1 79.3 359.8
681	B69R_100_062de	1.0 0.375 0.75	1.0 0.625 0.687	353	0.807 0.375 1.0	60.9 42.8 -7.2	43.4 350.4	0.141 0.656 0.008 0.0	0.0	312 0.692 0.0 1.0 40.0 68.5 -11.5 69.4 350.4
682	B59R_100_062de	1.0 0.375 0.875	1.0 0.625 0.687	341	0.671 0.375 1.0	57.7 35.7 -13.7	38.3 339.0	0.299 0.626 0.0 0.0	0.0	298 0.473 0.0 1.0 35.0 57.2 -21.9 61.3 339.0
683	B50R_100_062de	1.0 0.375 1.0	1.0 0.625 0.687	330	0.576 0.375 1.0	55.3 29.8 -18.2	34.9 328.6	0.401 0.592 0.0 0.0	0.0	288 0.321 0.0 1.0 31.1 47.7 -29.1 55.9 328.6
684	R50Y_100_100de	1.0 0.5 0.0	1.0 1.0 0.5	60	1.0 0.398 0.0	60.2 38.2 63.4	74.1 58.8	0.0 0.6 1.0 0.0	0.0	53 1.0 0.398 0.0 60.2 38.2 63.4 74.1 58.8
685	R41Y_100_087de	1.0 0.5 0.125	1.0 0.875 0.562	55	1.0 0.413 0.125	61.9 39.0 52.4	65.4 53.3	0.0 0.577 0.823 0.0	0.0	48 1.0 0.329 0.0 57.1 44.6 59.9 74.7 53.3
686	R31Y_100_075de	1.0 0.5 0.25	1.0 0.75 0.625	49	1.0 0.434 0.25	64.0 39.2 41.5	57.1 46.6	0.0 0.569 0.649 0.0	0.0	43 1.0 0.246 0.0 53.5 52.2 55.3 76.1 46.6
687	R18Y_100_062de	1.0 0.5 0.375	1.0 0.625 0.687	41	1.0 0.447 0.375	66.2 39.6 30.6	50.1 37.7	0.0 0.561 0.498 0.0	0.0	36 1.0 0.115 0.0 48.6 63.4 49.1 80.2 37.7
688	R00Y_100_050de	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.627	70.6 36.1 17.2	40.0 25.4	0.0 0.498 0.295 0.0	0.0	375 1.0 0.0 0.254 45.6 72.2 34.4 80.0 25.4
689	R26Y_100_050de	1.0 0.5 0.625	1.0 0.5 0.75	376	1.0 0.5 0.828	70.8 38.0 6.6	38.6 9.8	0.0 0.508 0.152 0.0	0.0	349 1.0 0.0 0.657 46.0 76.1 13.2 77.2 9.8
690	R00Y_100_050de	1.0 0.5 0.75	1.0 0.5 0.75	360	0.868 0.5 1.0	68.5 35.2 -4.9	35.5 352.0	0.061 0.526 0.009 0.0	0.0	315 0.736 0.0 1.0 41.4 70.4 -9.8 71.1 352.0
691	B61R_100_050de	1.0 0.5 0.875	1.0 0.5 0.75	344	0.761 0.5 1.0	65.8 29.9 -9.8	31.5 341.8	0.209 0.519 0.0 0.0	0.0	301 0.522 0.0 1.0 36.0 59.9 -19.6 63.0 341.8
692	B50R_100_050de	1.0 0.5 1.0	1.0 0.5 0.75	330	0.66 0.5 1.0	63.3 23.8 -14.5	27.9 328.6	0.326 0.478 0.0 0.0	0.0	288 0.321 0.0 1.0 31.1 47.7 -29.1 55.9 328.6
693	R63Y_100_100de	1.0 0.625 0.0	1.0 1.0 0.5	68	1.0 0.506 0.0	65.3 28.2 69.2	74.7 67.8	0.0 0.491 1.0 0.0	0.0	60 1.0 0.506 0.0 65.3 28.2 69.2 74.7 67.8
694	R58Y_100_087de	1.0 0.625 0.125	1.0 0.875 0.562	65	1.0 0.533 0.125	67.4 28.0 58.7	65.1 64.4	0.0 0.468 0.839 0.0	0.0	57 1.0 0.466 0.0 63.3 32.0 67.1 74.4 64.4
695	R50Y_100_075de	1.0 0.625 0.25	1.0 0.75 0.625	60	1.0 0.548 0.25	69.0 28.7 47.5	55.5 58.8	0.0 0.461 0.686 0.0	0.0	53 1.0 0.398 0.0 60.2 38.2 63.4 74.1 58.8
696	R38Y_100_062de	1.0 0.625 0.375	1.0 0.625 0.687	53	1.0 0.563 0.375	70.8 29.5 36.5	46.9 51.0	0.0 0.459 0.542 0.0	0.0	47 1.0 0.0

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/TS88/TS88L0FA.TXT> /.PS
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

		HIC*Fde			rgb_Fde			ict_Fde			hsi_Fde			rgb*Fde			LabCh*Fde			cmyn*sep.Fde			hsiM,de			rgb*Mde			LabCh*Mde		
729	NW_100de	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
730	G50B_100_012de	0.875	1.0	1.0	1.0	0.125	0.937	210	0.875	1.0	0.968	90.5	-4.5	-3.4	5.6	216.9	0.178	0.0	0.032	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0		
731	G50B_100_025de	0.75	1.0	1.0	1.0	0.25	0.875	210	0.75	1.0	0.936	85.4	-9.0	-6.8	11.3	216.9	0.318	0.0	0.06	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
732	G50B_100_037de	0.625	1.0	1.0	1.0	0.375	0.812	210	0.625	1.0	0.905	80.3	-13.5	-10.2	16.9	216.9	0.445	0.0	0.091	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
733	G50B_100_050de	0.5	1.0	1.0	1.0	0.5	0.75	210	0.5	1.0	0.873	75.3	-18.1	-13.6	22.6	216.9	0.578	0.0	0.13	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
734	G50B_100_062de	0.375	1.0	1.0	1.0	0.625	0.687	210	0.375	1.0	0.842	70.2	-22.6	-17.0	28.3	216.9	0.677	0.0	0.16	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
735	G50B_100_075de	0.25	1.0	1.0	1.0	0.75	0.625	210	0.25	1.0	0.81	65.1	-27.1	-20.4	33.9	216.9	0.766	0.0	0.187	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
736	G50B_100_087de	0.125	1.0	1.0	1.0	0.875	0.562	210	0.125	1.0	0.778	60.0	-31.6	-23.8	39.6	216.9	0.895	0.0	0.222	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
737	G50B_100_100de	0.0	1.0	1.0	1.0	1.0	0.5	210	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9	1.0	0.0	0.253	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
738	RO0Y_100_012de	1.0	0.875	0.875	1.0	0.125	0.937	390	1.0	0.875	0.906	89.3	9.0	4.3	10.0	25.4	0.0	0.157	0.071	0.0	375	1.0	0.0	0.254	45.6	72.2	34.4	80.0	25.4		
739	NW_087de	0.875	0.875	0.875	0.875	0.0	0.875	360	0.875	0.875	0.875	86.7	0.0	0.0	0.0	0.0	0.162	0.101	0.093	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0		
740	G50B_087_012de	0.75	0.875	0.875	0.875	0.125	0.812	210	0.75	0.875	0.843	81.6	-4.5	-3.4	5.6	216.9	0.306	0.095	0.118	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
741	G50B_087_025de	0.625	0.875	0.875	0.875	0.25	0.75	210	0.625	0.875	0.811	76.5	-9.0	-6.8	11.3	216.9	0.433	0.093	0.148	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
742	G50B_087_037de	0.5	0.875	0.875	0.875	0.375	0.687	210	0.5	0.875	0.78	71.4	-13.5	-10.2	16.9	216.9	0.564	0.095	0.183	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
743	G50B_087_050de	0.375	0.875	0.875	0.875	0.5	0.625	210	0.375	0.875	0.748	66.4	-18.1	-13.6	22.6	216.9	0.67	0.098	0.212	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
744	G50B_087_062de	0.25	0.875	0.875	0.875	0.625	0.562	210	0.25	0.875	0.717	61.3	-22.6	-17.0	28.3	216.9	0.757	0.105	0.242	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
745	G50B_087_075de	0.125	0.875	0.875	0.875	0.75	0.5	210	0.125	0.875	0.685	56.2	-27.1	-20.4	33.9	216.9	0.889	0.13	0.28	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
746	G50B_087_087de	0.0	0.875	0.875	0.875	0.875	0.437	210	0.0	0.875	0.653	51.1	-31.6	-23.8	39.6	216.9	0.992	0.158	0.304	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
747	RO0Y_100_025de	1.0	0.75	0.75	1.0	0.25	0.875	390	1.0	0.75	0.813	83.1	18.0	8.6	20.0	25.4	0.0	0.282	0.147	0.0	375	1.0	0.0	0.254	45.6	72.2	34.4	80.0	25.4		
748	RO0Y_087_012de	0.875	0.75	0.75	0.875	0.125	0.812	390	0.875	0.75	0.781	80.4	9.0	4.3	10.0	25.4	0.131	0.248	0.167	0.0	375	1.0	0.0	0.254	45.6	72.2	34.4	80.0	25.4		
749	NW_075de	0.75	0.75	0.75	0.75	0.0	0.75	360	0.75	0.75	0.75	77.8	0.0	0.0	0.0	0.0	0.299	0.181	0.177	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0		
750	G50B_075_012de	0.625	0.75	0.75	0.75	0.125	0.687	210	0.625	0.75	0.718	72.7	-4.5	-3.4	5.6	216.9	0.424	0.181	0.203	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
751	G50B_075_025de	0.5	0.75	0.75	0.75	0.25	0.625	210	0.5	0.75	0.686	67.6	-9.0	-6.8	11.3	216.9	0.552	0.191	0.241	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
752	G50B_075_037de	0.375	0.75	0.75	0.75	0.375	0.562	210	0.375	0.75	0.655	62.5	-13.5	-10.2	16.9	216.9	0.662	0.198	0.267	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
753	G50B_075_050de	0.25	0.75	0.75	0.75	0.5	0.5	210	0.25	0.75	0.623	57.5	-18.1	-13.6	22.6	216.9	0.748	0.207	0.288	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
754	G50B_075_062de	0.125	0.75	0.75	0.75	0.625	0.437	210	0.125	0.75	0.592	52.4	-22.6	-17.0	28.3	216.9	0.881	0.244	0.327	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
755	G50B_075_075de	0.0	0.75	0.75	0.75	0.75	0.375	210	0.0	0.75	0.56	47.3	-27.1	-20.4	33.9	216.9	0.984	0.286	0.357	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
756	RO0Y_100_037de	1.0	0.625	0.625	1.0	0.375	0.812	390	1.0	0.625	0.72	76.8	27.0	12.9	30.0	25.4	0.0	0.4	0.25	0.0	375	1.0	0.0	0.254	45.6	72.2	34.4	80.0	25.4		
757	RO0Y_087_025de	0.875	0.625	0.625	0.875	0.25	0.75	390	0.875	0.625	0.688	74.2	18.0	8.6	20.0	25.4	0.105	0.386	0.246	0.0	375	1.0	0.0	0.254	45.6	72.2	34.4	80.0	25.4		
758	RO0Y_075_012de	0.75	0.625	0.625	0.75	0.125	0.687	390	0.75	0.625	0.656	71.5	9.0	4.3	10.0	25.4	0.28	0.335	0.255	0.0	375	1.0	0.0	0.254	45.6	72.2	34.4	80.0	25.4		
759	NW_062de	0.625	0.625	0.625	0.625	0.0	0.625	360	0.625	0.625	0.625	68.9	0.0	0.0	0.0	0.0	0.417	0.26	0.26	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0		
760	G50B_062_012de	0.5	0.625	0.625	0.625	0.125	0.562	210	0.5	0.625	0.593	63.8	-4.5	-3.4	5.6	216.9	0.546	0.284	0.296	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
761	G50B_062_025de	0.375	0.625	0.625	0.625	0.25	0.5	210	0.375	0.625	0.561	58.7	-9.0	-6.8	11.3	216.9	0.656	0.3	0.324	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
762	G50B_062_037de	0.25	0.625	0.625	0.625	0.375	0.437	210	0.25	0.625	0.53	53.6	-13.5	-10.2	16.9	216.9	0.743	0.314	0.346	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
763	G50B_062_050de	0.125	0.625	0.625	0.625	0.5	0.375	210	0.125	0.625	0.498	48.6	-18.1	-13.6	22.6	216.9	0.877	0.37	0.385	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9		
764	G50B_062_062de	0.0	0.625	0.625	0.625	0.62																									

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/TS88/TS88L0FA.TXT> /PS
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	cmyn*sep.Fde	hsiM.de	rgb*Mde	LabCh*Mde
810	NW_100de	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0
811	B00R_100_012de	0.875 0.875 1.0	1.0 0.125 0.937	270	0.875 0.932 1.0	88.7 0.1 -5.0	5.0 271.7	0.156 0.07	0.008 0.0	40.2 1.2 -40.6
812	B00R_100_025de	0.75 0.75 1.0	1.0 0.25 0.875	270	0.75 0.864 1.0	81.7 0.3 -10.1	10.1 271.7	0.289 0.133	0.009 0.0	40.2 1.2 -40.6
813	B00R_100_037de	0.625 0.625 1.0	1.0 0.375 0.812	270	0.625 0.796 1.0	74.8 0.4 -15.2	15.2 271.7	0.406 0.182	0.009 0.0	40.2 1.2 -40.6
814	B00R_100_050de	0.5 0.5 1.0	1.0 0.5 0.75	270	0.5 0.729 1.0	67.9 0.6 -20.3	20.3 271.7	0.53 0.252	0.01 0.0	40.2 1.2 -40.6
815	B00R_100_062de	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.661 1.0	61.0 0.7 -25.4	25.4 271.7	0.646 0.317	0.008 0.0	40.2 1.2 -40.6
816	B00R_100_075de	0.25 0.25 1.0	1.0 0.75 0.625	270	0.25 0.593 1.0	54.1 0.9 -30.5	30.5 271.7	0.73 0.377	0.004 0.0	40.2 1.2 -40.6
817	B00R_100_087de	0.125 0.125 1.0	1.0 0.875 0.562	270	0.125 0.525 1.0	47.1 1.0 -35.5	35.6 271.7	0.872 0.46	0.006 0.0	40.2 1.2 -40.6
818	B00R_100_100de	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.458 1.0	40.2 1.2 -40.6	40.6 271.7	1.0 0.539	0.0 0.0	40.2 1.2 -40.6
819	Y00G_100_012de	1.0 1.0 0.875	1.0 0.125 0.937	90	1.0 0.984 0.875	94.1 -0.4 11.3	11.3 92.3	0.0 0.03	0.148 0.0	90.4 90.4 92.3
820	NW_087de	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	86.7 0.0 0.0	0.0 0.0	0.162 0.101	0.093 0.0	0.0 0.0 0.0
821	B00R_087_012de	0.75 0.75 0.875	0.875 0.125 0.812	270	0.75 0.807 0.875	79.7 0.1 -5.0	5.0 271.7	0.292 0.159	0.094 0.0	40.2 1.2 -40.6
822	B00R_087_025de	0.625 0.625 0.875	0.875 0.25 0.75	270	0.625 0.739 0.875	72.8 0.3 -10.1	10.1 271.7	0.408 0.21	0.093 0.0	40.2 1.2 -40.6
823	B00R_087_037de	0.5 0.5 0.875	0.875 0.375 0.687	270	0.5 0.671 0.875	65.9 0.4 -15.2	15.2 271.7	0.529 0.287	0.099 0.0	40.2 1.2 -40.6
824	B00R_087_050de	0.375 0.375 0.875	0.875 0.5 0.625	270	0.375 0.604 0.875	59.0 0.6 -20.3	20.3 271.7	0.645 0.361	0.099 0.0	40.2 1.2 -40.6
825	B00R_087_062de	0.25 0.25 0.875	0.875 0.625 0.562	270	0.25 0.536 0.875	52.1 0.7 -25.4	25.4 271.7	0.729 0.413	0.097 0.0	40.2 1.2 -40.6
826	B00R_087_075de	0.125 0.125 0.875	0.875 0.75 0.5	270	0.125 0.468 0.875	45.1 0.9 -30.5	30.5 271.7	0.867 0.501	0.105 0.0	40.2 1.2 -40.6
827	B00R_087_087de	0.0 0.0 0.875	0.875 0.875 0.437	270	0.0 0.4 0.875	38.2 1.0 -35.5	35.6 271.7	0.991 0.591	0.1 0.0	40.2 1.2 -40.6
828	Y00G_100_025de	1.0 1.0 0.75	1.0 0.25 0.875	90	1.0 0.969 0.75	92.6 -0.9 22.6	22.6 92.3	0.0 0.05	0.283 0.0	90.4 90.4 92.3
829	Y00G_087_012de	0.875 0.875 0.75	0.875 0.125 0.812	90	0.875 0.859 0.75	85.2 -0.4 11.3	11.3 92.3	0.135 0.127	0.249 0.0	90.4 90.4 92.3
830	NW_075de	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	77.8 0.0 0.0	0.0 0.0	0.299 0.181	0.177 0.0	0.0 0.0 0.0
831	B00R_075_012de	0.625 0.625 0.75	0.75 0.125 0.687	270	0.625 0.682 0.75	70.8 0.1 -5.0	5.0 271.7	0.412 0.236	0.176 0.0	40.2 1.2 -40.6
832	B00R_075_025de	0.5 0.5 0.75	0.75 0.25 0.625	270	0.5 0.614 0.75	63.9 0.3 -10.1	10.1 271.7	0.531 0.319	0.187 0.0	40.2 1.2 -40.6
833	B00R_075_037de	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.546 0.75	57.0 0.4 -15.2	15.2 271.7	0.645 0.394	0.192 0.0	40.2 1.2 -40.6
834	B00R_075_050de	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.479 0.75	50.1 0.6 -20.3	20.3 271.7	0.727 0.448	0.191 0.0	40.2 1.2 -40.6
835	B00R_075_062de	0.125 0.125 0.75	0.75 0.625 0.437	270	0.125 0.411 0.75	43.2 0.7 -25.4	25.4 271.7	0.863 0.548	0.204 0.0	40.2 1.2 -40.6
836	B00R_075_075de	0.0 0.0 0.75	0.75 0.75 0.375	270	0.0 0.343 0.75	36.2 0.9 -30.5	30.5 271.7	0.983 0.644	0.199 0.0	40.2 1.2 -40.6
837	Y00G_100_037de	1.0 1.0 0.625	1.0 0.375 0.812	90	1.0 0.954 0.625	91.1 -1.3 33.9	33.9 92.3	0.0 0.071	0.406 0.0	90.4 90.4 92.3
838	Y00G_087_025de	0.875 0.875 0.625	0.875 0.25 0.75	90	0.875 0.844 0.625	83.7 -0.9 22.6	22.6 92.3	0.122 0.145	0.384 0.0	90.4 90.4 92.3
839	Y00G_075_012de	0.75 0.75 0.625	0.75 0.125 0.687	90	0.75 0.734 0.625	76.3 -0.4 11.3	11.3 92.3	0.282 0.206	0.329 0.0	90.4 90.4 92.3
840	NW_062de	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	68.9 0.0 0.0	0.0 0.0	0.417 0.26	0.26 0.0	0.0 0.0 0.0
841	B00R_062_012de	0.5 0.5 0.625	0.625 0.125 0.562	270	0.5 0.557 0.625	61.9 0.1 -5.0	5.0 271.7	0.536 0.353	0.274 0.0	40.2 1.2 -40.6
842	B00R_062_025de	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.489 0.625	55.0 0.3 -10.1	10.1 271.7	0.645 0.421	0.282 0.0	40.2 1.2 -40.6
843	B00R_062_037de	0.25 0.25 0.625	0.625 0.375 0.437	270	0.25 0.421 0.625	48.1 0.4 -15.2	15.2 271.7	0.727 0.485	0.285 0.0	40.2 1.2 -40.6
844	B00R_062_050de	0.125 0.125 0.625	0.625 0.5 0.375	270	0.125 0.354 0.625	41.2 0.6 -20.3	20.3 271.7	0.86 0.592	0.3 0.0	40.2 1.2 -40.6
845	B00R_062_062de	0.0 0.0 0.625	0.625 0.625 0.312	270	0.0 0.286 0.625	34.3 0.7 -25.4	25.4 271.7	0.979 0.705	0.302 0.0	40.2 1.2 -40.6
846	Y00G_100_050de	1.0 1.0 0.5	1.0 0.5 0.75	90	1.0 0.939 0.5	89.6 -1.8 45.2	45.2 92.3	0.0 0.087	0.519 0.0	90.4 90.4 92.3
847	Y00G_087_037de	0.875 0.875 0.5	0.875 0.375 0.687	90	0.875 0.829 0.5	82.2 -1.3 33.9	33.9 92.3	0.115 0.161	0.506 0.0	90.4 90.4 92.3
848	Y00G_075_025de	0.75 0.75 0.5	0.75 0.25 0.625	90	0.75 0.719 0.5	74.8 -0.9 22.6	22.6 92.3	0.272 0.226	0.465 0.0	90.4 90.4 92.3
849	Y00G_062_012de	0.625 0.625 0.5	0.625 0.125 0.562	90	0.625 0.609 0.5	67.4 -0.4 11.3	11.3 92.3	0.399 0.286	0.399 0.0	90.4 90.4 92.3
850	NW_050de	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	60.0 0.0 0.0	0.0 0.0	0.54 0.382	0.356 0.0	0.0 0.0 0.0
851	B00R_050_012de	0.375 0.375 0.5	0.5 0.125 0.437	270	0.375 0.432 0.5	53.0 0.1 -5.0	5.0 271.7	0.648 0.445	0.366 0.0	40.2 1.2 -40.6
852	B00R_050_025de	0.25 0.25 0.5	0.5 0.25 0.375	270	0.249 0.364 0.5	46.1 0.3 -10.1	10.1 271.7	0.731 0.519	0.371 0.0	40.2 1.2 -40.6
853	B00R_050_037de	0.125 0.125 0.5	0.5 0.375 0.312	270	0.124 0.296 0.5	39.2 0.4 -15.2	15.2 271.7	0.862 0.64	0.395 0.0	40.2 1.2 -40.6
854	B00R_050_050de	0.0 0.0 0.5	0.5 0.5 0.25	270	0.0 0.229 0.5	32.3 0.6 -20.3	20.3 271.7	0.977 0.758	0.404 0.0	40.2 1.2 -40.6
855	Y00G_100_062de	1.0 1.0 0.375	1.0 0.625 0.687	90	1.0 0.924 0.375	88.1 -2.2 56.5	56.5 92.3	0.0 0.1	0.629 0.0	90.4 90.4 92.3
856	Y00G_087_050de	0.875 0.875 0.375	0.875 0.5 0.625	90	0.875 0.814 0.375	80.7 -1.8 45.2	45.2 92.3	0.112 0.173	0.624 0.0	90.4 90.4 92.3
857	Y00G_075_037de	0.75 0.75 0.375	0.75 0.375 0.562	90	0.75 0.704 0.375	73.3 -1.3 33.9	33.9 92.3	0.267 0.24	0.591 0.0	90.4 90.4 92.3
858	Y00G_062_025de	0.625 0.625 0.375	0.625 0.25 0.5	90	0.625 0.594 0.375	65.9 -0.9 22.6	22.6 92.3	0.388 0.306	0.532 0.0	90.4 90.4 92.3
859	Y00G_050_012de	0.5 0.5 0.375	0.5 0.125 0.437	90	0.5 0.484 0.375	58.5 -0.4 11.3	11.3 92.3	0.524 0.403	0.506 0.0	90.4 90.4 92.3
860	NW_037de	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	51.0 0.0 0.0	0.0 0.0	0.653 0.473	0.452 0.0	0.0 0.0 0.0
861	B00R_037_012de	0.25 0.25 0.375	0.375 0.125 0.312	270	0.249 0.307 0.375	44.1 0.1 -5.0	5.0 271.7	0.736 0.55	0.46 0.0	40.2 1.2 -40.6
862	B00R_037_025de	0.125 0.125 0.375	0.375 0.25 0.25	270	0.124 0.239 0.375	37.2 0.3 -10.1	10.1 271.7	0.867 0.69	0.504 0.0	40.2 1.2 -40.6
863	B00R_037_037de	0.0 0.0 0.375	0.375 0.375 0.187	270	0.0 0.171 0.375	30.3 0.4 -15.2	15.2 271.7	0.976 0.807	0.511 0.0	40.2 1.2 -40.6
864	Y00G_100_075de	1.0 1.0 0.25	1.0 0.75 0.625	90	1.0 0.909 0.25	86.6 -2.7 67.8	67.8 92.3	0.0 0.118	0.752 0.0	90.4 90.4 92.3
865	Y00G_087_062de	0.875 0.875 0.25	0.875 0.625 0.562	90	0.875 0.799 0.25	79.2 -2.2 56.5	56.5 92.3	0.119 0.183	0.752 0.0	90.4 90.4 92.3
866	Y00G_075_050de	0.75 0.75 0.25	0.75 0.5 0.5	90	0.75 0.689 0.25	71.8 -1.8 45.2	45.2 92.3	0.268 0.252		

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/TS88/TS88L0FA.TXT> /.PS
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20150701-TS88/TS88L0FA.TXT /.PS TUB material: code=rha4ta
aplicación para la medida salida en la impresión offset, separacióncmY0* (CMY0)

n	HIC*F _{de}	rgb_F _{de}	ict_F _{de}	hsi_F _{de}	rgb*F _{de}	LabCh*F _{de}	cmyn*sep.F _{de}	hsiM _{de}	rgb*M _{de}	LabCh*M _{de}	
891	NW_100 _{de}	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0
892	B50R_100_012 _{de}	1.0 0.875 1.0	1.0 0.125 0.937	330	0.915 0.875 1.0	87.5 5.9 -3.6	6.9 328.6 0.085	0.144 0.007 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
893	B50R_100_025 _{de}	1.0 0.75 1.0	1.0 0.25 0.875	330	0.83 0.75 1.0	79.5 11.9 -7.2	13.9 328.6 0.17	0.264 0.003 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
894	B50R_100_037 _{de}	1.0 0.625 1.0	1.0 0.375 0.812	330	0.745 0.625 1.0	71.4 17.9 -10.9	20.9 328.6 0.256	0.396 0.0 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
895	B50R_100_050 _{de}	1.0 0.5 1.0	1.0 0.5 0.75	330	0.66 0.5 1.0	63.3 23.8 -14.5	27.9 328.6 0.326	0.478 0.0 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
896	B50R_100_062 _{de}	1.0 0.375 1.0	1.0 0.625 0.687	330	0.576 0.375 1.0	55.3 29.8 -18.2	34.9 328.6 0.401	0.592 0.0 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
897	B50R_100_075 _{de}	1.0 0.25 1.0	1.0 0.75 0.625	330	0.491 0.25 1.0	47.2 35.8 -21.8	41.9 328.6 0.498	0.735 0.0 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
898	B50R_100_087 _{de}	1.0 0.125 1.0	1.0 0.875 0.562	330	0.406 0.125 1.0	39.1 41.8 -25.5	48.9 328.6 0.587	0.848 0.0 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
899	B50R_100_100 _{de}	1.0 0.0 1.0	1.0 1.0 0.5	330	0.321 0.0 1.0	31.1 47.7 -29.1	55.9 328.6 0.677	0.999 0.0 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
900	G00B_100_012 _{de}	0.875 1.0 0.875	1.0 0.125 0.937	150	0.875 1.0 0.893	90.0 -7.7 2.4	8.1 162.2 0.197	0.0 0.125 0.0	158	0.0 1.0 0.151	50.6 -62.1
901	NW_087 _{de}	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	86.7 0.0 0.0	0.0 0.0 0.0	0.162 0.101 0.093	360	1.0 1.0 1.0	95.6 0.0 0.0
902	B50R_087_012 _{de}	0.875 0.75 0.875	0.875 0.125 0.812	330	0.79 0.75 0.875	78.6 5.9 -3.6	6.9 328.6 0.242	0.226 0.094 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
903	B50R_087_025 _{de}	0.875 0.625 0.875	0.875 0.25 0.75	330	0.705 0.625 0.875	70.5 11.9 -7.2	13.9 328.6 0.309	0.351 0.092 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
904	B50R_087_037 _{de}	0.875 0.5 0.875	0.875 0.375 0.687	330	0.62 0.5 0.875	62.5 17.9 -10.9	20.9 328.6 0.376	0.444 0.091 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
905	B50R_087_050 _{de}	0.875 0.375 0.875	0.875 0.5 0.625	330	0.535 0.375 0.875	54.4 23.8 -14.5	27.9 328.6 0.461	0.579 0.099 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
906	B50R_087_062 _{de}	0.875 0.25 0.875	0.875 0.625 0.562	330	0.451 0.25 0.875	46.4 29.8 -18.2	34.9 328.6 0.548	0.714 0.107 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
907	B50R_087_075 _{de}	0.875 0.125 0.875	0.875 0.75 0.5	330	0.366 0.125 0.875	38.3 35.8 -21.8	41.9 328.6 0.635	0.836 0.122 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
908	B50R_087_087 _{de}	0.875 0.0 0.875	0.875 0.875 0.437	330	0.281 0.0 0.875	30.2 41.8 -25.5	48.9 328.6 0.706	0.99 0.133 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
909	G00B_100_025 _{de}	0.75 1.0 0.75	1.0 0.25 0.875	150	0.75 1.0 0.787	84.3 -15.5 4.9	16.3 162.2 0.34	0.0 0.25 0.0	158	0.0 1.0 0.151	50.6 -62.1
910	G00B_087_012 _{de}	0.75 0.875 0.75	0.875 0.125 0.812	150	0.75 0.875 0.768	81.1 -7.7 2.4	8.1 162.2 0.321	0.074 0.205 0.0	158	0.0 1.0 0.151	50.6 -62.1
911	NW_075 _{de}	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	77.8 0.0 0.0	0.0 0.0 0.0	0.299 0.181 0.177	360	1.0 1.0 1.0	95.6 0.0 0.0
912	B50R_075_012 _{de}	0.75 0.625 0.75	0.75 0.125 0.687	330	0.665 0.625 0.75	69.7 5.9 -3.6	6.9 328.6 0.362	0.3 0.177 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
913	B50R_075_025 _{de}	0.75 0.5 0.75	0.75 0.25 0.625	330	0.58 0.5 0.75	61.6 11.9 -7.2	13.9 328.6 0.434	0.428 0.188 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
914	B50R_075_037 _{de}	0.75 0.375 0.75	0.75 0.375 0.562	330	0.495 0.375 0.75	53.6 17.9 -10.9	20.9 328.6 0.515	0.56 0.205 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
915	B50R_075_050 _{de}	0.75 0.25 0.75	0.75 0.5 0.5	330	0.41 0.25 0.75	45.5 23.8 -14.5	27.9 328.6 0.6	0.69 0.212 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
916	B50R_075_062 _{de}	0.75 0.125 0.75	0.75 0.625 0.437	330	0.326 0.125 0.75	37.5 29.8 -18.2	34.9 328.6 0.668	0.82 0.232 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
917	B50R_075_075 _{de}	0.75 0.0 0.75	0.75 0.75 0.375	330	0.241 0.0 0.75	29.4 35.8 -21.8	41.9 328.6 0.738	0.985 0.261 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
918	G00B_100_037 _{de}	0.625 1.0 0.625	1.0 0.375 0.812	150	0.625 1.0 0.681	78.7 -23.2 7.4	24.4 162.2 0.5	0.0 0.375 0.0	158	0.0 1.0 0.151	50.6 -62.1
919	G00B_087_025 _{de}	0.625 0.875 0.625	0.875 0.25 0.75	150	0.625 0.875 0.662	75.4 -15.5 4.9	16.3 162.2 0.458	0.054 0.312 0.0	158	0.0 1.0 0.151	50.6 -62.1
920	G00B_075_012 _{de}	0.625 0.75 0.625	0.75 0.125 0.687	150	0.625 0.75 0.643	72.1 -7.7 2.4	8.1 162.2 0.438	0.167 0.29 0.0	158	0.0 1.0 0.151	50.6 -62.1
921	NW_062 _{de}	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	68.9 0.0 0.0	0.0 0.0 0.0	0.417 0.26 0.26	360	1.0 1.0 1.0	95.6 0.0 0.0
922	B50R_062_012 _{de}	0.625 0.5 0.625	0.625 0.125 0.562	330	0.54 0.5 0.625	60.8 5.9 -3.6	6.9 328.6 0.49	0.41 0.278 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
923	B50R_062_025 _{de}	0.625 0.375 0.625	0.625 0.25 0.5	330	0.455 0.375 0.625	52.7 11.9 -7.2	13.9 328.6 0.568	0.528 0.295 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
924	B50R_062_037 _{de}	0.625 0.25 0.625	0.625 0.375 0.437	330	0.37 0.25 0.625	44.7 17.9 -10.9	20.9 328.6 0.642	0.662 0.305 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
925	B50R_062_050 _{de}	0.625 0.125 0.625	0.625 0.5 0.375	330	0.285 0.125 0.625	36.6 23.8 -14.5	27.9 328.6 0.703	0.802 0.334 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
926	B50R_062_062 _{de}	0.625 0.0 0.625	0.625 0.625 0.312	330	0.201 0.0 0.625	28.5 29.8 -18.2	34.9 328.6 0.781	0.984 0.373 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
927	G00B_100_050 _{de}	0.5 1.0 0.5	1.0 0.5 0.75	150	0.5 1.0 0.575	73.1 -31.0 9.9	32.6 162.2 0.613	0.0 0.418 0.0	158	0.0 1.0 0.151	50.6 -62.1
928	G00B_087_037 _{de}	0.5 0.875 0.5	0.875 0.375 0.687	150	0.5 0.875 0.556	69.8 -23.2 7.4	24.4 162.2 0.595	0.041 0.413 0.0	158	0.0 1.0 0.151	50.6 -62.1
929	G00B_075_025 _{de}	0.5 0.75 0.5	0.75 0.25 0.625	150	0.5 0.75 0.537	66.5 -15.5 4.9	16.3 162.2 0.575	0.165 0.403 0.0	158	0.0 1.0 0.151	50.6 -62.1
930	G00B_062_012 _{de}	0.5 0.625 0.5	0.625 0.125 0.562	150	0.5 0.625 0.518	63.2 -7.7 2.4	8.1 162.2 0.557	0.269 0.384 0.0	158	0.0 1.0 0.151	50.6 -62.1
931	NW_050 _{de}	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	60.0 0.0 0.0	0.0 0.0 0.0	0.54 0.382 0.356	360	1.0 1.0 1.0	95.6 0.0 0.0
932	B50R_050_012 _{de}	0.5 0.375 0.5	0.5 0.125 0.437	330	0.415 0.375 0.5	51.9 5.9 -3.6	6.9 328.6 0.618	0.497 0.38 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
933	B50R_050_025 _{de}	0.5 0.25 0.5	0.5 0.25 0.375	330	0.33 0.249 0.5	43.8 11.9 -7.2	13.9 328.6 0.675	0.632 0.39 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
934	B50R_050_037 _{de}	0.5 0.125 0.5	0.5 0.375 0.312	330	0.245 0.124 0.5	35.8 17.9 -10.9	20.9 328.6 0.736	0.786 0.43 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
935	B50R_050_050 _{de}	0.5 0.0 0.5	0.5 0.5 0.25	330	0.16 0.0 0.5	27.7 23.8 -14.5	27.9 328.6 0.84	0.99 0.486 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1
936	G00B_100_062 _{de}	0.375 1.0 0.375	1.0 0.625 0.687	150	0.375 1.0 0.469	67.5 -38.8 12.4	40.7 162.2 0.701	0.0 0.507 0.0	158	0.0 1.0 0.151	50.6 -62.1
937	G00B_087_050 _{de}	0.375 0.875 0.375	0.875 0.5 0.625	150	0.375 0.875 0.45	64.2 -31.0 9.9	32.6 162.2 0.691	0.041 0.5 0.0	158	0.0 1.0 0.151	50.6 -62.1
938	G00B_075_037 _{de}	0.375 0.75 0.375	0.75 0.375 0.562	150	0.375 0.75 0.431	60.9 -23.2 7.4	24.4 162.2 0.68	0.167 0.494 0.0	158	0.0 1.0 0.151	50.6 -62.1
939	G00B_062_025 _{de}	0.375 0.625 0.375	0.625 0.25 0.5	150	0.375 0.625 0.412	57.6 -15.5 4.9	16.3 162.2 0.67	0.275 0.482 0.0	158	0.0 1.0 0.151	50.6 -62.1
940	G00B_050_012 _{de}	0.375 0.5 0.375	0.5 0.125 0.437	150							

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/TS88/TS88L0FA.TXT> /.PS
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20150701-TS88/TS88L0FA.TXT /.PS
aplicación para la medida salida en la impresión offset, separación $cmY0^*$ (CMY0)

TUB material: code=rha4ta

n	HIC*F _{de}	rgb_F _{de}			ict_F _{de}	hsi_F _{de}	rgb*F _{de}	LabCh*F _{de}			cmyn*sep.F _{de}				hsiM _{de}	rgb*M _{de}	LabCh*M _{de}			
972	NW_000 _{de}	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
973	NW_012 _{de}	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	33.2	0.0	0.0	0.0	0.885	0.774	0.736	0.0	95.6	0.0	0.0
974	NW_025 _{de}	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	42.1	0.0	0.0	0.0	0.743	0.587	0.55	0.0	95.6	0.0	0.0
975	NW_037 _{de}	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	51.0	0.0	0.0	0.0	0.653	0.473	0.452	0.0	95.6	0.0	0.0
976	NW_050 _{de}	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	60.0	0.0	0.0	0.0	0.54	0.382	0.356	0.0	95.6	0.0	0.0
977	NW_062 _{de}	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	68.9	0.0	0.0	0.0	0.417	0.26	0.26	0.0	95.6	0.0	0.0
978	NW_075 _{de}	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	77.8	0.0	0.0	0.0	0.299	0.181	0.177	0.0	95.6	0.0	0.0
979	NW_087 _{de}	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	86.7	0.0	0.0	0.0	0.162	0.101	0.093	0.0	95.6	0.0	0.0
980	NW_100 _{de}	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.6	0.0	0.0
981	NW_000 _{de}	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.3	0.0	0.0	0.0	1.0	1.0	1.0	0.0	95.6	0.0	0.0
982	NW_012 _{de}	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	33.2	0.0	0.0	0.0	0.885	0.774	0.736	0.0	95.6	0.0	0.0
983	NW_025 _{de}	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	42.1	0.0	0.0	0.0	0.743	0.587	0.55	0.0	95.6	0.0	0.0
984	NW_037 _{de}	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	51.0	0.0	0.0	0.0	0.653	0.473	0.452	0.0	95.6	0.0	0.0
985	NW_050 _{de}	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	60.0	0.0	0.0	0.0	0.54	0.382	0.356	0.0	95.6	0.0	0.0
986	NW_062 _{de}	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	68.9	0.0	0.0	0.0	0.417	0.26	0.26	0.0	95.6	0.0	0.0
987	NW_075 _{de}	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	77.8	0.0	0.0	0.0	0.299	0.181	0.177	0.0	95.6	0.0	0.0
988	NW_087 _{de}	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	86.7	0.0	0.0	0.0	0.162	0.101	0.093	0.0	95.6	0.0	0.0
989	NW_100 _{de}	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.6	0.0	0.0
990	NW_000 _{de}	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.3	0.0	0.0	0.0	1.0	1.0	1.0	0.0	95.6	0.0	0.0
991	NW_012 _{de}	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	33.2	0.0	0.0	0.0	0.885	0.774	0.736	0.0	95.6	0.0	0.0
992	NW_025 _{de}	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	42.1	0.0	0.0	0.0	0.743	0.587	0.55	0.0	95.6	0.0	0.0
993	NW_037 _{de}	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	51.0	0.0	0.0	0.0	0.653	0.473	0.452	0.0	95.6	0.0	0.0
994	NW_050 _{de}	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	60.0	0.0	0.0	0.0	0.54	0.382	0.356	0.0	95.6	0.0	0.0
995	NW_062 _{de}	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	68.9	0.0	0.0	0.0	0.417	0.26	0.26	0.0	95.6	0.0	0.0
996	NW_075 _{de}	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	77.8	0.0	0.0	0.0	0.299	0.181	0.177	0.0	95.6	0.0	0.0
997	NW_087 _{de}	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	86.7	0.0	0.0	0.0	0.162	0.101	0.093	0.0	95.6	0.0	0.0
998	NW_100 _{de}	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.6	0.0	0.0
999	NW_000 _{de}	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.3	0.0	0.0	0.0	1.0	1.0	1.0	0.0	95.6	0.0	0.0
1000	NW_012 _{de}	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	33.2	0.0	0.0	0.0	0.885	0.774	0.736	0.0	95.6	0.0	0.0
1001	NW_025 _{de}	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	42.1	0.0	0.0	0.0	0.743	0.587	0.55	0.0	95.6	0.0	0.0
1002	NW_037 _{de}	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	51.0	0.0	0.0	0.0	0.653	0.473	0.452	0.0	95.6	0.0	0.0
1003	NW_050 _{de}	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	60.0	0.0	0.0	0.0	0.54	0.382	0.356	0.0	95.6	0.0	0.0
1004	NW_062 _{de}	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	68.9	0.0	0.0	0.0	0.417	0.26	0.26	0.0	95.6	0.0	0.0
1005	NW_075 _{de}	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	77.8	0.0	0.0	0.0	0.299	0.181	0.177	0.0	95.6	0.0	0.0
1006	NW_087 _{de}	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	86.7	0.0	0.0	0.0	0.162	0.101	0.093	0.0	95.6	0.0	0.0
1007	NW_100 _{de}	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.6	0.0	0.0
1008	NW_000 _{de}	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.3	0.0	0.0	0.0	1.0	1.0	1.0	0.0	95.6	0.0	0.0
1009	NW_006 _{de}	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	29.0	0.0	0.0	0.0	0.935	0.855	0.825	0.0	95.6	0.0	0.0
1010	NW_013 _{de}	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	33.8	0.0	0.0	0.0	0.879	0.763	0.725	0.0	95.6	0.0	0.0
1011	NW_020 _{de}	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	38.6	0.0	0.0	0.0	0.799	0.661	0.614	0.0	95.6	0.0	0.0
1012	NW_026 _{de}	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	43.3	0.0	0.0	0.0	0.731	0.571	0.537	0.0	95.6	0.0	0.0
1013	NW_033 _{de}	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	48.1	0.0	0.0	0.0	0.682	0.507	0.485	0.0	95.6	0.0	0.0
1014	NW_040 _{de}	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	52.8	0.0	0.0	0.0	0.636	0.454	0.433	0.0	95.6	0.0	0.0
1015	NW_046 _{de}	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	57.5	0.0	0.0	0.0	0.574	0.404	0.381	0.0	95.6	0.0	0.0
1016	NW_053 _{de}	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	62.3	0.0	0.0	0.0	0.509	0.354	0.33	0.0	95.6	0.0	0.0
1017	NW_060 _{de}	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	67.1	0.0	0.0	0.0	0.442	0.285	0.278	0.0	95.6	0.0	0.0
1018	NW_066 _{de}	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	71.8	0.0	0.0	0.0	0.377	0.228	0.228	0.0	95.6	0.0	0.0
1019	NW_073 _{de}	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	76.6	0.0	0.0	0.0	0.314	0.191	0.186	0.0	95.6	0.0	0.0
1020	NW_080 _{de}	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	81.3	0.0	0.0	0.0	0.252	0.153	0.146	0.0	95.6	0.0	0.0
1021	NW_086 _{de}	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	86.0	0.0	0.0	0.0	0.173	0.108	0.099	0.0	95.6	0.0	0.0
1022	NW_093 _{de}	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	90.8	0.0	0.0	0.0	0.09	0.054	0.05	0.0	95.6	0.0	0.0
1023	NW_100 _{de}	1.0	1.0	1.																

vea archivos semejantes: <http://130.149.60.45/~farbmetrik/TS88/TS88.HTM>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20150701-TS88/TS88L0FA.TXT /.PS
aplicación para la medida salida en la impresión offset, separación cmy0* (CMY0)

TUB material: code=rha4ta

n	HIC*Fde	rgb_Fde		ict_Fde		hsi_F,de	rgb*Fde	LabCh*Fde				cmyn*sep.Fde				hsiM,de	rgb*Mde	LabCh*Mde																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
1053	NW_086de	0.866	0.866	0.866	0.866	0.0	0.866	360	0.866	0.866	0.866	86.0	0.0	0.0	0.0	0.173	0.108	0.099	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1054	NW_093de	0.933	0.933	0.933	0.933	0.0	0.933	360	0.933	0.933	0.933	90.8	0.0	0.0	0.0	0.0	0.09	0.054	0.05	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1055	NW_100de	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1056	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	24.3	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1057	NW_006de	0.066	0.066	0.066	0.066	0.0	0.066	360	0.066	0.066	0.066	29.0	0.0	0.0	0.0	0.0	0.935	0.855	0.825	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1058	NW_013de	0.133	0.133	0.133	0.133	0.0	0.133	360	0.133	0.133	0.133	33.8	0.0	0.0	0.0	0.0	0.879	0.763	0.725	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1059	NW_020de	0.2	0.2	0.2	0.2	0.0	0.2	360	0.2	0.2	0.2	38.6	0.0	0.0	0.0	0.0	0.799	0.661	0.614	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1060	NW_026de	0.266	0.266	0.266	0.266	0.0	0.266	360	0.266	0.266	0.266	43.3	0.0	0.0	0.0	0.0	0.731	0.571	0.537	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1061	NW_033de	0.333	0.333	0.333	0.333	0.0	0.333	360	0.333	0.333	0.333	48.1	0.0	0.0	0.0	0.0	0.682	0.507	0.485	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1062	NW_040de	0.4	0.4	0.4	0.4	0.0	0.4	360	0.4	0.4	0.4	52.8	0.0	0.0	0.0	0.0	0.636	0.454	0.433	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1063	NW_046de	0.466	0.466	0.466	0.466	0.0	0.466	360	0.466	0.466	0.466	57.5	0.0	0.0	0.0	0.0	0.574	0.404	0.381	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1064	NW_053de	0.533	0.533	0.533	0.533	0.0	0.533	360	0.533	0.533	0.533	62.3	0.0	0.0	0.0	0.0	0.509	0.354	0.33	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1065	NW_060de	0.6	0.6	0.6	0.6	0.0	0.6	360	0.6	0.6	0.6	67.1	0.0	0.0	0.0	0.0	0.442	0.285	0.278	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1066	NW_066de	0.666	0.666	0.666	0.666	0.0	0.666	360	0.666	0.666	0.666	71.8	0.0	0.0	0.0	0.0	0.377	0.228	0.228	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1067	NW_073de	0.734	0.734	0.734	0.734	0.0	0.734	360	0.734	0.734	0.734	76.6	0.0	0.0	0.0	0.0	0.314	0.191	0.186	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1068	NW_080de	0.8	0.8	0.8	0.8	0.0	0.8	360	0.8	0.8	0.8	81.3	0.0	0.0	0.0	0.0	0.252	0.153	0.146	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1069	NW_086de	0.866	0.866	0.866	0.866	0.0	0.866	360	0.866	0.866	0.866	86.0	0.0	0.0	0.0	0.0	0.173	0.108	0.099	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1070	NW_093de	0.933	0.933	0.933	0.933	0.0	0.933	360	0.933	0.933	0.933	90.8	0.0	0.0	0.0	0.0	0.09	0.054	0.05	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1071	NW_100de	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1072	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	24.3	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1073	NW_100de	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1074	R00Y_100_100de	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.254	45.6	72.2	34.4	80.0	25.4	0.0	1.0	0.744	0.0	375	1.0	0.0	0.254	45.6	72.2	34.4	80.0	25.4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1075	G50B_100_100de	0.0	1.0	1.0	1.0	1.0	0.5	210	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9	1.0	0.0	0.253	0.0	195	0.0	1.0	0.747	55.0	-36.2	-27.2	45.3	216.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1076	Y00G_100_100de	1.0	1.0	0.0	1.0	1.0	0.5	90	1.0	0.878	0.0	83.6	-3.6	90.4	90.4	92.3	0.0	0.121	1.0	0.0	83	1.0	0.878	0.0	83.6	-3.6	90.4	90.4	92.3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1077	B00R_100_100de	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.458	1.0	40.2	1.2	-40.6	40.6	271.7	1.0	0.539	0.0	0.0	242	0.0	0.458	1.0	40.2	1.2	-40.6	40.6	271.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1078	G00B_100_100de	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.151	50.6	-62.1	19.9	65.2	162.2	1.0	0.0	0.847	0.0	158	0.0	1.0	0.151	50.6	-62.1	19.9	65.2	162.2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1079	B50R_100_100de	1.0	0.0	1.0	1.0	1.0	0.5	330	0.321	0.0	1.0	31.1	47.7	-29.1	55.9	328.6	0.677	0.999	0.0	0.0	288	0.321	0.0	1.0	31.1	47.7	-29.1	55.9	328.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
delta																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																

delta

2-1132131-F0

TS880-7N, 22/22-F

gráfico TS88; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
colores y diferencia en color, ΔE^* , 3D=1, de=1, cmy0*

entrada: $rgb/cmyk \rightarrow rgb_{de}$
salida: 3D-linealización a $cmy0^*_{de}$