

log ΔL Leuchtdichte-Differenz- $\bullet L_g=63\text{cd/m}^2$
 renzschwelle

04 0,1s A 63cd/m²; hyp2

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=115.8$$


$$A_2=22.29$$

$$A_3=0.8=t$$

$$A_6=2065.0$$

$$A_7=48.44$$

$$\Delta=1.325$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
Empfindlichkeitsschwelle

04 0,1s A 63cd/m²; hyp2

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (I^t + A_2)^2$$

$$A_1 = 115.8$$


$$A_2 = 22.29$$

$$A_3 = 0.8 = t$$

$$A_6 = 2065.0$$

$$A_7 = 48.44$$

$$\Delta = 1.325$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 63 \text{cd/m}^2$
 Empfindlichkeitsschwelle

04 0,1s A 63cd/m²; hyp2

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 115.8$$


$$A_2 = 22.29$$

$$A_3 = 0.8 = t$$

$$A_6 = 2065.0$$

$$A_7 = 48.44$$

$$\Delta = 1.325$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

04 0,1s A 63cd/m²; hyp2

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 115.8$$

$$A_2 = 22.29$$

$$A_3 = 0.8 = t$$

$$A_6 = 2065.0$$

$$A_7 = 48.44$$

$$\Delta = 1.325$$

• $L_g = 63 \text{cd/m}^2$

