

log ΔL Leuchtdichte-Differenz-
renzschwelle • $L_g = 6,3 \text{ cd/m}^2$

04 0,1s A $6,3 \text{ cd/m}^2$; hyp2

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1 = 81.89$$


$$A_2 = 5.59$$

$$A_3 = 0.8 = t$$

$$A_6 = 366.6$$

$$A_7 = 8.6$$

$$\Delta = 7.289$$



log(L/ΔL) Leuchtdichte-Kontrast
Empfindlichkeitsschwelle

04 0,1s A 6,3cd/m²; hyp2

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 81.89$$


$$A_2 = 5.59$$

$$A_3 = 0.8 = t$$

$$A_6 = 366.6$$

$$A_7 = 8.6$$

$$\Delta = 7.289$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 6,3 \text{cd/m}^2$
 Empfindlichkeitsschwelle

04 0,1s A 6,3cd/m²; hyp2

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 81.89$$


$$A_2 = 5.59$$

$$A_3 = 0.8 = t$$

$$A_6 = 366.6$$

$$A_7 = 8.6$$

$$\Delta = 7.289$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

• $L_g = 6,3 \text{ cd/m}^2$

04 0,1s A 6,3cd/m²; hyp2

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 81.89$$

$$A_2 = 5.59$$

$$A_3 = 0.8 = t$$

$$A_6 = 366.6$$

$$A_7 = 8.6$$

$$\Delta = 7.289$$

