

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
 renzschwelle

02 26s B 6,3cd/m²; hyp2

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=155.39$$


$$A_2=4.89$$

$$A_3=0.48=t$$

$$A_6=368.1$$

$$A_7=26.62$$

$$\Delta=0.406$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
Empfindlichkeitsschwelle

02 26s B 6,3cd/m²; hyp2

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 155.39$$


$$A_2 = 4.89$$

$$A_3 = 0.48 = t$$

$$A_6 = 368.1$$

$$A_7 = 26.62$$

$$\Delta = 0.406$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g=6,3\text{cd/m}^2$
 Empfindlichkeitsschwelle

02 26s B 6,3cd/m²; hyp2

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1=155.39$$


$$A_2=4.89$$

$$A_3=0.48=t$$

$$A_6=368.1$$

$$A_7=26.62$$

$$\Delta=0.406$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

● $L_g = 6,3 \text{ cd/m}^2$

