

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
renzschwelle

02 26s Y 6,3cd/m²; hyp2

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=188.1$$


$$A_2=11.25$$

$$A_3=0.8=t$$

$$A_6=1693.0$$

$$A_7=20.6$$

$$\Delta=29.24$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
 Empfindlichkeitsschwelle

02 26s Y 6,3cd/m²; hyp2

$$\log(L/\Delta L) = A_1 + A_2 \cdot \log(L/\Delta L) + A_3 \cdot \log(L/\Delta L)^2$$

$$A_1 = 188.1$$


$$A_2 = 11.25$$

$$A_3 = 0.8$$

$$A_6 = 1693.0$$

$$A_7 = 20.6$$

$$\Delta = 29.24$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 6,3 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

02 26s Y 6,3cd/m²; hyp2

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L + A_3)^2$$

$$A_1 = 188.1$$


$$A_2 = 11.25$$

$$A_3 = 0.8 = t$$

$$A_6 = 1693.0$$

$$A_7 = 20.6$$

$$\Delta = 29.24$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

• $L_g = 6,3 \text{ cd/m}^2$

02 26s Y 6,3cd/m²; hyp2

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 188.1$$

$$A_2 = 11.25$$

$$A_3 = 0.8 = t$$

$$A_6 = 1693.0$$

$$A_7 = 20.6$$

$$\Delta = 29.24$$

