

log  $\Delta L$  Leuchtdichte-Differenz- $\bullet L_g = 630 \text{ cd/m}^2$   
renzschwelle

02 0,1s B 630  $\text{cd/m}^2$ ; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1 = 66.74$$


$$A_2 = 85.0$$

$$A_3 = 0.88 = t$$

$$A_6 = 5001.0$$

$$A_7 = 154.39$$

$$\Delta = 0.001$$



**log(L/ΔL) Leuchtdichte-Kontrast**  
**Empfindlichkeitsschwelle**  $L_g = 630 \text{ cd/m}^2$

02 0,1s B 630cd/m<sup>2</sup>; hyp3

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 66.74$$


$$A_2 = 85.0$$

$$A_3 = 0.88 = t$$

$$A_6 = 5001.0$$

$$A_7 = 154.39$$

$$\Delta = 0.001$$



$L/\Delta L$  Leuchtdichte-Kontrast- $\bullet L_g = 630 \text{ cd/m}^2$   
 Empfindlichkeitsschwelle

02 0,1s B 630cd/m<sup>2</sup>; hyp3

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 66.74$$


$$A_2 = 85.0$$

$$A_3 = 0.88 = t$$

$$A_6 = 5001.0$$

$$A_7 = 154.39$$

$$\Delta = 0.001$$



$T^*$  Leuchtdichte-Differenz-  
renzschwellensumme

•  $L_g = 630 \text{ cd/m}^2$

02 0,1s B 630  $\text{cd/m}^2$ ; hyp3

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 66.74$$

$$A_2 = 85.0$$

$$A_3 = 0.88 = t$$

$$A_6 = 5001.0$$

$$A_7 = 154.39$$

$$\Delta = 0.001$$

