

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
 renzschwelle

AD 26s G 6,3cd/m²; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=103.3$$


$$A_2=6.51$$

$$A_3=0.8=t$$

$$A_6=538.5$$

$$A_7=10.42$$

$$\Delta=16.73$$



log(L/ΔL) Leuchtdichte-Kontrast
Empfindlichkeitsschwelle

AD 26s G 6,3cd/m²; hyp3

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 103.3$$


$$A_2 = 6.51$$

$$A_3 = 0.8 - t$$

$$A_6 = 535.5$$

$$A_7 = 10.42$$

$$\Delta = 16.73$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 6,3 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

AD 26s G $6,3 \text{ cd/m}^2$; hyp3

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 103.3$$


$$A_2 = 6.51$$

$$A_3 = 0.8 = t$$

$$A_6 = 538.5$$

$$A_7 = 10.42$$

$$\Delta = 16.73$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

$AD\ 26s\ G\ 6,3cd/m^2; hyp3$

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 103.3$$

$$A_2 = 6.51$$

$$A_3 = 0.8 = t$$

$$A_6 = 538.5$$

$$A_7 = 10.42$$

$$\Delta = 16.73$$

$$\bullet L_g = 6,3cd/m^2$$

