

log ΔL Leuchtdichte-Differenz- $\bullet L_g=630\text{cd/m}^2$
 renzschwelle

02 26s B 630cd/m²; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=73.06$$


$$A_2=28.21$$

$$A_3=1.04=t$$

$$A_6=2143.0$$

$$A_7=24.81$$

$$\Delta=0.052$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
Empfindlichkeitsschwelle

02 26s B 630cd/m²; hyp3

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 73.06$$


$$A_2 = 28.21$$

$$A_3 = 1.04 = t$$

$$A_6 = 2143.0$$

$$A_7 = 24.81$$

$$\Delta = 0.052$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 630 \text{ cd/m}^2$
 Empfindlichkeitsschwelle g

02 26s B 630 cd/m^2 ; hyp3

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 73.06$$


$$A_2 = 28.21$$

$$A_3 = 1.04 = t$$

$$A_6 = 2143.0$$

$$A_7 = 24.81$$

$$\Delta = 0.052$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

• $L_g = 630 \text{ cd/m}^2$

02 26s B 630 cd/m^2 ; hyp3

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 73.06$$

$$A_2 = 28.21$$

$$A_3 = 1.04 = t$$

$$A_6 = 2143.0$$

$$A_7 = 24.81$$

$$\Delta = 0.052$$

