

log ΔL Leuchtdichte-Differenz- $\bullet L_g=63\text{cd/m}^2$
 renzschwelle

AD 26s G 63cd/m²; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=228.9$$


$$A_2=12.69$$

$$A_3=0.59=t$$

$$A_6=1723.0$$

$$A_7=72.58$$

$$\Delta=1.419$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
 Empfindlichkeitsschwelle $L_g = 63 \text{ cd/m}^2$

AD 26s G 63cd/m²; hyp3

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (L + A_2)^2$$

$$A_1 = 228.9$$


$$A_2 = 12.69$$

$$A_3 = 0.59 = t$$

$$A_6 = 1723.0$$

$$A_7 = 72.58$$

$$\Delta = 1.419$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 63 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

AD 26s G 63 cd/m^2 ; hyp3

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 228.9$$


$$A_2 = 12.69$$

$$A_3 = 0.59 = t$$

$$A_6 = 1723.0$$

$$A_7 = 72.58$$

$$\Delta = 1.419$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

AD 26s G 63cd/m²; hyp3

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 228.9$$

$$A_2 = 12.69$$

$$A_3 = 0.59 = t$$

$$A_6 = 1723.0$$

$$A_7 = 72.58$$

$$\Delta = 1.419$$

$$\bullet L_g = 63 \text{cd/m}^2$$

