

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
 renzschwelle

04 26s A $6,3\text{cd/m}^2$; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=377.3$$


$$A_2=7.65$$

$$A_3=0.41=t$$

$$A_6=1204.0$$

$$A_7=131.8$$

$$\Delta=11.89$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
 Empfindlichkeitsschwelle $L_g = 6,3 \text{ cd/m}^2$

04 26s A 6,3cd/m²; hyp3

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot A_3 \cdot A_6 \cdot A_7 \cdot \Delta$$

$$A_1 = 377.3$$


$$A_2 = 7.65$$

$$A_3 = 0.41 = t$$

$$A_6 = 1204.0$$

$$A_7 = 131.8$$

$$\Delta = 11.89$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 6,3 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

04 26s A 6,3cd/m²; hyp3

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L + A_2)$$

$$A_1 = 377.3$$


$$A_2 = 7.65$$

$$A_3 = 0.41 = t$$

$$A_6 = 1204.0$$

$$A_7 = 131.8$$

$$\Delta = 11.89$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

• $L_g = 6,3 \text{ cd/m}^2$

04 26s A $6,3 \text{ cd/m}^2$; hyp3

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 377.3$$

$$A_2 = 7.65$$

$$A_3 = 0.41 = t$$

$$A_6 = 1204.0$$

$$A_7 = 131.8$$

$$\Delta = 11.89$$

