

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
 renzschwelle

02 0,1&26s B 6,3cd/m²; hyp2

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=183.2 \quad A_1=111.1$$


$$A_2=62.7 \quad A_2=4.79$$

$$A_3=0.8=t \quad A_3=0.8=t$$

$$A_6=9191.0 \quad A_6=426.1$$

$$A_7=176.4 \quad A_7=7.09$$

$$\Delta=0.556 \quad \Delta=0.556$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast-
Empfindlichkeitsschwelle

02 0,1&26s B 6,3cd/m²; hyp2

$$\log(L/\Delta L) = A_1 + A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 183.2$$

$$A_2 = 62.7$$

$$A_3 = 0.8 = t$$

$$A_6 = 9191.0$$

$$A_7 = 176.4$$

$$\Delta = 0.556$$

$$A_1 = 183.2$$


$$A_2 = 4.79$$

$$A_3 = 0.8 = t$$

$$A_6 = 426.1$$

$$A_7 = 7.09$$

$$\Delta = 0.556$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g=6,3\text{cd/m}^2$
 Empfindlichkeitsschwelle

02 0,1&26s B 6,3cd/m²; hyp2

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1=183.2 \quad A_1=111.1$$


$$A_2=62.7 \quad A_2=4.79$$

$$A_3=0.8=t \quad A_3=0.8=t$$

$$A_6=9191.0 \quad A_6=4267$$

$$A_7=176.4 \quad A_7=7.59$$

$$\Delta=0.556 \quad \Delta=0.556$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

• $L_g = 6,3 \text{ cd/m}^2$

