

log ΔL Leuchtdichte-Differenz- $\bullet L_g=63\text{cd/m}^2$
renzschwelle

04 26s A&B 63cd/m^2 ; hyp2

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=115.8 \quad A_1=130.89$$


$$A_2=22.29 \quad A_2=10.88$$

$$A_3=0.8=t \quad A_3=0.8=t$$

$$A_6=2065.0 \quad A_6=1139.0$$

$$A_7=48.44 \quad A_7=19.75$$

$$\Delta=1.325 \quad \Delta=1.325$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
 Empfindlichkeitsschwelle

04 26s A&B 63cd/m^2 ; hyp2

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot (L^t + A_3) \cdot A_6$$

$$A_1 = 115.8 \quad A_1 = 136.89$$


$$A_2 = 22.29 \quad A_2 = 10.88$$

$$A_3 = 0.8 = t \quad A_3 = 0.8 = t$$

$$A_6 = 2065.0 \quad A_6 = 1139.0$$

$$A_7 = 48.44 \quad A_7 = 19.75$$

$$\Delta = 1.325 \quad \Delta = 1.325$$



$L/\Delta L$ Leuchtdichte-Kontrast- • $L_g = 63 \text{ cd/m}^2$
Empfindlichkeitsschwelle

04 26s A&B 63 cd/m^2 ; hyp2

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 115.8 \quad A_1 = 130.89$$


$$A_2 = 22.29 \quad A_2 = 10.88$$

$$A_3 = 0.8 = t \quad A_3 = 0.8 = t$$

$$A_6 = 2065.0 \quad A_6 = 1139.5$$

$$A_7 = 48.44 \quad A_7 = 19.35$$

$$\Delta = 1.325 \quad \Delta = 1.325$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

04 26s A&B 63cd/m²; hyp2

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 115.8 \quad A_1 = 130.89$$

$$A_2 = 22.29 \quad A_2 = 10.88$$

$$A_3 = 0.8 = t \quad A_3 = 0.8 = t$$

$$A_6 = 2065.0 \quad A_6 = 1139.0$$

$$A_7 = 48.44 \quad A_7 = 19.75$$

$$\Delta = 1.325 \quad \Delta = 1.325$$

$$L_g = 63 \text{cd/m}^2$$

