

log ΔL Leuchtdichte-Differenz- $\bullet L_g=63\text{cd/m}^2$
renzschwelle

04 26s A&R 63cd/m^2 ; hyp2

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=115.8 \quad A_1=127.7$$


$$A_2=22.29 \quad A_2=8.6$$

$$A_3=0.8=t \quad A_3=0.8=t$$

$$A_6=2065.0 \quad A_6=878.4$$

$$A_7=48.44 \quad A_7=14.78$$

$$\Delta=1.325 \quad \Delta=1.325$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast $\bullet$ $L_0 = 63 \text{ cd/m}^2$ Empfindlichkeitsschwelle

04 26s A&R 63 cd/m^2 ; hyp2

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot (L^t + A_3) + A_4 \cdot L^2$$

$$A_1 = 115.8$$

$$A_1 = 127.7$$

$$A_2 = 22.29$$

$$A_2 = 8.6$$

$$A_3 = 0.8 = t$$

$$A_3 = 0.8 = t$$

$$A_6 = 2065.1$$


$$A_6 = 878.4$$

$$A_7 = 48.44$$

$$A_7 = 14.73$$

$$\Delta = 1.325$$

$$\Delta = 1.325$$



$L/\Delta L$ Leuchtdichte-Kontrast- • $L_g = 63 \text{ cd/m}^2$
Empfindlichkeitsschwelle

04 26s A&R 63 cd/m^2 ; hyp2

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 115.8 \quad A_1 = 127.7$$


$$A_2 = 22.29 \quad A_2 = 8.6$$

$$A_3 = 0.8 = t \quad A_3 = 0.8 = t$$

$$A_6 = 2065.0 \quad A_6 = 878.4$$

$$A_7 = 48.44 \quad A_7 = 14.53$$

$$\Delta = 1.325 \quad \Delta = 1.325$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

04 26s A&R 63cd/m²; hyp2

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 115.8 \quad A_1 = 127.7$$

$$A_2 = 22.29 \quad A_2 = 8.6$$

$$A_3 = 0.8 = t \quad A_3 = 0.8 = t$$

$$A_6 = 2065.0 \quad A_6 = 878.4$$

$$A_7 = 48.44 \quad A_7 = 14.73$$

$$\Delta = 1.325 \quad \Delta = 1.325$$

$$L_g = 63 \text{cd/m}^2$$

