

log ΔL Leuchtdichte-Differenz- $\bullet L_g=63\text{cd/m}^2$
 renzschwelle

04 0,1s A&G 63cd/m²; pot3


$$\Delta L = [A_1 + A_3 \cdot L]^t$$

$$A_1=0.42 \quad A_1=0.19$$

$$A_2=1.54=t \quad A_2=0.98=t$$

$$A_3=0.02 \quad A_3=0.06$$

$$\Delta=0.003 \quad \Delta=0.001$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast-
Empfindlichkeitsschwelle

04 0,1s A&G 63cd/m²; pot3


$$\log(L/\Delta L) = L / [A_1 + A_2 \cdot J_v]^t$$

$$A_1=0.42 \quad A_1=0.19$$

$$A_2=1.54=t \quad A_2=0.98=t$$

$$A_3=0.02 \quad A_3=0.06$$

$$\Delta=0.003 \quad \Delta=0.001$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 63 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

04 0,1s A&G 63 cd/m^2 ; pot3


$$L/\Delta L = L / [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.42 \quad A_1 = 0.19$$

$$A_2 = 1.54 = t \quad A_2 = 0.98 = t$$

$$A_3 = 0.02 \quad A_3 = 0.06$$

$$\Delta = 0.003 \quad \Delta = 0.001$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

• $L_g = 63 \text{cd/m}^2$

04 0,1s A&G 63cd/m^2 ; pot3

$$T^* = [A_1 + A \cdot L]^t - 1$$

$$A_1 = 0.42 \quad A_1 = 0.19$$

$$A_2 = 1.54 = t \quad A_2 = 0.98 = t$$

$$A_3 = 0.02 \quad A_3 = 0.06$$

$$\Delta = 0.003 \quad \Delta = 0.001$$

