

log ΔL Leuchtdichte-Differenz-
renzschwelle • $L_g = 63 \text{ cd/m}^2$

04 0,1s A 63cd/m²; pot3

$$\Delta L = A_4 [A_1 + A_3 \cdot L]^t$$


$$A_1 = 0.09$$

$$A_2 = 1.54 = t$$

$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$\Delta = 0.003$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
 Empfindlichkeitsschwelle $L_g = 63 \text{ cd/m}^2$

04 0,1s A 63cd/m²; pot3

$$\log(L/\Delta L) = L / [A_4 \cdot (A_1 + A_3 \cdot L)^{A_2}]$$


$$A_1 = 0.09$$

$$A_2 = 1.54 = t$$

$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$\Delta = 0.003$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 63 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

04 0,1s A 63cd/m²; pot3

$$L/\Delta L = L / [A_4 \cdot (A_1 + A_3 \cdot L)^t]$$


$$A_1 = 0.09$$

$$A_2 = 1.54 = t$$

$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$\Delta = 0.003$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

• $L_g = 63 \text{cd/m}^2$

04 0,1s A 63cd/m^2 ; pot3

$$T^* = A_4[A_1 + A \cdot L^t - 1]$$

$$A_1 = 0.09$$

$$A_2 = 1.54 = t$$

$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$\Delta = 0.003$$

