

log ΔL Leuchtdichte-Differenz- $\bullet L_g=63\text{cd/m}^2$
 renzschwelle

AD 0,1s G 63cd/m²; pot3

$$\Delta L = A_4[A_1 + A_3 \cdot L]^t$$


$$A_1=0.01$$

$$A_2=0.98=t$$

$$A_3=0.0$$

$$A_4=10.0$$

$$\Delta=0.001$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast-
Empfindlichkeitsschwelle $L_g = 63 \text{ cd/m}^2$

AD 0,1s G 63cd/m²; pot3

$$\log(L/\Delta L) = L / [A_4 \cdot (A_1 + A_3 \cdot L)^t]$$


$$A_1 = 0.01$$

$$A_2 = 0.98 = t$$

$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$\Delta = 0.001$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 63 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

$AD\ 0,1s\ G\ 63 \text{ cd/m}^2; \text{pot}3$

$$L/\Delta L = L / [A_4 \cdot (A_1 + A_3 \cdot L)^t]$$


$$A_1 = 0.01$$

$$A_2 = 0.98 = t$$

$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$\Delta = 0.001$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

• $L_g = 63 \text{ cd/m}^2$

$AD\ 0,1s\ G\ 63 \text{ cd/m}^2; \text{ pot3}$

$$T^* = A_4[A_1 + A \cdot L^t - 1]$$

$$A_1 = 0.01$$

$$A_2 = 0.98 = t$$

$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$\Delta = 0.001$$

