

log  $\Delta L$  Leuchtdichte-Differenz- $\bullet L_g=63\text{cd/m}^2$   
 renzschwelle

04 0,1s A&G 63cd/m<sup>2</sup>; pot3

$$\Delta L = A_4[A_1 + A_3 \cdot L]^t$$


$$A_1=0.09 \quad A_1=0.01$$

$$A_2=1.54=t \quad A_2=0.98=t$$

$$A_3=0.0 \quad A_3=0.0$$

$$A_4=10.0 \quad A_4=10.0$$

$$\Delta=0.003 \quad \Delta=0.001$$



$\log(L/\Delta L)$  Leuchtdichte-Kontrast-  
Empfindlichkeitsschwelle  $L_g = 63 \text{ cd/m}^2$

04 0,1s A&G 63cd/m<sup>2</sup>; pot3

$$\log(L/\Delta L) = L / [A_4 \cdot (A_1 + A_3 \cdot L)^t]$$

$$A_1 = 0.09$$

$$A_1 = 0.01$$

$$A_2 = 1.54 = t$$

$$A_2 = 0.93 = t$$

$$A_3 = 0.0$$


$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$A_4 = 10.0$$

$$\Delta = 0.003$$

$$\Delta = 0.001$$



$L/\Delta L$  Leuchtdichte-Kontrast- $\bullet L_g = 63 \text{ cd/m}^2$   
 Empfindlichkeitsschwelle

04 0,1s A&G  $63 \text{ cd/m}^2$ ; pot3

$$L/\Delta L = L / [A_4 \cdot (A_1 + A_3 \cdot L)^t]$$


$$A_1 = 0.09 \quad A_1 = 0.01$$

$$A_2 = 1.54 = t \quad A_2 = 0.98 = t$$

$$A_3 = 0.0 \quad A_3 = 0.0$$

$$A_4 = 10.0 \quad A_4 = 10.0$$

$$\Delta = 0.003 \quad \Delta = 0.001$$



$T^*$  Leuchtdichte-Differenz-  
renzschwellensumme

•  $L_g = 63 \text{cd/m}^2$

80 04 0,1s A&G  $63 \text{cd/m}^2$ ; pot3

$$T^* = A_4[A_1 + A \cdot L^t - 1]$$

60  $A_1=0.09$   $A_1=0.01$

$A_2=1.54=t$   $A_2=0.98=t$

40  $A_3=0.0$   $A_3=0.0$

$A_4=10.0$   $A_4=10.0$

20  $\Delta=0.003$   $\Delta=0.001$

