

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
 renzschwelle

04 26&0,1s A 6,3cd/m²; pot4

$$\Delta L = A_4[A_1 + A_3 \cdot L]^t$$


$$A_1=0.0 \quad A_1=0.01$$

$$A_2=1.01=t \quad A_2=1.28=t$$

$$A_3=0.0 \quad A_3=0.01$$

$$A_4=10.0 \quad A_4=10.0$$

$$\Delta=0.001 \quad \Delta=0.004$$




$\log(L/\Delta L)$ Leuchtdichte-Kontrast
 Empfindlichkeitsschwelle

04 26&0,1s A 6,3cd/m²; pot4

$$\log(L/\Delta L) = L / [A_1 \cdot (A_2 + A_3 \cdot L)^{t_1}]$$

$A_1=0.0$	$A_1=0.01$
$A_2=1.01=t$	$A_2=1.28=t$
$A_3=0.0$	$A_3=0.01$
$A_4=10.0$	$A_4=10.0$
$\Delta=0.001$	$\Delta=0.004$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 6,3 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

04 26 & 0,1s A 6,3cd/m²; pot4

$$L/\Delta L = L / [A_4 \cdot (A_1 + A_3 \cdot L)^t]$$

$$A_1 = 0.0$$

$$A_1 = 0.01$$

$$A_2 = 1.01 = t$$

$$A_2 = 1.28 = t$$

$$A_3 = 0.0$$


$$A_3 = 0.01$$

$$A_4 = 10.0$$

$$A_4 = 10.0$$

$$\Delta = 0.001$$

$$\Delta = 0.001$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

• $L_g = 6,3 \text{ cd/m}^2$

04 26 & 0,1 s A 6,3 cd/m^2 ; pot 4

$$T^* = A_4[A_1 + A \cdot L^t - 1]$$

$$A_1 = 0.0 \quad A_1 = 0.01$$

$$A_2 = 1.01 = t \quad A_2 = 1.28 = t$$

$$A_3 = 0.0 \quad A_3 = 0.01$$

$$A_4 = 10.0 \quad A_4 = 10.0$$

$$\Delta = 0.001 \quad \Delta = 0.004$$

