

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
 renzschwelle

04 26s A/B 6,3cd/m²; pot4

$$\Delta L = A_4[A_1 + A_3 \cdot L]^t$$

$$A_1=0.0$$

$$A_1=0.0$$

$$A_2=1.01=t$$

$$A_2=0.85=t$$

$$A_3=0.0$$


$$A_3=0.0$$

$$A_4=10.0$$

$$A_4=10.0$$

$$\Delta=0.001$$

$$\Delta=0.0$$




$\log(L/\Delta L)$ Leuchtdichte-Kontrast
 Empfindlichkeitsschwelle $L_{\text{gl}} = 6,3 \text{ cd/m}^2$

04 26s A/B 6,3cd/m²; pot4

$$\log(L/\Delta L) = L / [A_1 \cdot (A_2 \cdot (A_3 \cdot (A_4 \cdot L)^{t_1})^{t_2})^{t_3}]^{t_4}$$

$A_1 = 0.0$
 $A_2 = 1.01 = t$
 $A_3 = 0.0$
 $A_4 = 10.0$
 $\Delta = 0.001$

$A_1 = 0.0$
 $A_2 = 0.85 = t$
 $A_3 = 0.0$
 $A_4 = 10.0$
 $\Delta = 0.0$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 6,3 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

04 26s A/B 6,3cd/m²; pot4

$$L/\Delta L = L / [A_4 \cdot (A_1 + A_3 \cdot L)]$$

$$A_1 = 0.0$$

$$A_1 = 0.0$$

$$A_2 = 1.01 = t$$

$$A_2 = 0.85 = t$$

$$A_3 = 0.0$$


$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$A_4 = 10.0$$

$$\Delta = 0.001$$

$$\Delta = 0.001$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

• $L_g = 6,3 \text{ cd/m}^2$

80 04 26s A/B $6,3 \text{ cd/m}^2$; pot4

$$T^* = A_4[A_1 + A \cdot L^t - 1]$$

$A_1 = 0.0$	$A_1 = 0.0$
$A_2 = 1.01 = t$	$A_2 = 0.85 = t$
$A_3 = 0.0$	$A_3 = 0.0$
$A_4 = 10.0$	$A_4 = 10.0$
$\Delta = 0.001$	$\Delta = 0.0$

