

log ΔL Leuchtdichte-Differenz-
 renzschwelle • $L_g = 63 \text{ cd/m}^2$

02 26s B 63 cd/m^2 ; pot3


$$\Delta L = [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.02$$

$$A_2 = 0.78 = t$$

$$A_3 = 0.03$$

$$\Delta = 0.0$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
Empfindlichkeitsschwelle $L_g = 63 \text{ cd/m}^2$

02 26s B 63cd/m²; pot3


$$\log(L/\Delta L) = L / [A_1 + A_2 \cdot L]^t$$

$$A_1 = 0.02$$

$$A_2 = 0.78 = t$$

$$A_3 = 0.03$$

$$\Delta = 0.0$$



$L/\Delta L$ Leuchtdichte-Kontrast-
Empfindlichkeitsschwelle $\bullet L_g = 63 \text{ cd/m}^2$

02 26s B 63 cd/m^2 ; pot3


$$L/\Delta L = L / [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.02$$

$$A_2 = 0.78 = t$$

$$A_3 = 0.03$$

$$\Delta = 0.0$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

• $L_g = 63 \text{ cd/m}^2$

02 26s B 63 cd/m^2 ; pot3

$$T^* = [A_1 + A \cdot L]^t - 1$$

$A_1 = 0.02$

$A_2 = 0.78 = t$

$A_3 = 0.03$

$\Delta = 0.0$

80
60
40
20
0

-3

-2

-1

0

1

2

$x = \log L$