

Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =520_770, LINYAB data															%
i ₁ , λ ₁	i ₂ , λ ₂	Y ₁₀₀	A ₁₀₀	B ₁₀₀	C _{AB}	a	b	h _{AB}	i _d , λ _d	i _c , λ _c	Code				%
0	405	32	561	58.2	−22.74	−17.89	28.94	0.5596	−0.743	218.1	16 483	37 589	Cm		%
6	435	32	562	58.79	−26.78	−9.88	28.55	0.4948	−0.6036	200.2	17 486	42 610			%
10	450	32	563	59.42	−33.54	4.93	33.9	0.3859	−0.3525	171.6	19 496	−1 496c			%
12	460	33	565	60.32	−36.45	12.66	38.58	0.3461	−0.2256	160.8	21 505	−1 505c			%
12	465	33	567	61.66	−36.65	13.24	38.97	0.356	−0.2207	160.1	21 506	−1 506c			%
14	470	33	569	62.72	−38.14	19.32	42.76	0.3422	−0.1274	153.1	24 520	−1 520c			%
15	475	34	573	65.29	−38.28	22.47	44.39	0.364	−0.0913	149.5	25 528	−1 528c	Gm		%
16	480	36	580	69.95	−37.48	26.04	45.64	0.4146	−0.0632	145.2	27 537	−1 537c			%
17	485	39	595	78.75	−32.73	31.0	45.09	0.5347	−0.0418	136.5	29 548	−1 548c			%
18	490	−1	490c	93.8	−12.06	38.4	40.25	0.8218	−0.0261	107.4	33 565	11 459	max		%
19	495	−1	495c	92.3	−10.68	38.39	39.85	0.8346	−0.0195	105.5	33 566	12 462			%
20	500	−1	500c	90.42	−8.91	38.07	39.1	0.8518	−0.0144	103.1	33 567	12 464			%
22	510	−1	510c	85.27	−4.15	36.48	36.72	0.9016	−0.0076	96.5	33 569	13 469			%
23	520	−1	519c	81.98	−1.26	35.24	35.26	0.935	−0.0056	92.0	34 570	14 471	Ym		%
25	530	−1	529c	74.04	5.15	32.02	32.43	1.0201	−0.0031	80.8	34 573	15 475			%
27	540	−1	539c	64.9	11.57	28.16	30.44	1.1288	−0.0016	67.6	35 577	15 478			%
28	545	−1	544c	60.13	14.5	26.11	29.87	1.1917	−0.0012	60.9	35 579	15 479			%
29	550	−1	549c	55.26	17.18	24.01	29.53	1.2613	−0.0009	54.4	36 582	16 480			%
30	555	−1	554c	50.4	19.49	21.91	29.33	1.3372	−0.0007	48.3	36 584	16 481			%
32	560	−1	560c	41.0	22.8	17.83	28.95	1.5064	−0.0005	38.0	37 589	16 483			%
380	770	100.0	0.0	0.0	0.01	0.9504	−0.4355	0.0							%
Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =770_520, LINYAB complementary															%
i ₁ , λ ₁	i ₂ , λ ₂	Y ₁₀₀	A ₁₀₀	B ₁₀₀	C _{AB}	a	b	h _{AB}	i _d , λ _d	i _c , λ _c	Code				%
32	561	0	405	41.79	22.74	17.89	28.94	1.4946	−0.0072	38.1	37 589	16 483	Rm		%
32	562	6	435	41.2	26.78	9.88	28.55	1.6006	−0.1956	20.2	42 610	17 486			%
32	563	10	450	40.57	33.54	−4.93	33.9	1.7771	−0.557	351.6	−1 496c	19 496			%
33	565	12	460	39.67	36.45	−12.66	38.58	1.8691	−0.7547	340.8	−1 505c	21 505			%
33	567	12	465	38.33	36.65	−13.24	38.97	1.9064	−0.781	340.1	−1 506c	21 506			%
33	569	14	470	37.27	38.14	−19.32	42.76	1.9738	−0.954	333.1	−1 520c	24 520			%
34	573	15	475	34.7	38.28	−22.47	44.39	2.0536	−1.083	329.5	−1 528c	25 528	Mm		%
36	580	16	480	30.04	37.48	−26.04	45.64	2.1982	−1.3026	325.2	−1 537c	27 537			%
39	595	17	485	21.24	32.73	−31.0	45.09	2.4914	−1.8952	316.5	−1 548c	29 548			%
−1	490c	18	490	6.19	12.06	−38.4	40.25	2.899	−6.6372	287.4	11 459	33 565	min		%
−1	495c	19	495	7.69	10.68	−38.39	39.85	2.3392	−5.4245	285.5	12 462	33 566			%
−1	500c	20	500	9.57	8.91	−38.07	39.1	1.8814	−4.4105	283.1	12 464	33 567			%
−1	510c	22	510	14.72	4.15	−36.48	36.72	1.2328	−2.9143	276.5	13 469	33 569			%
−1	519c	23	520	18.01	1.26	−35.24	35.26	1.0204	−2.3925	272.0	14 471	34 570	Bm		%
−1	529c	25	530	25.95	−5.15	−32.02	32.43	0.7516	−1.6693	260.8	15 475	34 573			%
−1	539c	27	540	35.09	−11.57	−28.16	30.44	0.6205	−1.238	247.6	15 478	35 577			%
−1	544c	28	545	39.86	−14.5	−26.11	29.87	0.5865	−1.0906	240.9	15 479	35 579			%
−1	549c	29	550	44.73	−17.18	−24.01	29.53	0.5663	−0.9725	234.4	16 480	36 582			%
−1	554c	30	555	49.59	−19.49	−21.91	29.33	0.5572	−0.8774	228.3	16 481	36 584			%
−1	560c	32	560	58.99	−22.8	−17.83	28.95	0.5638	−0.7379	218.0	16 483	37 589			%
380	770	100.0	0.0	0.0	0.01	0.9504	−0.4355	0.0							%

rgb* _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy, <i>c</i> _{AB} , <i>ABC</i> _{AB} , <i>LabC</i> * _{ab} , <i>h</i> _{AB} data for relative spacing of elementary hue <i>h</i> _{AB} of <i>LIN</i> YAB for CIE 2 degree observer																			
Elementary hue circle with 4 intended elementary hue angles: <i>h</i> _{AB} = 17.7, 93.3, 159.1, 270.8 of <i>LIN</i> YAB; 90 intended hue angles:																			
00.001, ..., 089, <i>LIN</i> YAB data of CIE test colours 9 (R): 11.2 9.9 3.1, 10 (Y): 59.0 -1.2 20.9, 11 (G): 20.3 -7.2 12.7, 12 (B): 6.4 0.1 -8.2																			
<i>no</i>	<i>no</i> _{AB}	<i>x</i>	<i>y</i>	<i>a</i>	<i>b</i>	<i>c</i> _{AB}	<i>A</i>	<i>B</i>	<i>C</i> _{AB}	<i>h</i> _{AB}	<i>L</i> *	<i>a</i> *	<i>b</i> *	<i>C</i> * _{ab}	<i>h</i> _{ab}	<i>rgb</i> * _{AB}	<i>Code</i> _{AB}		
000	40.7	0.447	0.259	1.727	-0.453	0.777	31.6	-0.7	31.6	358.7	70.0	81.6	-1.9	81.7	359.6	1.00	0.00	0.39	0.00 0.00 0.00
001	40.8	0.45	0.261	1.72	-0.44	0.777	31.4	-0.1	31.4	359.6	70.0	81.1	-0.5	81.1	359.6	1.00	0.00	0.37	0.00 0.00 0.00
002	40.8	0.453	0.264	1.714	-0.427	0.764	31.1	0.3	31.2	0.6	70.0	80.6	0.9	80.6	0.6	1.00	0.00	0.35	0.00 0.00 0.00
003	40.8	0.456	0.267	1.708	-0.414	0.758	30.9	0.8	30.9	1.6	70.0	80.0	2.4	80.1	1.7	1.00	0.00	0.33	0.00 0.00 0.00
004	40.8	0.459	0.269	1.701	-0.4	0.752	30.7	1.4	30.7	2.6	70.0	79.5	4.0	79.6	2.9	1.00	0.00	0.3	0.00 0.00 0.00
005	40.8	0.462	0.272	1.695	-0.387	0.746	30.4	1.9	30.5	3.6	70.1	78.9	5.6	79.1	4.0	1.00	0.00	0.28	0.00 0.00 0.00
006	40.9	0.465	0.275	1.689	-0.374	0.741	30.2	2.4	30.3	4.7	70.1	78.4	7.2	78.7	5.2	1.00	0.00	0.26	0.00 0.00 0.00
007	40.9	0.469	0.278	1.682	-0.361	0.736	29.9	3.0	30.1	5.7	70.1	77.8	8.9	78.3	6.5	1.00	0.00	0.24	0.00 0.00 0.00
008	40.9	0.481	0.287	1.676	-0.348	0.729	29.7	3.5	29.9	6.9	70.1	77.3	10.8	78.0	7.7	1.00	0.00	0.22	0.00 0.00 0.00
009	40.9	0.477	0.284	1.67	-0.335	0.726	29.4	4.1	29.7	7.9	70.1	76.7	12.3	77.7	9.1	1.00	0.00	0.19	0.00 0.00 0.00
010	40.9	0.479	0.288	1.663	-0.322	0.722	29.2	4.6	29.6	9.0	70.1	76.1	14.1	77.5	10.5	1.00	0.00	0.17	0.00 0.00 0.00
011	41.0	0.483	0.291	1.657	-0.309	0.718	28.9	5.1	29.4	10.1	70.1	75.6	15.9	77.3	11.9	1.00	0.00	0.15	0.00 0.00 0.00
012	41.0	0.486	0.294	1.65	-0.296	0.714	28.7	5.6	29.3	11.2	70.2	75.0	17.8	77.1	13.3	1.00	0.00	0.12	0.00 0.00 0.00
013	41.0	0.49	0.298	1.644	-0.283	0.71	28.5	6.2	29.1	12.3	70.2	74.5	19.7	77.0	14.8	1.00	0.00	0.1	0.00 0.00 0.00
014	41.0	0.493	0.301	1.638	-0.271	0.707	28.2	6.7	29.0	13.4	70.2	73.9	21.6	77.0	16.3	1.00	0.00	0.08	0.00 0.00 0.00
015	41.0	0.497	0.304	1.632	-0.258	0.704	28.0	7.2	28.9	14.5	70.2	73.4	23.6	77.1	17.8	1.00	0.00	0.06	0.00 0.00 0.00
016	41.1	0.501	0.308	1.626	-0.246	0.701	27.7	7.7	28.8	15.6	70.2	72.8	25.7	77.2	19.4	1.00	0.00	0.04	0.00 0.00 0.00
017	41.1	0.505	0.311	1.619	-0.234	0.699	27.5	8.2	28.7	16.7	70.2	72.3	27.7	77.4	21.0	1.00	0.00	0.01	0.00 0.00 0.00
018	41.1	0.509	0.315	1.613	-0.222	0.697	27.3	8.7	28.6	17.8	70.2	71.7	29.9	77.7	22.6	1.00	0.00	0.00	0.00 0.00 0.00
019	41.1	0.513	0.319	1.607	-0.21	0.695	27.0	9.2	28.6	18.9	70.3	71.2	32.0	78.1	24.2	1.00	0.01	0.00	0.00 0.00 0.00
020	41.1	0.517	0.322	1.602	-0.198	0.693	26.8	9.7	28.5	19.9	70.3	70.7	34.2	78.5	25.8	1.00	0.02	0.00	0.00 0.00 0.00
021	41.2	0.521	0.327	1.594	-0.184	0.691	26.5	10.3	28.5	21.3	70.3	70.0	37.1	79.2	27.9	1.00	0.04	0.00	0.00 0.00 0.00
022	41.2	0.527	0.332	1.586	-0.169	0.689	26.2	10.9	28.4	22.7	70.3	69.3	40.1	80.1	30.1	1.00	0.05	0.00	0.00 0.00 0.00
023	41.3	0.532	0.337	1.578	-0.155	0.687	25.9	11.5	28.4	24.0	70.4	68.6	43.1	81.1	32.2	1.00	0.06	0.00	0.00 0.00 0.00
024	41.3	0.537	0.341	1.57	-0.141	0.686	25.6	12.1	28.4	25.3	70.4	67.9	46.5	82.1	34.4	1.00	0.08	0.00	0.00 0.00 0.00
025	41.4	0.542	0.346	1.563	-0.128	0.685	25.3	12.7	28.4	26.5	70.4	67.2	49.8	83.7	36.5	1.00	0.09	0.00	0.00 0.00 0.00
026	41.4	0.546	0.351	1.556	-0.115	0.685	25.1	13.2	28.4	27.8	70.5	66.6	53.1	85.2	39.5	1.00	0.1	0.00	0.00 0.00 0.00
027	41.5	0.551	0.355	1.549	-0.103	0.685	24.8	13.7	28.4	28.9	70.5	66.0	56.6	86.9	40.6	1.00	0.12	0.00	0.00 0.00 0.00
028	41.5	0.556	0.36	1.543	-0.092	0.685	24.6	14.2	28.4	30.0	70.5	65.4	60.1	88.8	42.6	1.00	0.13	0.00	0.00 0.00 0.00
029	41.5	0.56	0.364	1.537	-0.081	0.685	24.3	14.7	28.4	31.1	70.5	64.8	63.8	91.0	44.5	1.00	0.14	0.00	0.00 0.00 0.00
030	41.6	0.565	0.369	1.531	-0.071	0.685	24.1	15.1	28.5	32.1	70.6	64.3	67.6	93.3	46.4	1.00	0.16	0.00	0.00 0.00 0.00
031	41.6	0.569	0.373	1.525	-0.061	0.686	23.9	15.5	28.5	33.0	70.6	63.7	71.5	95.8	48.2	1.00	0.17	0.00	0.00 0.00 0.00
032	41.6	0.573	0.377	1.52	-0.052	0.686	23.7	15.9	28.6	33.9	70.6	63.2	75.7	98.6	50.1	1.00	0.18	0.00	0.00 0.00 0.00
033	41.7	0.577	0.381	1.515	-0.043	0.687	23.5	16.3	28.6	34.7	70.6	62.8	80.8	101.7	51.8	1.00	0.2	0.00	0.00 0.00 0.00
034	41.7	0.581	0.384	1.51	-0.035	0.688	23.3	16.7	28.7	35.5	70.6	62.3	84.6	105.1	53.9	1.00	0.21	0.00	0.00 0.00 0.00
035	41.7	0.584	0.388	1.506	-0.027	0.689	23.2	17.0	28.7	36.2	70.7	61.9	89.6	109.0	55.3	1.00	0.22	0.00	0.00 0.00 0.00
036	41.7	0.588	0.391	1.502	-0.02	0.69	23.0	17.3	28.8	36.9	70.7	61.6	95.2	113.4	57.0	1.00	0.24	0.00	0.00 0.00 0.00
037	41.7	0.591	0.394	1.498	-0.014	0.691	22.9	17.6	28.8	37.5	70.7	61.2	101.5	118.5	58.8	1.00	0.25	0.00	0.00 0.00 0.00
038	41.7	0.594	0.397	1.495	-0.008	0.692	22.7	17.8	28.9	38.0	70.7	60.9	108.2	124.2	60.6	1.00	0.26	0.00	0.00 0.00 0.00
039	41.6	0.598	0.401	1.491	0.0	0.694	22.5	18.1	28.9	38.7	70.6	60.5	121.1	135.4	63.4	1.00	0.28	0.00	0.00 0.00 0.00
040	41.6	0.603	0.406	1.483	0.0	0.692	22.3	18.4	28.9	39.6	71.1	59.3	122.2	135.9	64.1	1.00	0.29	0.00	0.00 0.00 0.00
041	41.3	0.593	0.406	1.458	0.0	0.669	22.0	18.8	28.9	40.5	71.7	58.0	123.3	136.3	64.8	1.00	0.3	0.00	0.00 0.00 0.00
042	44.2	0.59	0.469	1.44	0.0	0.655	21.6	19.2	29.0	41.5	72.3	56.6	124.4	136.7	65.6	1.00	0.32	0.00	0.00 0.00 0.00
043	45.1	0.587	0.412	1.423	0.0	0.642	21.3	19.6	29.0	42.6	73.0	55.2	125.4	137.0	66.2	1.00	0.33	0.00	0.00 0.00 0.00
044	46.1	0.584	0.415	1.405	0.0	0.63	21.0	20.0	29.0	43.6	73.6	53.8	126.4	137.4	66.9	1.00	0.34	0.00	0.00 0.00 0.00
045	47.1	0.581	0.418	1.388	0.0	0.617	20.6	20.5	29.1	44.7	74.2	52.4	127.3	137.7	67.6	1.00	0.36	0.00	0.00 0.00 0.00
046	48.1	0.578	0.421	1.372	0.0	0.606	20.3	20.9	29.1	45.8	74.9	51.0	128.2	138.0	68.2	1.00	0.37	0.00	0.00 0.00 0.00
047	49.1	0.575	0.424	1.356	0.0	0.595	19.9	21.3	29.2	46.9	75.5	49.7	129.0	138.3	68.9	1.00	0.38	0.00	0.00 0.00 0.00
048	50.0	0.572	0.426	1.342	0.0	0.585	19.6	21.7	29.3	47.9	76.1	48.3	129.8	138.5	69.5	1.00	0.4	0.00	0.00 0.00 0.00
049	51.0	0.569	0.429	1.326	0.0	0.575	19.2	22.2	29.3	49.1	76.7	47.0	130.7	138.9	70.2	1.00	0.41	0.00	0.00 0.00 0.00
050	51.9	0.567	0.432	1.312	0.0	0.565	18.8	22.6	29.4	50.2	77.2	45.6	131.6	139.3	70.8	1.00	0.42	0.00	0.00 0.00 0.00
051	52.9	0.564	0.434	1.299	0.0	0.557	18.4	22.9	29.4	51.2	77.7	44.2	132.5	139.6	71.4	1.00	0.43	0.00	0.00 0.00 0.00
052	53.5	0.562	0.436	1.287	0.0	0.55	18.0	23.2	29.4	52.1	78.2	43.2	133.0	139.9	71.9	1.00	0.45	0.00	0.00 0.00 0.00
053	54.2	0.56	0.438	1.276	0.0	0.543	17.7	23.6	29.4	53.1	78.6	42.1	133.6	140.1	72.5	1.00	0.46	0.00	0.00 0.00 0.00
054	54.9	0.558	0.44	1.265	0.0	0.537	17.3	23.8	29.5	54.0	79.0	41.0	134.2	140.4	73.0	1.00			

rgb _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																										
Yxy _{AB} abc _{AB} ABC _{AB} LabC _{AB} a _{hAB} data for relative spacing of elementary hue h _{AB} of L ¹ YAB for CIE 2 degree observer																										
Elementary hue circle with 4 extended elementary hue angles (9 R): h _{AB} = 17.7, 93.3, 159.1, 270.8 of L ¹ YAB, and 90 intended hue angles:																										
090, 091, ..., 179, L ¹ YAB data of CIE test colours 9 (R): 11.2 9.9 3.1, 10 (Y): 59.0 -1.2 20.9, 11 (G): 20.3 -7.2 12.7, 12 (B): 6.4 0.1 -8.2																										
no	AB	Y	x	y	a	b	c	AB	A	B	C	AB	h _{AB}	L*	a*	b*	C*	h _{AB}	rgb _{AB}	abc _{AB}	Code _{AB}					
090	80.7	0.483	0.511	0.947	-0.005	0.43	-0.2	34.7	34.7	90.4	92.0	-0.4	143.5	143.5	90.1	1.00	0.95	0.00	0.00	0.95	R95Y					
091	81.3	0.481	0.511	0.941	-0.005	0.43	-0.7	35.0	35.0	91.2	92.3	-1.5	143.2	143.2	90.6	1.00	0.96	0.00	0.00	0.96	R96Y					
092	81.9	0.479	0.512	0.935	-0.005	0.43	-1.2	35.2	35.2	92.0	92.5	-2.4	143.0	143.0	90.9	1.00	0.98	0.00	0.00	0.98	R98Y					
093	82.8	0.477	0.515	0.926	-0.005	0.43	-1.9	35.5	35.6	93.2	92.9	-3.9	142.8	142.8	91.6	1.00	0.99	0.00	0.00	0.99	R99Y					
094	83.6	0.474	0.516	0.918	-0.006	0.43	-2.6	35.8	35.9	94.2	93.2	-5.2	142.4	142.5	92.1	0.98	1.00	0.00	0.00	1.00	Y01G					
095	84.2	0.472	0.518	0.911	-0.006	0.43	-3.2	36.1	36.2	95.1	93.5	-6.4	141.8	141.9	92.6	0.97	1.00	0.00	0.00	1.00	Y02G					
096	84.9	0.47	0.519	0.905	-0.007	0.43	-3.8	36.3	36.5	96.0	93.8	-7.6	140.8	141.0	93.1	0.95	1.00	0.00	0.00	1.00	Y05G					
097	85.6	0.468	0.521	0.897	-0.008	0.43	-4.5	36.6	36.8	97.0	94.1	-8.9	139.9	139.7	93.6	0.94	1.00	0.00	0.00	1.00	Y08G					
098	86.4	0.465	0.522	0.889	-0.009	0.43	-5.2	36.8	37.2	98.0	94.8	-10.3	139.3	139.4	94.2	0.92	1.00	0.00	0.00	1.00	Y10G					
099	87.2	0.462	0.524	0.881	-0.01	0.431	-5.9	37.1	37.6	99.1	94.8	-11.7	136.5	137.0	94.9	0.91	1.00	0.00	0.00	1.00	Y08G					
100	88.0	0.459	0.525	0.874	-0.011	0.431	-6.7	37.3	37.9	100.2	95.1	-13.1	135.1	135.8	95.5	0.89	1.00	0.00	0.00	1.00	Y10G					
101	88.8	0.456	0.527	0.866	-0.012	0.431	-7.4	37.6	38.3	101.2	95.5	-14.5	133.8	134.6	96.2	0.88	1.00	0.00	0.00	1.00	Y11G					
102	89.6	0.454	0.528	0.859	-0.013	0.432	-8.1	37.8	38.7	102.1	95.8	-15.9	132.5	133.5	96.8	0.86	1.00	0.00	0.00	1.00	Y13G					
103	90.3	0.451	0.529	0.852	-0.014	0.432	-8.8	38.0	39.0	103.0	96.1	-17.1	131.3	132.4	97.4	0.85	1.00	0.00	0.00	1.00	Y16G					
104	91.2	0.447	0.53	0.843	-0.016	0.432	-9.7	38.2	39.4	104.2	96.5	-18.8	129.1	130.4	98.3	0.83	1.00	0.00	0.00	1.00	Y16G					
105	92.0	0.444	0.53	0.837	-0.018	0.432	-10.4	38.3	39.7	105.0	96.6	-20.1	126.7	128.3	99.0	0.82	1.00	0.00	0.00	1.00	Y17G					
106	92.8	0.443	0.528	0.829	-0.019	0.432	-10.3	38.6	40.0	106.0	96.9	-19.7	124.9	125.9	99.0	0.8	1.00	0.00	0.00	1.00	Y19G					
107	94.3	0.44	0.527	0.836	-0.024	0.426	-10.7	38.8	40.2	105.4	97.7	-20.4	122.1	122.9	99.5	0.79	1.00	0.00	0.00	1.00	Y20G					
108	93.6	0.434	0.53	0.818	-0.026	0.43	-12.3	38.3	40.2	107.9	97.4	-23.8	118.7	121.1	101.3	0.77	1.00	0.00	0.00	1.00	Y22G					
109	93.2	0.431	0.532	0.811	-0.026	0.432	-12.9	38.1	40.2	108.8	97.3	-25.1	118.2	120.8	102.0	0.76	1.00	0.00	0.00	1.00	Y23G					
110	92.8	0.429	0.534	0.803	-0.027	0.434	-13.6	37.9	40.2	109.7	97.1	-26.5	117.6	120.6	102.6	0.74	1.00	0.00	0.00	1.00	Y25G					
111	92.3	0.426	0.536	0.796	-0.027	0.436	-14.2	37.6	40.1	110.7	96.9	-27.9	117.1	120.4	103.4	0.73	1.00	0.00	0.00	1.00	Y26G					
112	91.9	0.424	0.538	0.788	-0.027	0.438	-14.9	37.4	40.3	111.7	96.8	-29.4	116.5	120.2	104.1	0.71	1.00	0.00	0.00	1.00	Y28G					
113	91.5	0.421	0.54	0.779	-0.028	0.441	-15.6	37.2	40.3	112.7	96.6	-30.9	115.9	120.0	104.9	0.7	1.00	0.00	0.00	1.00	Y30G					
114	91.0	0.418	0.542	0.771	-0.028	0.444	-16.2	37.0	40.4	113.7	96.4	-32.5	115.4	119.9	105.7	0.68	1.00	0.00	0.00	1.00	Y31G					
115	90.5	0.415	0.544	0.762	-0.029	0.447	-16.9	36.7	40.5	114.7	96.2	-34.2	114.7	119.7	106.5	0.67	1.00	0.00	0.00	1.00	Y32G					
116	90.0	0.412	0.547	0.753	-0.029	0.451	-17.7	36.5	40.6	115.8	96.0	-35.9	114.1	119.6	107.4	0.65	1.00	0.00	0.00	1.00	Y34G					
117	89.5	0.409	0.549	0.744	-0.03	0.454	-18.4	36.3	40.7	116.9	95.8	-37.6	113.5	119.6	108.3	0.64	1.00	0.00	0.00	1.00	Y35G					
118	89.0	0.405	0.551	0.735	-0.03	0.458	-19.1	36.0	40.8	118.0	95.6	-39.4	112.9	119.6	109.2	0.62	1.00	0.00	0.00	1.00	Y37G					
119	88.5	0.402	0.554	0.725	-0.031	0.462	-19.9	35.8	40.9	119.0	95.3	-41.3	112.2	119.6	110.2	0.6	1.00	0.00	0.00	1.00	Y39G					
120	88.0	0.398	0.557	0.715	-0.031	0.467	-20.6	35.5	41.1	120.1	95.1	-43.2	111.6	119.7	111.1	0.59	1.00	0.00	0.00	1.00	Y40G					
121	87.4	0.394	0.559	0.705	-0.032	0.472	-21.4	35.2	41.2	121.2	94.9	-45.2	110.9	119.8	112.1	0.57	1.00	0.00	0.00	1.00	Y42G					
122	86.9	0.391	0.562	0.695	-0.032	0.477	-22.1	35.0	41.4	122.3	94.7	-47.2	110.2	119.9	113.1	0.56	1.00	0.00	0.00	1.00	Y43G					
123	86.3	0.387	0.565	0.684	-0.033	0.482	-22.9	34.7	41.6	123.4	94.4	-49.3	109.6	120.1	114.2	0.54	1.00	0.00	0.00	1.00	Y45G					
124	85.8	0.383	0.568	0.674	-0.033	0.487	-23.7	34.4	41.8	124.5	94.2	-51.4	108.9	120.4	115.2	0.53	1.00	0.00	0.00	1.00	Y46G					
125	85.2	0.379	0.571	0.663	-0.034	0.493	-24.4	34.2	42.0	125.5	93.9	-53.5	108.2	120.7	116.3	0.51	1.00	0.00	0.00	1.00	Y48G					
126	84.6	0.374	0.574	0.652	-0.034	0.499	-25.2	33.9	42.2	126.6	93.7	-55.7	107.5	121.1	117.3	0.5	1.00	0.00	0.00	1.00	Y49G					
127	84.1	0.37	0.577	0.641	-0.035	0.505	-25.9	33.6	42.5	127.6	93.5	-57.9	106.8	121.5	118.4	0.48	1.00	0.00	0.00	1.00	Y51G					
128	83.5	0.366	0.581	0.63	-0.036	0.511	-26.7	33.3	42.7	128.7	93.2	-60.2	106.1	122.0	119.5	0.47	1.00	0.00	0.00	1.00	Y52G					
129	82.9	0.361	0.584	0.619	-0.036	0.518	-27.4	33.0	43.0	129.7	93.0	-62.5	105.4	122.5	120.6	0.45	1.00	0.00	0.00	1.00	Y54G					
130	82.4	0.357	0.587	0.609	-0.037	0.523	-28.2	32.8	43.2	130.7	92.8	-64.8	104.7	123.1	121.7	0.44	1.00	0.00	0.00	1.00	Y55G					
131	81.8	0.352	0.591	0.596	-0.038	0.532	-28.9	32.5	43.5	131.6	92.5	-67.1	104.0	123.8	122.8	0.42	1.00	0.00	0.00	1.00	Y57G					
132	81.2	0.348	0.594	0.585	-0.038	0.539	-29.6	32.2	43.8	132.5	92.2	-69.5	103.3	124.5	123.9	0.41	1.00	0.00	0.00	1.00	Y58G					
133	80.7	0.343	0.597	0.574	-0.039	0.546	-30.3	31.9	44.0	133.5	92.0	-71.9	102.6	125.3	125.0	0.39	1.00	0.00	0.00	1.00	Y60G					
134	80.1	0.338	0.601	0.563	-0.04	0.553	-31.0	31.7	44.3	134.4	91.7	-74.3	101.8	126.1	126.1	0.38	1.00	0.00	0.00	1.00	Y61G					
135	79.6	0.333	0.604	0.551	-0.04	0.561	-31.7	31.4	44.6	135.2	91.5	-76.7	101.1	127.0	127.1	0.36	1.00	0.00	0.00	1.00	Y63G					
136	79.0	0.328	0.608	0.54	-0.041	0.568	-32.3	31.1	44.9	136.1	91.2	-79.1	100.4	127.9	128.2	0.35	1.00	0.00	0.00	1.00	Y64G					
137	78.4	0.321	0.612	0.524	-0.042	0.575	-33.2	30.8	45.2	137.2	90.8	-82.7	99.7	128.1	131.8	0.33	1.00	0.00	0.00	1.00	Y66G					
138	77.9	0.311	0.618	0.504	-0.044	0.583	-34.0	30.6	45.6	138.0	90.6	-87.2	99.2	130.6	133.2	0.32	1.00	0.00	0.00	1.00	Y67G					
139	75.7	0.302	0.623	0.485	-0.047	0.605	-35.1	29.4	45.8	140.1	89.7	-91.3	95.3	131.9	133.7	0.3	1.00	0.00	0.00	1.00	Y69G					
140	74.6	0.294	0.627	0.469	-0.049	0.616	-35.8	28.7	45.9	141.2	89.2	-94.9	93.4	133.1	135.4	0.29	1.00	0.00	0.00	1.00	Y70G					
141	73.5	0.287	0.63	0.455	-0.052	0.626	-36.4	28.2	46.0	142.2	88.7	-98.1	91.5	134.2	136.9	0.27	1.00	0.00	0.00	1.00	Y72G					
142	72.6	0.28</																								

rgb _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy, <i>abc</i> _{AB} , <i>ABC</i> _{AB} , <i>LabC</i> _{ab} , <i>hAB</i> data for relative spacing of elementary hue <i>hAB</i> of <i>LIN</i> YAB for CIE 2 degree observer																			
Elementary hue circle with 4 intended elementary hue angles: <i>hAB</i> = 17.7, 93.3, 159.1, 270.8 of <i>LIN</i> YAB, and 90 intended hue angles:																			
270, 271, ..., 360, <i>LIN</i> YAB data of CIE test colours 9 (R): 11.2 9.9 3.1, 10 (Y): 59.0 59.2 20.9, 11 (G): 20.3 -7.2 12.7, 12 (B): 6.4 0.1 -8.2																			
<i>no.</i> _{AB}	<i>Y</i>	<i>x</i>	<i>y</i>	<i>a</i>	<i>b</i>	<i>c</i> _{AB}	<i>A</i>	<i>B</i>	<i>C</i> _{AB}	<i>hAB</i>	<i>L</i> [*]	<i>a</i> [*]	<i>b</i> [*]	<i>C</i> [*] _{ab}	<i>hAB</i>	<i>rgb</i> _{ab}	<i>AB</i>	<i>Code</i> _{AB}	
270	19.2	0.127	0.132	0.963	-2.244	1.889	0.2	-34.7	34.7	270.4	50.9	1.2	-83.9	83.9	270.8	0.00	0.01	1.00	% G99B
271	18.6	0.127	0.128	0.99	-2.316	1.881	0.7	-35.0	35.0	271.2	50.2	4.0	-85.1	85.2	272.6	0.0	0.0	1.00	% R00R
272	18.0	0.127	0.125	1.019	-2.389	1.954	1.2	-35.2	35.2	272.0	49.5	6.6	-86.2	86.5	274.4	0.02	0.0	1.00	% B01R
273	17.1	0.127	0.119	1.066	-2.512	2.08	1.9	-35.5	35.6	273.2	48.4	10.8	-88.1	88.8	277.0	0.04	0.0	1.00	% B02R
274	16.3	0.128	0.115	1.111	-2.627	2.197	2.6	-35.8	35.9	274.2	47.4	14.6	-89.7	90.9	279.2	0.05	0.0	1.00	% B02R
275	15.7	0.128	0.111	1.156	-2.736	2.309	3.2	-36.1	36.2	275.1	46.6	18.2	-91.1	93.0	281.3	0.07	0.0	1.00	% B03R
276	15.0	0.129	0.107	1.204	-2.85	2.428	3.8	-36.3	36.5	276.0	45.7	21.9	-92.6	95.1	283.3	0.09	0.0	1.00	% B04R
277	14.3	0.129	0.102	1.264	-2.989	2.575	4.5	-36.6	36.8	277.0	44.7	26.1	-94.2	97.7	285.5	0.11	0.0	1.00	% B05R
278	13.5	0.13	0.097	1.336	-3.157	2.749	5.2	-36.8	37.2	278.0	43.5	30.9	-96.0	100.9	287.8	0.13	0.0	1.00	% B06R
279	12.7	0.131	0.092	1.419	-3.349	2.951	5.9	-37.1	37.6	279.1	42.3	36.0	-99.7	104.3	290.1	0.15	0.0	1.00	% B07R
280	11.9	0.132	0.087	1.513	-3.567	3.182	6.7	-37.3	37.9	280.2	41.1	41.3	-99.9	108.1	292.4	0.17	0.0	1.00	% B08R
281	11.1	0.133	0.082	1.616	-3.899	3.44	7.4	-37.6	38.3	281.2	39.8	46.7	-102.0	112.2	294.6	0.19	0.0	1.00	% B09R
282	10.3	0.134	0.077	1.734	-4.075	3.723	8.1	-37.8	38.7	282.1	38.5	52.1	-104.0	116.4	296.6	0.2	0.0	1.00	% B10R
283	9.6	0.135	0.072	1.858	-4.357	4.025	8.8	-38.0	39.0	283.0	37.3	57.5	-106.0	120.6	298.4	0.22	0.0	1.00	% B11R
284	8.7	0.136	0.066	2.068	-4.831	4.535	9.7	-38.2	39.4	284.2	35.4	65.5	-109.0	127.2	301.8	0.24	0.0	1.00	% B12R
285	7.9	0.137	0.061	2.251	-5.235	4.973	10.4	-38.3	39.7	285.0	33.9	71.7	-111.2	132.3	305.8	0.26	0.0	1.00	% B13R
286	7.0	0.138	0.052	2.482	-5.692	5.398	10.3	-38.6	40.0	286.0	31.1	76.8	-115.6	138.8	303.5	0.28	0.0	1.00	% B14R
287	5.6	0.128	0.045	2.848	-7.295	7.117	10.7	-38.8	40.2	285.8	28.5	84.7	-115.6	146.5	305.3	0.3	0.0	1.00	% B15R
288	6.3	0.144	0.05	2.887	-6.421	6.291	12.3	-38.2	40.2	287.9	30.4	89.6	-119.1	146.6	307.6	0.32	0.0	1.00	% B16R
289	6.7	0.15	0.052	2.866	-6.055	5.937	12.9	-38.1	40.2	288.8	31.3	90.6	-114.5	146.0	308.3	0.34	0.0	1.00	% B17R
290	7.1	0.157	0.055	2.846	-5.713	5.697	13.6	-37.9	40.2	289.7	32.2	91.7	-112.8	145.4	309.0	0.35	0.0	1.00	% B17R
291	7.6	0.163	0.057	2.865	-5.395	5.362	14.2	-37.6	40.3	290.9	33.1	92.7	-111.2	144.8	309.8	0.37	0.0	1.00	% B18R
292	8.0	0.169	0.06	2.887	-5.099	5.02	14.9	-37.4	40.3	291.7	34.0	93.7	-109.6	144.2	310.5	0.39	0.0	1.00	% B19R
293	8.4	0.175	0.063	2.788	-4.826	4.76	15.6	-37.2	40.3	292.7	34.9	94.7	-108.0	143.7	311.2	0.41	0.0	1.00	% B20R
294	8.9	0.18	0.065	2.77	-4.572	4.52	16.2	-37.0	40.4	293.7	35.9	95.8	-106.4	143.1	311.9	0.43	0.0	1.00	% B21R
295	9.4	0.188	0.068	2.753	-4.338	4.298	16.9	-36.7	40.5	294.7	36.8	96.7	-104.8	142.6	312.7	0.45	0.0	1.00	% B22R
296	9.9	0.194	0.071	2.736	-4.12	4.095	17.7	-36.5	40.6	295.8	37.7	97.7	-103.2	142.1	313.4	0.47	0.0	1.00	% B23R
297	10.4	0.201	0.073	2.72	-3.919	3.997	18.4	-36.3	40.7	296.9	38.6	98.7	-101.6	141.4	314.1	0.48	0.0	1.00	% B24R
298	10.9	0.207	0.076	2.704	-3.733	3.735	19.1	-36.0	40.8	298.0	39.4	99.6	-100.0	141.2	314.8	0.5	0.0	1.00	% B25R
299	11.4	0.213	0.079	2.689	-3.56	3.576	19.9	-35.8	40.9	299.0	40.3	100.6	-98.5	140.8	315.6	0.52	0.0	1.00	% B26R
300	11.9	0.219	0.082	2.675	-3.4	3.429	20.6	-35.5	41.1	300.1	41.2	101.5	-96.9	140.4	316.3	0.54	0.0	1.00	% B27R
301	12.5	0.225	0.084	2.661	-3.251	3.294	21.4	-35.2	41.2	301.2	42.0	102.4	-95.4	140.0	316.9	0.56	0.0	1.00	% B28R
302	13.0	0.231	0.087	2.647	-3.113	3.17	22.1	-35.0	41.4	302.3	42.8	103.2	-94.0	139.6	317.5	0.58	0.0	1.00	% B29R
303	13.6	0.237	0.09	2.634	-2.985	3.055	22.9	-34.7	41.6	303.4	43.7	104.1	-92.9	139.3	318.3	0.6	0.0	1.00	% B30R
304	14.1	0.243	0.092	2.622	-2.865	2.949	23.7	-34.4	41.8	304.5	44.5	104.9	-91.1	138.9	319.0	0.62	0.0	1.00	% B31R
305	14.7	0.248	0.095	2.61	-2.754	2.851	24.4	-34.1	42.0	305.5	45.3	105.7	-89.7	138.6	319.6	0.63	0.0	1.00	% B31R
306	15.3	0.254	0.097	2.598	-2.65	2.761	25.2	-33.9	42.2	306.6	46.0	106.5	-88.3	138.3	320.3	0.65	0.0	1.00	% B32R
307	15.8	0.259	0.1	2.586	-2.554	2.677	25.9	-33.8	42.5	307.6	46.8	107.2	-86.9	138.0	320.9	0.67	0.0	1.00	% B33R
308	16.4	0.264	0.102	2.575	-2.464	2.599	26.7	-33.3	42.7	308.7	47.5	107.9	-85.6	137.8	321.5	0.69	0.0	1.00	% B34R
309	17.0	0.269	0.105	2.565	-2.379	2.527	27.4	-33.0	43.0	309.7	48.2	108.6	-84.3	137.5	322.1	0.71	0.0	1.00	% B35R
310	17.5	0.274	0.107	2.554	-2.291	2.474	28.1	-32.8	43.2	310.7	49.0	109.3	-83.0	137.2	322.7	0.73	0.0	1.00	% B36R
311	18.1	0.279	0.109	2.544	-2.227	2.398	28.9	-32.5	43.5	311.6	49.6	109.9	-81.8	137.0	323.3	0.75	0.0	1.00	% B37R
312	18.7	0.283	0.111	2.534	-2.158	2.34	29.6	-32.2	43.8	312.5	50.3	110.5	-80.6	136.8	323.9	0.77	0.0	1.00	% B38R
313	19.2	0.288	0.114	2.524	-2.093	2.286	30.3	-31.9	44.0	313.5	51.0	111.1	-79.4	136.6	324.4	0.78	0.0	1.00	% B39R
314	19.8	0.292	0.116	2.515	-2.033	2.236	31.0	-31.7	44.3	314.4	51.6	111.7	-78.2	136.4	324.9	0.8	0.0	1.00	% B40R
315	20.3	0.296	0.118	2.505	-1.976	2.189	31.7	-31.4	44.6	315.2	52.2	112.2	-77.1	136.2	325.4	0.82	0.0	1.00	% B41R
316	20.9	0.3	0.12	2.496	-1.923	2.145	32.3	-31.1	44.9	316.1	52.8	112.7	-76.0	136.0	325.9	0.84	0.0	1.00	% B42R
317	21.23	0.296	0.123	2.484	-1.861	2.173	33.0	-30.7	45.2	317.0	53.8	113.0	-74.7	135.5	326.6	0.86	0.0	1.00	% B43R
318	21.6	0.313	0.128	2.436	-1.781	2.174	34.3	-30.0	45.6	318.8	55.1	113.9	-71.8	135.9	327.5	0.88	0.0	1.00	% B44R
319	24.2	0.319	0.133	2.399	-1.646	1.888	35.1	-29.4	45.8	320.1	56.3	112.7	-69.5	132.5	328.3	0.9	0.0	1.00	% B45R
320	25.3	0.324	0.137	2.363	-1.57	1.812	35.8	-28.7	45.9	322.2	57.4	112.3	-67.5	131.0	328.9	0.91	0.0	1.00	% B46R
321	26.4	0.328	0.141	2.328	-1.504	1.744	36.4	-28.0	46.0	322.2	58.4	111.6	-65.6	129.5	329.5	0.93	0.0	1.00	% B46R
322	27.3	0.332	0.144	2.295	-1.446	1.682	36.8	-27.6	46.0	323.0	59.3	110.9	-63.8	127.9	330.0	0.95	0.0	1.00	% B47R
323	28.2	0.335	0.148	2.263	-1.395	1.626	37.1	-27.1	45.9	323.8	60.1	110.0	-62.2	126.4	330.5	0.97	0.0	1.00	% B48R
324	29.1	0.337	0.151	2.232	-1.35	1.575	37.3	-26.6	45.8	324.4	60.8	109.1	-60.7	124.8	330.9	1.00	0.0	1.0	% B49R
325	29.9	0.34	0.154	2.203</															

Oswald optimal colours (o) of maximum (m) C _{AB} for D65, Y _{w,10} =100, Y _m =520_770, LINYAB data														%
i ₁ , λ ₁	i ₂ , λ ₂	Y ₁₀₀	A ₁₀₀	B ₁₀₀	C _{AB}	a	b	h _{AB}	i _d , λ _d	i _c , λ _c	Code		%	
0 405	31 556	56.57	−21.89	−18.32	28.54	0.5611	−0.7532	219.9	15 476	37 585	Cm		%	
6 435	31 557	57.41	−26.44	−8.79	27.86	0.4876	−0.5825	198.4	16 480	44 621			%	
10 450	31 559	57.53	−32.48	6.09	33.05	0.3834	−0.3234	169.3	18 491	−1 491c			%	
11 460	32 562	59.27	−33.9	10.52	35.5	0.3761	−0.2517	162.7	19 498	−1 498c			%	
12 465	33 565	60.91	−34.93	14.56	37.84	0.3747	−0.1903	157.3	21 506	−1 506c			%	
14 470	34 570	63.07	−35.18	20.67	40.8	0.3903	−0.1016	149.5	24 522	−1 522c			%	
15 475	35 579	68.64	−33.55	24.85	41.75	0.4593	−0.0672	143.4	26 533	−1 533c	Gm		%	
16 480	41 606	81.94	−23.65	31.88	39.7	0.6594	−0.0401	126.5	30 550	−1 550c			%	
16 485	−1 484c	92.3	−10.45	36.33	37.8	0.8348	−0.0356	106.0	32 560	10 454			%	
18 490	−1 490c	89.06	−7.57	36.55	37.33	0.863	−0.0188	101.7	32 562	11 459	max		%	
19 495	−1 495c	87.05	−5.68	36.18	36.62	0.8828	−0.0136	98.9	32 563	12 461			%	
19 500	−1 499c	87.05	−5.68	36.18	36.62	0.8828	−0.0136	98.9	32 563	12 461			%	
22 510	−1 510c	79.1	1.43	33.55	33.58	0.9662	−0.0051	87.5	33 567	13 466			%	
23 520	−1 519c	75.81	4.11	32.27	32.53	1.0024	−0.0036	82.7	33 568	13 468	Ym		%	
26 530	−1 530c	64.17	12.31	27.48	30.11	1.14	−0.001	65.8	34 573	14 472			%	
27 540	−1 539c	59.9	14.81	25.68	29.65	1.1955	−0.0005	60.0	35 576	14 473			%	
28 545	−1 544c	55.54	17.09	23.83	29.32	1.2559	−0.0002	54.3	35 578	14 474			%	
29 550	−1 549c	51.12	19.09	21.94	29.08	1.3215	−0.0001	48.9	36 580	15 475			%	
31 555	−1 555c	42.37	21.98	18.19	28.53	1.4668	0.0	39.6	37 586	15 476			%	
32 560	10 451	40.04	32.52	−6.18	33.11	1.7604	−0.5838	349.2	−1 492c	18 492			%	
380	770	100.0	0.0	0.0	0.01	0.9481	−0.4293	0.0					%	
Oswald optimal colours (o) of maximum (m) C _{AB} for D65, Y _{w,10} =100, Y _m =770_520, LINYAB complementary														%
i ₁ , λ ₁	i ₂ , λ ₂	Y ₁₀₀	A ₁₀₀	B ₁₀₀	C _{AB}	a	b	h _{AB}	i _d , λ _d	i _c , λ _c	Code		%	
31 556	0 405	43.42	21.89	18.32	28.54	1.4522	−0.0074	39.9	37 585	15 476	Rm		%	
31 557	6 435	42.58	26.44	8.79	27.86	1.5691	−0.2226	18.4	44 621	16 480			%	
31 559	10 450	42.46	32.48	−6.09	33.05	1.713	−0.5727	349.3	−1 491c	18 491			%	
32 562	11 460	40.72	33.9	−10.52	35.5	1.7807	−0.6879	342.7	−1 498c	19 498			%	
33 565	12 465	39.08	34.93	−14.56	37.84	1.8419	−0.8019	337.3	−1 506c	21 506			%	
34 570	14 470	36.92	35.18	−20.67	40.8	1.901	−0.9891	329.5	−1 522c	24 522			%	
35 579	15 475	31.35	33.55	−24.85	41.75	2.0184	−1.2222	323.4	−1 533c	26 533	Mm		%	
41 606	16 480	18.05	23.65	−31.88	39.7	2.2587	−2.1959	306.5	−1 550c	30 550			%	
−1 484c	16 485	7.69	10.45	−36.33	37.8	2.306	−5.1484	286.0	10 454	32 560			%	
−1 490c	18 490	10.93	7.57	−36.55	37.33	1.6407	−3.7725	281.7	11 459	32 562	min		%	
−1 495c	19 495	12.94	5.68	−36.18	36.62	1.3873	−3.2239	278.9	12 461	32 563			%	
−1 499c	19 500	12.94	5.68	−36.18	36.62	1.3873	−3.2239	278.9	12 461	32 563			%	
−1 510c	22 510	20.89	−1.43	−33.55	33.58	0.8795	−2.035	267.5	13 466	33 567			%	
−1 519c	23 520	24.18	−4.12	−32.27	32.53	0.7777	−1.7639	262.7	13 468	33 568	Bm		%	
−1 530c	26 530	35.82	−12.31	−27.48	30.11	0.6044	−1.1965	245.8	14 472	34 573			%	
−1 539c	27 540	40.09	−14.81	−25.68	29.65	0.5785	−1.0699	240.0	14 473	35 576			%	
−1 544c	28 545	44.45	−17.09	−23.83	29.32	0.5635	−0.9653	234.3	14 474	35 578			%	
−1 549c	29 550	48.87	−19.09	−21.94	29.08	0.5575	−0.8782	228.9	15 475	36 580			%	
−1 555c	31 555	57.62	−21.98	−18.19	28.53	0.5667	−0.745	219.6	15 476	37 586			%	
10 451	32 560	59.95	−32.52	6.18	33.11	0.4056	−0.3261	169.2	18 492	−1 492c			%	
380	770	100.0	0.0	0.0	0.01	0.9481	−0.4293	0.0					%	

rgb _{LAB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																									
Yxy, abc _{AB} , ABC _{AB} , LabC _{ab} , h _{AB} data for relative spacing of elementary hue h _{AB} of LINYAB for CIE 10 degree observer																									
Elementary hue circle with 4 intended elementary hues 9 (R): 10.8 8.7 2.8, 10 (Y): 55.9 1.2 19.6, 11 (G): 20.4 -6.8 3.0, 12 (B): 7.8 -1.2 -7.2																									
no.	00.00	00.01	...	089	L _{IN} YAB	data of CIE test colours 9 (R):				10 (Y):				11 (G):				12 (B):				7.8 -1.2 -7.2			
	no.	X ₁₀	Y ₁₀	q ₁₀	b ₁₀	c _{AB,10}	A ₁₀	B ₁₀	C _{AB,10}	h _{AB,10}	L* ₁₀	a*	b*	b ⁰	C* _{AB,10}	h _{AB,10}	rgb ^a _{AB,10}	Code _{AB,10}							
000	48.0	0.434	0.252	1.724	-0.497	0.779	31.0	-2.7	31.1	354.9	69.5	81.2	-7.3	81.6	354.7	1.00	0.00	0.36	% B81R						
001	48.0	0.436	0.253	1.719	-0.487	0.773	30.8	-2.3	30.9	355.7	69.5	80.8	-6.3	81.1	355.5	1.00	0.00	0.34	% B82R						
002	48.0	0.439	0.256	1.714	-0.476	0.768	30.7	-1.8	30.7	356.4	69.5	80.4	-5.2	80.6	356.3	1.00	0.00	0.32	% B83R						
003	48.0	0.441	0.258	1.709	-0.465	0.762	30.5	-1.4	30.5	357.2	69.5	80.0	-4.0	80.1	357.1	1.00	0.00	0.3	% B84R						
004	48.1	0.443	0.26	1.704	-0.454	0.757	30.3	-1.0	30.3	358.1	69.5	79.6	-2.8	79.6	357.9	1.00	0.00	0.28	% B85R						
005	48.1	0.446	0.262	1.699	-0.442	0.751	30.1	-0.5	30.1	358.9	69.5	79.1	-1.5	79.1	358.8	1.00	0.00	0.26	% B86R						
006	48.1	0.449	0.265	1.694	-0.431	0.745	29.9	0.0	29.9	359.8	69.5	78.7	-0.2	78.7	359.8	1.00	0.00	0.24	% B87R						
007	48.1	0.451	0.267	1.688	-0.419	0.737	29.7	0.4	29.7	0.7	69.6	78.2	1.1	78.2	0.8	1.00	0.00	0.22	% B88R						
008	48.2	0.454	0.269	1.682	-0.408	0.734	29.5	0.8	29.5	1.0	69.7	77.2	2.7	77.2	1.8	1.00	0.00	0.2	% B89R						
009	48.2	0.457	0.272	1.676	-0.394	0.729	29.3	1.3	29.3	2.7	69.6	77.2	4.0	77.3	3.0	1.00	0.00	0.18	% B90R						
010	48.2	0.46	0.275	1.67	-0.382	0.724	29.1	1.9	29.1	3.7	69.6	76.7	5.6	76.9	4.1	1.00	0.00	0.16	% B91R						
011	48.3	0.463	0.278	1.664	-0.369	0.719	28.8	2.4	28.9	4.7	69.6	76.2	7.2	76.5	5.4	1.00	0.00	0.14	% B92R						
012	48.3	0.467	0.281	1.658	-0.356	0.714	28.6	2.9	28.8	5.8	69.7	75.6	8.8	76.2	6.7	1.00	0.00	0.12	% B93R						
013	48.3	0.47	0.284	1.652	-0.343	0.709	28.4	3.4	28.6	6.9	69.7	75.1	10.6	75.8	8.0	1.00	0.00	0.1	% B94R						
014	48.4	0.474	0.288	1.646	-0.33	0.704	28.1	4.0	28.4	8.0	69.7	74.5	12.3	75.6	9.4	1.00	0.00	0.08	% B95R						
015	48.4	0.477	0.291	1.639	-0.316	0.7	27.9	4.5	28.3	9.2	69.8	74.0	14.2	75.3	10.8	1.00	0.00	0.06	% B96R						
016	48.5	0.481	0.294	1.632	-0.303	0.695	27.7	5.0	28.7	10.4	69.8	73.5	16.1	75.2	12.3	1.00	0.00	0.04	% B97R						
017	48.5	0.485	0.298	1.625	-0.29	0.691	27.4	5.6	28.0	11.6	69.8	72.8	18.1	75.0	13.9	1.00	0.00	0.03	% B98R						
018	48.6	0.489	0.302	1.618	-0.276	0.687	27.2	6.2	27.9	12.8	69.9	72.2	20.1	75.0	15.6	1.00	0.00	0.0	% B99R						
019	48.6	0.493	0.305	1.611	-0.263	0.684	27.0	6.7	27.8	14.0	69.9	71.6	22.3	75.0	17.2	1.00	0.01	0.00	% R01Y						
020	48.7	0.497	0.309	1.605	-0.249	0.681	26.7	7.3	27.7	15.3	70.0	71.0	24.5	75.2	19.0	1.00	0.02	0.00	% R02Y						
021	48.8	0.501	0.313	1.598	-0.235	0.678	26.5	7.8	27.6	16.5	70.0	70.4	26.8	75.4	20.8	1.00	0.04	0.00	% R04Y						
022	48.8	0.505	0.317	1.591	-0.222	0.675	26.2	8.4	27.6	17.8	70.0	69.8	29.2	75.7	22.6	1.00	0.05	0.00	% R05Y						
023	48.9	0.509	0.321	1.583	-0.208	0.673	26.0	9.0	27.5	19.1	70.1	69.2	31.7	75.6	24.6	1.00	0.06	0.00	% R06Y						
024	48.9	0.514	0.326	1.575	-0.195	0.67	25.7	9.5	27.5	20.4	70.1	68.6	34.3	75.7	26.5	1.00	0.08	0.00	% R07Y						
025	49.0	0.519	0.33	1.569	-0.181	0.669	25.5	10.1	27.4	21.7	70.2	68.0	37.0	77.4	28.5	1.00	0.09	0.00	% R09Y						
026	49.1	0.523	0.335	1.562	-0.168	0.667	25.2	10.7	27.4	23.0	70.2	67.3	39.8	78.2	30.6	1.00	0.11	0.00	% R11Y						
027	49.1	0.528	0.339	1.555	-0.155	0.666	25.0	11.3	27.4	24.3	70.3	66.7	42.8	79.3	32.6	1.00	0.12	0.00	% R12Y						
028	49.2	0.533	0.344	1.548	-0.141	0.665	24.7	11.8	27.4	25.6	70.3	66.1	45.9	80.5	34.8	1.00	0.14	0.00	% R14Y						
029	49.3	0.538	0.349	1.541	-0.128	0.664	24.5	12.4	27.5	26.8	70.4	65.4	49.2	81.9	36.9	1.00	0.15	0.00	% R15Y						
030	49.4	0.543	0.354	1.533	-0.115	0.664	24.2	13.0	27.5	28.1	70.4	64.8	52.7	83.6	39.1	1.00	0.17	0.00	% R17Y						
031	49.5	0.548	0.359	1.526	-0.102	0.664	24.0	13.5	27.6	29.4	70.5	64.2	56.5	85.5	41.3	1.00	0.18	0.00	% R18Y						
032	49.6	0.553	0.364	1.519	-0.09	0.664	23.7	14.1	27.6	30.6	70.6	63.5	60.5	87.8	43.6	1.00	0.2	0.00	% R20Y						
033	49.7	0.558	0.369	1.512	-0.077	0.665	23.5	14.6	27.7	31.9	70.6	62.9	64.9	90.4	45.8	1.00	0.23	0.00	% R21Y						
034	49.8	0.564	0.374	1.505	-0.065	0.665	23.3	15.2	27.8	33.1	70.7	62.3	69.7	93.5	48.2	1.00	0.23	0.00	% R23Y						
035	49.9	0.569	0.38	1.498	-0.053	0.666	23.0	15.7	27.9	34.3	70.8	61.6	75.0	97.1	50.5	1.00	0.24	0.00	% R24Y						
036	49.9	0.574	0.385	1.491	-0.041	0.667	22.8	16.3	28.0	35.5	70.8	61.0	81.1	101.5	53.0	1.00	0.26	0.00	% R26Y						
037	49.0	0.58	0.39	1.484	-0.029	0.669	22.5	16.8	28.1	36.6	70.9	60.4	88.4	107.1	55.6	1.00	0.27	0.00	% R27Y						
038	49.2	0.585	0.396	1.477	-0.017	0.67	22.3	17.3	28.3	37.8	71.0	59.7	97.8	114.6	58.5	1.00	0.29	0.00	% R29Y						
039	49.3	0.591	0.401	1.471	-0.006	0.672	22.1	17.8	28.4	38.9	71.0	59.1	111.4	126.1	62.0	1.00	0.3	0.00	% R30Y						
040	49.4	0.597	0.407	1.465	0.007	0.673	21.9	18.3	28.5	40.0	71.1	58.4	118.8	133.6	64.9	1.00	0.31	0.00	% R31Y						
041	49.5	0.602	0.413	1.458	0.02	0.663	21.2	19.5	28.8	42.2	71.9	56.2	159.2	169.0	70.5	1.00	0.33	0.00	% R33Y						
042	49.4	0.604	0.426	1.416	0.029	0.655	20.7	20.3	29.0	44.7	72.5	54.5	175.2	183.5	72.7	1.00	0.34	0.00	% R34Y						
043	49.5	0.603	0.431	1.397	0.032	0.644	20.4	20.9	29.2	45.7	73.1	53.0	183.4	199.0	73.8	1.00	0.36	0.00	% R36Y						
044	49.3	0.6	0.434	1.381	0.032	0.633	20.0	21.3	29.3	46.7	73.7	51.7	184.9	192.0	74.3	1.00	0.37	0.00	% R37Y						
045	49.3	0.595	0.435	1.366	0.028	0.62	19.8	21.6	29.3	47.5	74.3	50.5	180.9	187.8	74.4	1.00	0.39	0.00	% R39Y						
046	48.2	0.589	0.435	1.353	0.022	0.607	19.5	21.8	29.3	48.1	75.0	49.4	172.5	179.5	74.0	1.00	0.4	0.00	% R40Y						
047	48.2	0.582	0.434	1.341	0.015	0.584	19.3	21.9	29.2	48.5	75.6	48.4	160.8	167.9	73.2	1.00	0.42	0.00	% R42Y						
048	50.2	0.575	0.432	1.331	0.007	0.591	19.2	21.9	29.1	48.7	76.2	47.5	146.8	154.3	72.0	1.00	0.43	0.00	% R43Y						
049	51.1	0.569	0.43	1.321	0.0	0.568	19.0	21.9	29.0	49.0	76.7	46.7	132.1	140.1	70.5	1.00	0.45	0.00	% R45Y						
050	52.1	0.566	0.433	1.306	0.0	0.559	18.6	22.3	29.1	50.1	77.3	45.3	133.1	140.6	71.1	1.00	0.46	0.00	% R46Y						
051	53.6	0.563	0.436	1.292	0.0	0.549	18.2	22.7	29.2	51.2	77.7	44.2	134.2	141.1	71.7	1.00	0.48	0.00	% R48Y						
052	53.8	0.561	0.438	1.281	0.0	0.543	17.9	23.1	29.2	52.1	78.3	42.9	134.7	141.4	72.3	1.00	0.49	0.00	% R49Y						
053	54.6	0.559	0.44	1.269	0.0	0.536	17.5	23.4	29.2	53.1	78.8	41.8	135.4	141.7	72.8	1.00</									

rgb _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																										
Yxy, c _{AB} AB, ABC _{AB} , LabC _{ab} ab data for relative spacing of elementary hue h _{AB} of L _{IN} YAB for CIE 10 degree observer																										
Elementary hue circle with 4 intended elementary hues 9 (R): 10.8 8.7 2.8, 10 (Y): 55.9 1.2 19.6, 11 (G): 20.4 -6.8 30, 12 (B): 7.8 -1.2 -7.2																										
no.	AB ₁₀	x ₁₀	y ₁₀	q ₁₀	b ₁₀	c _{AB10}	A ₁₀	B ₁₀	C _{AB10}	h _{AB10}	L* ₁₀	a* ₁₀	b* ₁₀	c* _{AB10}	h _{AB10}	rgb _{AB}	AB ₁₀	Code _{AB10}								
990	88.8	0.481	0.509	0.946	-0.007	0.422	-0.1	34.1	34.1	90.1	92.0	-0.2	138.8	138.8	90.0	0.94	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y05G
991	81.5	0.479	0.51	0.938	-0.007	0.421	-0.7	34.1	34.4	91.3	92.4	-1.5	137.5	137.5	90.6	0.93	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y06G
992	82.3	0.476	0.512	0.93	-0.008	0.421	-1.4	34.6	34.6	92.4	92.7	-2.9	136.3	136.3	91.2	0.91	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y08G
993	83.1	0.473	0.513	0.922	-0.009	0.42	-2.1	34.8	34.9	93.4	93.0	-4.2	135.1	135.2	91.8	0.9	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y09G
994	83.8	0.471	0.515	0.914	-0.01	0.42	-2.7	35.1	35.2	94.4	93.3	-5.5	134.1	134.2	92.3	0.88	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y11G
995	84.5	0.468	0.516	0.907	-0.011	0.42	-3.4	35.3	35.5	95.5	93.6	-6.8	133.1	133.3	92.9	0.87	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y12G
996	85.2	0.466	0.518	0.9	-0.011	0.42	-4.0	35.5	35.8	96.5	93.9	-8.0	132.3	132.5	93.4	0.86	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y13G
997	85.9	0.464	0.519	0.883	-0.012	0.42	-4.6	35.8	36.1	97.4	94.2	-9.2	131.5	131.8	94.0	0.84	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y15G
998	85.2	0.462	0.519	0.887	-0.013	0.42	-4.6	36.3	36.3	98.2	94.2	-10.3	130.3	130.3	94.4	0.83	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y16G
999	87.0	0.46	0.521	0.882	-0.013	0.42	-5.7	36.1	36.6	98.9	94.7	-11.2	130.3	130.7	94.9	0.81	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y18G
1000	87.6	0.458	0.522	0.876	-0.014	0.42	-6.2	36.3	36.8	99.7	95.0	-12.2	129.1	129.7	95.4	0.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y19G
101	88.4	0.454	0.523	0.869	-0.016	0.42	-6.9	36.4	37.1	100.8	95.3	-13.6	128.8	127.6	96.1	0.78	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y21G
102	89.4	0.451	0.522	0.862	-0.019	0.418	-7.6	36.6	37.3	101.7	95.7	-14.9	128.3	124.2	96.8	0.77	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y22G
103	90.5	0.448	0.52	0.86	-0.023	0.414	-7.9	36.7	37.5	102.1	96.2	-15.3	119.5	120.5	97.3	0.76	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y23G
104	91.5	0.444	0.519	0.856	-0.028	0.411	-8.3	36.7	37.6	102.8	96.6	-16.1	115.9	117.0	97.9	0.74	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y25G
105	92.2	0.44	0.518	0.848	-0.031	0.408	-9.1	36.6	37.7	104.3	96.9	-17.6	112.7	114.1	98.0	0.73	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y26G
106	92.9	0.434	0.518	0.839	-0.033	0.409	-9.3	36.7	37.8	105.9	96.9	-19.0	109.3	110.9	98.3	0.71	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y28G
107	92.0	0.432	0.521	0.829	-0.035	0.411	-10.9	36.2	37.8	106.8	96.8	-21.2	109.4	111.4	109.9	0.7	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y29G
108	91.7	0.43	0.522	0.823	-0.036	0.412	-11.4	36.6	37.8	107.6	96.7	-22.3	109.1	111.3	101.5	0.68	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y31G
109	91.4	0.428	0.524	0.816	-0.036	0.414	-12.0	35.9	37.8	108.5	96.5	-23.5	108.8	111.3	102.2	0.67	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y32G
110	91.0	0.425	0.526	0.809	-0.036	0.416	-12.6	35.7	37.9	109.4	96.4	-24.8	108.5	111.3	102.9	0.66	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y33G
111	90.6	0.423	0.527	0.802	-0.036	0.418	-13.2	35.5	37.9	110.3	96.2	-26.1	108.2	111.3	103.5	0.64	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y35G
112	90.2	0.421	0.529	0.794	-0.036	0.421	-13.8	35.4	38.0	111.3	96.0	-27.5	107.9	111.3	104.3	0.63	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y36G
113	89.7	0.418	0.531	0.787	-0.037	0.424	-14.4	35.2	38.1	112.3	95.9	-29.0	106.6	111.4	105.0	0.61	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y38G
114	89.3	0.416	0.534	0.78	-0.037	0.427	-15.0	35.0	38.1	113.3	95.7	-30.4	107.3	111.5	105.3	0.59	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y39G
115	88.8	0.413	0.536	0.77	-0.037	0.43	-15.7	34.8	38.2	114.3	95.5	-32.0	107.0	111.7	106.6	0.58	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y41G
116	88.3	0.41	0.538	0.762	-0.037	0.433	-16.4	34.6	38.2	115.3	95.3	-33.6	106.7	111.8	107.4	0.57	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y42G
117	87.7	0.407	0.541	0.753	-0.037	0.437	-17.0	34.3	38.3	116.4	95.0	-35.2	106.3	112.0	108.3	0.56	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y43G
118	87.2	0.404	0.543	0.744	-0.037	0.441	-17.7	34.1	38.4	117.4	94.8	-36.9	106.0	112.2	109.2	0.54	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y45G
119	86.6	0.401	0.546	0.735	-0.038	0.445	-18.4	33.9	38.6	118.5	94.6	-38.7	105.6	112.5	110.0	0.53	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y46G
120	86.0	0.398	0.549	0.725	-0.038	0.449	-19.1	33.6	38.7	119.6	94.3	-40.5	105.2	112.8	111.0	0.51	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y48G
121	85.4	0.395	0.551	0.716	-0.038	0.454	-19.8	33.4	38.8	120.6	94.1	-42.3	104.8	113.1	110.9	0.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y49G
122	84.8	0.391	0.554	0.706	-0.038	0.459	-20.5	33.2	38.9	121.7	93.8	-44.2	104.2	113.1	111.3	0.48	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y51G
123	84.2	0.388	0.557	0.696	-0.038	0.464	-21.2	32.8	39.1	122.8	93.5	-46.1	103.9	113.7	113.7	0.47	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y52G
124	83.6	0.384	0.56	0.686	-0.039	0.469	-21.9	32.6	39.2	123.8	93.2	-48.1	103.5	114.1	114.9	0.46	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y53G
125	82.9	0.38	0.563	0.675	-0.039	0.475	-22.5	32.3	39.4	124.9	93.0	-50.1	103.0	114.5	115.9	0.44	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y55G
126	82.3	0.376	0.566	0.665	-0.039	0.481	-23.2	32.0	39.6	125.9	92.7	-52.1	102.4	114.9	116.9	0.43	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y56G
127	81.6	0.372	0.569	0.654	-0.04	0.487	-23.9	31.7	39.7	127.0	92.4	-54.3	101.7	115.2	118.1	0.41	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y58G
128	80.7	0.367	0.572	0.642	-0.041	0.493	-24.6	31.3	39.8	128.2	92.0	-56.6	100.6	115.4	119.3	0.4	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y59G
129	79.9	0.362	0.575	0.63	-0.042	0.5	-25.4	30.9	40.0	129.4	91.6	-59.0	99.5	115.7	120.6	0.38	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y61G
130	79.3	0.357	0.578	0.618	-0.044	0.507	-26.0	30.4	40.1	130.5	91.3	-61.8	98.3	115.9	121.3	0.37	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y62G
131	78.3	0.352	0.581	0.606	-0.045	0.514	-26.7	30.0	40.2	131.6	90.9	-63.8	97.2	116.2	122.2	0.36	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y63G
132	77.4	0.347	0.584	0.594	-0.046	0.521	-27.4	29.6	40.3	132.7	90.5	-66.2	96.0	116.6	124.6	0.34	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Y65G
133	76.6	0.341	0																							

rgb* _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy, <i>abc</i> _{AB} , <i>ABC</i> _{AB} , <i>LabC</i> * _{ab} , <i>ab</i> _{data} data for relative spacing of elementary hue <i>h</i> _{AB} of <i>LIN</i> YAB for CIE 10 degree observer																			
Elementary hue circle with 40 divided elementary hues (R): <i>h</i> _{AB} = 18.2, 86.3, 156.2, 260.1 of <i>LIN</i> YAB, and 90 intended hue angles:																			
180, 181, ..., 269, <i>LIN</i> YAB data of CIE test colours 9 (R): 10.8 8.7 2.8, 10 (Y): 55.9 1.2 19.6, 11 (G): 20.4 -6.8 3.0, 12 (B): 7.8 -1.2 -7.2																			
<i>no.</i>	<i>AB</i> ₁₀	<i>X</i> ₁₀	<i>Y</i> ₁₀	<i>a</i> ₁₀	<i>b</i> ₁₀	<i>C</i> _{AB} 10	<i>A</i> ₁₀	<i>B</i> ₁₀	<i>C</i> _{AB} 10	<i>h</i> _{AB} 10	<i>L</i> * ₁₀	<i>a</i> * ₁₀	<i>b</i> * ₁₀	<i>C</i> * _{ab} 10	<i>h</i> _{ab} 10	<i>rgb</i> * _{AB} 10	<i>Code</i> _{AB} 10		
180	41.8	0.485	0.304	1.593	-0.274	0.664	27.0	6.4	27.7	13.4	70.7	70.6	29.6	73.6	16.2	0.00	1.00	0.45	G22B
181	41.8	0.485	0.304	1.593	-0.276	0.664	27.0	6.3	27.7	13.2	70.7	70.6	29.6	73.6	16.0	0.00	1.00	0.47	G23B
182	41.7	0.484	0.303	1.596	-0.279	0.665	27.0	6.2	27.8	13.0	70.7	70.8	19.9	73.6	15.7	0.00	1.00	0.49	G24B
183	41.7	0.484	0.302	1.597	-0.281	0.665	27.1	6.1	27.8	12.8	70.7	70.9	19.6	73.6	15.4	0.00	1.00	0.51	G25B
184	41.7	0.483	0.302	1.598	-0.283	0.666	27.1	6.0	27.8	12.6	70.7	71.0	19.3	73.6	15.2	0.00	1.00	0.53	G26B
185	41.7	0.482	0.301	1.599	-0.285	0.667	27.2	6.0	27.8	12.4	70.7	71.1	19.0	73.6	14.9	0.00	1.00	0.55	G27B
186	41.7	0.482	0.301	1.6	-0.287	0.667	27.2	5.9	27.8	12.2	70.7	71.2	18.6	73.6	14.6	0.00	1.00	0.57	G28B
187	41.7	0.481	0.3	1.601	-0.289	0.668	27.2	5.8	27.9	12.0	70.6	71.3	18.3	73.6	14.4	0.00	1.00	0.59	G29B
188	41.7	0.481	0.303	1.602	-0.291	0.668	27.3	5.7	27.9	11.8	70.6	71.4	18.0	73.7	14.1	0.00	1.00	0.61	G30B
189	41.7	0.48	0.299	1.604	-0.294	0.669	27.3	5.6	27.9	11.6	70.6	71.5	17.7	73.7	13.9	0.00	1.00	0.63	G31B
190	41.6	0.479	0.298	1.605	-0.296	0.67	27.4	5.5	27.9	11.4	70.6	71.6	17.3	73.7	13.6	0.00	1.00	0.64	G32B
191	41.6	0.479	0.298	1.606	-0.298	0.671	27.4	5.4	27.9	11.2	70.6	71.7	17.0	73.7	13.3	0.00	1.00	0.66	G33B
192	41.6	0.478	0.297	1.607	-0.3	0.672	27.4	5.3	28.0	11.0	70.6	71.8	16.7	73.7	13.1	0.00	1.00	0.68	G34B
193	41.6	0.478	0.297	1.608	-0.302	0.672	27.5	5.2	28.0	10.8	70.6	71.9	16.4	73.8	12.8	0.00	1.00	0.7	G35B
194	41.6	0.477	0.296	1.609	-0.304	0.673	27.5	5.1	28.0	10.6	70.6	72.0	16.1	73.8	12.6	0.00	1.00	0.72	G36B
195	41.6	0.476	0.296	1.611	-0.306	0.674	27.6	5.1	28.0	10.4	70.6	72.1	15.8	73.8	12.3	0.00	1.00	0.74	G37B
196	41.6	0.476	0.295	1.612	-0.308	0.674	27.6	5.0	28.0	10.2	70.6	72.2	15.5	73.8	12.1	0.00	1.00	0.76	G38B
197	41.6	0.475	0.294	1.613	-0.311	0.675	27.6	4.9	28.1	10.0	70.6	72.3	15.1	73.9	11.8	0.00	1.00	0.78	G39B
198	41.5	0.475	0.294	1.614	-0.313	0.676	27.7	4.8	28.1	9.8	70.6	72.4	14.8	73.9	11.6	0.00	1.00	0.8	G40B
199	41.5	0.474	0.293	1.615	-0.315	0.677	27.7	4.7	28.1	9.6	70.5	72.5	14.5	74.0	11.3	0.00	1.00	0.82	G41B
200	41.5	0.474	0.293	1.616	-0.317	0.677	27.7	4.6	28.1	9.4	70.5	72.6	14.2	74.0	11.1	0.00	1.00	0.84	G42B
201	41.5	0.473	0.292	1.617	-0.319	0.678	27.8	4.5	28.2	9.3	70.5	72.7	13.9	74.0	10.8	0.00	1.00	0.86	G43B
202	41.5	0.472	0.292	1.619	-0.321	0.679	27.8	4.4	28.2	9.1	70.5	72.8	13.6	74.1	10.6	0.00	1.00	0.88	G44B
203	41.5	0.472	0.291	1.621	-0.323	0.681	27.9	4.3	28.2	8.9	70.5	72.9	13.3	74.1	10.3	0.00	1.00	0.9	G45B
204	41.5	0.471	0.291	1.621	-0.326	0.681	27.9	4.2	28.2	8.7	70.5	73.0	13.0	74.1	10.1	0.00	1.00	0.91	G45B
205	41.5	0.471	0.29	1.622	-0.328	0.681	27.9	4.2	28.3	8.5	70.5	73.1	12.7	74.2	9.9	0.00	1.00	0.93	G46B
206	41.5	0.47	0.289	1.623	-0.33	0.682	28.0	4.1	28.3	8.3	70.5	73.2	12.4	74.2	9.6	0.00	1.00	0.95	G47B
207	41.4	0.47	0.289	1.624	-0.332	0.683	28.0	4.0	28.3	8.1	70.5	73.3	12.1	74.3	9.4	0.00	1.00	0.97	G48B
208	41.4	0.469	0.288	1.625	-0.334	0.684	28.1	3.9	28.3	7.9	70.5	73.4	11.9	74.3	9.2	0.00	1.00	0.99	G49B
209	41.4	0.469	0.288	1.626	-0.336	0.685	28.1	3.8	28.4	7.7	70.5	73.5	11.6	74.4	8.9	0.00	1.00	0.98	G50B
210	41.4	0.468	0.287	1.628	-0.338	0.686	28.1	3.7	28.4	7.5	70.4	73.6	11.3	74.4	8.7	0.00	1.00	0.96	G51B
211	41.4	0.467	0.287	1.629	-0.34	0.686	28.2	3.6	28.4	7.4	70.4	73.7	11.0	74.5	8.5	0.00	1.00	0.94	G52B
212	41.4	0.467	0.286	1.63	-0.342	0.687	28.2	3.5	28.4	7.2	70.4	73.8	10.7	74.5	8.2	0.00	1.00	0.92	G53B
213	41.4	0.466	0.286	1.631	-0.345	0.688	28.3	3.4	28.5	7.0	70.4	73.9	10.4	74.6	8.0	0.00	1.00	0.9	G54B
214	41.4	0.466	0.285	1.632	-0.347	0.689	28.3	3.4	28.5	6.8	70.4	73.9	10.1	74.6	7.8	0.00	1.00	0.88	G55B
215	41.3	0.465	0.285	1.633	-0.349	0.69	28.3	3.3	28.5	6.6	70.4	74.0	9.9	74.7	7.6	0.00	1.00	0.86	G56B
216	41.3	0.465	0.284	1.634	-0.351	0.691	28.4	3.2	28.5	6.4	70.4	74.1	9.6	74.8	7.3	0.00	1.00	0.84	G57B
217	41.3	0.464	0.284	1.635	-0.353	0.692	28.4	3.1	28.6	6.2	70.4	74.2	9.3	74.8	7.1	0.00	1.00	0.83	G58B
218	41.3	0.464	0.283	1.637	-0.355	0.692	28.4	3.0	28.6	6.1	70.4	74.3	9.0	74.9	6.9	0.00	1.00	0.81	G59B
219	41.3	0.463	0.283	1.638	-0.357	0.693	28.5	2.9	28.6	5.9	70.4	74.4	8.7	74.9	6.7	0.00	1.00	0.79	G60B
220	41.3	0.463	0.282	1.639	-0.359	0.694	28.5	2.8	28.7	5.7	70.4	74.5	8.5	75.0	6.5	0.00	1.00	0.77	G61B
221	41.3	0.462	0.282	1.64	-0.361	0.695	28.6	2.7	28.7	5.5	70.4	74.6	8.2	75.1	6.2	0.00	1.00	0.75	G62B
222	41.3	0.462	0.281	1.641	-0.364	0.696	28.6	2.6	28.7	5.3	70.3	74.7	7.9	75.1	6.0	0.00	1.00	0.73	G63B
223	41.2	0.461	0.281	1.642	-0.366	0.697	28.6	2.6	28.8	5.2	70.3	74.8	7.7	75.2	5.8	0.00	1.00	0.71	G64B
224	41.2	0.461	0.28	1.643	-0.368	0.698	28.7	2.5	28.8	5.0	70.3	74.9	7.4	75.3	5.6	0.00	1.00	0.69	G65B
225	41.2	0.46	0.28	1.644	-0.37	0.699	28.7	2.4	28.8	4.8	70.3	75.0	7.1	75.3	5.4	0.00	1.00	0.67	G66B
226	41.2	0.46	0.279	1.646	-0.372	0.7	28.7	2.3	28.8	4.6	70.3	75.1	6.8	75.4	5.2	0.00	1.00	0.65	G67B
227	41.2	0.459	0.278	1.647	-0.374	0.701	28.8	2.2	28.9	4.4	70.3	75.2	6.6	75.5	5.0	0.00	1.00	0.63	G68B
228	41.2	0.459	0.278	1.648	-0.376	0.702	28.8	2.1	28.9	4.3	70.3	75.3	6.3	75.5	4.8	0.00	1.00	0.61	G69B
229	41.2	0.458	0.278	1.649	-0.378	0.703	28.9	2.0	28.9	4.1	70.3	75.4	6.1	75.6	4.6	0.00	1.00	0.59	G70B
230	41.2	0.458	0.277	1.65	-0.38	0.704	28.9	2.0	29.0	3.9	70.3	75.5	5.8	75.7	4.4	0.00	1.00	0.57	G71B
231	41.2	0.457	0.277	1.651	-0.382	0.705	28.9	1.9	29.0	3.7	70.3	75.6	5.5	75.8	4.2	0.00	1.00	0.56	G71B
232	41.1	0.457	0.276	1.652	-0.384	0.706	29.0	1.8	29.0	3.6	70.3	75.6	5.3	75.8	4.0	0.00	1.00	0.54	G72B
233	41.1	0.456	0.276	1.653	-0.386	0.707	29.0	1.7	29.1	3.4	70.3	75.7	5.0	75.9	3.8	0.00	1.00	0.52	G73B
234	41.1	0.456	0.275	1.654	-0.388	0.708	29.0	1.6	29.1	3.2	70.2	75.8	4.8	76.0	3.6	0.00	1.00	0.5	G74B
235	41.1	0.455	0.275	1.656	-0.39	0.709	29.1	1.5	29.1	3.1	70.2	75.9	4.5	76.1	3.4	0.00	1.00	0.48	G75B
236	41.1	0.455	0.274	1.657	-0.393	0.71	29.1	1.4	29.2	2.9	70.2	76.0	4.3	76.1	3.2	0.00	1.00	0.46	G76B
237	41.1	0.454	0.274	1.658	-0.395	0.711	29.2	1.4	29.2	2.7	70.2	76.1	4.0	76.2	3.0	0.00	1.00	0.44	G77B
238	41.1	0.454	0.273	1.659	-0.397	0.712	29.2	1.3	29.2	2.5	70.2	76.2	3.8	76.3	2.8	0.00	1.00	0.42	G78B
239	41.1	0.454																	

rgb _{AB} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																									
Yxy _{AB} abc _{AB} ABC _{AB} LabC _{AB} a _b h _{AB} data for relative spacing of elementary hue h _{AB} of LINYAB for CIE 10 degree observer																									
Elementary hue circle with 4 intended elementary hue angles: h _{AB} = 18.2, 86.3, 156.2, 260.1 of LINYAB, and 90 intended hue angles:																									
270, 271, ..., 360, LINYAB data of CIE test colours 9 (R): 10.8 8.7 2.8, 10 (Y): 55.9 1.2 19.6, 11 (G): 20.4 -6.8 3.0, 12 (B): 7.8 -1.2 -7.2																									
no.	AB	X ₁₀	Y ₁₀	a ₁₀	b ₁₀	C _{AB} 10	A ₁₀	B ₁₀	C _{AB} 10	h _{AB} 10	L* ₁₀	a* ₁₀	b* ₁₀	C* _{AB} 10	h _{AB} 10	rgb _{AB}	AB	10	Code	AB	10	10	10	10	10
270	40.7	0.44	0.26	1.693	-0.46	0.745	30.3	-1.2	30.3	357.6	70.0	79.0	-3.4	79.1	357.4	0.16	0.00	1.00	0.00	808R	10	0.00	0.00	0.00	0.00
271	40.7	0.44	0.259	1.694	-0.462	0.746	30.4	-1.3	30.4	357.4	70.0	79.1	-3.6	79.2	357.3	0.18	0.00	1.00	0.00	809R	10	0.00	0.00	0.00	0.00
272	40.7	0.439	0.259	1.695	-0.464	0.747	30.4	-1.4	30.4	357.3	70.0	79.2	-3.8	79.3	357.1	0.2	0.00	1.00	0.00	810R	10	0.00	0.00	0.00	0.00
273	40.7	0.439	0.259	1.696	-0.465	0.749	30.4	-1.4	30.5	357.2	69.9	79.2	-4.0	79.3	357.0	0.21	0.00	1.00	0.00	810R	10	0.00	0.00	0.00	0.00
274	40.7	0.438	0.258	1.697	-0.467	0.75	30.5	-1.5	30.5	357.0	69.9	79.3	-4.2	79.4	356.9	0.23	0.00	1.00	0.00	811R	10	0.00	0.00	0.00	0.00
275	40.7	0.438	0.258	1.698	-0.469	0.751	30.5	-1.6	30.5	356.9	69.9	79.4	-4.4	79.5	356.7	0.25	0.00	1.00	0.00	812R	10	0.00	0.00	0.00	0.00
276	40.6	0.438	0.257	1.699	-0.471	0.752	30.5	-1.7	30.6	356.7	69.9	79.5	-4.6	79.6	356.6	0.26	0.00	1.00	0.00	813R	10	0.00	0.00	0.00	0.00
277	40.6	0.437	0.257	1.7	-0.473	0.753	30.6	-1.7	30.6	356.6	69.9	79.6	-4.8	79.7	356.4	0.28	0.00	1.00	0.00	814R	10	0.00	0.00	0.00	0.00
278	40.6	0.437	0.257	1.701	-0.475	0.754	30.6	-1.8	30.6	356.5	69.9	79.7	-5.0	79.8	356.3	0.3	0.00	1.00	0.00	815R	10	0.00	0.00	0.00	0.00
279	40.6	0.437	0.256	1.702	-0.476	0.755	30.6	-1.9	30.7	356.3	69.9	79.7	-5.2	79.9	356.2	0.31	0.00	1.00	0.00	815R	10	0.00	0.00	0.00	0.00
280	40.6	0.436	0.256	1.703	-0.478	0.756	30.6	-2.0	30.7	356.2	69.9	79.8	-5.4	80.0	356.0	0.33	0.00	1.00	0.00	816R	10	0.00	0.00	0.00	0.00
281	40.6	0.436	0.256	1.704	-0.48	0.757	30.7	-2.0	30.8	356.1	69.9	79.9	-5.6	80.1	355.9	0.35	0.00	1.00	0.00	817R	10	0.00	0.00	0.00	0.00
282	40.6	0.435	0.255	1.705	-0.482	0.758	30.7	-2.1	30.8	355.9	69.9	80.0	-5.8	80.2	355.8	0.37	0.00	1.00	0.00	818R	10	0.00	0.00	0.00	0.00
283	40.6	0.435	0.255	1.706	-0.484	0.76	30.7	-2.2	30.8	355.8	69.9	80.0	-6.0	80.3	355.6	0.38	0.00	1.00	0.00	819R	10	0.00	0.00	0.00	0.00
284	40.6	0.435	0.254	1.707	-0.486	0.761	30.8	-2.3	30.9	355.7	69.9	80.1	-6.2	80.4	355.5	0.4	0.00	1.00	0.00	820R	10	0.00	0.00	0.00	0.00
285	40.6	0.434	0.254	1.708	-0.487	0.762	30.8	-2.3	30.9	355.6	69.9	80.2	-6.4	80.5	355.4	0.42	0.00	1.00	0.00	821R	10	0.00	0.00	0.00	0.00
286	40.5	0.434	0.253	1.709	-0.489	0.763	30.8	-2.4	30.9	355.5	69.8	80.3	-6.6	80.6	355.3	0.43	0.00	1.00	0.00	822R	10	0.00	0.00	0.00	0.00
287	40.5	0.434	0.253	1.71	-0.491	0.764	30.9	-2.5	31.0	355.3	69.8	80.4	-6.8	80.6	355.1	0.45	0.00	1.00	0.00	823R	10	0.00	0.00	0.00	0.00
288	40.5	0.433	0.253	1.711	-0.493	0.765	30.9	-2.5	31.0	355.2	69.8	80.4	-6.9	80.7	355.0	0.47	0.00	1.00	0.00	824R	10	0.00	0.00	0.00	0.00
289	40.5	0.433	0.253	1.711	-0.494	0.766	30.9	-2.6	31.0	355.0	69.8	80.5	-7.1	80.8	354.9	0.48	0.00	1.00	0.00	824R	10	0.00	0.00	0.00	0.00
290	40.5	0.433	0.252	1.712	-0.496	0.767	31.0	-2.7	31.1	354.9	69.8	80.6	-7.3	80.9	354.7	0.5	0.00	1.00	0.00	825R	10	0.00	0.00	0.00	0.00
291	40.5	0.432	0.252	1.713	-0.498	0.768	31.0	-2.7	31.1	354.8	69.8	80.7	-7.5	81.0	354.6	0.52	0.00	1.00	0.00	826R	10	0.00	0.00	0.00	0.00
292	40.5	0.432	0.252	1.714	-0.5	0.769	31.0	-2.8	31.2	354.7	69.8	80.7	-7.7	81.1	354.5	0.53	0.00	1.00	0.00	826R	10	0.00	0.00	0.00	0.00
293	40.5	0.432	0.251	1.715	-0.501	0.771	31.1	-2.9	31.2	354.6	69.8	80.8	-7.9	81.2	354.4	0.55	0.00	1.00	0.00	827R	10	0.00	0.00	0.00	0.00
294	40.5	0.431	0.251	1.716	-0.503	0.772	31.1	-3.0	31.2	354.4	69.8	80.9	-8.0	81.3	354.2	0.57	0.00	1.00	0.00	828R	10	0.00	0.00	0.00	0.00
295	40.5	0.431	0.251	1.717	-0.505	0.773	31.1	-3.0	31.3	354.3	69.8	81.0	-8.2	81.4	354.1	0.59	0.00	1.00	0.00	829R	10	0.00	0.00	0.00	0.00
296	40.4	0.431	0.25	1.718	-0.507	0.774	31.1	-3.1	31.3	354.2	69.8	81.0	-8.4	81.5	354.0	0.6	0.00	1.00	0.00	830R	10	0.00	0.00	0.00	0.00
297	40.4	0.43	0.25	1.719	-0.508	0.775	31.2	-3.2	31.3	354.1	69.8	81.1	-8.6	81.6	353.9	0.62	0.00	1.00	0.00	831R	10	0.00	0.00	0.00	0.00
298	40.4	0.43	0.25	1.72	-0.51	0.776	31.2	-3.2	31.4	354.0	69.8	81.2	-8.7	81.7	353.8	0.64	0.00	1.00	0.00	832R	10	0.00	0.00	0.00	0.00
299	40.4	0.43	0.249	1.721	-0.512	0.777	31.2	-3.3	31.4	353.8	69.8	81.3	-8.9	81.8	353.7	0.65	0.00	1.00	0.00	833R	10	0.00	0.00	0.00	0.00
300	40.4	0.429	0.249	1.722	-0.513	0.778	31.3	-3.4	31.4	353.7	69.7	81.3	-9.1	81.8	353.6	0.67	0.00	1.00	0.00	834R	10	0.00	0.00	0.00	0.00
301	40.4	0.429	0.249	1.723	-0.515	0.779	31.3	-3.4	31.5	353.6	69.7	81.4	-9.2	81.9	353.4	0.69	0.00	1.00	0.00	835R	10	0.00	0.00	0.00	0.00
302	40.4	0.429	0.248	1.723	-0.517	0.78	31.3	-3.5	31.5	353.5	69.7	81.5	-9.4	82.0	353.3	0.71	0.00	1.00	0.00	836R	10	0.00	0.00	0.00	0.00
303	40.4	0.428	0.248	1.724	-0.518	0.781	31.3	-3.6	31.6	353.4	69.7	81.6	-9.6	82.1	353.2	0.72	0.00	1.00	0.00	836R	10	0.00	0.00	0.00	0.00
304	40.4	0.428	0.248	1.725	-0.52	0.782	31.4	-3.6	31.6	353.3	69.7	81.6	-9.7	82.2	353.1	0.74	0.00	1.00	0.00	837R	10	0.00	0.00	0.00	0.00
305	40.4	0.428	0.248	1.726	-0.521	0.784	31.4	-3.7	31.6	353.2	69.7	81.7	-9.9	82.3	353.0	0.75	0.00	1.00	0.00	837R	10	0.00	0.00	0.00	0.00
306	40.3	0.427	0.247	1.727	-0.523	0.785	31.4	-3.8	31.7	353.1	69.7	81.8	-10.1	82.4	352.9	0.77	0.00	1.00	0.00	838R	10	0.00	0.00	0.00	0.00
307	40.3	0.427	0.247	1.728	-0.525	0.786	31.5	-3.8	31.7	352.9	69.7	81.8	-10.2	82.5	352.8	0.79	0.00	1.00	0.00	839R	10	0.00	0.00	0.00	0.00
308	40.3	0.427	0.247	1.729	-0.526	0.787	31.5	-3.9	31.7	352.8	69.7	81.9	-10.4	82.6	352.7	0.81	0.00	1.00	0.00	840R	10	0.00	0.00	0.00	0.00
309	40.3	0.427	0.246	1.73	-0.528	0.788	31.5	-3.9	31.8	352.7	69.7	82.0	-10.5	82.7	352.6	0.82	0.00	1.00	0.00	841R	10	0.00	0.00	0.00	0.00
310	40.3	0.426	0.246	1.731	-0.529	0.789	31.5	-4.0	31.8	352.6	69.7	82.1	-10.7	82.8	352.5	0.84	0.00	1.00	0.00	842R	10	0.00	0.00	0.00	0.00
311	40.3	0.426	0.246	1.731	-0.531	0.79	31.6	-4.1	31.8	352.5	69.7	82.1	-10.9	82.8	352.4	0.86	0.00	1.00	0.00	843R	10	0.00	0.00	0.00	0.00
312	40.3	0.426	0.245	1.732	-0.533	0.791	31.6	-4.1	31.9	352.4	69.7	82.2	-11.0	82.9	352.3	0.87	0.00	1.00	0.00	844R	10	0.00	0.00	0.00	0.00
313	40.3	0.425	0.245	1.733	-0.534	0.792	31.6	-4.2	31.9	352.3	69.7	82.2	-11.2	83.0	352.2	0.89	0.00	1.00	0.00	844R	10	0.00	0.00	0.00	0.00
314	40.3	0.425	0.245	1.734	-0.536	0.793	31.7	-4.3	31.9	352.2	69.7	82.3	-11.3	83.1	352.1	0.91	0.00	1.00	0.00	845R	10	0.00	0.00	0.00	0.00
315	40.3	0.425	0.245	1.735	-0.537	0.794	31.7	-4.3	32.0	352.1	69.7	82.4	-11												

Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =520_770, CIELAB data													%
i ₁ , λ ₁	i ₂ , λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code	%	
0 405	32 561	80.85	-67.55	-32.54	74.98	0.1805	-0.1029	205.7	16 483	37 589	Cm	%	
6 435	32 562	81.18	-81.89	-19.25	84.12	0.1732	-0.096	193.2	17 486	42 610		%	
10 450	32 563	81.52	-109.06	11.43	109.66	0.1595	-0.0803	174.0	19 496	-1 496c		%	
12 460	33 565	82.01	-120.74	33.26	125.23	0.1538	-0.0692	164.5	21 505	-1 505c		%	
12 465	33 567	82.73	-118.76	34.5	123.67	0.1552	-0.0687	163.8	21 506	-1 506c		%	
14 470	33 569	83.3	-123.47	57.53	136.22	0.1532	-0.0572	155.0	24 520	-1 520c		%	
15 475	34 573	84.63	-118.73	70.39	138.03	0.1564	-0.0512	149.3	25 528	-1 528c	Gm	%	
16 480	36 580	86.98	-107.21	84.2	136.33	0.1633	-0.0452	141.8	27 537	-1 537c		%	
17 485	39 595	91.12	-80.53	100.07	128.45	0.1778	-0.0394	128.8	29 548	-1 548c		%	
18 490	-1 490c	97.55	-23.15	119.05	121.28	0.2052	-0.0337	101.0	33 565	11 459	max	%	
19 495	-1 495c	96.94	-20.63	125.42	127.1	0.2062	-0.0306	99.3	33 566	12 462		%	
20 500	-1 500c	96.17	-17.33	131.15	132.29	0.2076	-0.0277	97.5	33 567	12 464		%	
22 510	-1 510c	94.0	-8.24	140.17	140.41	0.2116	-0.0224	93.3	33 569	13 469		%	
23 520	-1 519c	92.57	-2.53	142.99	143.01	0.2142	-0.0202	91.0	34 570	14 471	Ym	%	
25 530	-1 529c	88.94	10.79	144.39	144.79	0.2205	-0.0165	85.7	34 573	15 475		%	
27 540	-1 539c	84.43	25.54	141.4	143.69	0.2281	-0.0134	79.7	35 577	15 478		%	
28 545	-1 544c	81.91	33.05	138.34	142.24	0.2322	-0.0121	76.5	35 579	15 479		%	
29 550	-1 549c	79.2	40.58	134.51	140.5	0.2367	-0.0111	73.2	36 582	16 480		%	
30 555	-1 554c	76.32	47.96	130.1	138.66	0.2413	-0.0103	69.7	36 584	16 481		%	
32 560	-1 560c	70.18	61.63	120.13	135.02	0.2511	-0.0093	62.8	37 589	16 483		%	
380	770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0				%	
Ostwald optimal colours (o) of maximum (m) C _{AB} for D65, Y _w =100, Y _m =770_520, CIELAB complementary													%
i ₁ , λ ₁	i ₂ , λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code	%	
32 561	0 405	70.73	60.88	110.08	125.79	0.2505	-0.022	61.0	37 589	16 483	Rm	%	
32 562	6 435	70.32	70.58	34.83	78.71	0.2562	-0.0659	26.2	42 610	17 486		%	
32 563	10 450	69.88	85.85	-12.65	86.78	0.2653	-0.0935	351.6	-1 496c	19 496		%	
33 565	12 460	69.24	92.89	-29.55	97.48	0.2698	-0.1035	342.3	-1 505c	21 505		%	
33 567	12 465	68.27	94.84	-31.22	99.85	0.2716	-0.1046	341.7	-1 506c	21 506		%	
33 569	14 470	67.49	99.24	-42.98	108.15	0.2748	-0.1119	336.5	-1 520c	24 520		%	
34 573	15 475	65.52	102.87	-49.85	114.31	0.2784	-0.1167	334.1	-1 528c	25 528	Mm	%	
36 580	16 480	61.69	107.96	-59.02	123.05	0.2848	-0.1241	331.3	-1 537c	27 537		%	
39 595	17 485	53.22	112.99	-75.47	135.88	0.297	-0.1406	326.2	-1 548c	29 548		%	
-1 490c	18 490	29.91	89.01	-117.0	147.01	0.3124	-0.2136	307.2	11 459	33 565	min	%	
-1 495c	19 495	33.36	74.42	-112.09	134.55	0.2908	-0.1997	303.5	12 462	33 566		%	
-1 500c	20 500	37.09	58.44	-106.44	121.43	0.2704	-0.1864	298.7	12 464	33 567		%	
-1 510c	22 510	45.26	23.9	-93.37	96.38	0.2349	-0.1623	284.3	13 469	33 569		%	
-1 519c	23 520	49.52	6.76	-86.32	86.58	0.2205	-0.152	274.4	14 471	34 570	Bm	%	
-1 529c	25 530	58.0	-23.98	-72.06	75.95	0.1992	-0.1348	251.5	15 475	34 573		%	
-1 539c	27 540	65.83	-46.7	-58.75	75.05	0.1868	-0.122	231.5	15 478	35 577		%	
-1 544c	28 545	69.38	-54.68	-52.68	75.93	0.1833	-0.117	223.9	15 479	35 579		%	
-1 549c	29 550	72.72	-60.59	-46.95	76.65	0.1812	-0.1126	217.7	16 480	36 582		%	
-1 554c	30 555	75.82	-64.5	-41.62	76.77	0.1803	-0.1088	212.8	16 481	36 584		%	
-1 560c	32 560	81.29	-66.96	-32.22	74.32	0.181	-0.1027	205.6	16 483	37 589		%	
380	770	100.0	0.0	0.0	0.0	0.2154	-0.0861	0.0				%	

rgb _{ab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																								
Yxy _{ab} , abc _{AB} , ABC _{AB} , LabC _{ab} , h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 2 degree observer																								
Elementary hue circle with 4 intended elementary hue angles: h _{ab} = 25.6, 92.4, 162.1, 271.5 of CIELAB, and 90 intended hue angles:																								
000, 001, ..., 089, CIELAB data of CIE test colours 9 (R): 40.0 58.9 28.3, 10 (Y): 81.3 -3.0 71.8, 11 (G): 52.2 -42.3 13.6, 12 (B): 30.5 1.2 -46.3																								
no.	ab	Y	x	y	a	b	c	AB	A	B	C _{AB}	h _{AB}	Y	a*	b*	C*	ab	rgb _{ab}	ab	ab	ab	ab	ab	Code _{ab}
000	40.7	0.443	0.255	1.735	-0.47	0.785	31.9	-1.4	32.0	357.4	70.0	82.3	-3.8	82.4	357.3	1.00	0.00	0.58	0.58	0.58	0.58	0.58	0.58	B70R
001	40.7	0.445	0.257	1.73	-0.459	0.78	31.7	-0.9	31.8	358.2	70.0	81.9	-2.6	81.9	358.1	1.00	0.00	0.55	0.55	0.55	0.55	0.55	0.55	B72R
002	40.7	0.448	0.259	1.725	-0.448	0.774	31.6	-0.5	31.6	359.0	70.0	81.5	-1.5	81.5	358.9	1.00	0.00	0.53	0.53	0.53	0.53	0.53	0.53	B73R
003	40.8	0.45	0.262	1.719	-0.438	0.769	31.4	-0.1	31.4	359.8	70.0	81.0	-0.2	81.0	359.7	1.00	0.00	0.51	0.51	0.51	0.51	0.51	0.51	B74R
004	40.8	0.453	0.264	1.714	-0.427	0.764	31.2	0.3	31.2	0.6	70.0	80.6	0.9	80.6	0.6	1.00	0.00	0.48	0.48	0.48	0.48	0.48	0.48	B75R
005	40.8	0.455	0.266	1.709	-0.416	0.759	31.0	0.7	31.0	1.4	70.0	80.1	2.2	80.2	1.5	1.00	0.00	0.46	0.46	0.46	0.46	0.46	0.46	B76R
006	40.8	0.458	0.268	1.704	-0.405	0.754	30.8	1.2	30.8	2.2	70.0	79.7	3.5	79.8	2.5	1.00	0.00	0.44	0.44	0.44	0.44	0.44	0.44	B77R
007	40.8	0.461	0.271	1.698	-0.394	0.749	30.6	1.6	30.6	3.1	70.0	79.2	4.8	79.4	3.4	1.00	0.00	0.42	0.42	0.42	0.42	0.42	0.42	B78R
008	40.9	0.463	0.273	1.693	-0.383	0.745	30.4	2.1	30.4	4.0	70.1	78.8	6.1	79.0	4.4	1.00	0.00	0.39	0.39	0.39	0.39	0.39	0.39	B80R
009	40.9	0.466	0.276	1.688	-0.372	0.74	30.1	2.5	30.3	4.8	70.1	78.3	7.5	78.7	5.4	1.00	0.00	0.37	0.37	0.37	0.37	0.37	0.37	B81R
010	40.9	0.469	0.278	1.683	-0.361	0.736	29.9	3.0	30.1	5.7	70.1	77.9	8.9	78.4	6.5	1.00	0.00	0.35	0.35	0.35	0.35	0.35	0.35	B82R
011	40.9	0.471	0.281	1.677	-0.35	0.732	29.7	3.4	29.9	6.6	70.1	77.4	10.3	78.1	7.5	1.00	0.00	0.33	0.33	0.33	0.33	0.33	0.33	B83R
012	40.9	0.474	0.283	1.672	-0.34	0.728	29.5	3.9	29.8	7.5	70.1	76.9	11.7	77.8	8.6	1.00	0.00	0.3	0.3	0.3	0.3	0.3	0.3	B84R
013	40.9	0.477	0.286	1.667	-0.329	0.724	29.3	4.3	29.7	8.4	70.1	76.5	13.2	77.6	9.8	1.00	0.00	0.28	0.28	0.28	0.28	0.28	0.28	B85R
014	41.0	0.48	0.289	1.662	-0.318	0.721	29.1	4.7	29.5	9.3	70.1	76.0	14.7	77.4	10.9	1.00	0.00	0.26	0.26	0.26	0.26	0.26	0.26	B86R
015	41.0	0.483	0.291	1.656	-0.308	0.717	28.9	5.2	29.4	10.2	70.1	75.5	16.2	77.3	12.1	1.00	0.00	0.24	0.24	0.24	0.24	0.24	0.24	B87R
016	41.0	0.486	0.294	1.651	-0.297	0.713	28.7	5.6	29.3	11.1	70.2	75.1	17.7	77.2	13.2	1.00	0.00	0.22	0.22	0.22	0.22	0.22	0.22	B89R
017	41.0	0.489	0.297	1.646	-0.286	0.711	28.5	6.1	29.2	12.0	70.2	74.6	19.2	77.1	14.4	1.00	0.00	0.19	0.19	0.19	0.19	0.19	0.19	B90R
018	41.0	0.492	0.3	1.641	-0.276	0.709	28.3	6.5	29.1	12.9	70.2	74.2	20.8	77.1	15.7	1.00	0.00	0.17	0.17	0.17	0.17	0.17	0.17	B91R
019	41.0	0.495	0.302	1.636	-0.266	0.706	28.1	6.9	29.0	13.8	70.2	73.7	22.4	77.1	16.9	1.00	0.00	0.15	0.15	0.15	0.15	0.15	0.15	B92R
020	41.1	0.498	0.305	1.631	-0.256	0.704	27.9	7.3	28.9	14.7	70.2	73.3	24.1	77.1	18.1	1.00	0.00	0.12	0.12	0.12	0.12	0.12	0.12	B94R
021	41.1	0.501	0.308	1.626	-0.246	0.701	27.7	7.7	28.8	15.6	70.2	72.8	25.7	77.3	19.4	1.00	0.00	0.1	0.1	0.1	0.1	0.1	0.1	B94R
022	41.1	0.504	0.311	1.621	-0.236	0.699	27.5	8.1	28.7	16.5	70.2	72.4	27.4	77.4	20.7	1.00	0.00	0.08	0.08	0.08	0.08	0.08	0.08	B95R
023	41.1	0.507	0.314	1.616	-0.226	0.697	27.4	8.6	28.7	17.4	70.2	72.0	29.1	77.6	22.0	1.00	0.00	0.06	0.06	0.06	0.06	0.06	0.06	B96R
024	41.1	0.51	0.317	1.611	-0.216	0.696	27.2	9.0	28.6	18.3	70.3	71.5	30.8	77.7	23.3	1.00	0.00	0.03	0.03	0.03	0.03	0.03	0.03	B98R
025	41.1	0.514	0.319	1.606	-0.207	0.694	27.0	9.3	28.6	19.1	70.3	71.1	32.5	78.2	24.6	1.00	0.00	0.01	0.01	0.01	0.01	0.01	0.01	B99R
026	41.2	0.517	0.322	1.601	-0.198	0.693	26.8	9.7	28.5	20.0	70.3	70.7	34.3	78.6	25.9	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	R00Y
027	41.2	0.52	0.326	1.597	-0.187	0.692	26.6	10.2	28.5	20.9	70.3	70.3	36.4	79.2	27.4	1.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	R02Y
028	41.2	0.525	0.329	1.593	-0.176	0.692	26.5	10.6	28.5	21.9	70.3	69.9	38.7	79.9	28.9	1.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	R03Y
029	41.2	0.528	0.332	1.588	-0.165	0.693	26.3	11.1	28.6	22.8	70.3	69.5	40.9	80.7	30.4	1.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	R05Y
030	41.3	0.532	0.336	1.584	-0.155	0.693	26.2	11.5	28.6	23.8	70.3	69.1	43.2	81.5	31.9	1.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	R06Y
031	41.3	0.536	0.339	1.58	-0.145	0.693	26.0	11.9	28.6	24.6	70.4	68.8	45.5	82.5	33.4	1.00	0.08	0.00	0.00	0.00	0.00	0.00	0.00	R08Y
032	41.4	0.54	0.342	1.576	-0.136	0.694	25.8	12.3	28.7	25.5	70.4	68.4	47.8	83.5	34.9	1.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	R09Y
033	41.4	0.544	0.345	1.572	-0.127	0.694	25.7	12.7	28.7	26.3	70.4	68.1	50.1	84.5	36.3	1.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	R11Y
034	41.3	0.547	0.348	1.569	-0.118	0.695	25.6	13.1	28.7	27.1	70.4	67.7	52.4	85.6	37.7	1.00	0.12	0.00	0.00	0.00	0.00	0.00	0.00	R12Y
035	41.4	0.55	0.351	1.565	-0.11	0.695	25.4	13.4	28.8	27.8	70.4	67.4	54.7	86.8	39.0	1.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00	R13Y
036	41.4	0.554	0.354	1.561	-0.102	0.696	25.3	13.8	28.8	28.5	70.4	67.1	57.0	88.1	40.3	1.00	0.15	0.00	0.00	0.00	0.00	0.00	0.00	R15Y
037	41.4	0.557	0.357	1.558	-0.094	0.696	25.1	14.1	28.8	29.2	70.4	66.7	59.4	89.3	41.6	1.00	0.16	0.00	0.00	0.00	0.00	0.00	0.00	R16Y
038	41.4	0.56	0.36	1.554	-0.087	0.697	25.0	14.4	28.9	29.9	70.4	66.4	61.7	90.7	42.9	1.00	0.18	0.00	0.00	0.00	0.00	0.00	0.00	R18Y
039	41.5	0.563	0.363	1.55	-0.08	0.697	24.9	14.7	28.9	30.5	70.5	66.1	64.0	92.0	44.0	1.00	0.19	0.00	0.00	0.00	0.00	0.00	0.00	R19Y
040	41.5	0.565	0.365	1.547	-0.074	0.697	24.7	14.9	28.9	31.1	70.5	65.8	66.3	93.4	45.2	1.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	R21Y
041	41.5	0.568	0.368	1.544	-0.068	0.698	24.6	15.2	29.0	31.7	70.5	65.5	68.7	94.9	46.3	1.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	R22Y
042	41.5	0.571	0.37	1.54	-0.062	0.698	24.5	15.4	29.0	32.2	70.5	65.2	71.0	96.4	47.4	1.00	0.24	0.00	0.00	0.00	0.00	0.00	0.00	R24Y
043	41.5	0.573	0.372	1.537	-0.057	0.698	24.4	15.7	29.0	32.7	70.5	64.9	73.2	97.9	48.4	1.00	0.25	0.00	0.00	0.00	0.00	0.00	0.00	R25Y
044	41.6	0.575	0.375	1.534	-0.052	0.698	24.3	15.9	29.0	33.2	70.5	64.6	75.5	99.4	49.4	1.00	0.27	0.00	0.00	0.00	0.00	0.00	0.00	R27Y
045	41.6	0.577	0.377	1.531	-0.047	0.698	24.1	16.1	29.0	33.7	70.6	64.3	77.8	100.9	50.4	1.00	0.28	0.00	0.00	0.00	0.00	0.00	0.00	R28Y
046	41.6	0.579	0.379	1.528	-0.043	0.698	24.0	16.3	29.0	34.1	70.6	64.0	80.0	102.5	51.3	1.00	0.3	0.00	0.00	0.00	0.00	0.00	0.00	R30Y
047	41.6	0.581	0.381	1.525	-0.039	0.697	23.9	16.5	29.0	34.5	70.6	63.8	82.2	104.1	52.2	1.00								

rgb _{ab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																								
Yxy, cab _{AB} , ABC _{AB} , LabC _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 2 degree observer																								
Elementary hue circle with 4 intended elementary hue angles: h _{ab} = 25.6, 92.4, 162.1, 271.5 of CIELAB, and 90 intended hue angles:																								
0.901, ..., 179, CIELAB data of CIE test colours 9 (R): 40.0 58.9 28.3, 10 (Y): 81.3 -3.0 71.8, 11 (G): 52.2 -42.3 13.6, 12 (B): 30.5 1.2 -46.3																								
no.	ab	Y	x	y	a	b	c	ab	A	B	C	ab	h _{ab}	L*	a*	b*	C*	ab	h _{ab}	rgb _{ab}	ab	Code _{ab}		
990	80.7	0.483	0.509	0.938	-0.005	0.43	-0.1	34.7	34.7	90.3	92.0	-0.3	143.4	143.4	90.1	1.00	0.96	0.00	0.00	0.96	0.00	0.96	Y85	
991	81.9	0.479	0.512	0.935	-0.005	0.43	-1.2	35.2	35.2	92.0	92.5	-2.5	144.0	144.0	91.0	1.00	0.97	0.00	0.00	0.97	0.00	0.97	Y87	
992	83.5	0.474	0.516	0.919	-0.006	0.43	-2.6	35.8	35.9	94.1	93.2	-5.2	142.2	142.3	92.1	1.00	0.99	0.00	0.00	0.99	0.00	0.99	Y89	
993	84.8	0.47	0.519	0.906	-0.007	0.43	-3.7	36.3	36.5	95.8	93.8	-7.4	140.8	141.0	93.0	0.99	1.00	0.00	0.00	1.00	0.00	1.00	Y90	
994	86.0	0.466	0.522	0.893	-0.008	0.43	-4.8	36.7	37.0	97.5	94.3	-9.6	138.9	139.2	93.9	0.97	1.00	0.00	0.00	0.97	0.00	0.97	Y92	
995	87.3	0.462	0.524	0.881	-0.009	0.431	-6.0	37.1	37.6	99.2	94.8	-11.9	136.8	137.3	94.9	0.96	1.00	0.00	0.00	0.96	0.00	0.96	Y93	
996	88.6	0.457	0.526	0.868	-0.011	0.432	-7.2	37.5	38.2	100.9	95.4	-14.1	134.5	135.3	96.0	0.94	1.00	0.00	0.00	0.94	0.00	0.94	Y95	
997	89.8	0.453	0.528	0.857	-0.013	0.432	-8.3	37.9	38.8	102.6	95.9	-16.3	132.3	133.3	96.0	0.93	1.00	0.00	0.00	0.93	0.00	0.93	Y96	
998	91.1	0.448	0.530	0.845	-0.015	0.432	-9.5	38.2	39.4	104.8	96.4	-18.5	129.5	130.8	98.1	0.91	1.00	0.00	0.00	0.91	0.00	0.91	Y97	
999	92.0	0.444	0.53	0.836	-0.018	0.432	-10.4	38.3	39.7	105.2	96.8	-20.2	126.4	128.0	99.0	0.9	1.00	0.00	0.00	0.9	0.00	0.9	Y98	
100	93.8	0.445	0.526	0.846	-0.021	0.426	-9.8	38.8	40.0	104.1	97.5	-18.6	123.6	125.0	98.5	0.89	1.00	0.00	0.00	0.89	0.00	0.89	Y100	
101	93.8	0.435	0.529	0.822	-0.026	0.429	-12.0	38.4	40.2	107.3	97.5	-23.0	119.1	121.3	100.9	0.87	1.00	0.00	0.00	0.87	0.00	0.87	Y102	
102	93.4	0.432	0.532	0.813	-0.026	0.431	-12.8	38.2	40.2	108.5	97.3	-24.7	118.5	121.0	101.8	0.86	1.00	0.00	0.00	0.86	0.00	0.86	Y103	
103	92.9	0.429	0.534	0.804	-0.027	0.434	-13.6	37.9	40.3	109.7	97.2	-26.4	117.9	120.8	102.6	0.84	1.00	0.00	0.00	0.84	0.00	0.84	Y105	
104	92.5	0.426	0.536	0.794	-0.027	0.436	-14.4	37.9	40.4	110.8	97.0	-28.2	117.3	120.6	103.5	0.83	1.00	0.00	0.00	0.83	0.00	0.83	Y106	
105	92.0	0.423	0.539	0.785	-0.027	0.44	-15.2	37.5	40.5	112.0	96.8	-30.0	116.7	120.5	104.4	0.81	1.00	0.00	0.00	0.81	0.00	0.81	Y108	
106	91.5	0.421	0.541	0.775	-0.028	0.443	-16.0	37.2	40.6	113.2	96.4	-31.8	115.9	120.5	105.4	0.79	1.00	0.00	0.00	0.79	0.00	0.79	Y110	
107	91.0	0.416	0.544	0.765	-0.028	0.447	-16.8	37.0	40.7	114.4	96.4	-33.8	115.4	120.3	106.5	0.78	1.00	0.00	0.00	0.78	0.00	0.78	Y112	
108	90.5	0.412	0.547	0.754	-0.029	0.451	-17.7	36.8	40.8	115.7	96.2	-35.7	114.8	120.2	107.3	0.77	1.00	0.00	0.00	0.77	0.00	0.77	Y114	
109	90.0	0.409	0.549	0.744	-0.029	0.455	-18.5	36.5	40.9	116.9	96.0	-37.7	114.2	120.2	108.3	0.76	1.00	0.00	0.00	0.76	0.00	0.76	Y116	
110	89.5	0.405	0.552	0.733	-0.03	0.459	-19.4	36.2	41.1	118.1	95.8	-39.8	113.5	120.3	109.3	0.74	1.00	0.00	0.00	0.74	0.00	0.74	Y118	
111	88.9	0.401	0.555	0.722	-0.03	0.464	-20.2	36.0	41.3	119.3	95.5	-41.9	112.8	120.4	110.3	0.73	1.00	0.00	0.00	0.73	0.00	0.73	Y120	
112	88.4	0.397	0.558	0.712	-0.031	0.469	-21.0	35.7	41.5	120.5	95.3	-44.0	112.0	120.5	111.4	0.71	1.00	0.00	0.00	0.71	0.00	0.71	Y122	
113	87.8	0.393	0.561	0.701	-0.031	0.474	-21.9	35.4	41.6	121.6	95.1	-46.1	111.5	120.6	112.4	0.7	1.00	0.00	0.00	0.7	0.00	0.7	Y124	
114	87.2	0.389	0.564	0.69	-0.032	0.479	-22.7	35.2	41.8	122.8	94.8	-48.3	111.0	120.8	113.5	0.69	1.00	0.00	0.00	0.69	0.00	0.69	Y126	
115	86.7	0.385	0.567	0.679	-0.032	0.485	-23.5	34.9	42.1	123.9	94.6	-50.5	110.1	121.1	114.6	0.67	1.00	0.00	0.00	0.67	0.00	0.67	Y128	
116	86.1	0.381	0.57	0.668	-0.033	0.491	-24.3	34.6	42.3	125.0	94.3	-52.7	109.3	121.4	115.7	0.66	1.00	0.00	0.00	0.66	0.00	0.66	Y130	
117	85.5	0.377	0.573	0.657	-0.034	0.497	-25.0	34.3	42.5	126.1	94.1	-54.9	108.6	121.7	116.8	0.64	1.00	0.00	0.00	0.64	0.00	0.64	Y132	
118	84.9	0.372	0.577	0.646	-0.034	0.503	-25.8	34.0	42.7	127.1	93.8	-57.1	107.9	122.1	117.8	0.63	1.00	0.00	0.00	0.63	0.00	0.63	Y134	
119	84.3	0.368	0.58	0.635	-0.035	0.509	-26.5	33.7	42.9	128.2	93.6	-59.3	107.2	122.5	118.9	0.61	1.00	0.00	0.00	0.61	0.00	0.61	Y136	
120	83.8	0.364	0.583	0.624	-0.035	0.515	-27.3	33.4	43.2	129.2	93.3	-61.5	106.5	123.0	120.0	0.6	1.00	0.00	0.00	0.6	0.00	0.6	Y138	
121	83.2	0.359	0.586	0.613	-0.036	0.522	-28.0	33.2	43.4	130.3	93.1	-63.8	105.7	123.5	121.0	0.59	1.00	0.00	0.00	0.59	0.00	0.59	Y140	
122	82.6	0.355	0.589	0.603	-0.037	0.528	-28.7	32.9	43.6	131.4	93.0	-65.9	105.0	124.0	122.1	0.57	1.00	0.00	0.00	0.57	0.00	0.57	Y142	
123	82.0	0.351	0.592	0.592	-0.037	0.535	-29.3	32.6	43.9	131.9	92.8	-68.2	104.3	124.6	123.1	0.56	1.00	0.00	0.00	0.56	0.00	0.56	Y144	
124	81.4	0.346	0.595	0.582	-0.038	0.541	-30.0	32.3	44.1	132.8	92.3	-70.3	103.5	125.2	124.1	0.54	1.00	0.00	0.00	0.54	0.00	0.54	Y146	
125	80.8	0.342	0.598	0.572	-0.039	0.548	-30.6	32.0	44.3	133.6	92.0	-72.5	102.8	125.8	125.0	0.53	1.00	0.00	0.00	0.53	0.00	0.53	Y148	
126	80.3	0.338	0.601	0.561	-0.039	0.554	-31.2	31.7	44.5	134.4	91.8	-74.6	102.1	126.5	126.1	0.51	1.00	0.00	0.00	0.51	0.00	0.51	Y150	
127	79.7	0.333	0.604	0.552	-0.04	0.561	-31.7	31.5	44.7	135.2	91.5	-76.7	101.3	127.1	127.1	0.5	1.00	0.00	0.00	0.5	0.00	0.5	Y152	
128	79.2	0.329	0.607	0.542	-0.041	0.567	-32.3	31.2	44.9	135.9	91.3	-78.8	100.6	127.8	128.0	0.48	1.00	0.00	0.00	0.48	0.00	0.48	Y154	
129	78.6	0.325	0.61	0.532	-0.042	0.574	-32.8	30.9	45.1	136.7	91.0	-81.0	99.8	128.6	128.0	0.47	1.00	0.00	0.00	0.47	0.00	0.47	Y156	
130	77.7	0.318	0.614	0.519	-0.043	0.583	-33.5	30.6	45.3	137.5	90.7	-83.9	98.5	129.4	130.4	0.46	1.00	0.00	0.00	0.46	0.00	0.46	Y158	
131	76.9	0.312	0.617	0.506	-0.045	0.591	-34.1	30.0	45.4	138.6	90.2	-86.7	97.2	130.2	131.7	0.44	1.00	0.00	0.00	0.44	0.00	0.44	Y160	
132	76.1	0.307	0.62	0.494	-0.046	0.599	-34.6	29.6	45.6	139.5	89.9	-89.2	95.9	131.0	132.9	0.43	1.00	0.00	0.00	0.43	0.00	0.43	Y162	
133	75.3	0.301	0.623	0.483	-0.048	0.606	-35.1	29.2	45.7	140.2	89.5	-91.6	94.7	131.8	134.0	0.41	1.00	0.00	0.00	0.41	0.00	0.41	Y164	
134	74.6	0.296	0.625	0.473	-0.049	0.613	-35.5	28.8	45.7	141.0	89.2	-93.9	93.4	132.5	135.1	0.4	1.00	0.00	0.00	0.4	0.00	0.4	Y166	
135	73.9	0.291	0.627	0.464	-0.051	0.619	-35.9	28.4	45.8	141.8	88.9	-96.0	92.2	133.1	136.1	0.38	1.00	0.00	0.00	0.38	0.00	0.38	Y168	
136	73.3	0.286	0.629	0.455	-0.052	0.625	-36.2	28.0	45.8	142.2	88.5	-98.0	91.0	133.7	137.1	0.37	1.00	0.00	0.00	0.37	0.00	0.37	Y170	
137	72.6	0.282	0.631	0.447	-0.054	0.631	-36.5	27.6	45.8	142.8	88.2	-100.0	90.0	134.3	138.0	0.36	1.00	0.00	0.00	0.36	0.00	0.36	Y172	
138	72.0	0.278	0.632	0.439	-0.056	0.636	-36.8	27.3	45.8	143.4	87.9	-101.6	88.6	135.										

rgb _{cab} and CIE data of a elementary hci color according to CIE R1-47 for Ostwald colours for CIE illuminant D65																				
Yxy, cab _{AB} , ABC _{AB} , LabC _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 2 degree observer																				
Elementary hue circle with 4 different elementary hue angles: h _{ab} = 25.6, 92.4, 162.1, 271.5 of CIELAB, and 90 intended hue angles:																				
180, 181, ..., 269, CIELAB data of CIE test colours 9 (R): 40.0 58.9 28.3, 10 (Y): 81.3 -3.0 71.8, 11 (G): 52.2 -42.3 13.6, 12 (B): 30.5 1.2 -46.3																				
no.	ab	Y	x	y	a	b	c	cab	A	B	C	h _{ab}	L*	a*	b*	C _{ab}	h _{ab}	rgb _{cab}	Code _{ab}	
180	59.2	0.168	0.394	0.416	-0.423	0.534	-31.6	0.7	31.6	178.6	81.4	-100.9	1.5	100.9		179.0	0.00	1.00	0.32	G168
181	59.1	0.168	0.397	0.422	-0.436	0.528	-31.2	0.8	31.2	180.0	81.3	-99.4	0.0	99.4		180.0	0.00	1.00	0.34	G178
182	59.1	0.167	0.391	0.427	-0.449	0.522	-30.9	-0.8	30.9	181.5	81.3	-98.0	-1.7	98.0		181.0	0.00	1.00	0.36	G188
183	59.1	0.167	0.386	0.433	-0.462	0.517	-30.5	-1.6	30.5	183.0	81.3	-96.5	-3.4	96.6		182.0	0.00	1.00	0.38	G198
184	59.0	0.167	0.38	0.439	-0.476	0.512	-30.1	-2.4	30.2	184.5	81.3	-95.0	-5.0	95.2		183.0	0.00	1.00	0.39	G198
185	59.0	0.166	0.374	0.445	-0.489	0.507	-29.8	-3.2	29.9	186.1	81.3	-93.6	-6.7	93.8		184.0	0.00	1.00	0.41	G208
186	59.0	0.166	0.368	0.451	-0.503	0.503	-29.4	-4.0	29.7	187.7	81.3	-92.1	-8.3	92.5		185.1	0.00	1.00	0.43	G218
187	58.9	0.166	0.363	0.457	-0.517	0.495	-29.0	-4.8	29.4	189.4	81.2	-90.6	-9.9	91.2		186.2	0.00	1.00	0.45	G228
188	58.9	0.166	0.358	0.463	-0.531	0.496	-28.7	-5.6	29.2	191.1	81.2	-89.2	-11.5	89.9		187.3	0.00	1.00	0.47	G238
189	58.9	0.165	0.352	0.469	-0.545	0.493	-28.3	-6.4	29.0	192.8	81.2	-87.7	-13.0	88.7		188.4	0.00	1.00	0.49	G248
190	58.9	0.165	0.347	0.475	-0.559	0.49	-27.9	-7.3	28.8	194.6	81.2	-86.3	-14.5	87.5		189.5	0.00	1.00	0.5	G258
191	58.8	0.165	0.343	0.481	-0.573	0.488	-27.5	-8.1	28.7	196.3	81.2	-84.9	-16.0	86.4		190.7	0.00	1.00	0.52	G268
192	58.8	0.165	0.338	0.487	-0.587	0.487	-27.2	-8.9	28.6	198.1	81.2	-83.5	-17.5	85.3		191.8	0.00	1.00	0.54	G278
193	58.8	0.164	0.333	0.493	-0.6	0.485	-26.8	-9.7	28.5	199.8	81.1	-82.2	-18.9	84.3		192.9	0.00	1.00	0.56	G288
194	58.7	0.164	0.328	0.5	-0.616	0.485	-26.4	-10.6	28.4	201.8	81.1	-80.6	-20.5	83.2		194.2	0.00	1.00	0.58	G298
195	58.6	0.164	0.323	0.507	-0.631	0.484	-26.0	-11.5	28.4	203.8	81.1	-79.0	-22.1	82.0		195.6	0.00	1.00	0.6	G308
196	58.6	0.164	0.318	0.513	-0.646	0.483	-25.6	-12.4	28.4	205.8	81.0	-77.5	-23.6	80.9		196.9	0.00	1.00	0.61	G308
197	58.5	0.163	0.315	0.52	-0.66	0.485	-25.2	-13.1	28.4	207.6	81.0	-76.1	-24.9	80.1		198.1	0.00	1.00	0.63	G318
198	58.5	0.163	0.311	0.525	-0.673	0.486	-24.8	-13.9	28.4	209.2	81.0	-74.8	-26.1	79.2		199.2	0.00	1.00	0.65	G328
199	58.4	0.163	0.308	0.531	-0.685	0.488	-24.4	-14.6	28.5	210.8	80.9	-73.6	-27.3	78.5		200.3	0.00	1.00	0.67	G338
200	58.3	0.163	0.304	0.536	-0.697	0.489	-24.1	-15.2	28.5	212.3	80.9	-72.4	-28.3	77.8		201.3	0.00	1.00	0.69	G348
201	58.3	0.163	0.302	0.541	-0.707	0.491	-23.8	-15.8	28.6	213.6	80.9	-71.4	-29.3	77.1		202.3	0.00	1.00	0.71	G358
202	58.3	0.163	0.299	0.546	-0.716	0.492	-23.5	-16.3	28.7	214.8	80.9	-70.4	-30.1	76.6		203.1	0.00	1.00	0.72	G368
203	58.2	0.163	0.297	0.551	-0.725	0.493	-23.2	-16.8	28.7	216.0	80.8	-69.5	-30.9	76.1		204.0	0.00	1.00	0.74	G378
204	58.2	0.163	0.295	0.554	-0.732	0.495	-23.0	-17.2	28.8	216.8	80.8	-68.7	-31.6	75.6		204.6	0.00	1.00	0.76	G388
205	58.2	0.163	0.293	0.557	-0.738	0.496	-22.8	-17.6	28.9	217.6	80.8	-68.0	-32.1	75.2		205.3	0.00	1.00	0.78	G398
206	58.6	0.164	0.292	0.563	-0.741	0.493	-22.6	-17.9	28.9	218.3	81.1	-66.9	-32.5	74.3		205.9	0.00	1.00	0.8	G408
207	57.5	0.162	0.289	0.562	-0.756	0.503	-22.3	-18.4	28.9	219.6	80.4	-66.6	-33.6	74.6		206.7	0.00	1.00	0.82	G418
208	56.2	0.16	0.286	0.561	-0.773	0.515	-22.1	-19.0	28.9	221.0	79.7	-66.3	-34.8	74.9		207.7	0.00	1.00	0.83	G418
209	54.9	0.158	0.282	0.56	-0.792	0.528	-21.4	-19.6	29.0	222.5	78.9	-66.0	-36.2	75.3		208.7	0.00	1.00	0.85	G428
210	53.5	0.155	0.278	0.559	-0.813	0.543	-20.9	-20.2	29.0	224.0	78.1	-65.6	-37.6	75.6		209.7	0.00	1.00	0.87	G438
211	52.0	0.153	0.274	0.558	-0.835	0.55	-20.4	-20.8	29.1	225.6	77.3	-65.2	-39.0	76.0		210.8	0.00	1.00	0.89	G448
212	50.7	0.15	0.269	0.557	-0.858	0.577	-19.9	-21.4	29.2	227.1	76.4	-64.8	-40.4	76.4		211.9	0.00	1.00	0.91	G458
213	49.3	0.148	0.265	0.557	-0.881	0.594	-19.4	-22.0	29.3	228.5	75.6	-64.4	-41.8	76.8		213.0	0.00	1.00	0.92	G468
214	48.2	0.146	0.262	0.558	-0.902	0.609	-18.9	-22.5	29.4	229.9	74.9	-63.7	-43.0	76.9		214.0	0.00	1.00	0.94	G478
215	47.2	0.144	0.258	0.559	-0.921	0.623	-18.4	-22.9	29.4	231.2	74.3	-63.0	-44.2	76.9		215.0	0.00	1.00	0.96	G488
216	46.2	0.143	0.255	0.561	-0.94	0.637	-17.9	-23.3	29.4	232.3	73.7	-62.1	-45.2	76.9		216.0	0.00	1.00	0.98	G498
217	45.4	0.142	0.252	0.564	-0.958	0.65	-17.5	-23.7	29.5	233.5	73.1	-61.3	-46.2	76.7		216.9	0.00	0.99	1.00	G508
218	44.5	0.141	0.249	0.566	-0.976	0.662	-17.0	-24.0	29.5	234.6	72.6	-60.4	-47.1	76.6		217.9	0.00	0.97	1.00	G518
219	43.7	0.14	0.246	0.569	-0.993	0.675	-16.6	-24.4	29.5	235.6	72.0	-59.5	-48.0	76.5		218.8	0.00	0.96	1.00	G528
220	42.9	0.139	0.243	0.572	-1.012	0.689	-16.2	-24.7	29.6	236.6	71.4	-58.6	-48.9	76.4		219.8	0.00	0.94	1.00	G528
221	42.1	0.138	0.24	0.575	-1.031	0.703	-15.8	-25.1	29.6	237.6	71.0	-57.7	-49.9	76.3		220.8	0.00	0.92	1.00	G538
222	41.3	0.137	0.237	0.578	-1.05	0.718	-15.3	-25.4	29.7	238.8	70.4	-56.7	-50.8	76.2		221.8	0.00	0.9	1.00	G548
223	40.6	0.136	0.234	0.582	-1.07	0.734	-14.9	-25.8	29.8	239.9	69.9	-55.7	-51.7	76.0		222.9	0.00	0.88	1.00	G558
224	39.8	0.135	0.231	0.586	-1.091	0.75	-14.4	-26.1	29.8	240.9	69.3	-54.6	-52.7	75.9		223.9	0.00	0.86	1.00	G568
225	39.3	0.135	0.229	0.589	-1.105	0.761	-14.2	-26.3	29.9	241.6	68.8	-53.9	-53.3	75.8		224.6	0.00	0.85	1.00	G578
226	38.7	0.134	0.227	0.591	-1.12	0.773	-13.9	-26.5	30.0	242.3	68.6	-53.2	-54.0	75.8		225.4	0.00	0.83	1.00	G588
227	38.0	0.134	0.225	0.59	-1.136	0.786	-13.5	-26.8	30.0	243.3	68.2	-52.4	-54.5	75.7		226.2	0.00	0.81	1.00	G598
228	37.6	0.133	0.222	0.599	-1.154	0.8	-13.2	-27.0	30.1	243.9	67.7	-51.4	-55.4	75.6		227.1	0.00	0.79	1.00	G608
229	37.0	0.133	0.22	0.603	-1.174	0.816	-12.8	-27.3	30.2	244.8	67.2	-50.3	-56.2	75.5		228.0	0.00	0.77	1.00	G618
230	36.3	0.132	0.217	0.609	-1.197	0.834	-12.3	-27.6	30.2	245.8	66.7	-49.0	-57.1	75.3		229.3	0.00	0.75	1.00	G628
231	35.5	0.131	0.213	0.616	-1.222	0.855	-11.8	-27.9	30.3	247.0	66.1	-47.5	-58.1	75.1		230.7	0.00	0.74	1.00	G628
232	34.9	0.131	0.211	0.622	-1.244	0.873	-11.4	-28.2	30.4	247.9	65.6	-46.3	-59.0	75.0		231.8	0.00	0.72	1.00	G638
233	34.4	0.131	0.209	0.626	-1.259	0.885	-11.1	-28.4	30.5	248.5	65.3	-45.4	-59.5	74.9		232.6	0.00	0.7	1.00	G648
234	34.0	0.13	0.207	0.631	-1.275	0.898	-10.8	-28.6	30.6	249.1	65.0	-44.5	-60.1	74.8		233.4	0.00	0.68	1.00	G658
235	33.6	0.13	0.205	0.635	-1.291	0.911	-10.5	-28.7	30.6	249.8	64.6	-43.6	-60.7	74.7		234.2	0.00	0.66	1.00	G668
236	33.2	0.13	0.203	0.64	-1.308	0.926														

rgb* _{ab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy, cab _{AB} , ABC _{AB} , LabC* _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 2 degree observer																			
Elementary hue circle with 4 intended elementary hue angles: h _{ab} = 25.6, 92.4, 162.1, 271.5 of CIELAB, and 90 intended hue angles:																			
270, 271, ..., 360, CIELAB data of CIE test colours 9 (R): 40.0 58.9 28.3, 10 (Y): 81.3 -3.0 71.8, 11 (G): 52.2 -42.3 13.6, 12 (B): 30.5 1.2 -46.3																			
no.	ab	Y	x	y	a	b	c	ab	A	B	C _{ab}	h _{ab}	L*	a*	b*	C* _{ab}	h _{ab}	rgb*	Code _{ab}
276	19.2	0.127	0.132	0.961	-2.238	1.893	0.2	-34.7	34.7	270.3	51.0	1.1	-83.8	83.8	270.7	0.00	0.02	1.00	G98B
277	18.9	0.127	0.133	0.974	-2.272	1.837	0.4	-34.8	34.8	270.7	50.6	2.4	-84.4	84.4	271.6	0.00	0.0	1.00	G99B
272	18.6	0.127	0.128	0.987	-2.307	1.817	0.6	-34.9	34.9	271.1	50.3	3.7	-84.4	85.0	272.4	0.0	0.00	1.00	B00R
273	18.4	0.127	0.127	1.0	-2.341	1.906	0.9	-35.0	35.1	271.5	49.9	4.9	-85.5	85.6	273.3	0.02	0.00	1.00	B01R
274	18.1	0.127	0.125	1.014	-2.375	1.94	1.1	-35.1	35.2	271.8	49.6	6.1	-86.6	86.2	274.1	0.04	0.00	1.00	B02R
275	17.8	0.127	0.123	1.03	-2.419	1.985	1.4	-35.3	35.3	272.1	49.2	7.7	-86.7	87.1	275.0	0.06	0.00	1.00	B03R
276	17.4	0.127	0.121	1.05	-2.471	2.038	1.7	-35.4	35.5	272.8	48.7	9.5	-87.5	88.0	276.1	0.07	0.00	1.00	B04R
277	17.0	0.127	0.119	1.07	-2.521	2.093	2.0	-35.6	35.6	273.7	48.3	11.1	-88.2	88.9	277.2	0.09	0.00	1.00	B05R
278	16.7	0.127	0.117	1.089	-2.57	2.139	2.3	-35.7	35.8	274.7	47.9	12.8	-89.0	89.8	278.2	0.11	0.00	1.00	B06R
279	16.4	0.128	0.115	1.088	-2.618	2.188	2.6	-35.8	35.9	274.1	47.5	14.4	-89.6	90.7	279.1	0.13	0.00	1.00	B06R
280	16.1	0.128	0.113	1.128	-2.667	2.238	2.8	-35.9	36.1	274.5	47.1	16.0	-90.3	91.7	280.0	0.14	0.00	1.00	B07R
281	15.8	0.128	0.111	1.149	-2.717	2.29	3.1	-36.1	36.2	274.9	46.7	17.6	-90.9	92.6	280.9	0.16	0.00	1.00	B08R
282	15.5	0.128	0.109	1.171	-2.769	2.344	3.4	-36.2	36.3	275.4	46.3	19.3	-91.6	93.6	281.9	0.18	0.00	1.00	B09R
283	15.1	0.129	0.107	1.195	-2.826	2.403	3.7	-36.3	36.5	275.8	45.8	21.2	-92.3	94.7	282.9	0.2	0.00	1.00	B10R
284	14.8	0.129	0.105	1.222	-2.888	2.468	4.0	-36.4	36.6	276.3	45.4	23.1	-93.0	95.9	283.9	0.21	0.00	1.00	B18R
285	14.4	0.129	0.103	1.252	-2.96	2.542	4.3	-36.5	36.8	276.8	44.9	25.3	-93.9	97.2	285.0	0.23	0.00	1.00	B11R
286	14.0	0.13	0.101	1.286	-3.038	2.624	4.7	-36.6	37.0	277.3	44.5	27.6	-94.6	98.7	286.2	0.25	0.00	1.00	B12R
287	13.7	0.13	0.098	1.322	-3.121	2.712	5.0	-36.8	37.1	277.8	43.8	29.9	-95.7	100.2	287.3	0.27	0.00	1.00	B13R
288	13.3	0.13	0.096	1.36	-3.21	2.804	5.4	-36.9	37.3	278.3	43.2	32.4	-96.6	101.9	288.5	0.28	0.00	1.00	B14R
289	12.9	0.131	0.093	1.4	-3.303	2.902	5.8	-37.0	37.5	278.9	42.6	34.8	-97.5	103.6	289.6	0.3	0.00	1.00	B15R
290	12.5	0.131	0.091	1.442	-3.401	3.005	6.1	-37.2	37.7	279.4	42.0	37.3	-98.5	105.3	290.7	0.32	0.00	1.00	B16R
291	12.1	0.132	0.088	1.486	-3.503	3.114	6.5	-37.3	37.8	279.9	41.4	39.8	-99.4	107.1	291.8	0.34	0.00	1.00	B17R
292	11.7	0.132	0.086	1.532	-3.609	3.226	6.8	-37.4	38.0	280.3	40.8	42.3	-100.4	108.9	292.8	0.35	0.00	1.00	B17R
293	11.3	0.132	0.084	1.58	-3.719	3.349	7.2	-37.5	38.2	280.9	40.3	44.8	-101.5	110.8	293.8	0.37	0.00	1.00	B18R
294	11.0	0.133	0.081	1.631	-3.833	3.465	7.5	-37.6	38.3	281.3	39.7	47.2	-102.7	112.6	294.8	0.39	0.00	1.00	B19R
295	10.7	0.133	0.079	1.68	-3.95	3.589	7.8	-37.7	38.5	281.7	39.1	49.7	-103.1	114.5	295.7	0.41	0.00	1.00	B20R
296	10.4	0.134	0.077	1.732	-4.069	3.716	8.1	-37.8	38.7	282.1	38.5	52.1	-104.0	116.4	296.6	0.42	0.00	1.00	B21R
297	10.1	0.134	0.075	1.785	-4.19	3.846	8.4	-37.9	38.8	282.5	38.0	54.4	-104.9	118.2	297.4	0.44	0.00	1.00	B22R
298	9.8	0.135	0.073	1.839	-4.312	3.977	8.7	-38.0	39.0	282.9	37.4	56.7	-105.8	120.0	298.2	0.46	0.00	1.00	B23R
299	9.4	0.135	0.071	1.906	-4.465	4.141	9.0	-38.1	39.1	283.3	36.8	59.4	-106.8	122.2	299.1	0.48	0.00	1.00	B24R
300	8.9	0.136	0.067	2.013	-4.707	4.401	9.5	-38.2	39.3	283.9	35.8	63.6	-108.3	125.6	300.4	0.49	0.00	1.00	B24R
301	8.5	0.136	0.064	2.111	-4.925	4.637	9.9	-38.3	39.5	284.5	35.0	67.1	-109.5	128.4	301.4	0.51	0.00	1.00	B25R
302	8.1	0.137	0.062	2.202	-5.123	4.852	10.2	-38.3	39.6	284.9	34.3	70.9	-110.8	131.0	302.3	0.53	0.00	1.00	B26R
303	7.8	0.138	0.06	2.287	-5.31	5.055	10.5	-38.3	39.8	285.3	33.7	72.9	-111.5	133.2	303.1	0.55	0.00	1.00	B27R
304	7.2	0.136	0.056	2.409	-5.715	5.477	10.6	-38.5	39.9	285.4	32.4	75.9	-113.5	136.5	303.7	0.56	0.00	1.00	B28R
305	6.4	0.131	0.05	2.589	-6.422	6.297	10.5	-38.7	40.1	285.3	30.5	79.6	-116.5	141.1	304.3	0.58	0.00	1.00	B29R
306	6.0	0.131	0.047	2.758	-6.887	6.7	10.8	-38.7	40.2	285.6	29.4	83.4	-118.2	144.7	305.2	0.6	0.00	1.00	B30R
307	6.0	0.138	0.048	2.878	-6.779	6.629	11.7	-38.5	40.2	286.9	29.5	87.7	-117.6	146.7	306.7	0.62	0.00	1.00	B31R
308	6.5	0.146	0.05	2.886	-6.338	6.212	12.5	-38.2	40.2	288.1	30.5	90.0	-115.7	146.6	307.8	0.63	0.00	1.00	B31R
309	6.8	0.153	0.053	2.876	-5.951	5.844	13.2	-38.0	40.2	289.2	31.5	91.3	-114.0	146.1	308.7	0.65	0.00	1.00	B32R
310	7.3	0.16	0.056	2.856	-5.572	5.479	14.0	-37.7	40.3	290.3	32.6	92.7	-112.2	145.6	309.5	0.67	0.00	1.00	B33R
311	7.8	0.168	0.059	2.836	-5.207	5.13	14.8	-37.5	40.3	291.5	33.7	94.1	-110.2	145.0	310.5	0.69	0.00	1.00	B34R
312	8.4	0.176	0.062	2.815	-4.857	4.799	15.7	-37.2	40.4	292.8	34.8	95.6	-108.2	144.3	311.4	0.7	0.00	1.00	B35R
313	9.0	0.184	0.066	2.794	-4.527	4.487	16.6	-36.9	40.5	294.2	36.0	97.0	-106.0	143.7	312.4	0.72	0.00	1.00	B36R
314	9.6	0.193	0.069	2.771	-4.215	4.196	17.6	-36.6	40.6	295.7	37.2	98.4	-103.8	143.1	313.4	0.74	0.00	1.00	B37R
315	10.3	0.202	0.073	2.748	-3.925	3.925	18.6	-36.2	40.7	297.2	38.5	99.8	-101.6	142.4	314.4	0.76	0.00	1.00	B38R
316	11.1	0.211	0.077	2.724	-3.654	3.675	19.7	-35.8	40.9	298.8	39.8	101.1	-99.3	141.8	315.5	0.77	0.00	1.00	B38R
317	11.9	0.221	0.081	2.7	-3.405	3.446	20.9	-35.4	41.2	300.5	41.1	102.5	-97.0	141.1	316.5	0.77	0.00	1.00	B39R
318	12.8	0.22	0.086	2.676	-3.147	3.237	22.1	-35.0	41.4	302.2	42.4	103.8	-94.6	140.5	317.6	0.81	0.00	1.00	B40R
319	13.7	0.239	0.09	2.652	-2.963	3.047	23.3	-34.6	41.7	303.9	43.8	105.1	-92.2	139.9	318.7	0.83	0.00	1.00	B41R
320	14.6	0.249	0.094	2.628	-2.769	2.874	24.5	-34.1	42.1	305.7	45.1	106.4	-89.8	139.3	319.8	0.84	0.00	1.00	B42R
321	15.6	0.258	0.099	2.605	-2.592	2.718	25.8	-33.7	42.4	307.5	46.4	107.6	-87.5	138.7	320.8	0.86	0.00	1.00	B43R
322	16.6	0.267	0.103	2.582	-2.431	2.578	27.1	-33.2	42.9	309.2	47.8	108.7	-85.1	138.1	321.9	0.88	0.00	1.00	B44R
323	17.6	0.276	0.107	2.56	-2.284	2.51	28.4	-32.7	43.3	311.0	49.1	109.8	-82.8	137.5	322.9	0.9	0.00	1.00	B45R
324	18.7	0.284	0.112	2.538	-2.151	2.337	29.8	-32.2	43.8	312.7	50.4	110.9	-80.4	137.0	324.0	0.91	0.00	1.00	B45R
325	19.8	0.292	0.116	2.516	-2.03	2.235	31.1	-31.6	44.4	314.4	51.6	111.8	-78.2	136.5	325.0	0.93	0.00	1.00	B46R
326	20.9	0.3	0.12	2.496	-1.924	2.143	32.4	-31.1	44.9	316.1	52.9	112.7	-76.0	136.0	326.0	0.95	0.00	1.00	B47R
327	23.0	0.313	0.128	2.442	-														

Oswald optimal colours (o) of maximum (m) C _{AB} for D65, Y _{w,10} =100, Y _m =520_770, CIELAB data													%
i ₁ , λ ₁	i ₂ , λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code	%	
0 405	31 556	79.94	−66.31	−34.08	74.56	0.1807	−0.1034	207.2	15 476	37 585	Cm	%	
6 435	31 557	80.42	−82.6	−17.8	84.5	0.1724	−0.0949	192.1	16 480	44 621		%	
10 450	31 559	80.48	−108.29	14.97	109.32	0.1591	−0.078	172.1	18 491	−1 491c		%	
11 460	32 562	81.44	−111.37	27.39	114.69	0.1581	−0.0717	166.1	19 498	−1 498c		%	
12 465	33 565	82.34	−112.77	40.26	119.75	0.1579	−0.0653	160.3	21 506	−1 506c		%	
14 470	34 570	83.48	−109.79	65.41	127.8	0.1601	−0.053	149.2	24 522	−1 522c		%	
15 475	35 579	86.33	−94.64	81.3	124.77	0.169	−0.0462	139.3	26 533	−1 533c	Gm	%	
16 480	41 606	92.55	−53.33	102.14	115.22	0.1907	−0.0389	117.5	30 550	−1 550c		%	
16 485	−1 484c	96.94	−20.21	109.71	111.55	0.2063	−0.0374	100.4	32 560	10 454		%	
18 490	−1 490c	95.61	−14.83	124.45	125.34	0.2086	−0.0302	96.7	32 562	11 459	max	%	
19 495	−1 495c	94.76	−11.22	130.34	130.82	0.2101	−0.0271	94.9	32 563	12 461		%	
19 500	−1 499c	94.76	−11.22	130.34	130.82	0.2101	−0.0271	94.9	32 563	12 461		%	
22 510	−1 510c	91.28	2.92	142.55	142.58	0.2166	−0.0195	88.8	33 567	13 466		%	
23 520	−1 519c	89.77	8.54	144.07	144.32	0.2192	−0.0174	86.6	33 568	13 468	Ym	%	
26 530	−1 530c	84.06	27.32	142.33	144.93	0.2288	−0.0115	79.1	34 573	14 472		%	
27 540	−1 539c	81.79	33.86	139.63	143.68	0.2325	−0.0095	76.3	35 576	14 473		%	
28 545	−1 544c	79.35	40.37	136.19	142.05	0.2363	−0.0075	73.4	35 578	14 474		%	
29 550	−1 549c	76.75	46.79	132.12	140.16	0.2404	−0.0054	70.4	36 580	15 475		%	
31 555	−1 555c	71.13	58.79	122.64	136.0	0.2489	0.0	64.3	37 586	15 476		%	
32 560	10 451	69.5	84.42	−15.9	85.9	0.2645	−0.095	349.3	−1 492c	18 492		%	
380	770	100.0	0.0	0.0	0.0	0.2152	−0.0857	0.0				%	
Oswald optimal colours (o) of maximum (m) C _{AB} for D65, Y _{w,10} =100, Y _m =770_520, CIELAB complementary													%
i ₁ , λ ₁	i ₂ , λ ₂	L* ₁₀₀	a* ₁₀₀	b* ₁₀₀	C* _{ab}	a'	b'	h _{ab}	i _d , λ _d	i _c , λ _c	Code	%	
31 556	0 405	71.84	57.81	111.35	125.47	0.2481	−0.0221	62.5	37 585	15 476	Rm	%	
31 557	6 435	71.27	68.77	29.56	74.85	0.2546	−0.0689	23.2	44 621	16 480		%	
31 559	10 450	71.19	81.9	−15.15	83.29	0.2621	−0.0944	349.5	−1 491c	18 491		%	
32 562	11 460	69.98	86.63	−25.22	90.23	0.2655	−0.1003	343.7	−1 498c	19 498		%	
33 565	12 465	68.81	90.56	−33.85	96.68	0.2685	−0.1056	339.5	−1 506c	21 506		%	
34 570	14 470	67.22	93.6	−46.01	104.3	0.2714	−0.1132	333.8	−1 522c	24 522		%	
35 579	15 475	62.81	97.27	−56.68	112.58	0.2768	−0.1215	329.7	−1 533c	26 533	Mm	%	
41 606	16 480	49.57	94.8	−81.7	125.15	0.2874	−0.1477	319.2	−1 550c	30 550		%	
−1 484c	16 485	33.36	73.3	−109.63	131.88	0.2894	−0.1962	303.7	10 454	32 560		%	
−1 490c	18 490	39.48	47.93	−101.69	112.42	0.2584	−0.1769	295.2	11 459	32 562	min	%	
−1 495c	19 495	42.69	34.2	−96.93	102.79	0.2443	−0.1679	289.4	12 461	32 563		%	
−1 499c	19 500	42.69	34.2	−96.93	102.79	0.2443	−0.1679	289.4	12 461	32 563		%	
−1 510c	22 510	52.84	−7.33	−80.67	81.0	0.2099	−0.144	264.8	13 466	33 567		%	
−1 519c	23 520	56.28	−19.89	−74.95	77.55	0.2014	−0.1373	255.1	13 468	33 568	Bm	%	
−1 530c	26 530	66.39	−49.47	−57.84	76.11	0.1852	−0.1206	229.4	14 472	34 573		%	
−1 539c	27 540	69.54	−55.96	−52.46	76.71	0.1825	−0.1162	223.1	14 473	35 576		%	
−1 544c	28 545	72.53	−60.74	−47.32	77.0	0.1809	−0.1123	217.9	14 474	35 578		%	
−1 549c	29 550	75.38	−63.87	−42.44	76.68	0.1803	−0.1088	213.6	15 475	36 580		%	
−1 555c	31 555	80.53	−65.58	−33.56	73.67	0.1813	−0.103	207.1	15 476	37 586		%	
10 451	32 560	81.82	−103.91	14.76	104.95	0.1621	−0.0782	171.9	18 492	−1 492c		%	
380	770	100.0	0.0	0.0	0.0	0.2152	−0.0857	0.0				%	
1-001000-L0										VE450-7X			

rgb _{cab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																			
Yxy, abc _{AB} , ABC _{AB} , LabC _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 10 degree observer																			
Elementary hue circle with 4 intended elementary hues 9 angles: h _{ab} = 25.9, 87.3, 158.8, 252.1 of CIELAB, and 90 intended hue angles:																			
000, 001, ..., 089, CIELAB data of CIE test colours 9 (R): 39.2 54.5 26.4, 10 (Y): 79.5 3.2 71.0, 11 (G): 52.3 -39.6 15.3, 12 (B): 33.6 -12.8 -39.9																			
no. _{ab}	ab ₀	x ₁₀	Y ₁₀	a ₁₀	b ₁₀	C _{ab} 10	A ₁₀	B ₁₀	C _{ab} 10	h _{AB} 10	L ₁₀	a*	b*	C _{ab} 10	h _{AB} 10	rgb _{cab} 10	Code _{ab} 10		
000	40.0	0.447	0.257	1.737	-0.458	0.789	31.5	-1.1	31.6	357.8	69.4	82.4	-3.2	82.4	357.7	1.00 0.00 0.48	B75R		
001	40.0	0.45	0.259	1.734	-0.445	0.786	31.4	-0.6	31.4	358.8	69.4	82.2	-1.8	82.2	358.7	1.00 0.00 0.46	B76R		
002	40.0	0.454	0.262	1.731	-0.432	0.783	31.3	-0.1	31.3	359.7	69.5	81.9	-0.3	81.9	359.7	1.00 0.00 0.44	B77R		
003	40.0	0.457	0.264	1.728	-0.419	0.78	31.2	0.3	31.2	0.7	69.5	81.7	1.1	81.7	0.7	1.00 0.00 0.42	B78R		
004	40.0	0.461	0.267	1.725	-0.406	0.778	31.1	0.9	31.1	1.6	69.5	81.4	2.6	81.4	1.8	1.00 0.00 0.4	B79R		
005	40.0	0.464	0.269	1.722	-0.393	0.775	31.0	1.4	31.0	2.6	69.5	81.1	4.2	81.3	2.9	1.00 0.00 0.38	B80R		
006	40.0	0.468	0.272	1.719	-0.38	0.773	30.9	1.9	30.9	3.6	69.5	80.8	5.7	81.1	4.0	1.00 0.00 0.36	B81R		
007	40.0	0.472	0.275	1.716	-0.367	0.77	30.7	2.4	30.8	4.5	69.5	80.6	7.4	80.9	5.2	1.00 0.00 0.35	B82R		
008	40.0	0.475	0.277	1.713	-0.354	0.768	30.6	2.9	30.8	5.5	69.5	80.3	9.0	80.8	6.4	1.00 0.00 0.33	B83R		
009	40.1	0.479	0.28	1.709	-0.342	0.766	30.5	3.5	30.7	6.5	69.5	80.0	10.7	80.7	7.6	1.00 0.00 0.31	B84R		
010	40.1	0.483	0.283	1.706	-0.329	0.764	30.4	4.0	30.6	7.5	69.5	79.7	12.4	80.7	8.8	1.00 0.00 0.29	B85R		
011	40.1	0.487	0.286	1.702	-0.316	0.762	30.2	4.5	30.6	8.4	69.5	79.4	14.2	80.7	10.1	1.00 0.00 0.27	B86R		
012	40.1	0.491	0.289	1.699	-0.304	0.761	30.1	5.0	30.5	9.4	69.5	79.1	15.9	80.7	11.4	1.00 0.00 0.25	B87R		
013	40.1	0.494	0.291	1.695	-0.292	0.759	30.0	5.5	30.5	10.4	69.5	78.8	17.7	80.8	12.7	1.00 0.00 0.23	B88R		
014	40.1	0.498	0.294	1.691	-0.279	0.758	29.8	6.0	30.4	11.3	69.5	78.5	19.6	80.9	14.0	1.00 0.00 0.22	B88R		
015	40.2	0.502	0.297	1.687	-0.268	0.757	29.7	6.4	30.4	12.2	69.6	78.2	21.4	81.1	15.3	1.00 0.00 0.2	B89R		
016	40.2	0.506	0.3	1.683	-0.256	0.756	29.6	6.9	30.4	13.2	69.6	77.8	23.3	81.3	16.6	1.00 0.00 0.18	B90R		
017	40.2	0.51	0.303	1.68	-0.244	0.754	29.4	7.4	30.3	14.1	69.6	77.5	25.2	81.5	18.0	1.00 0.00 0.16	B91R		
018	40.2	0.514	0.306	1.676	-0.233	0.753	29.3	7.8	30.3	15.0	69.6	77.2	27.1	81.8	19.3	1.00 0.00 0.14	B92R		
019	40.2	0.517	0.309	1.672	-0.222	0.752	29.1	8.3	30.3	15.9	69.6	76.8	29.0	82.1	20.6	1.00 0.00 0.12	B93R		
020	40.3	0.521	0.312	1.667	-0.211	0.752	29.0	8.7	30.3	16.8	69.6	76.5	30.9	82.5	22.0	1.00 0.00 0.1	B94R		
021	40.3	0.525	0.315	1.663	-0.201	0.751	28.8	9.1	30.2	17.6	69.7	76.1	32.9	82.9	23.4	1.00 0.00 0.09	B95R		
022	40.3	0.528	0.318	1.659	-0.191	0.75	28.7	9.6	30.2	18.5	69.7	75.8	34.9	83.4	24.7	1.00 0.00 0.07	B96R		
023	40.3	0.532	0.321	1.655	-0.181	0.749	28.6	10.0	30.2	19.3	69.7	75.5	36.9	84.0	26.0	1.00 0.00 0.06	B97R		
024	40.4	0.536	0.324	1.651	-0.171	0.748	28.4	10.4	30.2	20.1	69.7	75.0	38.9	84.5	27.4	1.00 0.00 0.03	B98R		
025	40.4	0.539	0.327	1.646	-0.162	0.748	28.2	10.8	30.2	20.9	69.7	74.7	41.0	85.2	28.7	1.00 0.00 0.01	B99R		
026	40.4	0.542	0.33	1.642	-0.152	0.747	28.1	11.1	30.2	21.7	69.8	74.3	43.0	85.9	30.0	1.00 0.00 0.00	R00Y		
027	40.5	0.546	0.333	1.638	-0.144	0.746	27.9	11.5	30.2	22.4	69.8	73.9	45.1	86.6	31.3	1.00 0.01 0.00	R01Y		
028	40.5	0.549	0.336	1.633	-0.135	0.745	27.7	11.9	30.2	23.1	69.8	73.5	47.1	87.4	32.6	1.00 0.00 0.03	R03Y		
029	40.5	0.552	0.339	1.629	-0.127	0.745	27.6	12.2	30.2	23.8	69.8	73.2	49.2	88.2	33.9	1.00 0.00 0.05	R05Y		
030	40.5	0.555	0.342	1.624	-0.119	0.744	27.4	12.5	30.2	24.5	69.8	72.8	51.3	89.1	35.1	1.00 0.00 0.06	R06Y		
031	40.6	0.558	0.344	1.62	-0.112	0.743	27.3	12.8	30.2	25.2	69.9	72.4	53.4	90.0	36.4	1.00 0.00 0.08	R08Y		
032	40.6	0.561	0.347	1.615	-0.104	0.742	27.1	13.1	30.1	25.9	69.9	72.0	55.5	90.9	37.7	1.00 0.00 0.09	R09Y		
033	40.7	0.564	0.35	1.611	-0.097	0.741	26.9	13.4	30.1	26.5	69.9	71.6	57.6	91.9	38.8	1.00 0.11 0.00	R11Y		
034	40.7	0.566	0.352	1.606	-0.091	0.74	26.8	13.7	30.1	27.1	69.9	71.2	59.8	93.0	40.0	1.00 0.13 0.00	R13Y		
035	40.7	0.569	0.355	1.602	-0.084	0.739	26.6	14.0	30.1	27.7	70.0	70.8	61.9	94.1	41.1	1.00 0.14 0.00	R14Y		
036	40.8	0.571	0.357	1.597	-0.078	0.738	26.5	14.3	30.1	28.3	70.0	70.4	64.0	95.2	42.2	1.00 0.16 0.00	R16Y		
037	40.8	0.573	0.36	1.592	-0.072	0.736	26.3	14.5	30.0	28.9	70.0	70.0	66.2	96.3	43.3	1.00 0.18 0.00	R18Y		
038	40.8	0.576	0.362	1.588	-0.067	0.735	26.1	14.8	30.0	29.4	70.1	69.6	68.3	97.5	44.4	1.00 0.19 0.00	R19Y		
039	40.9	0.578	0.365	1.583	-0.062	0.733	26.0	15.0	30.0	30.0	70.1	69.2	70.5	98.6	45.5	1.00 0.21 0.00	R21Y		
040	40.9	0.58	0.367	1.578	-0.057	0.732	25.8	15.2	30.0	30.6	70.1	68.8	72.6	99.6	46.6	1.00 0.22 0.00	R22Y		
041	41.0	0.581	0.369	1.574	-0.052	0.73	25.6	15.4	29.9	31.0	70.1	68.4	74.8	101.3	47.5	1.00 0.24 0.00	R24Y		
042	41.0	0.583	0.371	1.569	-0.048	0.728	25.5	15.6	29.9	31.5	70.2	67.9	76.9	102.6	48.5	1.00 0.26 0.00	R26Y		
043	41.1	0.584	0.373	1.564	-0.044	0.727	25.3	15.8	29.9	31.9	70.2	67.5	79.0	104.0	49.4	1.00 0.27 0.00	R27Y		
044	41.1	0.586	0.375	1.56	-0.04	0.725	25.1	16.0	29.8	32.4	70.2	67.1	81.2	105.3	50.4	1.00 0.29 0.00	R29Y		
045	41.2	0.587	0.377	1.555	-0.036	0.723	25.0	16.1	29.8	32.8	70.3	66.7	83.3	106.7	51.3	1.00 0.31 0.00	R31Y		
046	41.2	0.588	0.379	1.55	-0.033	0.721	24.8	16.3	29.7	33.3	70.3	66.3	85.4	108.2	52.1	1.00 0.32 0.00	R32Y		
047	41.3	0.589	0.381	1.546	-0.03	0.72	24.7	16.5	29.7	33.7	70.4	65.9	87.6	109.6	53.0	1.00 0.32 0.00	R34Y		
048	41.3	0.59	0.383	1.541	-0.027	0.718	24.5	16.6	29.6	34.1	70.4	65.5	89.7	111.0	53.8	1.00 0.35 0.00	R35Y		
049	41.4	0.591	0.384	1.536	-0.024	0.714	24.3	16.7	29.5	34.5	70.4	65.0	91.8	112.5	54.6	1.00 0.37 0.00	R37Y		
050	41.4	0.592	0.386	1.532	-0.021	0.712	24.2	16.9	29.5	34.9	70.5	64.6	93.9	114.0	55.4	1.00 0.39 0.00	R39Y		
051	41.5	0.592	0.388	1.527	-0.019	0.709	24.0	17.0	29.4	35.2	70.5	64.2	96.0	115.5	56.2	1.00 0.4	0.00	R40Y	
052	41.5	0.593	0.389	1.522	-0.017	0.707	23.8	17.1	29.4	35.6	70.5	63.8	98.1	117.0	56.9	1.00 0.42 0.00	R42Y		
053	41.6	0.593	0.391	1.518	-0.015	0.704	23.7	17.2	29.3	35.9	70.6	63.4	100.1	118.5	57.6	1.00 0.44 0.00	R44Y		
054	41.7	0.594	0.392	1.513	-0.013	0.701	23.5	17.3	29.2	36.3	70.6	63.0	102.2	120.0	58.3	1.00 0.45 0.00	R45Y		
055	41.7	0.594	0.393	1.508	-0.011	0.699	23.4	17.4	29.1	36.6	70.7	62.6	104.2	121.6	59.0	1.00 0.47 0.00	R47Y		
056	41.8	0.594	0.395	1.504	-0.01	0.696	23.2	17.5	29.1	36.9	70.7	62.1	106.2	123.1	59.6	1.00 0.48 0.00	R48Y		
057	41.8	0.594	0.396	1.499	-0.009	0.693	23.1	17.6	29.0	37.3	70.7	61.7	108.3	124.7	60.3	1.00 0.5	0.00	R50Y	
058	41.9	0.594	0.397	1.495	-0.007	0.69	22.9	17.6	28.9	37.6	70.8	61.3	110.2	126.2	60.9	1.00 0.52 0.00	R52Y		
059	42.0	0.594	0.398	1.49	-0.006	0.687	22.7	17.7	28.9	37.9	70.8	60.9	112.3	127.7	61.5	1.00 0.53 0.00	R53Y		
060	42.0	0.594	0.4	1.486	-0.005	0.685	22.6	17.8	28.8	38.2	70.9	60.5	114.2	129.3	62.0</				

rgb _{cab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																											
Yxy _{cab} , ABC _{AB} , LabC _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 10 degree observer																											
Elementary hue circle with 4 intended elementary hues angles: h _{ab} = 25.9, 87.3, 158.8, 252.1 of CIELAB, 90 intended hues angles:																											
090, 091, ..., 179, CIELAB data of CIE test colours 9 (R): 39.5, 45.5, 26.4, 10 (Y): 79.5, 3.2, 71.0, 11 (G): 52.3 – 39.6, 15, 12 (B): 33.6 – 12.8 – 39.9																											
no.	ab	x ₁₀	y ₁₀	a ₁₀	b ₁₀	C _{ab} 10	A ₁₀	B ₁₀	C _{AB} 10	h _{AB} 10	L _Y	a*	b*	C _{ab} 10	h _{ab} 10	rgb _{ab} 10	Code _{ab} 10										
090	86.6	0.482	0.508	0.949	-0.006	0.423	0.0	34.1	34.1	89.8	91.9	0.1	140.3	140.3	89.9	0.96	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
091	82.0	0.478	0.511	0.944	-0.007	0.422	-1.1	34.4	34.6	91.0	92.5	-2.3	138.2	138.2	89.9	0.94	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
092	83.4	0.473	0.514	0.919	-0.009	0.421	-2.4	35.0	35.1	93.9	93.1	-4.8	136.0	136.1	92.0	0.93	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
093	84.7	0.468	0.517	0.905	-0.01	0.422	-3.6	35.4	35.6	95.8	93.7	-7.2	133.9	134.1	93.0	0.92	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
094	86.0	0.464	0.519	0.892	-0.012	0.42	-4.7	35.8	36.1	97.5	94.3	-9.4	131.9	132.3	94.0	0.9	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
095	87.1	0.46	0.521	0.882	-0.013	0.42	-5.7	36.1	36.6	99.0	94.7	-11.3	130.2	130.7	94.9	0.89	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
096	88.0	0.456	0.522	0.873	-0.015	0.42	-6.5	36.3	36.9	100.2	95.1	-12.9	127.8	128.5	95.7	0.87	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
097	89.3	0.451	0.522	0.863	-0.019	0.418	-7.5	36.6	37.3	101.0	95.7	-14.8	123.7	124.6	96.8	0.86	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
098	90.2	0.448	0.523	0.854	-0.024	0.417	-8.4	36.7	37.6	101.0	96.3	-15.1	119.7	120.7	97.2	0.85	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
099	91.8	0.444	0.518	0.856	-0.028	0.411	-8.4	36.8	37.7	102.8	96.7	-16.2	115.5	116.7	97.9	0.83	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100	92.3	0.437	0.518	0.853	-0.033	0.409	-9.6	36.5	37.8	104.8	96.8	-18.6	111.4	112.9	99.4	0.82	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
101	92.2	0.432	0.52	0.83	-0.035	0.41	-10.8	36.2	37.8	106.6	96.8	-20.9	109.4	111.4	108.0	0.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
102	91.7	0.43	0.522	0.823	-0.036	0.412	-11.4	36.0	37.8	107.6	96.7	-22.3	109.0	111.3	101.5	0.79	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
103	91.3	0.427	0.524	0.814	-0.036	0.414	-12.1	35.8	37.8	108.7	96.5	-23.8	108.6	111.2	102.3	0.78	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
104	90.9	0.424	0.526	0.806	-0.036	0.417	-12.8	35.6	37.9	109.8	96.3	-25.4	108.2	111.1	103.2	0.76	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
105	90.4	0.421	0.529	0.797	-0.037	0.42	-13.6	35.4	37.9	111.0	96.1	-27.1	107.8	111.1	104.1	0.75	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
106	89.9	0.418	0.531	0.787	-0.037	0.423	-14.4	35.2	38.0	112.9	95.9	-28.8	105.4	111.2	105.0	0.73	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
107	89.3	0.415	0.534	0.778	-0.037	0.427	-15.1	35.0	38.1	113.4	95.7	-30.6	107.0	111.3	105.9	0.72	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
108	88.7	0.412	0.536	0.768	-0.037	0.431	-15.9	34.7	38.2	114.6	95.4	-32.5	106.6	111.5	106.9	0.71	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
109	88.1	0.408	0.539	0.757	-0.037	0.435	-16.7	34.4	38.3	115.9	95.2	-34.5	106.3	111.7	107.9	0.69	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
110	87.5	0.405	0.542	0.747	-0.038	0.439	-17.5	34.2	38.4	117.2	94.9	-36.5	105.9	112.0	109.0	0.68	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
111	86.8	0.401	0.545	0.736	-0.038	0.444	-18.4	33.9	38.6	118.4	94.6	-38.5	105.5	112.3	110.0	0.66	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
112	86.1	0.398	0.549	0.724	-0.038	0.45	-19.2	33.6	38.7	119.7	94.3	-40.7	105.0	112.6	111.1	0.65	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
113	85.4	0.394	0.552	0.713	-0.038	0.455	-20.0	33.3	38.9	120.9	94.0	-42.8	104.6	113.0	112.2	0.64	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
114	84.6	0.39	0.555	0.701	-0.039	0.461	-20.8	33.0	39.0	122.2	93.7	-45.1	104.1	113.3	113.1	0.62	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
115	83.9	0.385	0.559	0.69	-0.039	0.467	-21.6	32.7	39.2	123.4	93.4	-47.3	103.6	113.9	114.5	0.61	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
116	83.1	0.381	0.562	0.678	-0.039	0.474	-22.4	32.4	39.4	124.6	93.0	-49.6	103.0	114.4	115.7	0.59	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
117	82.4	0.377	0.566	0.666	-0.04	0.48	-23.2	32.0	39.6	125.8	92.7	-51.9	102.4	114.9	116.8	0.58	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
118	81.6	0.372	0.569	0.655	-0.04	0.486	-23.9	31.7	39.7	127.0	92.4	-54.1	101.8	115.3	118.0	0.57	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
119	81.0	0.368	0.571	0.645	-0.041	0.492	-24.5	31.4	39.8	127.9	92.1	-56.1	100.9	115.5	119.0	0.55	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
120	80.3	0.364	0.574	0.634	-0.042	0.498	-25.1	31.1	40.0	128.9	91.8	-58.1	100.1	115.8	120.1	0.54	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
121	79.7	0.36	0.577	0.624	-0.043	0.503	-25.7	30.7	40.1	129.9	91.5	-60.1	99.2	116.0	121.2	0.52	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
122	79.0	0.356	0.579	0.614	-0.044	0.509	-26.3	30.4	40.2	130.9	91.2	-62.1	98.3	116.1	122.3	0.51	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
123	78.4	0.352	0.582	0.604	-0.044	0.515	-26.9	30.1	40.4	131.7	90.9	-64.2	97.4	116.7	123.3	0.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
124	77.7	0.347	0.584	0.594	-0.046	0.521	-27.4	29.8	40.5	132.6	90.6	-66.2	96.5	117.0	124.4	0.48	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
125	77.1	0.343	0.587	0.584	-0.047	0.527	-28.0	29.4	40.6	133.5	90.3	-68.2	95.6	117.4	125.5	0.47	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
126	76.4	0.339	0.589	0.574	-0.048	0.533	-28.5	29.1	40.7	134.4	90.0	-70.2	94.6	117.8	126.5	0.45	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
127	75.8	0.334	0.592	0.565	-0.049	0.539	-29.0	28.8	40.9	135.2	89.7	-72.2	93.6	118.2	127.6	0.44	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
128	75.1	0.33	0.594	0.555	-0.05	0.545	-29.5	28.4	41.0	136.0	89.4	-74.2	92.6	118.7	128.6	0.43	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
129	74.5	0.325	0.596	0.545	-0.051	0.551	-29.9	28.1	41.1	136.8	89.1	-76.1	91.7	119.2	129.7	0.41	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
130	73.9	0.321	0.598	0.536	-0.052	0.557	-30.4	27.8	41.2	137.6	88.8	-78.0	90.7	119.7	130.8	0.4	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
131	73.3	0.317	0.601	0.527	-0.054	0.563	-30.8	27.4	41.3	138.2	88.6	-80.0	89.6	120.2</													

rgb _{tab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																				
Yxy _{tab} , abc _{AB} , ABC _{AB} , LabC _{ab} , h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 10 degree observer																				
Elementary hue circle with 4 intended elementary hues 9 (R): 39.2, 54.5, 26.4, 10 (Y): 79.5, 32 71.0, 11 (G): 52.3 - 39.6 intended hue angles:																				
180, 181, ..., 2619, CIELAB data of CIE test colours 9 (R): 39.2 54.5 26.4, 10 (Y): 79.5 32 71.0, 11 (G): 52.3 - 39.6 12.5, 12 (B): 33.6 - 12.8 - 39.9																				
no. _{ab}	x ₁₀	y ₁₀	a ₁₀	b ₁₀	ab ₁₀	A ₁₀	B ₁₀	C _{ab} ₁₀	h _{AB} ₁₀	L _Y	a*	b*	C*	h _{AB} ₁₀	h _{AB} ₁₀	rgb _{ab} ₁₀	rgb _{ab} ₁₀	Code _{ab} ₁₀		
180	41.9	0.557	0.353	1.577	-0.1	0.71	26.4	13.8	29.8	27.5	70.8	69.2	57.5	90.0	39.7	0.00	1.00	0.45	G22B	
181	41.9	0.557	0.352	1.579	-0.101	0.71	26.4	13.7	29.8	27.4	70.8	69.3	57.0	89.8	39.4	0.00	1.00	0.47	G23B	
182	41.9	0.556	0.352	1.58	-0.103	0.711	26.5	13.6	29.8	27.2	70.8	69.4	56.5	89.5	39.1	0.00	1.00	0.49	G24B	
183	41.9	0.555	0.351	1.581	-0.105	0.711	26.5	13.5	29.8	27.0	70.8	69.5	55.9	89.3	38.8	0.00	1.00	0.51	G25B	
184	41.9	0.555	0.35	1.582	-0.107	0.711	26.6	13.5	29.8	26.9	70.8	69.6	55.4	89.0	38.5	0.00	1.00	0.53	G26B	
185	41.9	0.554	0.35	1.583	-0.108	0.712	26.6	13.4	29.8	26.7	70.8	69.8	54.9	88.8	38.2	0.00	1.00	0.56	G28B	
186	41.8	0.553	0.349	1.588	-0.11	0.712	26.6	13.3	29.8	26.5	70.7	69.9	54.4	88.6	37.9	0.00	1.00	0.58	G29B	
187	41.8	0.553	0.348	1.586	-0.112	0.712	26.7	13.2	29.8	26.4	70.7	70.0	53.9	88.3	37.6	0.00	1.00	0.6	G30B	
188	41.8	0.552	0.348	1.587	-0.114	0.713	26.7	13.1	29.8	26.2	70.7	70.1	53.4	88.1	37.2	0.00	1.00	0.62	G31B	
189	41.8	0.551	0.347	1.588	-0.115	0.713	26.8	13.0	29.8	26.0	70.7	70.2	52.8	87.9	36.9	0.00	1.00	0.64	G32B	
190	41.8	0.551	0.346	1.59	-0.117	0.713	26.8	13.0	29.8	25.8	70.7	70.3	52.3	87.7	36.6	0.00	1.00	0.66	G33B	
191	41.8	0.55	0.345	1.591	-0.119	0.713	26.9	12.9	29.8	25.7	70.7	70.4	51.8	87.4	36.3	0.00	1.00	0.68	G34B	
192	41.8	0.549	0.345	1.592	-0.121	0.714	26.9	12.8	29.8	25.5	70.7	70.5	51.3	87.2	36.0	0.00	1.00	0.71	G35B	
193	41.7	0.549	0.344	1.593	-0.123	0.714	26.9	12.7	29.8	25.3	70.7	70.6	50.8	87.0	35.7	0.00	1.00	0.73	G36B	
194	41.7	0.548	0.343	1.595	-0.125	0.714	27.0	12.7	29.8	25.1	70.7	70.7	50.3	86.8	35.4	0.00	1.00	0.75	G37B	
195	41.7	0.547	0.343	1.596	-0.127	0.715	27.0	12.6	29.8	24.9	70.7	70.8	49.8	86.6	35.0	0.00	1.00	0.77	G38B	
196	41.7	0.546	0.342	1.597	-0.129	0.715	27.1	12.5	29.8	24.8	70.7	70.9	49.2	86.4	34.7	0.00	1.00	0.79	G39B	
197	41.7	0.546	0.341	1.598	-0.131	0.715	27.1	12.4	29.8	24.6	70.6	71.0	48.7	86.2	34.4	0.00	1.00	0.81	G40B	
198	41.7	0.545	0.34	1.599	-0.133	0.715	27.2	12.3	29.8	24.4	70.6	71.1	48.2	86.0	34.1	0.00	1.00	0.83	G41B	
199	41.7	0.544	0.34	1.601	-0.135	0.716	27.2	12.2	29.8	24.2	70.6	71.2	47.7	85.8	33.8	0.00	1.00	0.86	G43B	
200	41.7	0.543	0.339	1.602	-0.137	0.716	27.2	12.1	29.8	24.0	70.6	71.4	47.2	85.6	33.4	0.00	1.00	0.88	G44B	
201	41.6	0.543	0.338	1.603	-0.139	0.716	27.3	12.0	29.8	23.8	70.6	71.5	46.7	85.4	33.1	0.00	1.00	0.9	G45B	
202	41.6	0.542	0.337	1.604	-0.141	0.717	27.3	11.9	29.8	23.6	70.6	71.6	46.2	85.2	32.8	0.00	1.00	0.92	G46B	
203	41.6	0.541	0.337	1.606	-0.143	0.717	27.4	11.9	29.8	23.4	70.6	71.7	45.6	85.0	32.4	0.00	1.00	0.94	G47B	
204	41.6	0.54	0.336	1.607	-0.145	0.717	27.4	11.8	29.8	23.2	70.6	71.8	45.1	84.8	32.1	0.00	1.00	0.96	G48B	
205	41.6	0.54	0.335	1.608	-0.147	0.717	27.4	11.7	29.8	23.0	70.6	71.9	44.6	84.6	31.8	0.00	1.00	0.98	G49B	
206	41.6	0.539	0.335	1.609	-0.15	0.718	27.5	11.6	29.8	22.8	70.6	72.0	44.1	84.4	31.5	0.00	0.98	1.00	G50B	
207	41.6	0.538	0.334	1.61	-0.152	0.718	27.5	11.5	29.8	22.6	70.6	72.1	43.6	84.3	31.1	0.00	0.96	1.00	G51B	
208	41.5	0.537	0.333	1.612	-0.154	0.718	27.6	11.4	29.8	22.4	70.5	72.2	43.1	84.1	30.8	0.00	0.94	1.00	G52B	
209	41.5	0.536	0.332	1.613	-0.156	0.719	27.6	11.3	29.9	22.2	70.5	72.3	42.6	83.9	30.4	0.00	0.92	1.00	G53B	
210	41.5	0.536	0.332	1.614	-0.158	0.719	27.7	11.2	29.9	22.0	70.5	72.4	42.1	83.8	30.1	0.00	0.9	1.00	G54B	
211	41.5	0.535	0.331	1.615	-0.161	0.719	27.7	11.1	29.9	21.8	70.5	72.5	41.5	83.6	29.8	0.00	0.88	1.00	G55B	
212	41.5	0.534	0.33	1.617	-0.163	0.719	27.7	11.0	29.9	21.6	70.5	72.6	41.0	83.4	29.4	0.00	0.86	1.00	G56B	
213	41.5	0.533	0.329	1.618	-0.165	0.72	27.8	10.9	29.9	21.4	70.5	72.7	40.5	83.3	29.1	0.00	0.83	1.00	G58B	
214	41.5	0.532	0.328	1.619	-0.168	0.72	27.8	10.8	29.9	21.2	70.5	72.8	40.0	83.1	28.7	0.00	0.81	1.00	G59B	
215	41.5	0.531	0.328	1.62	-0.17	0.72	27.9	10.7	29.9	21.0	70.5	72.9	39.5	83.0	28.4	0.00	0.79	1.00	G60B	
216	41.4	0.531	0.327	1.622	-0.172	0.721	27.9	10.6	29.9	20.8	70.5	73.0	39.0	82.8	28.1	0.00	0.77	1.00	G61B	
217	41.4	0.53	0.326	1.623	-0.175	0.721	28.0	10.5	29.9	20.6	70.5	73.2	38.5	82.7	27.7	0.00	0.75	1.00	G62B	
218	41.4	0.529	0.325	1.624	-0.177	0.721	28.0	10.4	29.9	20.4	70.5	73.3	38.0	82.5	27.4	0.00	0.73	1.00	G63B	
219	41.4	0.528	0.325	1.625	-0.179	0.722	28.0	10.3	29.9	20.2	70.4	73.4	37.5	82.4	27.0	0.00	0.71	1.00	G64B	
220	41.4	0.527	0.324	1.626	-0.182	0.722	28.1	10.2	29.9	20.0	70.4	73.5	37.0	82.2	26.7	0.00	0.69	1.00	G65B	
221	41.4	0.526	0.323	1.628	-0.184	0.722	28.1	10.1	29.9	19.7	70.4	73.6	36.5	82.1	26.3	0.00	0.66	1.00	G66B	
222	41.4	0.525	0.322	1.629	-0.187	0.723	28.2	10.0	29.9	19.5	70.4	73.7	36.0	82.0	26.0	0.00	0.64	1.00	G67B	
223	41.4	0.525	0.322	1.63	-0.189	0.723	28.2	9.9	29.9	19.3	70.4	73.8	35.4	81.9	25.6	0.00	0.62	1.00	G68B	
224	41.3	0.524	0.321	1.631	-0.192	0.723	28.2	9.8	29.9	19.1	70.4	73.9	34.9	81.7	25.3	0.00	0.6	1.00	G69B	
225	41.3	0.523	0.32	1.633	-0.194	0.724	28.3	9.6	29.9	18.8	70.4	74.0	34.4	81.6	24.9	0.00	0.58	1.00	G70B	
226	41.3	0.522	0.319	1.634	-0.197	0.724	28.3	9.5	29.9	18.6	70.4	74.1	33.9	81.5	24.6	0.00	0.56	1.00	G71B	
227	41.3	0.521	0.318	1.635	-0.2	0.724	28.4	9.4	29.9	18.4	70.4	74.2	33.4	81.4	24.2	0.00	0.53	1.00	G73B	
228	41.3	0.52	0.318	1.636	-0.202	0.725	28.4	9.3	29.9	18.2	70.4	74.3	32.9	81.3	23.9	0.00	0.51	1.00	G74B	
229	41.3	0.519	0.317	1.637	-0.205	0.725	28.5	9.2	29.9	17.9	70.4	74.4	32.4	81.2	23.5	0.00	0.49	1.00	G75B	
230	41.3	0.518	0.316	1.639	-0.207	0.725	28.5	9.1	29.9	17.7	70.3	74.5	31.9	81.1	23.2	0.00	0.47	1.00	G76B	
231	41.2	0.518	0.315	1.64	-0.21	0.726	28.5	9.0	29.9	17.5	70.3	74.6	31.4	81.0	22.8	0.00	0.45	1.00	G77B	
232	41.2	0.517	0.314	1.641	-0.212	0.726	28.6	8.9	29.9	17.3	70.3	74.7	30.9	80.9	22.5	0.00	0.43	1.00	G78B	
233	41.2	0.516	0.313	1.642	-0.215	0.726	28.6	8.8	29.9	17.1	70.3	74.8	30.3	80.8	22.2	0.00	0.41	1.00	G79B	
234	41.2	0.515	0.313	1.643	-0.218	0.727	28.7	8.6	29.9	16.8	70.3	74.9	30.0	80.7	21.8	0.00	0.38	1.00	G80B	
235	41.2	0.514	0.312	1.645	-0.221	0.727	28.7	8.5	30.0	16.6	70.3	75.0	29.5	80.6	21.4	0.00	0.36	1.00	G81B	
236	41.2	0.513	0.311	1.646	-0.224	0.727	28.7	8.4	30.0	16.3	70.3	75.1	29.0	80.5	21.1	0.00	0.34	1.00	G82B	
237	41.2	0.512	0.311	1.647	-0.226	0.728	28.8	8.3	30.0	16.1	70.3	75.2	28.5	80.4	20.7	0.00	0.32	1.00	G83B	
238	41.2	0.511	0.31	1.648	-0.229	0.728	28.8	8.2	30.0											

rgb _{cab} and CIE data of a elementary hue circle according to CIE R1-47 for Ostwald colours for CIE illuminant D65																											
Yxy, abc _{AB} , ABC _{AB} , LabC _{ab} h _{ab} data for relative spacing of elementary hue h _{ab} of CIELAB for CIE 10 degree observer																											
Elementary hue circle with 4 intended elementary hues (angles): h _{ab} = 25.9, 87.3, 158.8, 252.1 of CIELAB and 39.6 intended hue angles:																											
270, 271, ..., 360, CIELAB data of CIE test colours 9 (R): 39.2 54.5 26.4, 10 (Y): 79.5 3.2 71.0, 11 (G): 52.3 39.6 15.3, 12 (B): 33.6 12.8 39.9																											
no.	ab	Y ₁₀	X ₁₀	Y ₁₀	a ₁₀	b ₁₀	C _{ab} 10	A ₁₀	B ₁₀	C _{ab} 10	hA _B 10	L*	a*	b*	C _{ab} 10	hA _B 10	rgb _{cab} 10	Code _{lab}									
270	ab	0.8	0.481	0.285	1.686	-0.326	0.745	30.1	4.1	30.4	7.9	70.0	78.4	12.9	79.5	9.3	0.26	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
271	ab	0.8	0.48	0.284	1.687	-0.329	0.745	30.1	4.0	30.4	7.6	70.0	78.5	12.4	79.5	9.0	0.28	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
272	ab	0.7	0.479	0.283	1.688	-0.333	0.746	30.2	3.9	30.4	7.4	70.0	78.6	12.0	79.5	8.6	0.29	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
273	ab	0.7	0.478	0.283	1.689	-0.336	0.747	30.2	3.7	30.4	7.1	70.0	78.7	11.5	79.5	8.3	0.31	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
274	ab	0.7	0.477	0.282	1.69	-0.339	0.747	30.2	3.6	30.4	6.8	70.0	78.8	11.1	79.6	8.0	0.32	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
275	ab	0.7	0.476	0.281	1.691	-0.342	0.748	30.3	3.5	30.5	6.6	70.0	78.9	10.6	79.6	7.7	0.34	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
276	ab	0.7	0.475	0.281	1.692	-0.346	0.749	30.3	3.3	30.5	6.3	70.0	79.0	10.2	79.6	7.3	0.35	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
277	ab	0.7	0.474	0.281	1.693	-0.349	0.75	30.3	3.2	30.5	6.1	69.9	79.1	9.8	79.7	7.0	0.37	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
278	ab	0.7	0.473	0.279	1.695	-0.352	0.751	30.4	3.1	30.5	5.8	69.9	79.1	9.3	79.7	6.7	0.38	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
279	ab	0.7	0.472	0.278	1.696	-0.356	0.751	30.4	2.9	30.6	5.5	69.9	79.2	8.9	79.7	6.4	0.4	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
280	ab	0.7	0.471	0.278	1.697	-0.359	0.752	30.4	2.8	30.6	5.3	69.9	79.3	8.5	79.8	6.1	0.41	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
281	ab	0.6	0.471	0.277	1.698	-0.362	0.753	30.5	2.7	30.6	5.0	69.9	79.4	8.0	79.8	5.8	0.43	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
282	ab	0.6	0.47	0.276	1.699	-0.366	0.753	30.5	2.5	30.6	4.8	69.9	79.5	7.6	79.9	5.4	0.44	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
283	ab	0.6	0.469	0.275	1.7	-0.369	0.754	30.5	2.4	30.6	4.5	69.9	79.6	7.2	79.9	5.1	0.46	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
284	ab	0.6	0.468	0.275	1.701	-0.372	0.755	30.6	2.2	30.7	4.2	69.9	79.7	6.7	80.0	4.8	0.47	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
285	ab	0.6	0.467	0.274	1.702	-0.376	0.756	30.6	2.1	30.7	4.0	69.9	79.8	6.3	80.0	4.5	0.49	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
286	ab	0.6	0.466	0.273	1.703	-0.379	0.757	30.7	2.0	30.7	3.7	69.9	79.9	5.9	80.1	4.2	0.5	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
287	ab	0.6	0.465	0.273	1.704	-0.382	0.758	30.7	1.8	30.7	3.5	69.9	79.9	5.5	80.1	3.9	0.52	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
288	ab	0.6	0.464	0.272	1.705	-0.386	0.758	30.7	1.7	30.8	3.2	69.9	80.0	5.1	80.2	3.6	0.53	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
289	ab	0.6	0.463	0.271	1.706	-0.389	0.759	30.8	1.6	30.8	2.9	69.9	80.1	4.7	80.2	3.3	0.55	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
290	ab	0.5	0.462	0.27	1.707	-0.393	0.76	30.8	1.4	30.8	2.7	69.9	80.2	4.2	80.3	3.0	0.56	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
291	ab	0.5	0.461	0.27	1.708	-0.396	0.761	30.8	1.3	30.9	2.4	69.8	80.3	3.8	80.4	2.7	0.58	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
292	ab	0.5	0.46	0.269	1.709	-0.399	0.762	30.9	1.1	30.9	2.2	69.8	80.4	3.4	80.4	2.4	0.59	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
293	ab	0.5	0.458	0.268	1.71	-0.403	0.763	30.9	1.0	30.9	2.0	69.8	80.4	3.0	80.5	2.1	0.61	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
294	ab	0.5	0.459	0.268	1.712	-0.406	0.764	30.9	0.9	30.9	1.9	69.8	80.5	2.6	80.6	1.8	0.62	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
295	ab	0.5	0.458	0.267	1.713	-0.41	0.765	31.0	0.7	31.0	1.4	69.8	80.6	2.2	80.6	1.5	0.64	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
296	ab	0.5	0.457	0.266	1.714	-0.413	0.766	31.0	0.6	31.0	1.1	69.8	80.7	1.8	80.7	1.3	0.65	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
297	ab	0.5	0.456	0.266	1.715	-0.416	0.767	31.0	0.5	31.0	0.9	69.8	80.8	1.4	80.8	1.0	0.67	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
298	ab	0.5	0.455	0.265	1.716	-0.42	0.768	31.1	0.3	31.1	0.6	69.8	80.9	1.0	80.9	0.7	0.68	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
299	ab	0.5	0.454	0.264	1.717	-0.423	0.769	31.1	0.2	31.1	0.4	69.8	80.9	0.6	80.9	0.4	0.7	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
300	ab	0.4	0.453	0.264	1.718	-0.427	0.77	31.1	0.0	31.1	0.1	69.8	81.0	0.2	81.0	0.1	0.71	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
301	ab	0.4	0.452	0.263	1.719	-0.43	0.771	31.2	0.0	31.2	0.0	69.9	81.1	-0.1	81.1	0.0	0.73	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
302	ab	0.4	0.452	0.262	1.72	-0.433	0.772	31.2	-0.1	31.2	0.0	69.9	81.2	-0.2	81.2	-0.1	0.75	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
303	ab	0.4	0.451	0.262	1.721	-0.437	0.773	31.2	-0.3	31.2	0.0	69.9	81.3	-0.8	81.3	0.0	0.77	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
304	ab	0.4	0.45	0.261	1.722	-0.44	0.774	31.3	-0.4	31.3	0.0	69.9	81.4	-1.2	81.3	0.0	0.79	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
305	ab	0.4	0.449	0.26	1.723	-0.443	0.775	31.3	-0.5	31.3	0.0	69.9	81.4	-1.6	81.4	0.0	0.81	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
306	ab	0.4	0.448	0.26	1.723	-0.447	0.776	31.3	-0.7	31.3	0.0	69.9	81.5	-2.0	81.5	0.0	0.83	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
307	ab	0.4	0.447	0.259	1.724	-0.45	0.777	31.4	-0.8	31.4	0.0	69.9	81.6	-2.4	81.6	0.0	0.85	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
308	ab	0.4	0.446	0.258	1.725	-0.454	0.778	31.4	-1.0	31.4	0.0	69.9	81.6	-2.7	81.7	0.0	0.87	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
309	ab	0.4	0.446	0.258	1.726	-0.457	0.779	31.4	-1.1	31.4	0.0	69.9	81.7	-3.1	81.8	0.0	0.89	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
310	ab	0.3	0.445	0.257	1.727	-0.46	0.78	31.4	-1.2	31.5	0.0	69.9	81.8	-3.5	81.9	0.0	0.91	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
311	ab	0.3	0.444	0.257	1.728	-0.464	0.781	31.5	-1.4	31.5	0.0	69.9	81.9	-3.8	82.0	0.0	0.93	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
312	ab	0.3	0.443	0.256	1.729	-0.467	0.782	31.5	-1.5	31.5	0.0	69.9	82.0	-4.2	82.1	0.0	0.95	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
313	ab	0.3	0.442	0.255	1.73	-0.47	0.783	31.5	-1.6	31.6	0.0	69.9	82.0	-4.6	82.2	0.0	0.97	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00