

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/VG87/VG87L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIEXYZ*1000 data for all colour (a) of experiment, iimp=80, colour difference pairs RL=RICHTER_L %																					
0090383	0100000	0087548	0014496	0016680	0024815	0014489	0016550	00222192	0004200	04567	04567	02322	02671	02456	19065	17000000	(17000_RL)	48	-3	-19	%
0090383	0100000	0087548	0014489	0016550	0022192	0014837	0016910	0020719	0004200	03687	03687	02140	02458	02235	16373	17000001	(17000_RL)	48	-2	-14	%
0090383	0100000	0087548	0014837	0016910	0020719	0015255	0017230	0019885	0004200	02542	02542	01628	01890	01768	10968	17000002	(17000_RL)	48	-2	-11	%
0090383	0100000	0087548	0015255	0017230	0019885	0015432	0017340	0018911	0004200	02314	02314	01556	01858	01643	09340	17000003	(17000_RL)	49	-1	-9	%
0090383	0100000	0087548	0015432	0017340	0018911	0015482	0017170	0015850	0004200	06607	06607	04768	05847	05434	25539	17000004	(17000_RL)	49	0	-5	%
0090383	0100000	0087548	0015482	0017170	0015850	0014820	0016070	0010915	0010800	11080	11080	10531	14772	09686	40345	17000005	(17000_RL)	48	0	3	%
0090383	0100000	0087548	0014820	0016070	0010915	0015699	0016680	0006987	0010800	15293	15293	10904	13311	08808	37381	17000006	(17000_RL)	47	2	16	%
0090383	0100000	0087548	0015699	0016680	0006987	0016529	0017350	0004839	0010800	11461	11461	05535	06358	04948	20315	17000007	(17000_RL)	48	4	29	%
0090383	0100000	0087548	0016529	0017350	0004839	0016742	0017470	0003881	0010800	05681	05681	02187	02601	02087	07403	17000008	(17000_RL)	49	5	38	%
0090383	0100000	0087548	0016742	0017470	0003881	0016917	0017840	0001436	0010800	20728	20728	07420	09118	06530	18003	17000009	(17000_RL)	49	5	51	%
0090383	0100000	0087548	0006419	0017030	0004018	0007922	0016730	0006067	0014300	20074	20074	04430	06437	04876	21653	17000010	(17000_RL)	48	-61	33	%
0090383	0100000	0087548	0007922	0016730	0006067	0009556	0016630	0008201	0014300	17324	17324	04695	06229	05232	23493	17000011	(17000_RL)	48	-45	23	%
0090383	0100000	0087548	0009556	0016630	0008201	0011932	0016790	0011186	0014300	19737	19737	06752	08262	08008	33933	17000012	(17000_RL)	48	-29	14	%
0090383	0100000	0087548	0011932	0016790	0011186	0013881	0016710	0013673	0014300	15363	15363	07549	08686	10478	32620	17000013	(17000_RL)	48	-14	6	%
0090383	0100000	0087548	0013881	0016710	0013673	0014530	0016190	0014616	0014300	07882	07882	06162	07741	08807	20540	17000014	(17000_RL)	48	-4	0	%
0090383	0100000	0087548	0014530	0016190	0014616	0014679	0014850	0015253	0011300	09999	09999	09551	13795	11270	32696	17000015	(17000_RL)	46	3	-3	%
0090383	0100000	0087548	0014679	0014850	0015253	0015255	0014470	0016181	0011300	06611	06611	04604	05619	05056	19044	17000016	(17000_RL)	45	10	-7	%
0090383	0100000	0087548	0015255	0014470	0016181	0016569	0014270	0018080	0011300	10128	10128	05836	06811	05660	27934	17000017	(17000_RL)	45	18	-11	%
0090383	0100000	0087548	0016569	0014270	0018080	0017436	0014170	0019273	0011300	06150	06150	02813	03279	02705	16685	17000018	(17000_RL)	45	25	-15	%
0090383	0100000	0087548	0017436	0014170	0019273	0018143	0013820	0020384	0011300	06804	06804	02796	03275	02647	19838	17000019	(17000_RL)	44	31	-18	%
0090383	0100000	0087548	0026926	0015730	0003418	0024317	0015620	0005482	0020000	15815	15815	04130	06555	04588	24745	17000020	(17000_RL)	47	58	34	%
0090383	0100000	0087548	0024317	0015620	0005482	0023173	0015650	0006499	0020000	07003	07003	02022	02918	02132	12807	17000021	(17000_RL)	47	50	25	%
0090383	0100000	0087548	0023173	0015650	0006499	0019867	0016450	0010628	0020000	24294	24294	07397	09886	08745	52430	17000022	(17000_RL)	47	37	17	%
0090383	0100000	0087548	0019867	0016450	0010628	0017419	0016620	0013002	0020000	15327	15327	06622	07942	08349	34936	17000023	(17000_RL)	48	20	7	%
0090383	0100000	0087548	0017419	0016620	0013002	0015343	0016630	0014805	0020000	12885	12885	07996	10661	12105	30534	17000024	(17000_RL)	48	7	1	%
0090383	0100000	0087548	0015343	0016630	0014805	0012980	0015770	0014897	0008200	10469	10469	09942	14165	13187	25501	17000025	(17000_RL)	47	-3	-1	%
0090383	0100000	0087548	0012980	0015770	0014897	0011972	0016000	0015612	0008200	08359	08359	06027	07376	06636	15641	17000026	(17000_RL)	47	-12	-3	%
0090383	0100000	0087548	0011972	0016000	0015612	0010718	0017940	0018664	0008200	20105	20105	11585	13243	09750	38032	17000027	(17000_RL)	48	-26	-5	%
0090383	0100000	0087548	0010718	0017940	0018664	0009638	0017720	0018871	0008200	07442	07442	02814	03351	02658	09865	17000028	(17000_RL)	49	-40	-7	%
0090383	0100000	0087548	0009638	0017720	0018871	0008290	0018120	0019932	0008200	13779	13779	04641	05692	04217	15112	17000029	(17000_RL)	49	-50	-8	%
0090383	0100000	0087548	0005179	0014220	0016997	0007347	0014600	0016341	0010000	21647	21646	05325	07354	06029	22963	17000030	(17000_RL)	45	-57	-10	%
0090383	0100000	0087548	0007347	0014600	0016341	0008532	0014910	0016115	0010000	09308	09308	03006	03731	03219	12793	17000031	(17000_RL)	45	-42	-8	%
0090383	0100000	0087548	0008532	0014910	0016115	0011397	0015810	0015801	0010000	18089	18089	06769	08047	08123	30790	17000032	(17000_RL)	46	-28	-6	%
0090383	0100000	0087548	0011397	0015810	0015801	0013287	0016480	0015706	0010000	09584	09584	05092	05814	06859	19959	17000033	(17000_RL)	47	-14	-4	%
0090383	0100000	0087548	0013287	0016480	0015706	0014570	0016040	0014458	0010000	10907	10907	07885	09464	12132	23576	17000034	(17000_RL)	47	-4	-2	%
0090383	0100000	0087548	0014570	0016040	0014458	0020726	0015610	0015766	0022200	36602	36602	34834	51539	22907	77357	17000035	(17000_RL)	47	18	-3	%
0090383	0100000	0087548	0020726	0015610	0015766	0024029	0015670	0016748	0022200	15268	15268	05711	06836	05068	29426	17000036	(17000_RL)	47	44	-6	%
0090383	0100000	0087548	0024029	0015670	0016748	0028913	0015990	0018448	0022200	18878	18878	05634	07214	05005	33964	17000037	(17000_RL)	47	61	-8	%
0090383	0100000	0087548	0028913	0015990	0018448	0031544	0016260	0019497	0022200	08709	08709	02101	02935	02007	14999	17000038	(17000_RL)	47	74	-11	%
0090383	0100000	0087548	0031544	0016260	0019497	0036354	0016650	0021492	0022200	15221	15221	03359	04916	03125	25417	17000039	(17000_RL)	48	86	-13	%
0090383	0100000	0087548	0007880	0006220	0025068	0007319	0006310	0019809	0011500	12119	12119	03474	04564	03853	49816	17000040	(17000_RL)	30	20	-47	%
0090383	0100000	0087548	0007319	0006310	0019809	0007010	0006560	0015688	0011500	11645	11645	03942	04895	04359	52706	17000041	(17000_RL)	31	14	-37	%
0090383	0100000	0087548	0007010	0006560	0015688	0006607	0006730	0011170	0011500	14054	14054	05620	06677	06528	64392	17000042	(17000_RL)	311			

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/VG87/VG87L0NP.PDF>
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIEXYZ*1000 data for all colour (a) of experiment, iimp=80, colour difference pairs RL=RICHTER_L %																					
0090383	0100000	0087548	0025351	0028210	0027641	0022904	0025500	0025124	0005000	02519	02519	02518	01748	02253	23546	17000050	(17000_RL)	59	0	-5 %	
0090383	0100000	0087548	0022904	0025500	0025124	0020344	0022730	0022448	0005000	02786	02786	02783	02017	02613	26499	17000051	(17000_RL)	56	0	-5 %	
0090383	0100000	0087548	0020344	0022730	0022448	0019304	0021510	0021497	0005000	01381	01381	01359	01111	01343	12742	17000052	(17000_RL)	54	0	-5 %	
0090383	0100000	0087548	0019304	0021510	0021497	0018158	0020250	0020355	0005000	01391	01391	01389	01040	01360	13715	17000053	(17000_RL)	53	0	-5 %	
0090383	0100000	0087548	0018158	0020250	0020355	0015324	0017100	0017444	0005000	03741	03741	03737	02832	03736	37773	17000054	(17000_RL)	50	0	-5 %	
0090383	0100000	0087548	0015324	0017100	0017444	0011119	0012410	0012938	0016700	06524	06524	06524	05165	06192	68659	17000055	(17000_RL)	45	0	-5 %	
0090383	0100000	0087548	0011119	0012410	0012938	0007797	0008710	0009201	0016700	06441	06441	06439	05605	05560	70953	17000056	(17000_RL)	39	0	-5 %	
0090383	0100000	0087548	0007797	0008710	0009201	0004664	0005210	0005503	0016700	08138	08138	08119	07945	06404	91514	17000057	(17000_RL)	31	0	-5 %	
0090383	0100000	0087548	0004664	0005210	0005503	0002722	0003040	0003134	0016700	07233	07233	07193	08506	05246	79577	17000058	(17000_RL)	24	0	-4 %	
0090383	0100000	0087548	0002722	0003040	0003134	0001055	0001170	0001109	0016700	10101	10101	10034	14927	06826	96233	17000059	(17000_RL)	15	0	-2 %	
0095189	0100000	0044159	0171786	0180570	0080354	0108797	0114940	0052959	0022500	19903	19903	19895	10213	10281	1126821	17000060	(17000_RL)	115	0	-1 %	
0095189	0100000	0044159	0108797	0114940	0052959	0064045	0067880	0031957	0022500	19581	19581	19577	10194	11652	1290221	17000061	(17000_RL)	96	-1	-3 %	
0095189	0100000	0044159	0064045	0067880	0031957	0037389	0039530	0018656	0022500	16826	16826	16822	09637	11967	1294571	17000062	(17000_RL)	78	-1	-3 %	
0095189	0100000	0044159	0037389	0039530	0018656	0029611	0031250	0014658	0022500	06441	06441	06435	04166	05246	55883	17000063	(17000_RL)	66	0	-3 %	
0095189	0100000	0044159	0029611	0031250	0014658	0018750	0019690	0009016	0022500	11323	11323	11305	07804	10402	1052871	17000064	(17000_RL)	57	0	-2 %	
0095189	0100000	0044159	0018750	0019690	0009016	0015534	0016270	0007334	0006200	04215	04215	04210	03309	04215	42316	17000065	(17000_RL)	49	0	-1 %	
0095189	0100000	0044159	0015534	0016270	0007334	0012738	0013300	0005879	0006200	04182	04182	04180	03482	03992	43382	17000066	(17000_RL)	45	0	0 %	
0095189	0100000	0044159	0012738	0013300	0005879	0009636	0010010	0004289	0006200	05445	05445	05442	04804	04857	58377	17000067	(17000_RL)	41	0	0 %	
0095189	0100000	0044159	0009636	0010010	0004289	0007558	0007810	0003235	0006200	04372	04372	04362	04185	03664	48101	17000068	(17000_RL)	36	1	1 %	
0095189	0100000	0044159	0007558	0007810	0003235	0005594	0005740	0002273	0006200	04935	04935	04918	05068	03908	55218	17000069	(17000_RL)	31	1	2 %	
0095189	0100000	0044159	0026926	0015730	0003418	0024408	0015620	0005391	0006000	17350	17350	06658	11668	07005	26122	17000070	(17000_RL)	47	53	15 %	
0095189	0100000	0044159	0024408	0015620	0005391	0023173	0015650	0006499	0006000	08448	08448	03787	06616	03689	15238	17000071	(17000_RL)	47	45	5 %	
0095189	0100000	0044159	0023173	0015650	0006499	0019867	0016450	0010628	0006000	26363	26363	13978	25270	13512	55676	17000072	(17000_RL)	47	32	-6 %	
0095189	0100000	0044159	0019867	0016450	0010628	0017419	0016620	0013002	0006000	15965	15965	11290	19707	13109	35508	17000073	(17000_RL)	48	15	-18 %	
0095189	0100000	0044159	0017419	0016620	0013002	0015343	0016630	0014805	0006000	13183	13183	09308	13069	11627	30313	17000074	(17000_RL)	48	3	-26 %	
0095189	0100000	0044159	0015343	0016630	0014805	0012980	0015770	0014897	0014400	10232	10232	06717	07780	06437	24363	17000075	(17000_RL)	47	-7	-30 %	
0095189	0100000	0044159	0012980	0015770	0014897	0011972	0016000	0015612	0014400	08320	08320	04774	05137	04117	14838	17000076	(17000_RL)	47	-16	-31 %	
0095189	0100000	0044159	0011972	0016000	0015612	0010240	0017140	0017831	0014400	19452	19452	09467	10092	07699	30811	17000077	(17000_RL)	48	-30	-34 %	
0095189	0100000	0044159	0010240	0017140	0017831	0009638	0017720	0018871	0014400	08038	08038	03046	03352	02706	11571	17000078	(17000_RL)	49	-43	-37 %	
0095189	0100000	0044159	0009638	0017720	0018871	0008290	0018120	0019932	0014400	13649	13649	04639	05295	04062	14407	17000079	(17000_RL)	49	-54	-39 %	

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
-----	----	----	----	----	----	----	----	----	----	-------	-------	-------	-------	-------	-------	----	------	----	----	----	---

%CIEXYZ*1000 data for all colour (a) of experiment, iimp=80, colour difference pairs RL=RICHTER_L %

Minimum, maximum and average colour difference value

STRESS constant F and STRESS value S

iai+1 = 80, d_CIELABmina = 1.38, d_CIELABmaxa = 36.6, d_CIELABavea = 11.11

iai+1 = 80, CIELAB_Fa = 0.85, CIELAB_STRESSa = 47.4

iai+1 = 80, d_CIELCHmina = 1.38, d_CIELCHmaxa = 36.6, d_CIELCHavea = 11.11

iai+1 = 80, CIELCHF a = 0.85, CIELCHSTRESSa = 47.4

iai+1 = 80, d_C94LCHmina = 1.35, d_C94LCHmaxa = 34.83, d_C94LCHavea = 6.49

iai+1 = 80, C94LCHF a = 0.5, C94LCHSTRESSa = 56.26

iai+1 = 80, d_CCMLCHmina = 1.04, d_CCMLCHmaxa = 51.53, d_CCMLCHavea = 7.57

iai+1 = 80, CCMLCHF a = 0.56, CCMLCHSTRESSa = 66.55

iai+1 = 80, d_C00LCHmina = 1.34, d_C00LCHmaxa = 22.9, d_C00LCHavea = 6.19

iai+1 = 80, C00LCHF a = 0.45, C00LCHSTRESSa = 53.84

iai+1 = 80, d_C85LCHmina = 7.4, d_C85LCHmaxa = 129.45, d_C85LCHavea = 36.33

iai+1 = 80, C85LCHF a = 2.9, C85LCHSTRESSa = 52.86