

$\log [dY, \Delta Y]$

for achromatic colours
in WN-direction

$$dY = A_1 [1 + A_2/A_1 Y]$$

0,0
-0,5
-1,0
-1,5
-2,0

x_R dY_n $\log Y$

-1.0 0.031 0.25

-0.5 0.054 0.75

0.0 0.127 1.25

0.5 0.359 1.75

1.0 1.091 2.25

$A_2/A_1 = 0.2895$

$A_1 = 0.0205$ $A_2 = 0.0059$

Richter_D_PO2_022S ●

$(x, y, Y)_u = (0,33, 0,36, 18)$

$x_y = \log[Y]$

0,25 0,75 1,25 1,75 2,25
1,8 3,6 18 90 180 Y

$\log [dY, \Delta Y]$

$$dY = A_1 [1 + A_2/A_1 Y]$$

for achromatic colours
in WN-direction

0,0
-0,5
-1,0
-1,5
-2,0

x_r	dY_n	$\log Y$
-1.0	0.03	0.25
-0.5	0.055	0.75
0.0	0.133	1.25
0.5	0.382	1.75
1.0	1.17	2.25
$A_2/A_1 = 0.3405$		
$A_1 = 0.0187 \quad A_2 = 0.0063$		
$A_3 = 1.0 \quad A_4 = 1.0$		
$Richter_D_PO2_066S$		
$(x,y,Y)_u = (0,33, 0,36, 18)$		

0,25 0,75 1,25 1,75 2,25 $x_y = \log[Y]$
1,8 3,6 18 90 180 Y

$\log [dY, \Delta Y]$

$$dY = A_1 [1 + A_2/A_1 Y]$$

for achromatic colours
in WN-direction

0,0
-0,5
-1,0
-1,5
-2,0

x_r	dY_n	$\log Y$
-1.0	0.033	0.25
-0.5	0.059	0.75
0.0	0.139	1.25
0.5	0.394	1.75
1.0	1.198	2.25
$A_2/A_1 = 0.298$		
$A_1 = 0.0219 \quad A_2 = 0.0065$		
$A_3 = 1.179 \quad A_4 = 1.685$		
$Richter_P_PO4_066A$ ●		
$(x,y,Y)_u = (0,33, 0,36, 18)$		

$x_y = \log[Y]$

0,25 0,75 1,25 1,75 2,25
1,8 3,6 18 90 180 Y