


$\log [dY, A_4 \cdot \Delta b \cdot Y]$

$$dY = A_1 [1 + A_2/A_1 Y]$$



$x_r$	$dY_n$	$\log Y$
-1.0	0.031	0.25
-0.5	0.054	0.75
0.0	0.127	1.25
0.5	0.359	1.75
1.0	1.091	2.25

$A_2/A_1 = 0.2895$   
 $A_1 = 0.0205 \quad A_2 = 0.0059$

*Richter\_D\_PO2\_022S* ●

$(x,y,Y)_u = (0,33, 0,36, 18)$


$x_y = \log[Y]$

1,8      3,6      18      90      180      Y

$\log [dY, A_4 \cdot \Delta b \cdot Y]$

$$dY = A_1 [1 + A_2/A_1 Y]$$

for achromatic colours  
in BY-direction



$x_r$	$dY_n$	$\log Y$
-1.0	0.03	0.25
-0.5	0.055	0.75
0.0	0.133	1.25
0.5	0.382	1.75
1.0	1.17	2.25


$A_2/A_1 = 0.3405$   
 $A_1 = 0.0187$     $A_2 = 0.0063$   
 $A_3 = 1.0$     $A_4 = 1.0$   
*Richter\_D\_PO2\_066S* ●  
 $(x,y,Y)_u = (0,33, 0,36, 18)$

$x_y = \log[Y]$

$\log [dY, A_4 \cdot \Delta b \cdot Y]$

$$dY = A_1 [1 + A_2/A_1 Y]$$

for achromatic colours  
in BY-direction



$x_r$	$dY_n$	$\log Y$
-1.0	0.033	0.25
-0.5	0.059	0.75
0.0	0.139	1.25
0.5	0.394	1.75
1.0	1.198	2.25

$x_r$     $dY_n$     $\log Y$

-1.0   0.033   0.25

-0.5   0.059   0.75

0.0   0.139   1.25

0.5   0.394   1.75

1.0   1.198   2.25

$A_2/A_1 = 0.298$

$A_1 = 0.0219$     $A_2 = 0.0065$

$A_3 = 1.179$     $A_4 = 1.685$

*Richter\_P\_PO4\_066A*   ●

$(x,y,Y)_u = (0,33, 0,36, 18)$

$x_y = \log[Y]$

1,8

3,6

18

90

180

$Y$