

see similar files: <http://130.149.60.45/~farbmetrik/WE74/WE74L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=446, colour difference pairs 2S_0446=BIGC_T2_SG %																					
0094811	0100000	0107304	0009984	0009554	0023033	0009852	0009424	0022881	0001130	00028	00028	00024	00027	00022	00307	14000400	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0010096	0009662	0023349	0001224	00028	00028	00021	00024	00019	00229	14000401	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0010138	0009689	0023254	0000175	00028	00028	00026	00029	00024	00297	14000402	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009900	0009462	0022997	0001810	00029	00029	00019	00022	00017	00257	14000403	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009856	0009424	0022910	0001040	00031	00031	00025	00028	00022	00321	14000404	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0010142	0009700	0023193	0001130	00033	00033	00029	00032	00027	00350	14000405	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009805	0009382	0022774	0001130	00033	00033	00032	00035	00028	00387	14000406	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0010102	0009673	0023102	0001040	00034	00034	00024	00027	00023	00318	14000407	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0010123	0009711	0023271	0000700	00034	00034	00030	00034	00026	00353	14000408	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009853	0009414	0022896	0000867	00034	00034	00027	00030	00023	00347	14000409	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009838	0009403	0022870	0000783	00034	00034	00029	00032	00025	00366	14000410	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009824	0009382	0022768	0001322	00034	00034	00032	00036	00027	00386	14000411	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009817	0009392	0022845	0001040	00035	00035	00031	00034	00028	00385	14000412	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009815	0009376	0022787	0000867	00036	00036	00037	00037	00028	00408	14000413	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0010182	0009733	0023305	0000783	00036	00036	00034	00038	00031	00397	14000414	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009846	0009403	0022882	0001040	00037	00037	00030	00033	00024	00373	14000415	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009967	0009548	0023237	0001322	00038	00038	00019	00023	00027	00202	14000416	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0010074	0009646	0023006	0000867	00038	00038	00022	00025	00023	00299	14000417	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009900	0009462	0023060	0000532	00038	00038	00022	00025	00021	00300	14000418	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009816	0009387	0022864	0001541	00039	00039	00032	00036	00029	00410	14000419	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009811	0009376	0022827	0000953	00039	00039	00034	00037	00029	00424	14000420	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009812	0009376	0022827	0000783	00039	00039	00034	00037	00029	00424	14000421	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009770	0009350	0022726	0000783	00040	00040	00038	00042	00033	00459	14000422	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009758	0009334	0022662	0001427	00041	00041	00041	00045	00034	00483	14000423	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009800	0009360	0022803	0000700	00043	00043	00037	00041	00031	00461	14000424	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009779	0009344	0022756	0001040	00043	00043	00039	00043	00033	00487	14000425	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009760	0009328	0022686	0000616	00043	00043	00042	00046	00035	00506	14000426	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009814	0009371	0022840	0000867	00043	00043	00036	00039	00030	00447	14000427	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009819	0009376	0022861	0000532	00043	00043	00035	00038	00029	00442	14000428	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009787	0009350	0022789	0001040	00044	00044	00039	00043	00033	00486	14000429	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0010148	0009700	0023088	0000783	00047	00047	00033	00038	00037	00408	14000430	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009736	0009302	0022649	0001427	00049	00049	00047	00051	00039	00568	14000431	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0010171	0009755	0023211	0000953	00051	00051	00040	00044	00033	00502	14000432	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0010262	0009832	0023451	0000783	00053	00053	00051	00055	00043	00615	14000433	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009808	0009366	0022916	0000783	00054	00054	00039	00043	00034	00504	14000434	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009755	0009312	0022760	0000953	00055	00055	00047	00051	00039	00583	14000435	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009751	0009312	0022771	0001130	00055	00055	00047	00051	00040	00588	14000436	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009720	0009281	0022712	0001040	00060	00060	00052	00058	00045	00656	14000437	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0010181	0009766	0023162	0000700	00061	00061	00043	00048	00038	00561	14000438	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0010308	0009865	0023441	0001224	00063	00063	00058	00064	00052	00709	14000439	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009727	0009275	0022725	0001427	00066	00066	00055	00060	00045	00679	14000440	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009675	0009233	0022635	0001224	00069	00069	00061	00068	00052	00762	14000441	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0010303	0009887	0023417	0001224	00073	00073	00063	00069	00054	00782	14000442	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0010307	0009887	0023405	0000783	00074	00074	00063	00069	00054	00787	14000443	(14000_2S)	37	7	-28 %	
0094811	0100000	0107304	0009984	0009554	0023033	0010145	0009750	0022941	0001810	00090	00090	00050	00057	00044	00661	14000444	(14000_2S)	37	7	-27 %	
0094811	0100000	0107304	0009984	0009554	0023033	0009427	0009008	0022130	0001667	00104	00104	00103	00113	00087	01224	14000445	(14000_2S)	37	7	-28 %	

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=446, colour difference pairs 2S_0446=BIGC_T2_SG %																					
Minimum, maximum and average colour difference value																					
STRESS constant F and STRESS value S																					
iai+1 = 446, d_CIELABmin = 0.07, d_CIELABmax = 4.28, d_CIELABave = 1.08																					
iai+1 = 446, CIELAB_Fa = 0.76, CIELAB_STRESSa = 51.87																					
iai+1 = 446, d_CIELCHmin = 0.07, d_CIELCHmax = 4.28, d_CIELCHave = 1.08																					
iai+1 = 446, CIELCHFa = 0.76, CIELCHSTRESSa = 51.87																					
iai+1 = 446, d_C94LCHmin = 0.03, d_C94LCHmax = 1.97, d_C94LCHave = 0.62																					
iai+1 = 446, C94LCHFa = 0.42, C94LCHSTRESSa = 46.47																					
iai+1 = 446, d_CMCLCHmin = 0.03, d_CMCLCHmax = 2.48, d_CMCLCHave = 0.67																					
iai+1 = 446, CMCLCHFa = 0.46, CMCLCHSTRESSa = 49.79																					
iai+1 = 446, d_C00LCHmin = 0.03, d_C00LCHmax = 2.1, d_C00LCHave = 0.6																					
iai+1 = 446, C00LCHFa = 0.41, C00LCHSTRESSa = 48.75																					
iai+1 = 446, d_C85LCHmin = 0.33, d_C85LCHmax = 13.87, d_C85LCHave = 4.4																					
iai+1 = 446, C85LCHFa = 2.91, C85LCHSTRESSa = 51.23																					

see similar files: <http://130.149.60.45/~farbmetrik/WE74/WE74L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=446, colour difference pairs 2S_0446=BIGC_T2_SG %																					
63.22	-0.43	0.36	0.56	140.29	63.15	-0.57	0.35	0.67	148.4	0.75	0.15	0.15	0.21	0.2	0.73	14000000	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.18	-0.57	0.43	0.72	142.5	1.08	0.16	0.15	0.23	0.21	0.59	14000001	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.1	-0.54	0.32	0.63	149.2	0.71	0.16	0.16	0.19	0.19	1.12	14000002	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.13	-0.53	0.46	0.7	138.5	0.6	0.17	0.16	0.22	0.18	0.96	14000003	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.13	-0.55	0.43	0.7	141.9	0.56	0.17	0.16	0.22	0.2	0.93	14000004	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.14	-0.6	0.45	0.75	142.6	0.96	0.2	0.2	0.28	0.26	0.87	14000005	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.31	-0.42	0.17	0.45	158.1	1.51	0.21	0.2	0.29	0.2	1.07	14000006	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.1	-0.56	0.21	0.6	158.8	0.68	0.22	0.22	0.3	0.25	1.25	14000007	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.08	-0.59	0.47	0.76	141.2	0.68	0.24	0.24	0.3	0.28	1.44	14000008	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.0	-0.55	0.36	0.66	146.8	1.04	0.25	0.24	0.25	0.25	1.98	14000009	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.06	-0.54	0.2	0.58	159.3	1.17	0.25	0.25	0.31	0.26	1.63	14000010	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.09	-0.44	0.13	0.46	162.8	1.46	0.26	0.26	0.35	0.25	1.5	14000011	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.01	-0.54	0.25	0.6	155.2	0.6	0.26	0.26	0.29	0.26	1.98	14000012	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.04	-0.57	0.21	0.61	159.5	1.41	0.27	0.27	0.33	0.29	1.8	14000013	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.98	-0.45	0.22	0.5	153.6	1.63	0.27	0.27	0.28	0.24	2.24	14000014	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.04	-0.64	0.46	0.79	144.1	0.79	0.29	0.29	0.37	0.35	1.71	14000015	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.03	-0.65	0.31	0.72	154.7	0.79	0.3	0.29	0.37	0.36	1.82	14000016	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.15	-0.67	0.53	0.86	141.3	0.83	0.3	0.29	0.43	0.38	1.05	14000017	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.17	-0.69	0.51	0.86	143.1	0.83	0.3	0.29	0.43	0.39	0.91	14000018	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.08	-0.65	0.53	0.83	140.8	0.71	0.3	0.3	0.41	0.36	1.5	14000019	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.99	-0.56	0.21	0.61	159.0	1.08	0.3	0.3	0.35	0.31	2.23	14000020	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.97	-0.45	0.17	0.48	158.5	0.83	0.31	0.31	0.34	0.28	2.36	14000021	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.02	-0.65	0.45	0.79	145.2	1.17	0.31	0.3	0.38	0.36	1.91	14000022	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.93	-0.51	0.26	0.57	152.6	1.26	0.31	0.31	0.3	0.28	2.64	14000023	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.91	-0.44	0.38	0.58	138.6	0.92	0.31	0.31	0.26	0.26	2.86	14000024	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.91	-0.42	0.27	0.5	147.3	0.96	0.32	0.32	0.29	0.27	2.81	14000025	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.09	-0.7	0.5	0.86	144.7	1.04	0.33	0.32	0.45	0.42	1.45	14000026	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.91	-0.55	0.31	0.63	150.0	1.0	0.33	0.33	0.31	0.31	2.8	14000027	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.99	-0.41	0.1	0.42	165.3	1.08	0.34	0.34	0.42	0.31	2.31	14000028	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.94	-0.63	0.39	0.74	147.9	0.92	0.34	0.34	0.37	0.37	2.56	14000029	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.0	-0.51	0.11	0.52	167.7	0.56	0.34	0.34	0.43	0.33	2.25	14000030	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.93	-0.54	0.2	0.57	159.1	0.75	0.34	0.34	0.36	0.32	2.71	14000031	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.91	-0.46	0.18	0.5	157.8	1.0	0.35	0.35	0.36	0.31	2.87	14000032	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.93	-0.61	0.49	0.78	141.3	1.26	0.36	0.36	0.39	0.37	2.72	14000033	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.85	-0.43	0.39	0.58	137.6	1.31	0.37	0.37	0.3	0.31	3.33	14000034	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.87	-0.51	0.26	0.58	152.4	1.57	0.37	0.37	0.34	0.33	3.19	14000035	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.91	-0.55	0.2	0.59	159.6	0.88	0.37	0.37	0.39	0.35	2.93	14000036	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.98	-0.34	0.08	0.35	165.3	1.26	0.37	0.37	0.47	0.36	2.46	14000037	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.2	-0.7	0.64	0.95	137.2	1.0	0.38	0.37	0.56	0.46	1.26	14000038	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.92	-0.66	0.45	0.8	145.6	1.51	0.39	0.38	0.43	0.42	2.76	14000039	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.9	-0.63	0.48	0.79	142.6	1.26	0.39	0.39	0.42	0.4	2.94	14000040	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.94	-0.72	0.43	0.84	149.3	0.92	0.4	0.4	0.49	0.48	2.6	14000041	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	63.11	-0.3	-0.01	0.3	182.1	1.51	0.41	0.4	0.6	0.42	1.82	14000042	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.82	-0.54	0.32	0.63	149.1	0.96	0.41	0.41	0.36	0.37	3.6	14000043	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.93	-0.7	0.5	0.86	144.7	1.31	0.41	0.41	0.5	0.47	2.71	14000044	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.84	-0.57	0.23	0.61	158.0	1.51	0.43	0.42	0.42	0.4	3.52	14000045	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.83	-0.58	0.24	0.63	156.9	1.46	0.43	0.43	0.42	0.4	3.56	14000046	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.84	-0.63	0.4	0.74	147.3	0.75	0.43	0.43	0.42	0.43	3.49	14000047	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.83	-0.6	0.43	0.74	144.5	0.92	0.43	0.43	0.42	0.42	3.59	14000048	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.85	-0.66	0.33	0.74	153.2	1.08	0.43	0.43	0.45	0.45	3.39	14000049	(14000_2S)	63	0	0	0 %

TUB registration: 20140801-WE74/WE74L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/WE74/WE74L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=446, colour difference pairs 2S_0446=BIGC_T2_SG %																					
63.22	-0.43	0.36	0.56	140.29	62.85	-0.65	0.39	0.76	149.2	0.92	0.43	0.43	0.45	0.45	3.42	14000050	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.88	-0.63	0.17	0.66	164.7	1.63	0.44	0.43	0.49	0.45	3.2	14000051	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.93	-0.77	0.37	0.85	154.1	1.31	0.44	0.43	0.54	0.54	2.71	14000052	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.82	-0.62	0.3	0.69	153.7	1.46	0.44	0.44	0.43	0.43	3.63	14000053	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.93	-0.71	0.55	0.9	142.1	1.51	0.44	0.44	0.54	0.5	2.82	14000054	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.85	-0.61	0.17	0.63	164.2	1.46	0.45	0.45	0.49	0.44	3.46	14000055	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.81	-0.56	0.23	0.61	157.6	1.69	0.45	0.45	0.43	0.42	3.79	14000056	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.79	-0.43	0.18	0.46	157.2	0.96	0.46	0.46	0.44	0.4	3.94	14000057	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.76	-0.58	0.38	0.69	146.4	1.04	0.48	0.48	0.43	0.44	4.15	14000058	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.91	-0.77	0.5	0.92	147.2	1.57	0.48	0.47	0.59	0.57	2.94	14000059	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.83	-0.69	0.47	0.84	145.9	0.88	0.48	0.48	0.52	0.51	3.62	14000060	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.81	-0.42	0.1	0.44	166.8	0.79	0.49	0.49	0.52	0.43	3.89	14000061	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.78	-0.67	0.36	0.76	151.2	1.36	0.5	0.49	0.49	0.5	4.0	14000062	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.78	-0.6	0.19	0.63	162.0	1.76	0.5	0.5	0.5	0.48	4.1	14000063	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.87	-0.76	0.53	0.93	145.0	1.21	0.51	0.5	0.61	0.58	3.29	14000064	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.73	-0.55	0.25	0.61	155.1	1.36	0.52	0.52	0.47	0.46	4.51	14000065	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.68	-0.46	0.28	0.54	148.9	0.88	0.54	0.54	0.46	0.46	4.89	14000066	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.71	-0.67	0.31	0.74	154.8	1.0	0.56	0.56	0.55	0.55	4.65	14000067	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.68	-0.63	0.31	0.71	153.8	1.31	0.57	0.57	0.53	0.54	4.89	14000068	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.77	-0.76	0.56	0.94	143.4	1.31	0.59	0.58	0.66	0.63	4.23	14000069	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.67	-0.61	0.24	0.66	158.5	0.92	0.59	0.59	0.55	0.54	5.02	14000070	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.65	-0.56	0.24	0.61	156.1	0.96	0.59	0.59	0.53	0.53	5.19	14000071	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.68	-0.7	0.3	0.77	156.5	1.08	0.6	0.6	0.6	0.6	4.9	14000072	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.65	-0.64	0.37	0.74	149.5	1.69	0.61	0.61	0.56	0.57	5.21	14000073	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.67	-0.59	0.13	0.61	167.1	1.17	0.62	0.62	0.61	0.57	5.09	14000074	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.68	-0.74	0.35	0.82	154.9	1.17	0.62	0.62	0.63	0.64	4.91	14000075	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.64	-0.64	0.27	0.69	156.4	1.41	0.62	0.62	0.57	0.58	5.29	14000076	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.63	-0.56	0.19	0.59	161.4	1.36	0.63	0.63	0.58	0.56	5.39	14000077	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.7	-0.77	0.48	0.91	147.9	1.57	0.63	0.63	0.67	0.66	4.8	14000078	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.65	-0.69	0.25	0.74	160.2	1.17	0.64	0.63	0.62	0.62	5.22	14000079	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.59	-0.63	0.38	0.73	148.8	1.13	0.65	0.65	0.58	0.6	5.68	14000080	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.65	-0.76	0.31	0.82	157.4	1.0	0.66	0.65	0.67	0.67	5.18	14000081	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.72	-0.5	-0.06	0.51	186.9	0.79	0.66	0.66	0.76	0.6	4.87	14000082	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.59	-0.62	0.28	0.68	155.7	1.46	0.67	0.67	0.6	0.61	5.77	14000083	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.51	-0.58	0.15	0.6	165.4	1.41	0.75	0.75	0.69	0.67	6.48	14000084	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.46	-0.64	0.21	0.67	161.6	1.31	0.8	0.8	0.72	0.72	6.9	14000085	(14000_2S)	63	0	0	0 %
63.22	-0.43	0.36	0.56	140.29	62.52	-0.47	-0.14	0.49	196.6	1.84	0.86	0.86	0.95	0.77	6.66	14000086	(14000_2S)	63	0	0	0 %
44.71	38.33	23.2	44.81	31.19	44.8	38.68	23.52	45.27	31.3	2.1	0.47	0.18	0.21	0.18	1.27	14000087	(14000_2S)	45	38	23	%
44.71	38.33	23.2	44.81	31.19	45.04	38.17	23.7	44.94	31.8	2.1	0.61	0.45	0.51	0.45	3.71	14000088	(14000_2S)	45	38	23	%
44.71	38.33	23.2	44.81	31.19	45.05	38.17	23.71	44.93	31.8	1.63	0.63	0.46	0.52	0.46	3.77	14000089	(14000_2S)	45	38	23	%
44.71	38.33	23.2	44.81	31.19	45.0	38.64	22.72	44.83	30.4	2.0	0.63	0.44	0.52	0.46	3.37	14000090	(14000_2S)	45	38	22	%
44.71	38.33	23.2	44.81	31.19	44.48	38.32	22.6	44.49	30.5	1.84	0.64	0.39	0.47	0.41	2.68	14000091	(14000_2S)	45	38	22	%
44.71	38.33	23.2	44.81	31.19	45.14	38.1	22.74	44.37	30.8	0.83	0.67	0.48	0.5	0.46	4.91	14000092	(14000_2S)	45	38	22	%
44.71	38.33	23.2	44.81	31.19	44.99	38.14	23.82	44.97	31.9	2.55	0.7	0.47	0.56	0.49	3.28	14000093	(14000_2S)	45	38	23	%
44.71	38.33	23.2	44.81	31.19	44.6	38.39	22.5	44.5	30.3	0.51	0.71	0.4	0.52	0.43	1.94	14000094	(14000_2S)	45	38	22	%
44.71	38.33	23.2	44.81	31.19	45.2	38.05	23.67	44.82	31.8	0.51	0.73	0.59	0.64	0.58	5.39	14000095	(14000_2S)	45	38	23	%
44.71	38.33	23.2	44.81	31.19	44.8	39.07	23.19	45.44	30.6	1.17	0.74	0.32	0.4	0.34	1.67	14000096	(14000_2S)	45	38	23	%
44.71	38.33	23.2	44.81	31.19	44.71	38.11	22.43	44.22	30.4	1.84	0.8	0.38	0.49	0.41	1.88	14000097	(14000_2S)	45	38	22	%
44.71	38.33	23.2	44.81	31.19	44.5	37.52	22.99	44.0	31.5	0.22	0.86	0.37	0.43	0.37	2.64	14000098	(14000_2S)	45	37	23	%
44.71	38.33	23.2	44.81	31.19	44.96	38.3	22.27	44.31	30.1	1.31	0.96	0.55	0.69	0.58	3.59	14000099	(14000_2S)	45	38	22	%

TUB registration: 20140801-WE74/WE74L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/WE74/WE74L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=446, colour difference pairs 2S_0446=BIGC_T2_SG %																				
44.71	38.33	23.2	44.81	31.19	44.9	39.13	23.75	45.77	31.2	1.92	0.98	0.37	0.43	0.36	2.68	14000100	(14000_2S)	45	38	23 %
44.71	38.33	23.2	44.81	31.19	44.34	37.52	23.67	44.36	32.2	1.46	1.0	0.63	0.76	0.65	4.32	14000101	(14000_2S)	45	37	23 %
44.71	38.33	23.2	44.81	31.19	44.64	37.57	22.44	43.76	30.8	1.84	1.07	0.38	0.48	0.39	2.36	14000102	(14000_2S)	45	37	22 %
44.71	38.33	23.2	44.81	31.19	44.31	37.33	23.37	44.04	32.0	2.22	1.08	0.61	0.72	0.63	4.59	14000103	(14000_2S)	45	37	23 %
44.71	38.33	23.2	44.81	31.19	44.76	39.37	23.89	46.05	31.2	2.36	1.24	0.41	0.51	0.41	2.57	14000104	(14000_2S)	45	38	23 %
44.71	38.33	23.2	44.81	31.19	44.83	37.08	23.03	43.65	31.8	1.76	1.26	0.5	0.63	0.52	2.99	14000105	(14000_2S)	45	37	23 %
44.71	38.33	23.2	44.81	31.19	44.83	37.12	22.69	43.5	31.4	2.36	1.32	0.46	0.57	0.47	3.19	14000106	(14000_2S)	45	37	22 %
44.71	38.33	23.2	44.81	31.19	44.38	39.46	22.57	45.46	29.7	2.0	1.33	0.77	0.96	0.81	4.5	14000107	(14000_2S)	45	38	22 %
44.71	38.33	23.2	44.81	31.19	44.5	37.35	22.32	43.51	30.8	1.51	1.33	0.5	0.6	0.5	3.37	14000108	(14000_2S)	45	37	22 %
44.71	38.33	23.2	44.81	31.19	44.61	37.05	22.77	43.49	31.5	1.26	1.35	0.47	0.59	0.48	2.79	14000109	(14000_2S)	45	37	22 %
44.71	38.33	23.2	44.81	31.19	44.75	39.01	22.0	44.79	29.4	2.55	1.38	0.83	1.07	0.9	3.2	14000110	(14000_2S)	45	38	22 %
44.71	38.33	23.2	44.81	31.19	44.15	39.62	23.06	45.84	30.2	1.26	1.4	0.8	0.91	0.8	6.74	14000111	(14000_2S)	44	38	23 %
44.71	38.33	23.2	44.81	31.19	44.82	39.22	22.08	45.01	29.3	0.92	1.43	0.85	1.1	0.92	3.39	14000112	(14000_2S)	45	38	22 %
44.71	38.33	23.2	44.81	31.19	44.9	39.13	24.39	46.12	31.9	2.36	1.44	0.59	0.73	0.6	3.54	14000113	(14000_2S)	45	38	23 %
44.71	38.33	23.2	44.81	31.19	44.48	37.1	22.34	43.31	31.0	2.0	1.51	0.55	0.66	0.55	3.75	14000114	(14000_2S)	45	37	22 %
44.71	38.33	23.2	44.81	31.19	44.53	36.85	22.87	43.37	31.8	1.13	1.52	0.58	0.72	0.6	3.37	14000115	(14000_2S)	45	37	23 %
44.71	38.33	23.2	44.81	31.19	44.53	38.22	21.67	43.94	29.5	1.63	1.54	0.83	1.07	0.89	3.98	14000116	(14000_2S)	45	38	22 %
44.71	38.33	23.2	44.81	31.19	44.47	39.52	22.22	45.34	29.3	1.17	1.56	0.91	1.16	0.98	4.24	14000117	(14000_2S)	45	38	22 %
44.71	38.33	23.2	44.81	31.19	45.03	39.01	21.78	44.68	29.1	2.1	1.6	0.99	1.25	1.06	5.06	14000118	(14000_2S)	45	38	22 %
44.71	38.33	23.2	44.81	31.19	44.97	39.95	23.65	46.43	30.6	0.31	1.69	0.65	0.78	0.65	4.09	14000119	(14000_2S)	45	39	23 %
44.71	38.33	23.2	44.81	31.19	45.26	38.23	21.56	43.89	29.4	1.84	1.74	1.03	1.25	1.07	7.39	14000120	(14000_2S)	45	38	22 %
44.71	38.33	23.2	44.81	31.19	44.92	40.06	23.34	46.37	30.2	1.41	1.75	0.72	0.89	0.74	3.87	14000121	(14000_2S)	45	39	23 %
44.71	38.33	23.2	44.81	31.19	45.28	37.14	22.04	43.19	30.6	2.0	1.75	0.81	0.91	0.8	7.5	14000122	(14000_2S)	45	37	22 %
44.71	38.33	23.2	44.81	31.19	44.94	39.98	23.82	46.54	30.7	0.71	1.77	0.64	0.77	0.64	4.05	14000123	(14000_2S)	45	39	23 %
44.71	38.33	23.2	44.81	31.19	45.15	39.94	22.51	45.85	29.4	1.17	1.8	1.01	1.24	1.05	5.74	14000124	(14000_2S)	45	39	22 %
44.71	38.33	23.2	44.81	31.19	44.54	37.47	21.6	43.25	29.9	2.36	1.82	0.78	0.99	0.82	4.35	14000125	(14000_2S)	45	37	22 %
44.71	38.33	23.2	44.81	31.19	45.04	37.81	21.48	43.49	29.5	1.36	1.83	0.91	1.15	0.96	5.8	14000126	(14000_2S)	45	38	22 %
44.71	38.33	23.2	44.81	31.19	45.4	37.13	21.84	43.08	30.4	1.69	1.94	0.95	1.07	0.94	8.87	14000127	(14000_2S)	45	37	22 %
44.71	38.33	23.2	44.81	31.19	44.97	40.19	22.7	46.16	29.4	1.04	1.94	0.97	1.22	1.02	4.59	14000128	(14000_2S)	45	39	22 %
44.71	38.33	23.2	44.81	31.19	45.18	38.99	21.4	44.48	28.7	1.51	1.97	1.23	1.54	1.31	6.93	14000129	(14000_2S)	45	38	22 %
44.71	38.33	23.2	44.81	31.19	44.76	37.63	21.35	43.27	29.5	1.84	1.98	0.9	1.16	0.96	4.75	14000130	(14000_2S)	45	37	22 %
44.71	38.33	23.2	44.81	31.19	44.54	37.05	21.69	42.93	30.3	1.57	1.98	0.75	0.94	0.77	4.54	14000131	(14000_2S)	45	37	22 %
44.71	38.33	23.2	44.81	31.19	44.93	40.13	22.36	45.94	29.1	1.36	1.99	1.06	1.35	1.13	4.59	14000132	(14000_2S)	45	39	22 %
44.71	38.33	23.2	44.81	31.19	44.21	39.66	21.74	45.23	28.7	1.84	2.04	1.26	1.57	1.34	6.9	14000133	(14000_2S)	44	39	22 %
44.71	38.33	23.2	44.81	31.19	45.24	38.91	21.31	44.36	28.7	1.51	2.05	1.27	1.59	1.35	7.53	14000134	(14000_2S)	45	38	22 %
44.71	38.33	23.2	44.81	31.19	45.03	39.68	21.69	45.23	28.6	1.63	2.05	1.23	1.57	1.32	5.64	14000135	(14000_2S)	45	39	22 %
44.71	38.33	23.2	44.81	31.19	45.18	38.18	21.17	43.66	29.0	0.64	2.09	1.17	1.47	1.24	7.35	14000136	(14000_2S)	45	38	22 %
44.71	38.33	23.2	44.81	31.19	44.52	37.6	21.18	43.16	29.3	1.84	2.15	1.0	1.29	1.06	5.24	14000137	(14000_2S)	45	37	22 %
44.71	38.33	23.2	44.81	31.19	45.73	38.1	21.32	43.66	29.2	1.69	2.15	1.41	1.61	1.43	12.23	14000138	(14000_2S)	45	38	22 %
44.71	38.33	23.2	44.81	31.19	45.7	40.33	22.94	46.4	29.6	2.1	2.25	1.35	1.5	1.34	10.97	14000139	(14000_2S)	45	39	23 %
44.71	38.33	23.2	44.81	31.19	45.35	36.76	21.67	42.68	30.5	2.22	2.28	0.99	1.15	0.99	8.87	14000140	(14000_2S)	45	37	22 %
44.71	38.33	23.2	44.81	31.19	45.49	38.03	21.06	43.47	28.9	2.84	2.3	1.35	1.62	1.4	10.21	14000141	(14000_2S)	45	38	22 %
44.71	38.33	23.2	44.81	31.19	44.7	37.17	21.21	42.79	29.7	2.22	2.31	0.95	1.22	1.0	5.31	14000142	(14000_2S)	45	37	22 %
44.71	38.33	23.2	44.81	31.19	44.65	37.43	21.05	42.95	29.3	1.41	2.33	1.04	1.34	1.11	5.43	14000143	(14000_2S)	45	37	22 %
44.71	38.33	23.2	44.81	31.19	44.48	37.24	21.08	42.79	29.5	2.22	2.39	1.04	1.32	1.09	5.78	14000144	(14000_2S)	45	37	22 %
44.71	38.33	23.2	44.81	31.19	45.12	35.94	22.83	42.58	32.4	2.22	2.45	1.01	1.25	1.05	6.97	14000145	(14000_2S)	45	37	23 %
44.71	38.33	23.2	44.81	31.19	45.17	39.1	20.88	44.33	28.1	0.47	2.48	1.51	1.91	1.62	7.81	14000146	(14000_2S)	45	38	22 %
44.71	38.33	23.2	44.81	31.19	44.54	37.27	20.88	42.73	29.2	2.0	2.56	1.13	1.45	1.2	6.05	14000147	(14000_2S)	45	37	22 %
44.71	38.33	23.2	44.81	31.19	45.19	35.88	22.59	42.4	32.1	0.71	2.57	1.04	1.26	1.06	7.76	14000148	(14000_2S)	45	37	22 %
44.71	38.33	23.2	44.81	31.19	45.06	39.22	20.8	44.39	27.9	2.84	2.58	1.55	1.98	1.67	7.24	14000149	(14000_2S)	45	38	22 %

TUB registration: 20140801-WE74/WE74L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/WE74/WE74L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=446, colour difference pairs 2S_0446=BIGC_T2_SG %																				
44.71	38.33	23.2	44.81	31.19	45.16	36.02	22.06	42.24	31.4	2.22	2.62	0.97	1.17	0.98	7.73	14000150 (14000_2S)	45	37	22 %	
44.71	38.33	23.2	44.81	31.19	44.58	37.37	20.72	42.73	29.0	1.84	2.66	1.21	1.56	1.29	6.29	14000151 (14000_2S)	45	37	21 %	
44.71	38.33	23.2	44.81	31.19	44.28	37.49	20.69	42.82	28.8	1.69	2.68	1.31	1.65	1.38	7.41	14000152 (14000_2S)	44	37	21 %	
44.71	38.33	23.2	44.81	31.19	44.61	37.45	20.63	42.75	28.8	2.84	2.72	1.27	1.63	1.35	6.44	14000153 (14000_2S)	45	37	21 %	
44.71	38.33	23.2	44.81	31.19	45.29	39.16	20.57	44.23	27.7	1.84	2.82	1.72	2.17	1.84	9.31	14000154 (14000_2S)	45	38	21 %	
44.71	38.33	23.2	44.81	31.19	44.68	37.24	20.56	42.54	28.9	1.63	2.85	1.28	1.65	1.36	6.72	14000155 (14000_2S)	45	37	21 %	
44.71	38.33	23.2	44.81	31.19	44.97	38.87	20.4	43.9	27.7	0.39	2.86	1.66	2.13	1.79	7.59	14000156 (14000_2S)	45	38	21 %	
44.71	38.33	23.2	44.81	31.19	44.83	37.0	20.6	42.35	29.1	1.84	2.92	1.25	1.61	1.33	7.12	14000157 (14000_2S)	45	37	21 %	
44.71	38.33	23.2	44.81	31.19	45.53	39.67	20.63	44.72	27.4	0.51	3.01	1.91	2.36	2.02	11.23	14000158 (14000_2S)	45	39	21 %	
44.71	38.33	23.2	44.81	31.19	44.74	37.38	20.32	42.55	28.5	2.0	3.04	1.42	1.84	1.52	7.32	14000159 (14000_2S)	45	37	21 %	
44.71	38.33	23.2	44.81	31.19	45.39	36.8	20.6	42.17	29.2	0.31	3.09	1.41	1.73	1.46	10.75	14000160 (14000_2S)	45	37	21 %	
44.71	38.33	23.2	44.81	31.19	44.99	37.0	20.4	42.25	28.8	2.1	3.11	1.37	1.76	1.46	8.23	14000161 (14000_2S)	45	37	21 %	
44.71	38.33	23.2	44.81	31.19	44.82	36.89	20.31	42.12	28.8	1.69	3.23	1.39	1.79	1.48	7.83	14000162 (14000_2S)	45	37	21 %	
44.71	38.33	23.2	44.81	31.19	45.34	39.18	20.13	44.05	27.2	2.0	3.24	1.97	2.47	2.1	10.48	14000163 (14000_2S)	45	38	21 %	
44.71	38.33	23.2	44.81	31.19	44.85	37.42	20.05	42.45	28.1	1.31	3.28	1.58	2.04	1.69	8.21	14000164 (14000_2S)	45	37	21 %	
44.71	38.33	23.2	44.81	31.19	44.99	36.86	20.25	42.06	28.7	1.69	3.3	1.44	1.85	1.53	8.66	14000165 (14000_2S)	45	37	21 %	
44.71	38.33	23.2	44.81	31.19	44.66	36.15	20.33	41.48	29.3	1.69	3.6	1.37	1.76	1.45	8.18	14000166 (14000_2S)	45	37	21 %	
44.71	38.33	23.2	44.81	31.19	44.95	38.06	19.61	42.82	27.2	1.76	3.61	1.92	2.48	2.07	9.42	14000167 (14000_2S)	45	38	21 %	
44.71	38.33	23.2	44.81	31.19	44.87	35.96	19.64	40.98	28.6	1.63	4.28	1.71	2.2	1.81	10.34	14000168 (14000_2S)	45	37	21 %	
86.75	-6.74	49.38	49.84	97.77	86.39	-6.6	49.39	49.83	97.6	1.21	0.38	0.36	0.26	0.24	2.6	14000169 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.98	-6.47	49.15	49.58	97.5	1.25	0.42	0.27	0.24	0.22	1.74	14000170 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.57	-6.74	48.93	49.39	97.8	1.48	0.48	0.22	0.21	0.18	1.36	14000171 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.37	-6.96	49.13	49.62	98.0	2.59	0.5	0.4	0.32	0.3	2.76	14000172 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.43	-6.95	49.75	50.23	97.9	0.71	0.52	0.35	0.29	0.26	2.44	14000173 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.41	-6.98	49.05	49.54	98.1	1.69	0.53	0.39	0.32	0.3	2.52	14000174 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.46	-6.74	48.91	49.37	97.8	1.09	0.55	0.32	0.28	0.24	2.16	14000175 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.44	-7.09	49.7	50.2	98.1	1.34	0.56	0.37	0.32	0.3	2.38	14000176 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.23	-6.56	49.51	49.94	97.5	0.68	0.56	0.53	0.39	0.36	3.83	14000177 (14000_2S)	86	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.4	-6.65	48.94	49.39	97.7	1.01	0.57	0.37	0.3	0.26	2.56	14000178 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.22	-6.94	49.5	49.99	97.9	1.17	0.57	0.54	0.39	0.36	3.88	14000179 (14000_2S)	86	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.34	-7.0	49.04	49.53	98.1	1.53	0.59	0.45	0.36	0.34	2.99	14000180 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.16	-6.67	49.33	49.78	97.7	1.13	0.6	0.59	0.42	0.38	4.32	14000181 (14000_2S)	86	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.17	-6.89	49.26	49.74	97.9	1.43	0.6	0.58	0.42	0.38	4.19	14000182 (14000_2S)	86	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.29	-6.82	48.98	49.45	97.9	0.57	0.61	0.47	0.36	0.33	3.34	14000183 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.22	-6.79	49.7	50.16	97.7	0.82	0.61	0.53	0.39	0.35	3.91	14000184 (14000_2S)	86	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.45	-6.73	48.84	49.3	97.8	1.82	0.62	0.34	0.3	0.26	2.26	14000185 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.15	-6.93	49.34	49.82	98.0	0.3	0.63	0.61	0.44	0.41	4.4	14000186 (14000_2S)	86	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.53	-6.79	48.79	49.26	97.9	1.25	0.63	0.29	0.28	0.24	1.74	14000187 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.11	-6.74	49.32	49.78	97.7	1.13	0.64	0.64	0.45	0.41	4.67	14000188 (14000_2S)	86	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.35	-6.81	48.87	49.34	97.9	1.17	0.65	0.43	0.35	0.31	2.92	14000189 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.27	-6.78	48.93	49.4	97.8	0.75	0.66	0.5	0.39	0.34	3.53	14000190 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.31	-6.91	49.97	50.44	97.8	0.42	0.74	0.47	0.39	0.34	3.34	14000191 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.4	-7.25	49.81	50.34	98.2	1.58	0.74	0.45	0.41	0.39	2.76	14000192 (14000_2S)	87	-7	49 %	
86.75	-6.74	49.38	49.84	97.77	86.03	-6.97	49.52	50.01	98.0	0.6	0.76	0.72	0.53	0.48	5.26	14000193 (14000_2S)	86	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.37	-6.59	48.74	49.18	97.7	1.13	0.76	0.43	0.37	0.32	2.86	14000194 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.13	-6.82	49.83	50.29	97.7	0.86	0.76	0.63	0.47	0.42	4.63	14000195 (14000_2S)	86	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.54	-7.17	48.77	49.3	98.3	1.53	0.77	0.39	0.4	0.39	1.77	14000196 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.26	-6.83	48.71	49.19	97.9	1.09	0.83	0.53	0.44	0.39	3.58	14000197 (14000_2S)	87	-6	49 %	
86.75	-6.74	49.38	49.84	97.77	86.78	-6.75	48.55	49.02	97.9	1.38	0.83	0.26	0.33	0.26	1.14	14000198 (14000_2S)	87	-6	48 %	
86.75	-6.74	49.38	49.84	97.77	86.38	-7.05	48.69	49.2	98.2	1.89	0.84	0.47	0.44	0.4	2.82	14000199 (14000_2S)	87	-6	49 %	

TUB registration: 20140801-WE74/WE74L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/WE74/WE74L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=446, colour difference pairs 2S_0446=BIGC_T2_SG %																					
86.75	-6.74	49.38	49.84	97.77	86.18	-6.49	48.8	49.23	97.5	1.69	0.85	0.6	0.48	0.42	4.15	14000200	(14000_2S)	86	-6	49	%
86.75	-6.74	49.38	49.84	97.77	85.91	-6.87	49.57	50.05	97.8	2.59	0.86	0.84	0.6	0.55	6.14	14000201	(14000_2S)	86	-6	49	%
86.75	-6.74	49.38	49.84	97.77	86.29	-6.85	50.12	50.59	97.7	0.71	0.87	0.51	0.43	0.37	3.54	14000202	(14000_2S)	87	-6	49	%
86.75	-6.74	49.38	49.84	97.77	86.38	-6.9	50.17	50.64	97.8	1.09	0.88	0.44	0.4	0.34	2.95	14000203	(14000_2S)	87	-6	49	%
86.75	-6.74	49.38	49.84	97.77	86.51	-6.97	48.54	49.04	98.1	2.15	0.9	0.39	0.41	0.37	2.02	14000204	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.38	-6.78	50.21	50.67	97.6	0.75	0.9	0.45	0.41	0.35	2.98	14000205	(14000_2S)	87	-6	49	%
86.75	-6.74	49.38	49.84	97.77	86.47	-6.76	48.5	48.97	97.9	1.53	0.92	0.39	0.4	0.34	2.29	14000206	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.29	-6.74	48.58	49.04	97.8	1.34	0.92	0.52	0.45	0.39	3.44	14000207	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.4	-7.11	48.6	49.12	98.3	1.25	0.93	0.49	0.47	0.44	2.7	14000208	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	85.99	-7.03	49.89	50.39	98.0	1.17	0.96	0.79	0.6	0.54	5.7	14000209	(14000_2S)	86	-6	49	%
86.75	-6.74	49.38	49.84	97.77	86.45	-7.14	48.55	49.07	98.3	1.97	0.97	0.48	0.48	0.45	2.44	14000210	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.51	-6.87	48.45	48.93	98.0	1.53	0.97	0.39	0.42	0.36	2.04	14000211	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.55	-6.63	48.42	48.88	97.8	1.97	0.98	0.36	0.4	0.32	1.87	14000212	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.13	-6.79	48.58	49.05	97.9	1.82	1.01	0.67	0.54	0.48	4.54	14000213	(14000_2S)	86	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.14	-6.85	50.19	50.65	97.7	0.38	1.01	0.66	0.53	0.46	4.69	14000214	(14000_2S)	86	-6	49	%
86.75	-6.74	49.38	49.84	97.77	86.3	-6.65	48.44	48.89	97.8	1.25	1.05	0.53	0.49	0.41	3.38	14000215	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.0	-6.77	48.64	49.11	97.9	2.27	1.05	0.78	0.61	0.54	5.46	14000216	(14000_2S)	86	-6	49	%
86.75	-6.74	49.38	49.84	97.77	86.34	-6.5	48.44	48.88	97.6	1.34	1.05	0.5	0.48	0.4	3.14	14000217	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.54	-7.03	48.38	48.89	98.2	2.27	1.06	0.43	0.48	0.42	1.99	14000218	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.27	-7.03	48.47	48.97	98.2	1.13	1.07	0.59	0.54	0.49	3.62	14000219	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.02	-6.74	48.6	49.06	97.9	1.63	1.07	0.77	0.61	0.53	5.37	14000220	(14000_2S)	86	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.4	-7.16	48.42	48.95	98.4	0.86	1.1	0.54	0.54	0.51	2.81	14000221	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	85.96	-6.74	50.17	50.62	97.6	0.6	1.11	0.82	0.64	0.56	5.93	14000222	(14000_2S)	86	-6	49	%
86.75	-6.74	49.38	49.84	97.77	86.47	-6.71	48.3	48.76	97.9	1.25	1.12	0.43	0.47	0.38	2.37	14000223	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.29	-7.02	48.37	48.88	98.2	2.05	1.14	0.6	0.56	0.5	3.54	14000224	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.5	-6.72	48.26	48.73	97.9	0.75	1.14	0.43	0.47	0.39	2.23	14000225	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	85.91	-6.79	50.17	50.63	97.7	1.89	1.15	0.87	0.67	0.59	6.31	14000226	(14000_2S)	86	-6	49	%
86.75	-6.74	49.38	49.84	97.77	86.04	-6.52	48.49	48.93	97.6	1.34	1.16	0.76	0.62	0.54	5.2	14000227	(14000_2S)	86	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.07	-6.61	48.42	48.87	97.7	1.48	1.18	0.74	0.61	0.53	5.0	14000228	(14000_2S)	86	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.31	-6.48	48.31	48.74	97.6	1.29	1.19	0.56	0.53	0.45	3.42	14000229	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.37	-6.98	48.27	48.77	98.2	2.15	1.2	0.54	0.55	0.48	3.02	14000230	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.43	-6.21	48.35	48.75	97.3	1.82	1.2	0.51	0.54	0.47	2.7	14000231	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.43	-6.84	48.21	48.69	98.0	1.21	1.22	0.5	0.53	0.44	2.7	14000232	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.06	-7.13	48.44	48.96	98.3	0.82	1.23	0.8	0.68	0.62	5.13	14000233	(14000_2S)	86	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.24	-6.85	48.17	48.65	98.0	1.69	1.32	0.64	0.61	0.52	3.93	14000234	(14000_2S)	86	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.29	-6.44	48.14	48.57	97.6	1.82	1.36	0.61	0.6	0.5	3.65	14000235	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.33	-6.89	48.06	48.55	98.1	1.58	1.39	0.6	0.62	0.53	3.41	14000236	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	85.6	-6.57	48.57	49.01	97.7	1.75	1.41	1.17	0.88	0.79	8.38	14000237	(14000_2S)	86	-6	48	%
86.75	-6.74	49.38	49.84	97.77	85.92	-6.81	50.55	51.01	97.6	0.97	1.43	0.9	0.74	0.64	6.34	14000238	(14000_2S)	86	-6	49	%
86.75	-6.74	49.38	49.84	97.77	86.16	-6.83	48.03	48.51	98.1	1.82	1.48	0.73	0.69	0.59	4.53	14000239	(14000_2S)	86	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.53	-6.9	47.91	48.41	98.1	1.89	1.49	0.53	0.62	0.52	2.43	14000240	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.51	-6.65	47.89	48.35	97.9	0.97	1.51	0.52	0.61	0.49	2.52	14000241	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.62	-7.05	47.89	48.4	98.3	2.59	1.53	0.54	0.65	0.57	2.17	14000242	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.07	-7.02	50.81	51.3	97.8	0.97	1.6	0.81	0.74	0.62	5.46	14000243	(14000_2S)	86	-6	50	%
86.75	-6.74	49.38	49.84	97.77	86.09	-6.79	47.85	48.33	98.0	1.97	1.67	0.82	0.77	0.66	5.07	14000244	(14000_2S)	86	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.72	-7.03	47.73	48.25	98.3	1.82	1.67	0.57	0.7	0.6	2.23	14000245	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.62	-7.1	47.73	48.26	98.4	1.82	1.69	0.6	0.72	0.63	2.37	14000246	(14000_2S)	87	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.14	-7.01	51.0	51.48	97.8	0.97	1.74	0.79	0.77	0.63	5.12	14000247	(14000_2S)	86	-6	50	%
86.75	-6.74	49.38	49.84	97.77	86.2	-6.6	47.7	48.16	97.8	1.17	1.77	0.75	0.77	0.63	4.41	14000248	(14000_2S)	86	-6	48	%
86.75	-6.74	49.38	49.84	97.77	86.65	-6.6	47.59	48.04	97.9	0.86	1.8	0.56	0.71	0.56	2.44	14000249	(14000_2S)	87	-6	48	%

TUB registration: 20140801-WE74/WE74L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/WE74/WE74L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*			
%CIELAB data for all colour (a) of experiment, iimp=446, colour difference pairs 2S_0446=BIGC_T2_SG %																							
86.75	-6.74	49.38	49.84	97.77	86.81	-6.59	47.52	47.97	97.9	1.97	1.87	0.58	0.74	0.58	2.58	14000250 (14000_2S)	87	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.35	-6.61	47.53	47.99	97.9	2.59	1.9	0.7	0.78	0.64	3.68	14000251 (14000_2S)	87	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.43	-6.68	47.46	47.92	98.0	1.97	1.95	0.68	0.79	0.64	3.31	14000252 (14000_2S)	87	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.32	-6.64	47.45	47.91	97.9	2.59	1.98	0.73	0.82	0.67	3.87	14000253 (14000_2S)	87	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.88	-6.61	47.39	47.85	97.9	0.49	2.0	0.63	0.79	0.63	2.91	14000254 (14000_2S)	87	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	85.85	-6.83	51.18	51.63	97.6	1.43	2.0	1.05	0.94	0.8	7.14	14000255 (14000_2S)	86	-6	50	%			
86.75	-6.74	49.38	49.84	97.77	86.13	-6.43	47.46	47.89	97.7	1.97	2.05	0.86	0.88	0.73	5.02	14000256 (14000_2S)	86	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.51	-6.81	47.35	47.84	98.1	2.41	2.05	0.69	0.83	0.68	3.12	14000257 (14000_2S)	87	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.18	-6.5	47.3	47.74	97.8	2.05	2.17	0.86	0.92	0.75	4.82	14000258 (14000_2S)	86	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.54	-6.51	47.12	47.56	97.8	2.15	2.28	0.73	0.91	0.72	3.29	14000259 (14000_2S)	87	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.41	-6.8	47.12	47.61	98.2	2.27	2.28	0.79	0.94	0.77	3.76	14000260 (14000_2S)	87	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.66	-6.48	47.05	47.49	97.8	2.59	2.35	0.73	0.93	0.74	3.17	14000261 (14000_2S)	87	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.89	-6.97	47.0	47.51	98.4	1.97	2.4	0.79	0.98	0.82	3.45	14000262 (14000_2S)	87	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.73	-6.51	46.98	47.43	97.8	0.53	2.41	0.74	0.95	0.75	3.23	14000263 (14000_2S)	87	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.35	-6.45	46.99	47.43	97.8	2.15	2.44	0.84	0.99	0.8	4.17	14000264 (14000_2S)	87	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.52	-6.75	46.93	47.41	98.1	1.82	2.46	0.8	0.99	0.81	3.56	14000265 (14000_2S)	87	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.52	-6.92	46.92	47.43	98.3	1.69	2.47	0.83	1.01	0.84	3.6	14000266 (14000_2S)	87	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.07	-6.51	46.98	47.43	97.8	1.63	2.5	1.01	1.07	0.87	5.68	14000267 (14000_2S)	86	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.23	-6.69	46.89	47.37	98.1	2.41	2.54	0.93	1.06	0.86	4.84	14000268 (14000_2S)	86	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.67	-7.06	46.82	47.35	98.5	1.69	2.58	0.86	1.07	0.9	3.47	14000269 (14000_2S)	87	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.05	-6.57	46.89	47.35	97.9	2.15	2.59	1.04	1.1	0.91	5.86	14000270 (14000_2S)	86	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	85.85	-6.42	46.92	47.35	97.7	2.27	2.64	1.18	1.17	0.97	7.1	14000271 (14000_2S)	86	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.7	-6.7	46.73	47.21	98.1	2.27	2.65	0.83	1.06	0.85	3.55	14000272 (14000_2S)	87	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.14	-6.62	46.62	47.09	98.0	2.27	2.83	1.05	1.18	0.96	5.53	14000273 (14000_2S)	86	-6	48	%			
86.75	-6.74	49.38	49.84	97.77	86.93	-6.42	46.56	47.01	97.8	2.15	2.84	0.89	1.12	0.9	4.14	14000274 (14000_2S)	87	-6	47	%			
86.75	-6.74	49.38	49.84	97.77	86.78	-6.84	46.27	46.78	98.4	2.88	3.11	0.99	1.25	1.02	4.23	14000275 (14000_2S)	87	-6	47	%			
86.75	-6.74	49.38	49.84	97.77	86.54	-6.59	46.09	46.55	98.1	2.88	3.3	1.04	1.32	1.06	4.59	14000276 (14000_2S)	87	-6	47	%			
86.75	-6.74	49.38	49.84	97.77	86.97	-6.73	45.93	46.42	98.3	2.15	3.45	1.11	1.39	1.13	5.08	14000277 (14000_2S)	87	-6	47	%			
86.75	-6.74	49.38	49.84	97.77	86.67	-6.78	45.77	46.27	98.4	2.05	3.61	1.14	1.46	1.18	4.9	14000278 (14000_2S)	87	-6	47	%			
57.06	-32.56	-0.02	32.56	180.04	56.9	-32.45	0.25	32.45	180.4	0.42	0.29	0.22	0.2	0.21	1.78	14000279 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	56.78	-32.53	0.16	32.53	179.7	1.29	0.33	0.3	0.26	0.28	2.78	14000280 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	56.87	-32.75	0.19	32.75	179.6	1.21	0.34	0.24	0.22	0.23	2.01	14000281 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	57.1	-32.82	-0.3	32.83	180.5	0.71	0.38	0.21	0.21	0.21	1.29	14000282 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	56.99	-32.89	0.22	32.9	179.6	0.6	0.42	0.22	0.23	0.22	1.33	14000283 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	56.92	-32.52	-0.49	32.52	180.8	0.97	0.48	0.34	0.31	0.33	2.37	14000284 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	56.84	-32.07	-0.01	32.07	180.0	1.38	0.53	0.29	0.3	0.28	2.15	14000285 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	57.06	-32.07	0.18	32.07	179.6	0.86	0.53	0.24	0.27	0.24	1.1	14000286 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	57.07	-32.14	-0.42	32.15	180.7	1.75	0.57	0.31	0.32	0.31	1.79	14000287 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	56.99	-32.54	-0.61	32.54	181.0	1.38	0.59	0.4	0.37	0.39	2.58	14000288 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	56.95	-32.57	0.6	32.58	178.9	0.93	0.63	0.43	0.4	0.43	2.85	14000289 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	56.91	-32.15	-0.5	32.15	180.9	1.53	0.65	0.39	0.38	0.39	2.54	14000290 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	56.95	-33.21	-0.14	33.21	180.2	1.09	0.66	0.29	0.32	0.29	1.42	14000291 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	57.13	-31.99	-0.37	31.99	180.6	1.29	0.67	0.33	0.35	0.33	1.81	14000292 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	56.9	-32.68	-0.71	32.69	181.2	1.43	0.71	0.49	0.46	0.48	3.33	14000293 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	56.88	-33.19	-0.34	33.19	180.5	0.86	0.72	0.37	0.38	0.37	2.37	14000294 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	56.96	-32.28	-0.76	32.29	181.3	1.01	0.79	0.51	0.49	0.51	3.3	14000295 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	57.13	-33.15	-0.56	33.15	180.9	2.05	0.8	0.43	0.44	0.43	2.52	14000296 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	56.81	-32.47	0.74	32.48	178.6	2.05	0.81	0.57	0.53	0.56	3.99	14000297 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	57.18	-31.76	0.07	31.76	179.8	1.48	0.81	0.35	0.4	0.35	1.68	14000298 (14000_2S)	57	-32	0	%			
57.06	-32.56	-0.02	32.56	180.04	56.85	-32.37	-0.8	32.38	181.4	1.17	0.82	0.56	0.53	0.56	3.88	14000299 (14000_2S)	57	-32	0	%			

TUB registration: 20140801-WE74/WE74L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/WE74/WE74L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	
%CIELAB data for all colour (a) of experiment, iimp=446, colour difference pairs 2S_0446=BIGC_T2_SG %																					
57.06	-32.56	-0.02	32.56	180.04	56.3	-32.8	-0.3	32.81	180.5	1.82	0.83	0.78	0.68	0.72	7.33	14000300	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.99	-31.84	-0.46	31.85	180.8	1.53	0.84	0.42	0.44	0.42	2.18	14000301	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.89	-33.24	0.47	33.24	179.1	0.14	0.86	0.46	0.47	0.46	2.86	14000302	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.94	-31.71	-0.17	31.71	180.3	1.13	0.87	0.37	0.43	0.38	1.66	14000303	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.96	-33.39	0.22	33.39	179.6	0.53	0.87	0.38	0.43	0.38	1.82	14000304	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	57.14	-31.68	-0.05	31.68	180.0	0.79	0.88	0.36	0.42	0.37	1.41	14000305	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.71	-32.49	-0.84	32.51	181.4	2.41	0.88	0.65	0.59	0.63	4.83	14000306	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.24	-32.48	-0.41	32.49	180.7	1.53	0.9	0.85	0.74	0.79	7.97	14000307	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.91	-32.88	-0.86	32.89	181.5	2.41	0.9	0.59	0.56	0.59	3.88	14000308	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.86	-33.44	-0.28	33.45	180.4	0.49	0.94	0.44	0.48	0.44	2.56	14000309	(14000_2S)	57	-33	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.87	-33.36	-0.49	33.36	180.8	1.38	0.94	0.49	0.5	0.48	2.95	14000310	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.77	-32.82	-0.91	32.83	181.5	1.82	0.96	0.67	0.62	0.66	4.74	14000311	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.14	-32.81	-0.24	32.81	180.4	1.63	0.97	0.93	0.81	0.86	8.86	14000312	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.08	-32.58	-0.18	32.58	180.3	2.15	0.99	0.98	0.85	0.91	9.4	14000313	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.12	-32.78	-0.27	32.78	180.4	1.05	0.99	0.96	0.83	0.89	9.09	14000314	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.72	-33.5	-0.23	33.5	180.3	1.48	1.01	0.52	0.54	0.51	3.61	14000315	(14000_2S)	57	-33	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.98	-33.35	0.62	33.35	178.9	0.22	1.02	0.54	0.55	0.53	3.03	14000316	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.95	-31.77	-0.7	31.78	181.2	1.58	1.04	0.56	0.58	0.57	3.21	14000317	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	57.14	-31.59	-0.43	31.6	180.7	1.38	1.05	0.48	0.53	0.49	2.33	14000318	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	57.3	-33.58	-0.19	33.58	180.3	1.82	1.06	0.49	0.53	0.48	2.65	14000319	(14000_2S)	57	-33	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.69	-33.56	0.07	33.56	179.8	0.9	1.06	0.55	0.57	0.53	3.88	14000320	(14000_2S)	57	-33	0 %	
57.06	-32.56	-0.02	32.56	180.04	57.16	-31.8	-0.77	31.81	181.4	2.15	1.07	0.6	0.61	0.6	3.52	14000321	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.25	-32.42	-0.72	32.43	181.2	1.89	1.08	0.94	0.83	0.88	8.32	14000322	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.96	-31.72	-0.7	31.72	181.2	0.68	1.08	0.58	0.6	0.58	3.23	14000323	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.74	-33.6	-0.05	33.6	180.0	1.89	1.09	0.53	0.56	0.51	3.42	14000324	(14000_2S)	57	-33	0 %	
57.06	-32.56	-0.02	32.56	180.04	57.03	-31.99	-0.95	32.01	181.7	1.43	1.09	0.67	0.65	0.67	4.06	14000325	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.04	-32.44	-0.41	32.44	180.7	1.48	1.09	1.05	0.91	0.98	9.91	14000326	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	55.98	-32.76	-0.15	32.76	180.2	1.43	1.1	1.08	0.93	1.0	10.33	14000327	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.03	-32.52	-0.42	32.52	180.7	1.58	1.1	1.06	0.92	0.98	9.99	14000328	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	57.65	-33.45	0.29	33.45	179.4	1.01	1.11	0.72	0.69	0.68	5.86	14000329	(14000_2S)	57	-33	0 %	
57.06	-32.56	-0.02	32.56	180.04	55.97	-32.66	-0.27	32.66	180.4	1.63	1.12	1.1	0.95	1.02	10.52	14000330	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.72	-33.32	0.75	33.32	178.6	1.09	1.13	0.69	0.67	0.67	4.75	14000331	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.87	-31.58	0.58	31.59	178.9	1.97	1.16	0.6	0.63	0.6	3.33	14000332	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	57.09	-31.82	-0.94	31.83	181.6	2.88	1.18	0.69	0.68	0.69	4.05	14000333	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.79	-33.03	1.06	33.05	178.1	0.49	1.21	0.79	0.75	0.78	5.29	14000334	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	57.62	-33.6	0.23	33.6	179.6	1.89	1.21	0.72	0.7	0.68	5.56	14000335	(14000_2S)	57	-33	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.93	-32.8	1.17	32.82	177.9	0.42	1.22	0.81	0.77	0.81	5.19	14000336	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	55.97	-32.68	-0.59	32.69	181.0	1.69	1.23	1.15	1.0	1.07	10.7	14000337	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.12	-32.16	-0.72	32.17	181.2	1.75	1.23	1.06	0.94	0.99	9.42	14000338	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.02	-32.99	-0.55	32.99	180.9	2.05	1.24	1.11	0.97	1.04	10.27	14000339	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	55.88	-32.97	0.26	32.97	179.5	1.48	1.27	1.2	1.04	1.11	11.35	14000340	(14000_2S)	56	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.32	-32.16	-1.0	32.18	181.7	1.34	1.29	1.0	0.91	0.96	8.22	14000341	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	55.99	-33.35	0.02	33.35	179.9	2.05	1.33	1.11	0.99	1.04	10.37	14000342	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.91	-33.32	-1.15	33.34	181.9	2.41	1.36	0.82	0.8	0.82	5.14	14000343	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.03	-32.55	-0.93	32.56	181.6	1.75	1.37	1.2	1.06	1.13	10.64	14000344	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	57.0	-31.94	-1.28	31.97	182.2	0.42	1.39	0.88	0.85	0.88	5.44	14000345	(14000_2S)	57	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.7	-33.64	-0.87	33.65	181.4	1.69	1.41	0.79	0.79	0.78	5.22	14000346	(14000_2S)	57	-33	0 %	
57.06	-32.56	-0.02	32.56	180.04	55.9	-31.85	-0.54	31.85	180.9	1.97	1.45	1.24	1.1	1.16	11.26	14000347	(14000_2S)	56	-32	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.9	-33.56	-1.09	33.57	181.8	2.27	1.46	0.83	0.82	0.82	5.01	14000348	(14000_2S)	57	-33	0 %	
57.06	-32.56	-0.02	32.56	180.04	56.13	-31.37	-0.14	31.37	180.2	1.58	1.51	1.04	0.98	0.99	8.91	14000349	(14000_2S)	57	-31	0 %	

TUB registration: 20140801-WE74/WE74L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/WE74/WE74L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=446, colour difference pairs 2S_0446=BIGC_T2_SG %																				
57.06	-32.56	-0.02	32.56	180.04	56.82	-33.22	-1.36	33.25	182.3	2.41	1.51	0.96	0.91	0.95	6.26	14000350	(14000_2S)	57	-32	0 %
57.06	-32.56	-0.02	32.56	180.04	56.85	-33.11	-1.44	33.14	182.5	1.97	1.53	0.99	0.94	0.99	6.48	14000351	(14000_2S)	57	-32	0 %
57.06	-32.56	-0.02	32.56	180.04	57.03	-32.16	-1.52	32.2	182.7	2.15	1.55	1.02	0.97	1.02	6.44	14000352	(14000_2S)	57	-32	0 %
57.06	-32.56	-0.02	32.56	180.04	56.91	-33.52	-1.27	33.55	182.1	1.82	1.58	0.93	0.91	0.92	5.69	14000353	(14000_2S)	57	-33	0 %
57.06	-32.56	-0.02	32.56	180.04	55.98	-32.27	-1.16	32.29	182.0	2.05	1.59	1.32	1.18	1.26	11.43	14000354	(14000_2S)	57	-32	0 %
57.06	-32.56	-0.02	32.56	180.04	56.04	-31.4	-0.46	31.4	180.8	1.58	1.6	1.15	1.07	1.09	9.94	14000355	(14000_2S)	57	-31	0 %
57.06	-32.56	-0.02	32.56	180.04	57.11	-31.54	-1.33	31.57	182.4	2.41	1.65	0.98	0.97	0.98	5.78	14000356	(14000_2S)	57	-32	0 %
57.06	-32.56	-0.02	32.56	180.04	56.78	-34.18	-0.38	34.19	180.6	2.15	1.68	0.75	0.83	0.74	3.84	14000357	(14000_2S)	57	-33	0 %
57.06	-32.56	-0.02	32.56	180.04	56.98	-30.88	-0.2	30.88	180.3	1.82	1.69	0.7	0.82	0.72	2.45	14000358	(14000_2S)	57	-31	0 %
57.06	-32.56	-0.02	32.56	180.04	56.04	-31.33	-0.76	31.34	181.4	2.05	1.75	1.23	1.15	1.18	10.27	14000359	(14000_2S)	57	-31	0 %
57.06	-32.56	-0.02	32.56	180.04	55.94	-31.46	-0.81	31.47	181.4	2.88	1.76	1.32	1.21	1.25	11.29	14000360	(14000_2S)	57	-32	0 %
57.06	-32.56	-0.02	32.56	180.04	56.3	-31.04	-0.65	31.05	181.2	1.63	1.81	1.06	1.06	1.03	7.89	14000361	(14000_2S)	57	-31	0 %
57.06	-32.56	-0.02	32.56	180.04	57.16	-31.06	-1.09	31.07	182.0	1.97	1.85	0.95	1.0	0.97	5.11	14000362	(14000_2S)	57	-31	0 %
57.06	-32.56	-0.02	32.56	180.04	55.91	-31.11	-0.19	31.11	180.3	1.48	1.85	1.29	1.21	1.22	11.04	14000363	(14000_2S)	56	-31	0 %
57.06	-32.56	-0.02	32.56	180.04	56.14	-32.09	-1.59	32.13	182.8	2.27	1.87	1.41	1.29	1.37	11.06	14000364	(14000_2S)	57	-32	0 %
57.06	-32.56	-0.02	32.56	180.04	55.79	-31.55	-1.04	31.57	181.9	2.27	1.91	1.5	1.36	1.42	12.93	14000365	(14000_2S)	56	-32	0 %
57.06	-32.56	-0.02	32.56	180.04	56.87	-33.81	-1.64	33.85	182.7	2.41	2.05	1.2	1.17	1.19	7.38	14000366	(14000_2S)	57	-33	0 %
57.06	-32.56	-0.02	32.56	180.04	55.84	-31.31	-1.12	31.33	182.0	2.15	2.06	1.51	1.4	1.45	12.59	14000367	(14000_2S)	56	-31	0 %
57.06	-32.56	-0.02	32.56	180.04	56.11	-30.84	-0.75	30.84	181.3	1.34	2.1	1.28	1.26	1.24	9.75	14000368	(14000_2S)	57	-31	0 %
57.06	-32.56	-0.02	32.56	180.04	55.79	-31.0	-1.29	31.03	182.3	1.82	2.37	1.65	1.56	1.6	13.36	14000369	(14000_2S)	56	-31	0 %
57.06	-32.56	-0.02	32.56	180.04	55.93	-31.13	-2.01	31.2	183.7	2.41	2.69	1.85	1.75	1.82	13.87	14000370	(14000_2S)	56	-31	-1 %
37.04	7.53	-28.3	29.29	284.9	37.03	7.55	-28.37	29.36	284.9	0.86	0.07	0.03	0.03	0.03	0.42	14000371	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.06	7.43	-28.3	29.26	284.7	1.13	0.1	0.07	0.08	0.08	0.33	14000372	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.96	7.56	-28.23	29.23	284.9	0.95	0.11	0.09	0.1	0.09	0.91	14000373	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.14	7.49	-28.24	29.22	284.8	0.95	0.12	0.1	0.11	0.08	1.27	14000374	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.13	7.46	-28.35	29.32	284.7	1.04	0.12	0.1	0.12	0.11	1.02	14000375	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.01	7.51	-28.17	29.16	284.9	0.95	0.13	0.06	0.07	0.07	0.69	14000376	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.09	7.46	-28.18	29.15	284.8	0.17	0.14	0.08	0.09	0.06	0.98	14000377	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.11	7.52	-28.44	29.42	284.8	1.42	0.15	0.09	0.1	0.1	0.95	14000378	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.9	7.57	-28.37	29.37	284.9	1.04	0.16	0.14	0.15	0.12	1.75	14000379	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.95	7.47	-28.43	29.4	284.7	1.13	0.16	0.11	0.13	0.14	1.39	14000380	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.14	7.43	-28.2	29.17	284.7	0.78	0.17	0.12	0.13	0.09	1.41	14000381	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.87	7.57	-28.29	29.29	284.9	0.86	0.17	0.17	0.18	0.14	1.95	14000382	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.92	7.4	-28.3	29.25	284.6	0.07	0.17	0.14	0.17	0.14	1.41	14000383	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.01	7.46	-28.46	29.42	284.6	0.78	0.17	0.1	0.12	0.14	1.01	14000384	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.85	7.5	-28.34	29.32	284.8	0.95	0.19	0.19	0.21	0.16	2.25	14000385	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.86	7.61	-28.32	29.33	285.0	0.86	0.19	0.18	0.2	0.16	2.12	14000386	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.18	7.65	-28.21	29.23	285.1	0.95	0.2	0.17	0.19	0.18	1.81	14000387	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.96	7.51	-28.49	29.47	284.7	0.78	0.2	0.12	0.13	0.14	1.53	14000388	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.23	7.62	-28.33	29.34	285.0	0.61	0.21	0.19	0.21	0.17	2.16	14000389	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.06	7.44	-28.1	29.07	284.8	0.53	0.22	0.09	0.11	0.07	1.17	14000390	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.03	7.5	-28.52	29.49	284.7	0.61	0.22	0.1	0.12	0.15	1.21	14000391	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.17	7.64	-28.15	29.17	285.1	0.17	0.22	0.17	0.19	0.2	1.88	14000392	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.83	7.57	-28.4	29.39	284.9	1.54	0.23	0.21	0.23	0.18	2.61	14000393	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.83	7.59	-28.39	29.39	284.9	0.78	0.23	0.21	0.23	0.18	2.59	14000394	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.81	7.57	-28.36	29.36	284.9	1.13	0.24	0.23	0.25	0.19	2.76	14000395	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.82	7.54	-28.41	29.4	284.8	0.44	0.24	0.22	0.24	0.19	2.75	14000396	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.26	7.48	-28.18	29.16	284.8	0.53	0.25	0.22	0.24	0.19	2.77	14000397	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.21	7.42	-28.12	29.09	284.7	0.86	0.27	0.19	0.21	0.15	2.41	14000398	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.79	7.51	-28.43	29.41	284.8	0.95	0.28	0.25	0.28	0.22	3.13	14000399	(14000_2S)	37	7	-28 %

TUB registration: 20140801-WE74/WE74L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/WE74/WE74L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=446, colour difference pairs 2S_0446=BIGC_T2_SG %																				
37.04	7.53	-28.3	29.29	284.9	36.8	7.52	-28.45	29.43	284.8	1.13	0.28	0.24	0.27	0.22	3.07	14000400	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.24	7.55	-28.5	29.49	284.8	1.22	0.28	0.21	0.24	0.19	2.29	14000401	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.29	7.66	-28.25	29.27	285.1	0.17	0.28	0.26	0.29	0.24	2.97	14000402	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.87	7.6	-28.53	29.53	284.9	1.81	0.29	0.19	0.22	0.17	2.57	14000403	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.8	7.55	-28.5	29.49	284.8	1.04	0.31	0.25	0.28	0.22	3.21	14000404	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.31	7.6	-28.11	29.12	285.1	1.13	0.33	0.29	0.32	0.27	3.5	14000405	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.72	7.49	-28.4	29.37	284.7	1.13	0.33	0.32	0.35	0.28	3.87	14000406	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.26	7.51	-28.04	29.03	285.0	1.04	0.34	0.24	0.27	0.23	3.18	14000407	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.33	7.37	-28.21	29.16	284.6	0.7	0.34	0.3	0.34	0.26	3.53	14000408	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.78	7.61	-28.51	29.51	284.9	0.86	0.34	0.27	0.3	0.23	3.47	14000409	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.76	7.58	-28.5	29.49	284.9	0.78	0.34	0.29	0.32	0.25	3.66	14000410	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.72	7.64	-28.39	29.4	285.0	1.32	0.34	0.32	0.36	0.27	3.86	14000411	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.74	7.5	-28.49	29.46	284.7	1.04	0.35	0.31	0.34	0.28	3.85	14000412	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.71	7.61	-28.44	29.44	284.9	0.86	0.36	0.33	0.37	0.28	4.08	14000413	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.37	7.66	-28.2	29.22	285.2	0.78	0.36	0.34	0.38	0.31	3.97	14000414	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.76	7.64	-28.52	29.53	285.0	1.04	0.37	0.3	0.33	0.24	3.73	14000415	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.03	7.44	-28.67	29.62	284.5	1.32	0.38	0.19	0.23	0.27	2.02	14000416	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.21	7.5	-27.96	28.95	285.0	0.86	0.38	0.22	0.25	0.23	2.99	14000417	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.87	7.6	-28.64	29.63	284.8	0.53	0.38	0.22	0.25	0.21	3.0	14000418	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.73	7.53	-28.54	29.52	284.7	1.54	0.39	0.32	0.36	0.29	4.1	14000419	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.71	7.58	-28.51	29.5	284.8	0.95	0.39	0.34	0.37	0.29	4.24	14000420	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.71	7.59	-28.51	29.51	284.9	0.78	0.39	0.34	0.37	0.29	4.24	14000421	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.66	7.47	-28.42	29.39	284.7	0.78	0.4	0.38	0.42	0.33	4.59	14000422	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.63	7.5	-28.36	29.34	284.8	1.42	0.41	0.41	0.45	0.34	4.83	14000423	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.68	7.62	-28.52	29.52	284.9	0.7	0.43	0.37	0.41	0.31	4.61	14000424	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.65	7.58	-28.49	29.48	284.9	1.04	0.43	0.39	0.43	0.33	4.87	14000425	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.62	7.56	-28.42	29.41	284.9	0.61	0.43	0.42	0.46	0.35	5.06	14000426	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.7	7.65	-28.55	29.56	285.0	0.86	0.43	0.36	0.39	0.3	4.47	14000427	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.71	7.64	-28.57	29.58	284.9	0.53	0.43	0.35	0.38	0.29	4.42	14000428	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.66	7.6	-28.53	29.53	284.9	1.04	0.44	0.39	0.43	0.33	4.86	14000429	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.31	7.65	-27.93	28.96	285.3	0.78	0.47	0.33	0.38	0.37	4.08	14000430	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.57	7.58	-28.44	29.44	284.9	1.42	0.49	0.47	0.51	0.39	5.68	14000431	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.41	7.4	-27.97	28.94	284.8	0.95	0.51	0.4	0.44	0.33	5.02	14000432	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.55	7.5	-28.14	29.13	284.9	0.78	0.53	0.51	0.55	0.43	6.15	14000433	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.69	7.64	-28.7	29.7	284.9	0.78	0.54	0.39	0.43	0.34	5.04	14000434	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.59	7.65	-28.6	29.61	284.9	0.95	0.55	0.47	0.51	0.39	5.83	14000435	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.59	7.62	-28.62	29.62	284.9	1.13	0.55	0.47	0.51	0.4	5.88	14000436	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.53	7.63	-28.62	29.62	284.9	1.04	0.6	0.52	0.58	0.45	6.56	14000437	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.43	7.39	-27.85	28.82	284.8	0.7	0.61	0.43	0.48	0.38	5.61	14000438	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.61	7.6	-28.02	29.04	285.1	1.22	0.63	0.58	0.64	0.52	7.09	14000439	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.52	7.73	-28.66	29.69	285.1	1.42	0.66	0.55	0.6	0.45	6.79	14000440	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	36.44	7.65	-28.64	29.65	284.9	1.22	0.69	0.61	0.68	0.52	7.62	14000441	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.65	7.39	-27.91	28.88	284.8	1.22	0.73	0.63	0.69	0.54	7.82	14000442	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.65	7.42	-27.89	28.86	284.9	0.78	0.74	0.63	0.69	0.54	7.87	14000443	(14000_2S)	37	7	-28 %
37.04	7.53	-28.3	29.29	284.9	37.4	7.24	-27.52	28.46	284.7	1.81	0.9	0.5	0.57	0.44	6.61	14000444	(14000_2S)	37	7	-27 %
37.04	7.53	-28.3	29.29	284.9	36.01	7.49	-28.49	29.46	284.7	1.66	1.04	1.03	1.13	0.87	12.24	14000445	(14000_2S)	37	7	-28 %

%L*	a*	b*	C*ab	hab	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=446, colour difference pairs 2S_0446=BIGC_T2_SG %																				
Minimum, maximum and average colour difference value																				
STRESS constant F and STRESS value S																				
iai+1 = 446, d_CIELABmin = 0.07, d_CIELABmax = 4.28, d_CIELABave = 1.08																				
iai+1 = 446, CIELAB_Fa = 0.76, CIELAB_STRESSa = 51.87																				
iai+1 = 446, d_CIELCHmin = 0.07, d_CIELCHmax = 4.28, d_CIELCHave = 1.08																				
iai+1 = 446, CIELCHFa = 0.76, CIELCHSTRESSa = 51.87																				
iai+1 = 446, d_C94LCHmin = 0.03, d_C94LCHmax = 1.97, d_C94LCHave = 0.62																				
iai+1 = 446, C94LCHFa = 0.42, C94LCHSTRESSa = 46.47																				
iai+1 = 446, d_CMCLCHmin = 0.03, d_CMCLCHmax = 2.48, d_CMCLCHave = 0.67																				
iai+1 = 446, CMCLCHFa = 0.46, CMCLCHSTRESSa = 49.79																				
iai+1 = 446, d_C00LCHmin = 0.03, d_C00LCHmax = 2.1, d_C00LCHave = 0.6																				
iai+1 = 446, C00LCHFa = 0.41, C00LCHSTRESSa = 48.75																				
iai+1 = 446, d_C85LCHmin = 0.33, d_C85LCHmax = 13.87, d_C85LCHave = 4.4																				
iai+1 = 446, C85LCHFa = 2.91, C85LCHSTRESSa = 51.23																				