



see similar files: http://130.149.60.45/~farbmetrik/XE30/XE30.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with columns: N, S, N1-N5, NA1-NA5, DV*1ab-DV*4ab, DV*vv, S*ab,vv, DV*ab, DV1ab-DV2ab, DV1vv-DV2vv, CODE, VIM, no., inr. It contains 55 rows of color difference data and formulas.

TUB registration: 20140801-XE30/XE30L0NP.PDF /.PS
application for measurement of display or printer output



TUB material: code=rha4ta



see similar files: http://130.149.60.45/~farbmetrik/XE30/XE30L0NP.PDF /.PS application for measurement of display or printer output, no separation

Table with columns: N, S, N1-N5, NA1-NA5, DV*1ab-DV*4ab, DV*vv, S*ab,vv, DV*ab, DV1ab, DV1vv, DV2ab, DV2vv, CODE, VIM, no., inr. Rows 27-105.

TUB registration: 20140801-XE30/XE30L0NP.PDF /.PS TUB material: code=rha4ta



technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik





Table with 24 columns: N, S, N1-N5, NA1-NA5, DV*100-DV*400, DV*vv, S*00,vv, DV*00-DV100, DV1vv, DV200-DV2vv, CODE, VIM, no., inr. The table lists 55 rows of color and color difference data.

TUB registration: 20140801-XE30/XE30L0NP.PDF /PS application for measurement of display or printer output, no separation TUB material: code=rh4ta

see similar files: http://130.149.60.45/~farbmetrik/XE30/XE30L0NP.PDF /PS application for measurement of display or printer output, no separation

Table with columns: N, S, N1-N5, NA1-NA5, DV*100-DV*400, S*00,vv, DV*00-DV200, CODE, VIM, no., inr. Rows 27-105.

TUB registration: 20140801-XE30/XE30L0NP.PDF /PS TUB material: code=rh4ta



see similar files: http://130.149.60.45/~farbmetrik/XE30/XE30.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

N	S	N1	N2	N3	N4	N5	NA1	NA2	NA3	NA4	NA5	DV*1vw	DV*2vw	DV*3vw	DV*4vw	DV*vv	S*vw,vv	DV*vw	DV1vw	DV1vv	DV2vw	DV2vv	CODE	VIM	no.	inr	
1	3	1	2	3	0	0	W	CW	C	0	0	6.56	6.54	26.45	26.38	5.68	13.11	6.56	0.5	0.433	0.499	0.566	CW-W	0.433	0	61000001	
2	3	7	8	9	0	0	W	VW	V	0	0	7.23	9.86	29.54	41.94	7.72	17.09	7.23	0.423	0.452	0.576	0.547	VW-W	0.452	1	61000002	
3	3	13	14	15	0	0	W	MW	M	0	0	7.54	7.92	31.0	32.73	6.64	15.47	7.54	0.487	0.429	0.512	0.57	MW-W	0.429	2	61000003	
4	3	19	20	21	0	0	W	OW	O	0	0	6.9	8.95	28.0	37.63	8.82	15.47	7.92	0.51	0.57	0.48	0.42	OW-W	0.0	3	61000004	
5	3	25	26	27	0	0	W	YW	Y	0	0	4.43	3.02	16.98	11.01	6.83	15.86	6.9	0.435	0.43	0.564	0.569	MW-M	0.0	4	61000005	
6	3	31	32	33	0	0	W	LW	L	0	0	6.33	6.98	25.44	28.39	9.02	15.86	8.95	0.56	0.56	0.43	0.43	OW-O	0.0	5	61000006	
7	3	37	38	39	0	0	C	CN	N	0	0	6.41	8.5	25.79	35.46	6.92	13.32	6.33	0.475	0.48	0.524	0.52	CN-C	0.542	6	61000007	
8	3	43	44	45	0	0	V	VN	N	0	0	2.6	4.35	9.3	16.62	6.82	14.92	8.5	0.56	0.45	0.43	0.54	CN-N	0.0	7	61000008	
9	3	49	50	51	0	0	M	MN	N	0	0	6.63	7.26	26.79	29.68	4.19	6.96	2.6	0.374	0.602	0.625	0.397	VN-V	0.602	8	61000009	
10	3	55	56	57	0	0	O	ON	N	0	0	7.46	8.31	30.61	34.58	2.76	6.96	4.35	0.62	0.39	0.37	0.6	VN-N	0.0	9	61000010	
11	3	61	62	63	0	0	Y	YN	N	0	0	7.3	9.82	29.85	41.76	7.15	13.9	6.63	0.477	0.515	0.522	0.485	MN-M	0.515	10	61000011	
12	3	67	68	69	0	0	L	LN	N	0	0	4.85	8.42	18.78	35.11	6.74	13.9	7.26	0.52	0.48	0.47	0.51	MN-N	0.0	11	61000012	
13	3	209	210	211	0	0	W	C	N	0	0	14.35	13.82	64.16	61.49	8.2	15.78	7.46	0.473	0.52	0.526	0.48	ON-O	0.52	12	61000013	
14	3	215	216	217	0	0	W	V	N	0	0	14.91	7.95	67.03	32.9	7.57	15.78	8.31	0.52	0.48	0.47	0.52	ON-N	0.0	13	61000014	
15	3	221	222	223	0	0	W	M	N	0	0	16.37	13.77	74.47	61.26	8.34	17.12	7.3	0.426	0.487	0.573	0.512	YN-Y	0.487	14	61000015	
16	3	227	228	229	0	0	W	O	N	0	0	15.84	14.95	71.76	67.2	8.78	17.12	9.82	0.57	0.51	0.42	0.48	YN-N	0.0	15	61000016	
17	3	233	234	235	0	0	W	Y	N	0	0	8.88	18.6	37.26	86.09	6.45	13.27	8.42	0.63	0.48	0.36	0.51	LN-N	0.0	16	61000017	
18	3	239	240	241	0	0	W	L	N	0	0	11.69	12.74	50.88	56.1	15.45	28.17	13.82	0.49	0.54	0.5	0.45	C-N	0.0	17	61000018	
19	3	245	246	247	0	0	C	V	M	0	0	9.8	10.49	41.67	45.01	16.36	30.15	13.77	0.45	0.54	0.54	0.45	W-N	0.0	18	61000019	
20	3	251	252	253	0	0	M	O	Y	0	0	6.98	15.95	28.4	72.31	16.49	30.79	14.95	0.48	0.53	0.51	0.46	O-N	0.0	19	61000020	
21	3	257	258	259	0	0	Y	L	C	0	0	14.47	9.6	64.79	40.72	13.78	20.15	16.37	0.543	0.457	0.456	0.542	M-W	0.457	20	61000021	
22	3	263	264	265	0	0	V	C	L	0	0	9.8	9.6	41.67	40.72	16.36	30.15	13.77	0.45	0.54	0.54	0.45	W-N	0.0	21	61000022	
23	3	269	270	271	0	0	L	Y	O	0	0	14.47	15.95	64.79	72.31	14.29	30.79	14.95	0.48	0.53	0.51	0.46	O-N	0.0	22	61000023	
24	3	275	276	277	0	0	O	M	V	0	0	6.98	10.49	28.4	45.01	9.52	27.48	8.88	0.323	0.346	0.676	0.653	Y-W	0.346	23	61000024	
25	5	89	90	91	92	93	W	Wc	CW	Cw	C	2.96	3.18	3.08	5.11	17.96	27.48	18.6	0.67	0.65	0.32	0.34	Y-N	0.0	24	61000025	
26	5	99	100	101	102	103	W	Wv	CW	Vw	V	3.52	3.54	3.3	4.53	12.2	24.44	11.69	0.478	0.499	0.521	0.5	L-W	0.499	25	61000026	

TUB registration: 20140801-XE30/XE30L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rh4ta

see similar files: http://130.149.60.45/~farbmetrik/XE30/XE30L0NP.PDF /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with columns: N, S, N1-N5, NA1-NA5, DV*1vw-DV*4vw, DV*v, S*v, DV*v, DV1vw, DV1vw, DV2vw, DV2vw, CODE, VIM, no., inr. Rows 27-105.

TUB registration: 20140801-XE30/XE30L0NP.PDF /PS
application for measurement of display or printer output, no separation
TUB material: code=rh4ta

