

N	S	N1	N2	N3	N4	N5	NA1	NA2	NA3	NA4	NA5	DV*1ab	DV*2ab	DV*3ab	DV*4ab	DV*vk	S*ab,vk	DV*ab	DV1ab	DV1vk	DV2ab	DV2vk	CODE	VIM	no.	inr	%
27	5	109	110	111	112	113	W	Wm	CW	Mw	M	22.34	23.73	22.19	22.5	23.22	90.77	22.34	0.246	0.255	0.753	0.744	W-Wm	0.255	58	52000027	%
																19.75	90.77	23.73	0.26	0.21	0.73	0.78	Wm-Mw	0.473	57	52000027	%
																21.35	90.77	22.19	0.24	0.23	0.75	0.76	MW-Mw	0.708	1	52000027	%
																26.43	90.77	22.5	0.24	0.29	0.75	0.7	Mw-M	0.0	59	52000027	%
28	5	119	120	121	122	123	W	Wo	CW	Ow	O	22.94	23.82	24.97	22.64	21.37	94.38	22.94	0.243	0.226	0.756	0.773	W-Wo	0.226	62	52000028	%
																20.82	94.38	23.82	0.25	0.22	0.74	0.77	Wo-OW	0.447	61	52000028	%
																22.87	94.38	24.97	0.26	0.24	0.73	0.75	OW-OW	0.689	1	52000028	%
																29.31	94.38	22.64	0.23	0.31	0.76	0.68	Ow-O	0.0	63	52000028	%
29	5	129	130	131	132	133	W	Wy	CW	Yw	Y	22.21	23.65	25.94	20.97	21.83	92.79	22.21	0.239	0.235	0.76	0.764	W-Wy	0.235	66	52000029	%
																20.9	92.79	23.65	0.25	0.22	0.74	0.77	Wy-YW	0.46	65	52000029	%
																23.96	92.79	25.94	0.27	0.25	0.72	0.74	YW-Yw	0.718	1	52000029	%
																26.09	92.79	20.97	0.22	0.28	0.77	0.71	Yw-Y	0.0	67	52000029	%
30	5	139	140	141	142	143	W	Wl	CW	Lw	L	20.01	21.19	19.69	20.27	20.43	81.18	20.01	0.246	0.251	0.753	0.748	W-Wl	0.251	70	52000030	%
																17.19	81.18	21.19	0.26	0.21	0.73	0.78	Wl-Lw	0.463	69	52000030	%
																18.86	81.18	19.69	0.24	0.23	0.75	0.76	LW-Lw	0.695	1	52000030	%
																24.68	81.18	20.27	0.24	0.3	0.75	0.69	Lw-L	0.0	71	52000030	%
31	5	149	150	151	152	153	C	Cn	CN	Nc	N	16.6	17.03	16.27	17.07	19.11	66.98	16.6	0.247	0.285	0.752	0.714	C-Cn	0.285	74	52000031	%
																15.17	66.98	17.03	0.25	0.22	0.74	0.77	Cn-CN	0.511	73	52000031	%
																16.86	66.98	16.27	0.24	0.25	0.75	0.74	CN-Nc	0.763	1	52000031	%
																15.84	66.98	17.07	0.25	0.23	0.74	0.76	Nc-N	0.0	75	52000031	%
32	5	159	160	161	162	163	V	Vn	VN	Nv	N	12.49	14.09	14.93	13.61	12.0	55.14	12.49	0.226	0.217	0.773	0.782	V-Vn	0.217	78	52000032	%
																14.59	55.14	14.09	0.25	0.26	0.74	0.73	Vn-VN	0.482	77	52000032	%
																16.7	55.14	14.93	0.27	0.3	0.72	0.69	VN-Nv	0.785	1	52000032	%
																11.83	55.14	13.61	0.24	0.21	0.75	0.78	Nv-N	0.0	79	52000032	%
33	5	169	170	171	172	173	M	Mn	MN	Nm	N	20.1	20.51	18.8	20.26	23.2	79.69	20.1	0.252	0.291	0.747	0.708	M-Mn	0.291	82	52000033	%
																18.37	79.69	20.51	0.25	0.23	0.74	0.76	Mn-MN	0.521	81	52000033	%
																15.37	79.69	18.8	0.23	0.19	0.76	0.8	MN-Nm	0.714	1	52000033	%
																22.73	79.69	20.26	0.25	0.28	0.74	0.71	Nm-N	0.0	83	52000033	%
34	5	179	180	181	182	183	O	On	ON	No	N	22.7	21.8	20.33	23.51	25.1	88.34	22.7	0.256	0.284	0.743	0.715	O-On	0.284	86	52000034	%
																17.51	88.34	21.8	0.24	0.19	0.75	0.8	On-ON	0.482	85	52000034	%
																21.04	88.34	20.33	0.23	0.23	0.76	0.76	ON-No	0.72	1	52000034	%
																24.68	88.34	23.51	0.26	0.27	0.73	0.72	No-N	0.0	87	52000034	%
35	5	189	190	191	192	193	Y	Yn	YN	Ny	N	29.12	31.21	28.89	30.39	32.72	119.63	29.12	0.243	0.273	0.756	0.726	Y-Yn	0.273	90	52000035	%
																26.03	119.63	31.21	0.26	0.21	0.73	0.78	Yn-YN	0.491	89	52000035	%
																22.51	119.63	28.89	0.24	0.18	0.75	0.81	YN-Ny	0.679	1	52000035	%
																38.35	119.63	30.39	0.25	0.32	0.74	0.67	Ny-N	0.0	91	52000035	%
36	5	199	200	201	202	203	L	Ln	LN	Nl	N	20.2	20.83	20.42	19.73	21.97	81.2	20.2	0.248	0.27	0.751	0.729	L-Ln	0.27	94	52000036	%
																15.38	81.2	20.83	0.25	0.18	0.74	0.81	Ln-LN	0.46	93	52000036	%
																22.35	81.2	20.42	0.25	0.27	0.74	0.72	LN-Nl	0.735	1	52000036	%
																21.49	81.2	19.73	0.24	0.26	0.75	0.73	Nl-N	0.0	95	52000036	%
37	3	281	282	283	0	0	C	CV	V	0	0	35.03	35.26	0.0	0.0	33.49	70.3	35.03	0.498	0.476	0.501	0.523	CV-C	0.476	96	52000037	%
																36.8	70.3	35.26	0.5	0.52	0.49	0.47	CV-V	0.0	97	52000037	%
38	3	283	284	285	0	0	V	MV	M	0	0	29.74	32.14	0.0	0.0	32.58	61.88	29.74	0.48	0.526	0.519	0.473	VM-V	0.526	98	52000038	%
																29.3	61.88	32.14	0.51	0.47	0.48	0.52	VM-M	0.0	99	52000038	%
39	3	291	292	293	0	0	M	MO	O	0	0	29.58	30.02	0.0	0.0	36.22	59.61	29.58	0.496	0.607	0.503	0.392	MO-M	0.607	100	52000039	%
																23.38	59.61	30.02	0.5	0.39	0.49	0.6	MO-O	0.0	101	52000039	%
40	3	293	294	295	0	0	O	YO	Y	0	0	48.88	46.54	0.0	0.0	47.71	95.43	48.88	0.512	0.5	0.487	0.5	YO-O	0.5	102	52000040	%
																47.71	95.43	46.54	0.48	0.5	0.51	0.5	YO-Y	0.0	103	52000040	%
41	3	301	302	303	0	0	Y	YL	L	0	0	47.1	41.44	0.0	0.0	46.56	88.54	47.1	0.531	0.525	0.468	0.474	YL-Y	0.525	104	52000041	%
																41.98	88.54	41.44	0.46	0.47	0.53	0.52	YL-L	0.0	105	52000041	%

see similar files: <http://130.149.60.45/~farbmetrik/XE33/XE33LONA.TXT>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-XE33/XE33LONA.TXT /PS
application for measurement of display or printer output, no separation
TUB material: code=rh4ta




Table with columns: N, S, N1-N5, NA1-NA5, DV*1ab-DV*4ab, DV*vk, S*ab,vk, DV*ab, DV1ab, DV1vk, DV2ab, DV2vk, CODE, VIM, no., inr, %. Rows 27-105 contain color difference data for various experiments.



see similar files: http://130.149.60.45/~farbmetrik/XE33/XE33.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20140801-XE33/XE33LONA.TXT /PS application for measurement of display or printer output, no separation TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/XE33/XE33.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

N	S	N1	N2	N3	N4	N5	NA1	NA2	NA3	NA4	NA5	DV*1ab	DV*2ab	DV*3ab	DV*4ab	DV*vm	S*ab,vm	DV*ab	DV1ab	DV1vm	DV2ab	DV2vm	CODE	VIM	no.	inr	%
1000(CIEXYZ & DV) for all colours (a) of experiment, iimp=98, colour difference pairs MA_LC098=MEL_ADJACENT, xchart=6, xchart3=0, xchart4=3 %																											
1	3	1	2	3	0	0	W	CW	C	0	0	35.05	31.23	0.0	0.0	33.54	66.29	35.05	0.528	0.505	0.471	0.494	CW-W	0.505	0	54000001	%
																32.74	66.29	31.23	0.47	0.49	0.52	0.5	CW-C	0.0	1	54000001	%
2	3	7	8	9	0	0	W	VW	V	0	0	43.88	37.0	0.0	0.0	42.62	80.88	43.88	0.542	0.527	0.457	0.473	VW-W	0.527	2	54000002	%
																38.25	80.88	37.0	0.45	0.47	0.54	0.52	VW-V	0.0	3	54000002	%
3	3	13	14	15	0	0	W	MW	M	0	0	42.49	37.8	0.0	0.0	40.79	80.3	42.49	0.529	0.508	0.47	0.491	MW-W	0.508	4	54000003	%
																39.5	80.3	37.8	0.47	0.49	0.52	0.5	MW-M	0.0	5	54000003	%
4	3	19	20	21	0	0	W	OW	O	0	0	41.97	40.71	0.0	0.0	38.45	82.68	41.97	0.507	0.465	0.492	0.534	OW-W	0.465	6	54000004	%
																44.23	82.68	40.71	0.49	0.53	0.5	0.46	OW-O	0.0	7	54000004	%
5	3	25	26	27	0	0	W	YW	Y	0	0	42.3	37.38	0.0	0.0	45.02	79.69	42.3	0.53	0.565	0.469	0.435	YW-W	0.565	8	54000005	%
																34.66	79.69	37.38	0.46	0.43	0.53	0.56	YW-Y	0.0	9	54000005	%
6	3	31	32	33	0	0	W	LW	L	0	0	36.01	32.77	0.0	0.0	35.22	68.79	36.01	0.523	0.512	0.476	0.487	LW-W	0.512	10	54000006	%
																33.57	68.79	32.77	0.47	0.48	0.52	0.51	LW-L	0.0	11	54000006	%
7	3	37	38	39	0	0	C	CN	N	0	0	41.1	36.87	0.0	0.0	34.15	77.97	41.1	0.527	0.438	0.472	0.562	CN-C	0.438	12	54000007	%
																43.82	77.97	36.87	0.47	0.56	0.52	0.43	CN-N	0.0	13	54000007	%
8	3	43	44	45	0	0	V	VN	N	0	0	23.3	22.22	0.0	0.0	22.08	45.53	23.3	0.511	0.484	0.488	0.515	VN-V	0.484	14	54000008	%
																23.44	45.53	22.22	0.48	0.51	0.51	0.48	VN-N	0.0	15	54000008	%
9	3	49	50	51	0	0	M	MN	N	0	0	37.2	33.14	0.0	0.0	34.26	70.35	37.2	0.528	0.487	0.471	0.513	MN-M	0.487	16	54000009	%
																36.09	70.35	33.14	0.47	0.51	0.52	0.48	MN-N	0.0	17	54000009	%
10	3	55	56	57	0	0	O	ON	N	0	0	41.1	36.87	0.0	0.0	37.43	77.97	41.1	0.527	0.48	0.472	0.52	ON-O	0.48	18	54000010	%
																40.54	77.97	36.87	0.47	0.52	0.52	0.48	ON-N	0.0	19	54000010	%
11	3	61	62	63	0	0	Y	YN	N	0	0	55.54	50.48	0.0	0.0	49.51	106.03	55.54	0.523	0.467	0.476	0.533	YN-Y	0.467	20	54000011	%
																56.51	106.03	50.48	0.47	0.53	0.52	0.46	YN-N	0.0	21	54000011	%
12	3	67	68	69	0	0	L	LN	N	0	0	34.04	31.71	0.0	0.0	32.08	65.75	34.04	0.517	0.488	0.482	0.511	LN-L	0.488	22	54000012	%
																33.66	65.75	31.71	0.48	0.51	0.51	0.48	LN-N	0.0	23	54000012	%
13	3	209	210	211	0	0	W	C	N	0	0	65.69	64.55	0.0	0.0	58.48	130.24	65.69	0.504	0.448	0.495	0.551	C-W	0.448	24	54000013	%
																71.76	130.24	64.55	0.49	0.55	0.5	0.44	C-N	0.0	25	54000013	%
14	3	215	216	217	0	0	W	V	N	0	0	80.96	44.71	0.0	0.0	74.27	125.67	80.96	0.644	0.591	0.355	0.408	V-W	0.591	26	54000014	%
																51.4	125.67	44.71	0.35	0.4	0.64	0.59	V-N	0.0	27	54000014	%
15	3	221	222	223	0	0	W	M	N	0	0	80.2	69.5	0.0	0.0	64.82	149.71	80.2	0.535	0.433	0.464	0.567	M-W	0.433	28	54000015	%
																84.88	149.71	69.5	0.46	0.56	0.53	0.43	W-N	0.0	29	54000015	%
16	3	227	228	229	0	0	W	O	N	0	0	82.12	77.18	0.0	0.0	75.67	159.3	82.12	0.515	0.475	0.484	0.525	O-W	0.475	30	54000016	%
																83.63	159.3	77.18	0.48	0.52	0.51	0.47	O-N	0.0	31	54000016	%
17	3	233	234	235	0	0	W	Y	N	0	0	79.09	107.01	0.0	0.0	68.3	186.1	79.09	0.424	0.367	0.575	0.633	Y-W	0.367	32	54000017	%
																117.8	186.1	107.01	0.57	0.63	0.42	0.36	Y-N	0.0	33	54000017	%
18	3	239	240	241	0	0	W	L	N	0	0	67.72	67.61	0.0	0.0	59.82	135.34	67.72	0.5	0.442	0.499	0.557	L-W	0.442	34	54000018	%
																75.51	135.34	67.61	0.49	0.55	0.5	0.44	L-N	0.0	35	54000018	%
19	3	245	246	247	0	0	C	V	M	0	0	64.75	58.35	0.0	0.0	62.78	123.11	64.75	0.526	0.51	0.473	0.49	V-C	0.51	36	54000019	%
																60.32	123.11	58.35	0.47	0.49	0.52	0.51	V-M	0.0	37	54000019	%
20	3	251	252	253	0	0	M	O	Y	0	0	82.18	52.39	0.0	0.0	46.15	134.57	82.18	0.61	0.343	0.389	0.656	O-M	0.343	38	54000020	%
																88.41	134.57	52.39	0.38	0.65	0.61	0.34	O-Y	0.0	39	54000020	%
21	3	257	258	259	0	0	Y	L	C	0	0	80.01	73.05	0.0	0.0	77.75	153.06	80.01	0.522	0.508	0.477	0.491	L-Y	0.508	40	54000021	%
																75.3	153.06	73.05	0.47	0.49	0.52	0.5	L-C	0.0	41	54000021	%
22	3	263	264	265	0	0	V	C	L	0	0	65.43	73.89	0.0	0.0	74.54	139.33	65.43	0.469	0.535	0.53	0.464	C-V	0.535	42	54000022	%
																64.78	139.33	73.89	0.53	0.46	0.46	0.53	C-L	0.0	43	54000022	%
23	3	269	270	271	0	0	L	Y	O	0	0	79.3	81.84	0.0	0.0	84.76	161.15	79.3	0.492	0.526	0.507	0.473	Y-L	0.526	44	54000023	%
																76.38	161.15	81.84	0.5	0.47	0.49	0.52	Y-O	0.0	45	54000023	%
24	3	275	276	277	0	0	O	M	V	0	0	51.75	58.41	0.0	0.0	61.58	110.17	51.75	0.469	0.559	0.53	0.441	M-O	0.559	46	54000024	%
																48.58	110.17	58.41	0.53	0.44	0.46	0.55	M-V	0.0	47	54000024	%
25	4	89	90	91	0	0	W	Wc	CW	0	0	6.56	0.0	0.0	0.0	17.36	34.86	17.47	0.501	0.498	0.498	0.501	W-Wc	0.498	48	54000025	%
																17.5	34.86	17.39	0.49	0.5	0.5	0.49	Wc-CW	0.0	49	54000025	%
26	4	99	100	101	0	0	W	Wv	CW	0	0	7.23	0.0	0.0	0.0	20.98	43.44	21.74	0.5	0.483	0.499	0.516	CW-Cw	0.483	50	54000026	%
																22.46	43.44	21.7	0.49	0.51	0.5	0.48	Cw-C	0.0	51	54000026	%

TUB registration: 20140801-XE33/XE33LONA.TXT /PS
application for measurement of display or printer output, no separation
TUB material: code=rh4ta



see similar files: http://130.149.60.45/~farbmetrik/XE33/XE33.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

N	S	N1	N2	N3	N4	N5	NA1	NA2	NA3	NA4	NA5	DV*1ab	DV*2ab	DV*3ab	DV*4ab	DV*vm	S*ab,vm	DV*ab	DV1ab	DV1vm	DV2ab	DV2vm	CODE	VIM	no.	inr	%
%1000*(CIEXYZ & DV) for all colours (a) of experiment, iimp=98, colour difference pairs MA_LC098=MEL_ADJACENT, xchart=7, xchart3=0, xchart4=3 %																											
27	4	109	110	111	0	0	W	Wm	CW	0	0	7.54	0.0	0.0	0.0	21.3	42.1	20.66	0.49	0.505	0.509	0.494	W-Wv	0.505	52	54000027	%
																20.8	42.1	21.44	0.5	0.49	0.49	0.5	Wv-VW	0.0	53	54000027	%
28	4	119	120	121	0	0	W	Wo	CW	0	0	6.9	0.0	0.0	0.0	23.31	44.41	22.46	0.505	0.525	0.494	0.474	VW-Vw	0.525	54	54000028	%
																21.09	44.41	21.94	0.49	0.47	0.5	0.52	Vw-V	0.0	55	54000028	%
29	4	129	130	131	0	0	W	Wy	CW	0	0	4.43	0.0	0.0	0.0	21.45	43.86	20.78	0.473	0.489	0.526	0.511	W-Wm	0.489	56	54000029	%
																22.41	43.86	23.07	0.52	0.51	0.47	0.48	Wm-MW	0.0	57	54000029	%
30	4	139	140	141	0	0	W	Wl	CW	0	0	6.33	0.0	0.0	0.0	18.2	37.29	18.36	0.492	0.488	0.507	0.511	MW-Mw	0.488	58	54000030	%
																19.09	37.29	18.93	0.5	0.51	0.49	0.48	Mw-M	0.0	59	54000030	%
31	4	91	92	93	0	0	CW	Cw	C	0	0	6.54	0.0	0.0	0.0	19.72	34.3	16.28	0.474	0.575	0.525	0.425	W-Wo	0.575	60	54000031	%
																14.58	34.3	18.02	0.52	0.42	0.47	0.57	Wo-OW	0.0	61	54000031	%
32	4	101	102	103	0	0	VW	Vw	V	0	0	9.86	0.0	0.0	0.0	17.28	37.09	18.9	0.509	0.466	0.49	0.534	OW-Ow	0.466	62	54000032	%
																19.81	37.09	18.19	0.49	0.53	0.5	0.46	Ow-O	0.0	63	54000032	%
33	4	111	112	113	0	0	MW	Mw	M	0	0	7.92	0.0	0.0	0.0	22.01	38.34	19.18	0.5	0.574	0.499	0.426	W-Wy	0.574	64	54000033	%
																16.33	38.34	19.16	0.49	0.42	0.5	0.57	Wy-YW	0.0	65	54000033	%
34	4	121	122	123	0	0	OW	Ow	O	0	0	8.95	0.0	0.0	0.0	22.31	39.22	21.25	0.541	0.569	0.458	0.431	YW-Yw	0.569	66	54000034	%
																16.9	39.22	17.96	0.45	0.43	0.54	0.56	Yw-Y	0.0	67	54000034	%
35	4	131	132	133	0	0	YW	Yw	Y	0	0	3.02	0.0	0.0	0.0	20.07	39.59	23.38	0.59	0.507	0.409	0.492	W-Wl	0.507	68	54000035	%
																19.51	39.59	16.2	0.4	0.49	0.59	0.5	Wl-LW	0.0	69	54000035	%
36	4	141	142	143	0	0	LW	Lw	L	0	0	6.98	0.0	0.0	0.0	17.22	32.08	16.12	0.502	0.537	0.497	0.463	LW-Lw	0.537	70	54000036	%
																14.85	32.08	15.95	0.49	0.46	0.5	0.53	Lw-L	0.0	71	54000036	%
37	4	149	150	151	0	0	C	Cn	CN	0	0	6.41	0.0	0.0	0.0	14.0	32.04	16.24	0.506	0.437	0.493	0.562	C-Cn	0.437	72	54000037	%
																18.04	32.04	15.79	0.49	0.56	0.5	0.43	Cn-CN	0.0	73	54000037	%
38	4	159	160	161	0	0	V	Vn	VN	0	0	2.6	0.0	0.0	0.0	9.18	22.46	10.71	0.477	0.409	0.522	0.59	CN-Nc	0.409	74	54000038	%
																13.27	22.46	11.74	0.52	0.59	0.47	0.4	Nc-N	0.0	75	54000038	%
39	4	169	170	171	0	0	M	Mn	MN	0	0	6.63	0.0	0.0	0.0	15.93	37.32	18.95	0.507	0.427	0.492	0.572	V-Vn	0.427	76	54000039	%
																21.38	37.32	18.36	0.49	0.57	0.5	0.42	Vn-VN	0.0	77	54000039	%
40	4	179	180	181	0	0	O	On	ON	0	0	7.46	0.0	0.0	0.0	17.74	41.18	22.05	0.535	0.431	0.464	0.569	VN-Nv	0.431	78	54000040	%
																23.43	41.18	19.12	0.46	0.56	0.53	0.43	Nv-N	0.0	79	54000040	%
41	4	189	190	191	0	0	Y	Yn	YN	0	0	7.3	0.0	0.0	0.0	31.22	58.91	29.4	0.499	0.53	0.5	0.469	M-Mn	0.53	80	54000041	%
																27.68	58.91	29.5	0.5	0.46	0.49	0.53	Mn-MN	0.0	81	54000041	%

TUB registration: 20140801-XE33/XE33L0NA.TXT /.PS
application for measurement of display or printer output, no separation
TUB material: code=rh4ta

