


```

%Xn   Yn   Zn   X0   Y0   Z0   X1   Y1   Z1   DV*DV  dS*DV  dE*DV  dE*DVrdE*DVrdE*DVmdE*DVM no.   L*0 a*0 b*0 C*0 h0   L*1 a*1 b*1 C*1 h1   CODE %
%1000*(CIEXYZ & DV) for all colours (a) of experiment, iimp=98, colour difference pairs Ma_EV098=MEL_ADJACENT_EV, ioutn=1, iouts=0 %
Minimum, maximum and average colour difference value
STRESS constant F and STRESS value S
iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14
iai+1 = 98, CIELAB_Fa = 3.09, CIELAB_STRESSa = 36.18

iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15
iai+1 = 98, CIELCHFa = 3.09, CIELCHSTRESSa = 36.18

iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66
iai+1 = 98, C94LCHFa = 1.77, C94LCHSTRESSa = 36.92

iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47
iai+1 = 98, CMCLCHFa = 1.89, CMCLCHSTRESSa = 35.59

iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81
iai+1 = 98, C00LCHFa = 1.71, C00LCHSTRESSa = 37.02

iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 583.86, d_C85LCHavea = 182.82
iai+1 = 98, C85LCHFa = 13.62, C85LCHSTRESSa = 37.34

```

%L*0	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	L*0 a*0 b*0 C*0 h0	L*1 a*1 b*1 C*1 h1	CODE %	
%CIELAB data for all colour (a) of experiment, iimp=98, colour difference pairs Ma_EV098=MEL_ADJACENT_EV, ioutn=1, iouts=0 %																				
76.94	-16.53	-18.24	24.62	227.8	94.81	-1.83	6.97	7.21	104.7	18.48	34.22	26.08	27.49	24.57	157.5	48000001	77	-16 -18 24 227 95	-1 6 7 104	(CW-W) %
76.94	-16.53	-18.24	24.62	227.8	59.41	-30.93	-42.44	52.52	233.9	18.12	33.16	22.13	18.63	17.27	196.5	48000002	77	-16 -18 24 227 95	-30 -42 52 233	(CW-C) %
60.15	15.41	-18.9	24.39	309.2	94.8	-1.84	7.05	7.28	104.6	19.25	46.6	40.38	36.7	34.4	274.9	48000003	60	15 -18 24 309 95	-1 7 7 104	(VW-W) %
60.15	15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	17.35	44.07	35.81	35.06	32.51	390.3	48000004	60	15 -18 24 309 27	31 -43 53 305	(VW-V) %
71.36	37.37	-0.08	37.37	359.8	94.81	-1.74	6.7	6.92	104.5	18.56	46.11	30.75	31.95	30.23	184.1	48000005	71	37 0 37 359 95	-1 6 6 104	(MW-W) %
71.36	37.37	-0.08	37.37	359.8	48.31	74.74	-6.46	75.02	355.0	18.04	44.36	27.13	23.93	23.04	225.1	48000006	71	37 0 37 359 48	74 -6 75 355	(MW-M) %
71.9	30.26	30.19	42.75	44.9	94.83	-1.67	6.45	6.67	104.5	17.02	45.93	27.97	31.72	28.31	187.3	48000007	72	30 30 42 44 95	-1 6 6 104	(OW-W) %
71.9	30.26	30.19	42.75	44.9	48.4	65.36	52.84	84.04	38.9	19.58	47.92	27.68	24.9	23.54	229.5	48000008	72	30 30 42 44 48	65 52 84 38	(OW-O) %
91.99	-9.86	53.16	54.07	100.5	94.86	-1.81	6.92	7.16	104.6	20.64	47.02	13.98	23.19	19.84	92.1	48000009	92	-9 53 54 100 95	-1 6 7 104	(YW-W) %
91.99	-9.86	53.16	54.07	100.5	88.83	-7.61	100.6	100.89	94.3	15.96	47.6	14.67	15.84	11.5	45.6	48000010	92	-9 53 54 100 89	-7 100 100 94	(YW-Y) %
72.67	-33.3	23.7	40.87	144.5	94.84	-1.83	6.98	7.22	104.6	18.7	41.97	26.16	26.11	24.48	174.4	48000011	73	-33 23 40 144 95	-1 6 7 104	(LW-W) %
72.67	-33.3	23.7	40.87	144.5	52.77	-62.6	40.69	74.67	146.9	17.9	39.28	23.23	20.49	19.33	184.5	48000012	73	-33 23 40 144 53	-62 40 74 146	(LW-L) %
39.52	-15.42	-20.08	25.32	232.4	59.86	-30.71	-42.29	52.26	234.0	20.53	33.76	23.92	22.17	22.57	207.0	48000013	40	-15 -20 25 232 60	-30 -42 52 234	(CN-C) %
39.52	-15.42	-20.08	25.32	232.4	20.47	0.6	1.87	1.96	72.1	16.07	33.2	24.16	32.01	24.77	232.3	48000014	40	-15 -20 25 232 20	0 1 1 72	(CN-N) %
24.45	16.55	-21.26	26.94	307.8	28.07	31.19	-43.56	53.58	305.6	18.85	26.91	12.61	12.53	10.12	113.9	48000015	24	16 -21 26 307 28	31 -43 53 305	(VN-V) %
24.45	16.55	-21.26	26.94	307.8	20.81	1.05	1.84	2.12	60.1	17.75	28.06	14.8	21.73	19.63	130.4	48000016	24	16 -21 26 307 21	1 1 2 60	(VN-N) %
34.07	36.95	-1.84	36.99	357.1	47.69	75.24	-6.1	75.49	355.3	18.74	40.86	19.88	19.98	16.32	153.0	48000017	34	36 -1 36 357 48	75 -6 75 355	(MN-M) %
34.07	36.95	-1.84	36.99	357.1	19.86	0.75	1.61	1.78	64.8	17.86	39.03	20.25	29.75	25.17	173.5	48000018	34	36 -1 36 357 20	0 1 1 64	(MN-N) %
33.92	32.74	28.13	43.17	40.6	48.09	65.37	53.64	84.56	39.3	19.0	43.76	19.98	20.55	16.57	156.6	48000019	34	32 28 43 40 48	65 53 84 39	(ON-O) %
33.92	32.74	28.13	43.17	40.6	20.13	0.68	1.82	1.95	69.3	17.6	43.7	19.84	30.74	24.46	179.3	48000020	34	32 28 43 40 20	0 1 1 69	(ON-N) %
54.21	-4.7	50.5	50.72	95.3	88.97	-7.91	99.17	99.48	94.5	19.47	59.89	37.8	31.22	28.64	263.4	48000021	54	-4 50 50 95 89	-7 99 99 94	(YN-Y) %
54.21	-4.7	50.5	50.72	95.3	20.55	1.21	2.03	2.37	59.1	17.13	59.3	36.94	45.06	36.56	331.1	48000022	54	-4 50 50 95 21	1 2 2 59	(YN-N) %
35.9	-31.79	20.36	37.75	147.3	53.55	-61.81	40.72	74.02	146.6	18.7	40.34	22.19	21.86	19.59	181.6	48000023	36	-31 20 37 147 54	-61 40 74 146	(LN-L) %
35.9	-31.79	20.36	37.75	147.3	20.95	1.31	2.0	2.39	56.8	17.9	40.69	21.66	31.39	27.19	181.6	48000024	36	-31 20 37 147 21	1 2 2 56	(LN-N) %
58.99	-30.95	-42.83	52.84	234.1	94.81	-1.82	6.97	7.21	104.6	16.43	67.91	43.05	42.26	39.84	345.3	48000025	59	-30 -42 52 234 95	-1 6 7 104	(C-W) %
58.99	-30.95	-42.83	52.84	234.1	19.39	0.46	1.31	1.39	70.4	20.17	67.11	43.47	50.99	43.16	400.8	48000026	59	-30 -42 52 234 19	0 1 1 70	(C-N) %
26.46	31.17	-44.12	54.02	305.2	94.79	-1.8	6.93	7.16	104.5	21.63	91.44	72.88	66.4	67.82	583.8	48000027	26	31 -44 54 305 95	-1 6 7 104	(V-W) %
26.46	31.17	-44.12	54.02	305.2	19.48	0.48	1.32	1.41	69.7	14.97	55.28	18.89	30.95	26.65	243.6	48000028	26	31 -44 54 305 19	0 1 1 69	(V-N) %
47.86	74.93	-6.17	75.18	355.2	94.82	-1.8	6.89	7.12	104.6	15.88	90.9	52.54	51.61	47.55	375.4	48000029	48	74 -6 75 355 95	-1 6 7 104	(M-W) %
47.86	74.93	-6.17	75.18	355.2	19.88	0.53	1.27	1.38	67.0	20.72	79.83	33.13	46.36	36.13	310.1	48000030	48	74 -6 75 355 20	0 1 1 67	(M-N) %
48.04	65.24	53.02	84.07	39.1	94.82	-1.77	6.74	6.97	104.7	17.38	93.92	50.83	52.84	47.55	382.2	48000031	48	65 53 84 39 95	-1 6 6 104	(O-W) %
48.04	65.24	53.02	84.07	39.1	19.91	0.68	0.98	1.19	55.1	19.22	87.56	33.05	47.55	36.52	320.7	48000032	48	65 53 84 39 20	0 0 1 55	(O-N) %
88.84	-7.51	99.94	100.22	94.2	94.87	-1.9	7.23	7.47	104.7	13.47	93.07	17.98	35.33	27.52	134.7	48000033	89	-7 99 100 94 95	-1 7 7 104	(Y-W) %
88.84	-7.51	99.94	100.22	94.2	19.2	0.45	1.19	1.27	69.2	23.13	121.0971	94	72.5	73.48	464.9	48000034	89	-7 99 100 94 19	0 1 1 69	(Y-N) %
52.21	-63.24	39.78	74.72	147.8	94.8	-1.88	7.19	7.44	104.7	16.21	81.49	46.03	44.51	40.75	333.8	48000035	52	-63 39 74 147 95	-1 7 7 104	(L-W) %
52.21	-63.24	39.78	74.72	147.8	19.37	0.46	1.3	1.39	70.3	20.39	81.35	37.37	49.56	39.42	335.0	48000036	52	-63 39 74 147 19	0 1 1 70	(L-N) %
26.86	31.17	-43.9	53.84	305.3	59.11	-30.71	-42.84	52.71	234.3	18.67	69.79	47.03	50.52	48.93	359.8	48000037	27	31 -43 53 305 59	-30 -42 52 234	(V-C) %
26.86	31.17	-43.9	53.84	305.3	48.01	74.74	-5.91	74.97	355.4	17.93	61.54	37.02	35.74	30.48	348.8	48000038	27	31 -43 53 305 48	74 -5 74 355	(V-M) %
48.01	65.27	53.13	84.16	39.1	47.94	74.93	-6.19	75.19	355.2	12.59	60.1	26.33	25.21	27.24	155.6	48000039	48	65 53 84 39 48	74 -6 75 355	(O-M) %
48.01	65.27	53.13	84.16	39.1	88.84	-7.71	98.71	99.01	94.4	24.01	95.24	55.5	66.66	56.76	343.2	48000040	48	65 53 84 39 89	-7 98 99 94	(O-Y) %
52.06	-63.42	39.55	74.75	148.0	88.81	-7.56	99.34	99.63	94.3	18.01	89.69	52.27	44.45	42.8	291.6	48000041	52	-63 39 74 148 89	-7 99 99 94	(L-Y) %
52.06	-63.42	39.55	74.75	148.0	58.96	-30.89	-42.83	52.81	234.1	18.59	88.84	41.34	40.73	45.86	309.1	48000042	52	-63 39 74 148 59	-30 -42 52 234	(L-C) %
58.92	-30.89	-42.84	52.82	234.2	26.63	31.07	-43.64	53.57	305.4	16.98	69.88	47.3	50.66	49.01	360.9	48000043	59	-30 -42 52 234 27	31 -43 53 305	(C-V) %
58.92	-30.89	-42.84	52.82	234.2	52.09	-62.99	39.51	74.36	147.9	19.62	88.65	48.73	40.71	45.86	309.7	48000044	59	-30 -42 52 234 52	-62 39 74 147	(C-L) %
88.82	-7.67	99.17	99.47	94.4	52.52	-62.78	39.81	74.34	147.6	17.35	88.76	47.89	43.97	42.34	288.2	48000045	89	-7 99 99 94 53	-62 39 74 147	(Y-L) %
88.82	-7.67	99.17	99.47	94.4	47.86	65.4	53.11	84.25	39.0	19.25	95.6	53.38	66.88	56.91	344.2	48000046	89	-7 99 99 94 48	65 53 84 39	(Y-O) %
47.96	74.87	-5.91	75.11	355.4	48.0	65.24	53.02	84.07	39.0	20.46	59.72	27.83	25.06	27.06	154.1	48000047	48	74 -5 75 355 48	65 53 84 39	(M-O) %
47.96	74.87	-5.91	75.11	355.4	26.94	31.04	-43.68	53.59	305.4	16.14	61.55	33.22	35.65	30.42	346.8	48000048	48	74 -5 75 355 27	31 -43 53 305	(M-V) %
86.39	-9.07	-6.23	11.0	214.5	94.82	-1.75	6.74	6.97	104.6	9.29	17.12	15.16	17.43	14.44	72.3	48000049	86	-9 -6 11 214 95	-1 6 6 104	(Wc-W) %
86.39	-9.07	-6.23	11.0	214.5	76.79	-16.56	-18.75	25.02	228.5	9.18	17.46	13.86	11.88	10.7	88.5	48000050	86	-9 -6 11 214 77	-16 -18 25 228	(Wc-CW) %


```
%L*0 a*0 b*0 C*ab0 hab0 L*1 a*1 b*1 C*ab1 hab1 DV dE*ab dE*94 dE*CM dE*00 dE*85 NR L*0 a*0 b*0 C*0 h0 L*1 a*1 b*1 C*1 h1 CODE %
%CIELAB data for all colour (a) of experiment, iimp=98, colour difference pairs Ma_EV098=MEL_ADJACENT_EV, ioutn=1, iouts=0 %
Minimum, maximum and average colour difference value
STRESS constant F and STRESS value S
iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14
iai+1 = 98, CIELAB_Fa = 3.09, CIELAB_STRESSa = 36.18

iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15
iai+1 = 98, CIELCHFa = 3.09, CIELCHSTRESSa = 36.18

iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66
iai+1 = 98, C94LCHFa = 1.77, C94LCHSTRESSa = 36.92

iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47
iai+1 = 98, CMCLCHFa = 1.89, CMCLCHSTRESSa = 35.59

iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81
iai+1 = 98, C00LCHFa = 1.71, C00LCHSTRESSa = 37.02

iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 583.86, d_C85LCHavea = 182.82
iai+1 = 98, C85LCHFa = 13.62, C85LCHSTRESSa = 37.34
```