

http://130.149.60.45/~farbmetrik/XE52/XE52L0NP.PDF /.PS; start output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/6


see similar files: http://130.149.60.45/~farbmetrik/XE52/XE52L0NP.PDF /.PS
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV*ab	dS*ab	dE*ab	dE*abrdE	DVrdE	*abmdE	DVmn no.	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE %	
%1000(CIEXYZ & DV) for all colours (a) of experiment, %iimp=98, colour difference pairs KA_EC098=KIT_ADJACENT_EC, ioutn=0, iouts=0 %																											
0095050	0100000	0108900	0043074	0051427	0077399	0081895	0087159	0084892	0035248	06739	03422	0.507	0.523	0.492	0.477	52000001	77	-16	-18	24	227	95	-1	6	7	104	(CW-W) %
0095050	0100000	0108900	0043074	0051427	0077399	0019343	0027473	0069838	0032148	06739	03316	0.492	0.477	0.507	0.523	52000002	77	-16	-18	24	227	59	-30	-42	52	233	(CW-C) %
0095050	0100000	0108900	0030852	0028282	0046115	0081865	0087136	0084766	0041171	09068	04660	0.513	0.454	0.486	0.546	52000003	60	15	-18	24	309	95	-1	7	7	104	(VW-W) %
0095050	0100000	0108900	0030852	0028282	0046115	0007801	0005152	0022368	0049514	09068	04407	0.486	0.546	0.513	0.454	52000004	60	15	-18	24	309	27	31	-43	53	305	(VW-V) %
0095050	0100000	0108900	0053920	0042704	0046585	0081957	0087176	0085290	0040715	09047	04611	0.509	0.45	0.49	0.549	52000005	71	37	0	37	359	95	-1	6	6	104	(MW-W) %
0095050	0100000	0108900	0053920	0042704	0046585	0033139	0017030	0021987	0049762	09047	04436	0.49	0.549	0.509	0.45	52000006	71	37	0	37	359	48	74	-6	75	355	(MW-M) %
0095050	0100000	0108900	0052074	0043502	0024322	0082025	0087214	0085669	0037543	09385	04593	0.489	0.4	0.51	0.6	52000007	72	30	30	42	44	95	-1	6	6	104	(OW-W) %
0095050	0100000	0108900	0052074	0043502	0024322	0030662	0017102	0002671	0056314	09385	04792	0.51	0.6	0.489	0.399	52000008	72	30	30	42	44	48	65	52	84	38	(OW-O) %
0095050	0100000	0108900	0071925	0080693	0032042	0082017	0087277	0085077	0040592	09462	04702	0.496	0.429	0.503	0.571	52000009	92	-9	53	54	100	95	-1	6	7	104	(YW-W) %
0095050	0100000	0108900	0071925	0080693	0032042	0066664	0073806	0060995	0040428	09462	04760	0.503	0.571	0.496	0.429	52000010	92	-9	53	54	100	89	-7	100	100	94	(YW-Y) %
0095050	0100000	0108900	0032292	0044663	0029339	0081978	0087247	0084968	0040710	08125	04197	0.516	0.501	0.483	0.498	52000011	73	-33	23	40	144	95	-1	6	7	104	(LW-W) %
0095050	0100000	0108900	0032292	0044663	0029339	0009712	0020830	0006418	0040548	08125	03928	0.483	0.498	0.516	0.501	52000012	73	-33	23	40	144	53	-62	40	74	146	(LW-L) %
0095050	0100000	0108900	0008527	0010959	0021142	0019770	0027965	0070590	0036230	06696	03376	0.504	0.541	0.495	0.459	52000013	40	-15	-20	25	232	60	-30	-42	52	234	(CN-C) %
0095050	0100000	0108900	0008527	0010959	0021142	0002980	0030399	0003081	0030739	06696	03320	0.495	0.459	0.504	0.541	52000014	40	-15	-20	25	232	20	0	1	1	72	(CN-N) %
0095050	0100000	0108900	0005284	0004233	0010255	0008218	0005476	0023253	0027325	05498	02691	0.489	0.497	0.51	0.503	52000015	24	16	-21	26	307	28	31	-43	53	305	(VN-V) %
0095050	0100000	0108900	0005284	0004233	0010255	0003089	0003186	0003175	0027655	05498	02806	0.51	0.503	0.489	0.496	52000016	24	16	-21	26	307	21	1	1	2	60	(VN-N) %
0095050	0100000	0108900	0012276	0008036	0009325	0032537	0016547	0021197	0042028	07990	04086	0.511	0.526	0.488	0.473	52000017	34	36	-1	36	357	48	75	-6	75	355	(MN-M) %
0095050	0100000	0108900	0012276	0008036	0009325	0002842	0002946	0002963	0037873	07990	03903	0.488	0.473	0.511	0.526	52000018	34	36	-1	36	357	20	0	1	1	64	(MN-N) %
0095050	0100000	0108900	0011579	0007961	0002636	0030314	0016860	0002493	0046273	08747	04376	0.5	0.529	0.499	0.47	52000019	34	32	28	43	40	48	65	53	84	39	(ON-O) %
0095050	0100000	0108900	0011579	0007961	0002636	0002902	0003013	0002999	0041199	08747	04370	0.499	0.47	0.5	0.529	52000020	34	32	28	43	40	20	0	1	1	69	(ON-N) %
0095050	0100000	0108900	0020099	0022165	0004769	0066798	0074098	0007444	0053876	11919	05989	0.502	0.452	0.497	0.548	52000021	54	-4	50	50	95	89	-7	99	99	94	(YN-Y) %
0095050	0100000	0108900	0020099	0022165	0004769	0003033	0003118	0003076	0065319	11919	05930	0.497	0.548	0.502	0.452	52000022	54	-4	50	50	95	21	1	2	2	59	(YN-N) %
0095050	0100000	0108900	0005367	0008949	0004486	0010243	0021552	0006753	0035495	08103	04034	0.497	0.438	0.502	0.562	52000023	36	-31	20	37	147	54	-61	40	74	146	(LN-L) %
0095050	0100000	0108900	0005367	0008949	0004486	0003141	0003224	0003188	0045543	08103	04069	0.502	0.562	0.497	0.438	52000024	36	-31	20	37	147	21	1	2	2	56	(LN-N) %
0095050	0100000	0108900	0018978	0027010	0069411	0081903	0087166	0084901	0061303	13502	06791	0.502	0.454	0.497	0.546	52000025	59	-30	-42	52	234	95	-1	6	7	104	(C-W) %
0095050	0100000	0108900	0018978	0027010	0069411	0002714	0002829	0002886	0073725	13502	06711	0.497	0.546	0.502	0.454	52000026	59	-30	-42	52	234	19	0	1	1	70	(C-N) %
0095050	0100000	0108900	0007467	0004897	0021984	0081875	0087121	0084914	0104766	14673	09144	0.623	0.714	0.376	0.285	52000027	26	31	-44	54	305	95	-1	6	7	104	(V-W) %
0095050	0100000	0108900	0007467	0004897	0021984	0002736	0002851	0002907	0041965	14673	05528	0.376	0.285	0.623	0.714	52000028	26	31	-44	54	305	19	0	1	1	69	(V-N) %
0095050	0100000	0108900	0032650	0016676	0021392	0081940	0087190	0085037	0074272	17074	09090	0.532	0.435	0.467	0.564	52000029	48	74	-6	75	355	95	-1	6	7	104	(M-W) %
0095050	0100000	0108900	0032650	0016676	0021392	0002832	0002949	0003016	0096468	17074	07983	0.467	0.564	0.532	0.435	52000030	48	74	-6	75	355	20	0	1	1	67	(M-N) %
0095050	0100000	0108900	0030215	0016816	0002562	0081966	0087204	0085258	0086933	18148	09392	0.517	0.479	0.482	0.52	52000031	48	65	53	84	39	95	-1	6	6	104	(O-W) %
0095050	0100000	0108900	0030215	0016816	0002562	0002849	0002958	0003070	0094556	18148	08756	0.482	0.52	0.517	0.479	52000032	48	65	53	84	39	20	0	0	1	55	(O-N) %
0095050	0100000	0108900	0066737	0073834	0007177	0082007	0087317	0084700	0065109	21417	09307	0.434	0.304	0.565	0.696	52000033	89	-7	99	100	94	95	-1	7	7	104	(Y-W) %
0095050	0100000	0108900	0066737	0073834	0007177	0002672	0002786	0002857	0149066	21417	12109	0.565	0.696	0.434	0.304	52000034	89	-7	99	100	94	19	0	1	1	69	(Y-N) %
0095050	0100000	0108900	0009334	0020322	0006403	0081861	0087155	0084581	0082239	16284	08149	0.5	0.505	0.499	0.495	52000035	52	-63	39	74	147	95	-1	7	7	104	(L-W) %
0095050	0100000	0108900	0009334	0020322	0006403	0002711	0002826	0002883	0080610	16284	08135	0.499	0.495	0.5	0.505	52000036	52	-63	39	74	147	19	0	1	1	70	(L-N) %
0095050	0100000	0108900	0007648	0005037	0022249	0019131	0027146	0069686	0062914	13134	06979	0.531	0.479	0.468	0.52	52000037	27	31	-43	53	305	59	-30	-42	52	234	(V-C) %
0095050	0100000	0108900	0007648	0005037	0022249	0032775	0016792	0021389	0068431	13134	06154	0.468	0.52	0.531	0.479	52000038	27	31	-43	53	305	48	74	-5	74	355	(V-M) %
0095050	0100000	0108900	0030190	0016793	0002540	0032749	0016740	0021479	0051111	15535	06010	0.386	0.329	0.613	0.671	52000039	4										

see similar files: http://130.149.60.45/~farbmetrik/XE52/XE52.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20140801-XE52/XE52L0NP.PDF /PS
application for measurement of display or printer output, no separation
TUB material: code=rh4ta

Table with columns: %Xn, Yn, Zn, X0, Y0, Z0, X1, Y1, Z1, DV*ab, dS*ab, dE*ab, dE*abrdE*Dvrde*abmdE*Dvm no., L*0 a*0 b*0 C*0 h0, L*1 a*1 b*1 C*1 h1, CODE %. Rows contain color calibration data for various color patches.



```
%Xn  Yn  Zn  X0  Y0  Z0  X1  Y1  Z1  DV*ab  dS*ab  dE*ab  dE*abrdE*DvrdE*abmdE*Dvm no.  L*0 a*0 b*0 C*0 h0  L*1 a*1 b*1 C*1 h1  CODE %  
%1000*(CIEXYZ & DV) for all colours (a) of experiment, , %iimp=98, colour difference pairs KA_EC098=KIT_ADJACENT_EC, ioutn=0, iouts=0 %  
Minimum, maximum and average colour difference value  
STRESS constant F and STRESS value S  
iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14  
iai+1 = 98, CIELAB_Fa = 0.96, CIELAB_STRESSa = 17.37  
  
iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15  
iai+1 = 98, CIELCHFa = 0.96, CIELCHSTRESSa = 17.37  
  
iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66  
iai+1 = 98, C94LCHFa = 0.54, C94LCHSTRESSa = 25.43  
  
iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47  
iai+1 = 98, CMCLCHFa = 0.58, CMCLCHSTRESSa = 23.44  
  
iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81  
iai+1 = 98, C00LCHFa = 0.53, C00LCHSTRESSa = 23.75  
  
iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 583.86, d_C85LCHavea = 182.82  
iai+1 = 98, C85LCHFa = 4.14, C85LCHSTRESSa = 30.06
```


see similar files: <http://130.149.60.45/~farbmetrik/XE52/XE52L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-XE52/XE52L0NP.PDF /.PS TUB material: code=rha4ta
application for measurement of display or printer output, no separation

see similar files: http://130.149.60.45/~farbmetrik/XE52/XE52.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with columns: %L*0, a*0, b*0, C*ab0, hab0, L*1, a*1, b*1, C*ab1, hab1, DV, dE*ab, dE*94, dE*CM, dE*00, dE*85, NR, L*0, a*0, b*0, C*0, h0, L*1, a*1, b*1, C*1, h1, CODE %



TUB registration: 20140801-XE52/XE52L0NP.PDF /PS
application for measurement of display or printer output, no separation
TUB material: code=rh4ta



see similar files: http://130.149.60.45/~farbmetrik/XE52/XE52.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Table with columns: %L*0, a*0, b*0, C*ab0, hab0, L*1, a*1, b*1, C*ab1, hab1, DV, dE*ab, dE*94, dE*CM, dE*00, dE*85, NR, L*0, a*0, b*0, C*0, h0, L*1, a*1, b*1, C*1, h1, CODE %

TUB registration: 20140801-XE52/XE52L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rh4ta




```
%L*0 a*0 b*0 C*ab0 hab0 L*1 a*1 b*1 C*ab1 hab1 DV dE*ab dE*94 dE*CM dE*00 dE*85 NR L*0 a*0 b*0 C*0 h0 L*1 a*1 b*1 C*1 h1 CODE %  
%CIELAB data for all colour (a) of experiment, , %iimp=98, colour difference pairs KA_EC098=KIT_ADJACENT_EC, ioutn=0, iouts=0 %  
Minimum, maximum and average colour difference value  
STRESS constant F and STRESS value S  
iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14  
iai+1 = 98, CIELAB_Fa = 0.96, CIELAB_STRESSa = 17.37  
  
iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15  
iai+1 = 98, CIELCHFa = 0.96, CIELCHSTRESSa = 17.37  
  
iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66  
iai+1 = 98, C94LCHFa = 0.54, C94LCHSTRESSa = 25.43  
  
iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47  
iai+1 = 98, CMCLCHFa = 0.58, CMCLCHSTRESSa = 23.44  
  
iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81  
iai+1 = 98, C00LCHFa = 0.53, C00LCHSTRESSa = 23.75  
  
iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 583.86, d_C85LCHavea = 182.82  
iai+1 = 98, C85LCHFa = 4.14, C85LCHSTRESSa = 30.06
```

see similar files: <http://130.149.60.45/~farbmetrik/XE52/XE52L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-XE52/XE52L0NP.PDF /.PS TUB material: code=rha4ta
application for measurement of display or printer output, no separation

