


%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV*DV	ds*DV	dE*DV	dE*DVrdE	dVrdE	dVmdE	dVm	n	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	
%1000*(CIEXYZ & DV) for all colours (a) of experiment, %iimp=98, colour difference pairs MA_EV098=MEL_ADJACENT_EV, ioutn=0, iouts=0																												
0095050	0100000	0108900	0043074	0051427	0077399	0081895	0087159	0084892	0018488	03661	03661	1.0	0.505	0.0	0.495	68000001	77	-16	-18	24	227	95	-1	6	7	104	(CW-W)	
0095050	0100000	0108900	0043074	0051427	0077399	0019343	0027473	0069838	0018121	03661	00000	0.0	0.495	1.0	0.505	68000002	77	-16	-18	24	227	59	-30	-42	52	233	(CW-C)	
0095050	0100000	0108900	0030852	0028282	0046115	0081865	0087136	0084766	0019256	03661	03661	1.0	0.526	0.0	0.473	68000003	60	15	-18	24	309	95	-1	7	7	104	(VW-W)	
0095050	0100000	0108900	0030852	0028282	0046115	0007801	0005152	0022368	0017353	03661	00000	0.0	0.473	1.0	0.526	68000004	60	15	-18	24	309	27	31	-43	53	305	(VW-V)	
0095050	0100000	0108900	0053920	0042704	0046585	0081957	0087176	0085290	0018561	03661	03661	1.0	0.507	0.0	0.492	68000005	71	37	0	37	359	95	-1	6	6	104	(MW-W)	
0095050	0100000	0108900	0053920	0042704	0046585	0033139	0017030	0021987	0018048	03661	00000	0.0	0.492	1.0	0.507	68000006	71	37	0	37	359	48	74	-6	75	355	(MW-M)	
0095050	0100000	0108900	0052074	0043502	0024322	0082025	0087214	0085669	0017023	03661	03661	1.0	0.465	0.0	0.534	68000007	72	30	30	42	44	95	-1	6	6	104	(OW-W)	
0095050	0100000	0108900	0052074	0043502	0024322	0030662	0017102	0002671	0019586	03661	00000	0.0	0.534	1.0	0.465	68000008	72	30	30	42	44	48	65	52	84	38	(OW-O)	
0095050	0100000	0108900	0071925	0080693	0032042	0082017	0087277	0085077	0020648	03661	03661	1.0	0.564	0.0	0.436	68000009	92	-9	53	54	100	95	-1	6	7	104	(YW-W)	
0095050	0100000	0108900	0071925	0080693	0032042	0066664	0073806	0006995	0015961	03661	00000	0.0	0.436	1.0	0.564	68000010	92	-9	53	54	100	89	-7	100	100	94	(YW-Y)	
0095050	0100000	0108900	0032292	0044663	0029339	0081978	0087247	0084968	0018707	03661	03661	1.0	0.511	0.0	0.488	68000011	73	-33	23	40	144	95	-1	6	7	104	(LW-W)	
0095050	0100000	0108900	0032292	0044663	0029339	0009712	0020830	0006418	0017902	03661	00000	0.0	0.488	1.0	0.511	68000012	73	-33	23	40	144	53	-62	40	74	146	(LW-L)	
0095050	0100000	0108900	0008527	0010959	0021142	0019770	0027965	0070590	0020538	03661	03661	1.0	0.561	0.0	0.438	68000013	40	-15	-20	25	232	60	-30	-42	52	234	(CN-C)	
0095050	0100000	0108900	0008527	0010959	0021142	0002980	0003099	0003081	0016071	03661	00000	0.0	0.438	1.0	0.561	68000014	40	-15	-20	25	232	20	0	1	1	72	(CN-N)	
0095050	0100000	0108900	0005284	0004233	0010255	0008218	0005476	0023253	0018854	03661	03661	1.0	0.515	0.0	0.484	68000015	24	16	-21	26	307	28	31	-43	53	305	(VN-V)	
0095050	0100000	0108900	0005284	0004233	0010255	0003089	0003186	0003175	0017755	03661	00000	0.0	0.484	1.0	0.515	68000016	24	16	-21	26	307	21	1	1	2	60	(VN-N)	
0095050	0100000	0108900	0012276	0008036	0009325	0032537	0016547	0021197	0018744	03661	03661	1.0	0.512	0.0	0.487	68000017	34	36	-1	36	357	48	75	-6	75	355	(MN-M)	
0095050	0100000	0108900	0012276	0008036	0009325	0002842	0002946	0002963	0017865	03661	00000	0.0	0.487	1.0	0.512	68000018	34	36	-1	36	357	20	0	1	1	64	(MN-N)	
0095050	0100000	0108900	0011579	0007961	0002636	0030314	0016860	0002493	0019000	03661	03661	1.0	0.519	0.0	0.48	68000019	34	32	28	43	40	48	65	53	84	39	(ON-O)	
0095050	0100000	0108900	0011579	0007961	0002636	0002902	0003013	0002999	0017609	03661	00000	0.0	0.48	1.0	0.519	68000020	34	32	28	43	40	20	0	1	1	69	(ON-N)	
0095050	0100000	0108900	0020099	0022165	0004769	0066798	0074098	0007444	0019476	03661	03661	1.0	0.532	0.0	0.468	68000021	54	-4	50	50	95	89	-7	99	99	94	(YN-Y)	
0095050	0100000	0108900	0020099	0022165	0004769	0003033	0003118	0003076	0017133	03661	00000	0.0	0.468	1.0	0.532	68000022	54	-4	50	50	95	21	1	2	2	59	(YN-N)	
0095050	0100000	0108900	0005367	0008949	0004486	0010243	0021552	0006753	0018707	03661	03661	1.0	0.511	0.0	0.488	68000023	36	-31	20	37	147	54	-61	40	74	146	(LN-L)	
0095050	0100000	0108900	0005367	0008949	0004486	0003141	0003224	0003188	0017902	03661	00000	0.0	0.488	1.0	0.511	68000024	36	-31	20	37	147	21	1	2	2	56	(LN-N)	
0095050	0100000	0108900	0018978	0027010	0069411	0081903	0087166	0084901	0016437	03661	03661	1.0	0.449	0.0	0.551	68000025	59	-30	-42	52	234	95	-1	6	7	104	(C-W)	
0095050	0100000	0108900	0018978	0027010	0069411	0002714	0002829	0002886	0020172	03661	00000	0.0	0.551	1.0	0.449	68000026	59	-30	-42	52	234	19	0	1	1	70	(C-N)	
0095050	0100000	0108900	0007467	0004897	0021984	0081875	0087121	0084914	0021636	03661	03661	1.0	0.591	0.0	0.408	68000027	26	31	-44	54	305	95	-1	6	7	104	(V-W)	
0095050	0100000	0108900	0007467	0004897	0021984	0002736	0002851	0002907	0014973	03661	00000	0.0	0.408	1.0	0.591	68000028	26	31	-44	54	305	19	0	1	1	69	(V-N)	
0095050	0100000	0108900	0032650	0016676	0021392	0081940	0087190	0085037	0015888	03661	03661	1.0	0.434	0.0	0.566	68000029	48	74	-6	75	355	95	-1	6	7	104	(M-W)	
0095050	0100000	0108900	0032650	0016676	0021392	0002832	0002949	0003016	0020721	03661	00000	0.0	0.566	1.0	0.434	68000030	48	74	-6	75	355	20	0	1	1	67	(M-N)	
0095050	0100000	0108900	0030215	0016816	0002562	0081966	0087204	0085258	0017389	03661	03661	1.0	0.475	0.0	0.525	68000031	48	65	53	84	39	95	-1	6	6	104	(O-W)	
0095050	0100000	0108900	0030215	0016816	0002562	0002849	0002958	0003070	0019220	03661	00000	0.0	0.525	1.0	0.475	68000032	48	65	53	84	39	20	0	0	1	55	(O-N)	
0095050	0100000	0108900	0066737	0073834	0007177	0082007	0087317	0084700	0013472	03661	03661	1.0	0.368	0.0	0.632	68000033	89	-7	99	100	94	95	-1	7	7	104	(Y-W)	
0095050	0100000	0108900	0066737	0073834	0007177	0002672	0002786	0002857	0023137	03661	00000	0.0	0.632	1.0	0.368	68000034	89	-7	99	100	94	19	0	1	1	69	(Y-N)	
0095050	0100000	0108900	0009334	0020322	0006403	0081861	0087155	0084581	0016218	03661	03661	1.0	0.443	0.0	0.557	68000035	52	-63	39	74	147	95	-1	7	7	104	(L-W)	
0095050	0100000	0108900	0009334	0020322	0006403	0002711	0002826	0002883	0020391	03661	00000	0.0	0.557	1.0	0.443	68000036	52	-63	39	74	147	19	0	1	1	70	(L-N)	
0095050	0100000	0108900	0007648	0005037	0022249	0019131	0027146	0069686	0018671	03661	03661	1.0	0.51	0.0	0.489	68000037	27	31	-43	53	305	59	-30	-42	52	234	(V-C)	
0095050	0100000	0108900	0007648	0005037	0022249	0032775	0016792	0021389	0017938	03661	00000	0.0	0.489	1.0	0.51	68000038	27	31	-43	53	305	48	74	-5	74	355	(V-M)	
0095050	0100000	0108900	0030190	0016793	0002540	0032749	0016740	0021479	0012593	03661	03661	1.0	0.344	0.0	0.656	68000039	48	65	53	84	39	48	74	-6	75	355	(O-M)	
0095050	0100000	0108900	0030190	0016793	0002540	0066638	0073825	0007508	0024016	03661	00000	0.0	0.656	1.0	0.343	68000040	48	65	53	84	39	89	-7	98	99	94	(O-Y)	
0095050	0100000	0108900	0009237	0020192	0006398	0066640	0073753	0007320	0018012	03661	03661	1.0	0.492	0.0	0.508	68000041	52	-63	39	74	148	89	-7	99	99	94	(L-Y)	
0095050	0100000	0108900	0009237	0020192	0006398	0018964	0026976	0069349	0018597	03661	00000	0.0	0.508	1.0	0.491	68000042	52	-63	39	74	148	59	-30	-42	52	234	(L-C)	
0095050	0100000	0108900	0018934	0026937	0069287	0007531	0004955	0021877	0016987	03661	03661	1.0	0.464	0.0	0.536	68000043	59	-30	-42	52	234	27	31	-43	53	305	(C-V)	
0095050	0100000	0108900	0018934	0026937	0069287	0009307	0020222																					

see similar files: http://130.149.60.45/~farbmetrik/XE68/XE68LONP.PDF /.PS application for measurement of display or printer output, no separation

TUB registration: 20140801-XE68/XE68LONP.PDF /.PS TUB material: code=rh4ta



Table with columns: %Xn, Yn, Zn, X0, Y0, Z0, X1, Y1, Z1, DV\*DV, ds\*DV, dE\*DV, dE\*DVRdE\*DVRdE\*DVmdE\*DVm, L\*0 a\*0 b\*0 C\*0 h0, L\*1 a\*1 b\*1 C\*1 h1, CODE %



%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV*DV	ds*DV	de*DV	de*DVrdE*DVrdE*DVmde*DVm	no.	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE %
%1000*(CIEXYZ & DV) for all colours (a) of experiment, , %iimp=98, colour difference pairs MA_EV098=MEL_ADJACENT_EV, ioutn=0, iouts=0 %																								
Minimum, maximum and average colour difference value																								
STRESS constant F and STRESS value S																								
iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14																								
iai+1 = 98, CIELAB_Fa = 2.23, CIELAB_STRESSa = 53.11																								
iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15																								
iai+1 = 98, CIELCHFa = 2.23, CIELCHSTRESSa = 53.11																								
iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66																								
iai+1 = 98, C94LCHFa = 1.29, C94LCHSTRESSa = 52.51																								
iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47																								
iai+1 = 98, CMCLCHFa = 1.39, CMCLCHSTRESSa = 51.13																								
iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81																								
iai+1 = 98, C00LCHFa = 1.24, C00LCHSTRESSa = 52.75																								
iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 583.86, d_C85LCHavea = 182.82																								
iai+1 = 98, C85LCHFa = 9.95, C85LCHSTRESSa = 52.4																								

see similar files: <http://130.149.60.45/~farbmetrik/XE68/XE68L0NP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-XE68/XE68L0NP.PDF /.PS TUB material: code=rha4ta  
application for measurement of display or printer output, no separation



see similar files: http://130.149.60.45/~farbmetrik/XE68/XE68L0NP.PDF /PS application for measurement of display or printer output, no separation

Table with columns: %L\*0, a\*0, b\*0, C\*ab0, hab0, L\*1, a\*1, b\*1, C\*ab1, hab1, DV, dE\*ab, dE\*94, dE\*CM, dE\*00, dE\*85, NR, L\*0, a\*0, b\*0, C\*0, h0, L\*1, a\*1, b\*1, C\*1, h1, CODE %

TUB registration: 20140801-XE68/XE68L0NP.PDF /PS TUB material: code=rh4ta







Table with columns: %L\*0, a\*0, b\*0, C\*ab0, hab0, L\*1, a\*1, b\*1, C\*ab1, hab1, DV, dE\*ab, dE\*94, dE\*CM, dE\*00, dE\*85 NR, L\*0, a\*0, b\*0, C\*0, h0, L\*1, a\*1, b\*1, C\*1, h1, CODE %. Rows contain numerical data for color calibration experiments.

see similar files: http://130.149.60.45/~farbmetrik/XE68/XE68L0NP.PDF /.PS technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



```
%L*0 a*0 b*0 C*ab0 hab0 L*1 a*1 b*1 C*ab1 hab1 DV dE*ab dE*94 dE*CM dE*00 dE*85 NR L*0 a*0 b*0 C*0 h0 L*1 a*1 b*1 C*1 h1 CODE %  
%CIELAB data for all colour (a) of experiment, , %iimp=98, colour difference pairs MA_EV098=MEL_ADJACENT_EV, ioutn=0, iouts=0 %  
Minimum, maximum and average colour difference value  
STRESS constant F and STRESS value S  
iai+1 = 98, d_CIELABmina = 12.49, d_CIELABmaxa = 121.09, d_CIELABavea = 41.14  
iai+1 = 98, CIELAB_Fa = 2.23, CIELAB_STRESSa = 53.11  
  
iai+1 = 98, d_CIELCHmina = 12.49, d_CIELCHmaxa = 121.11, d_CIELCHavea = 41.15  
iai+1 = 98, CIELCHFa = 2.23, CIELCHSTRESSa = 53.11  
  
iai+1 = 98, d_C94LCHmina = 4.64, d_C94LCHmaxa = 72.88, d_C94LCHavea = 23.66  
iai+1 = 98, C94LCHFa = 1.29, C94LCHSTRESSa = 52.51  
  
iai+1 = 98, d_CMCLCHmina = 5.46, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 25.47  
iai+1 = 98, CMCLCHFa = 1.39, CMCLCHSTRESSa = 51.13  
  
iai+1 = 98, d_C00LCHmina = 4.1, d_C00LCHmaxa = 73.48, d_C00LCHavea = 22.81  
iai+1 = 98, C00LCHFa = 1.24, C00LCHSTRESSa = 52.75  
  
iai+1 = 98, d_C85LCHmina = 18.94, d_C85LCHmaxa = 583.86, d_C85LCHavea = 182.82  
iai+1 = 98, C85LCHFa = 9.95, C85LCHSTRESSa = 52.4
```

see similar files: <http://130.149.60.45/~farbmetrik/XE68/XE68L0NP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-XE68/XE68L0NP.PDF /.PS TUB material: code=rha4ta  
application for measurement of display or printer output, no separation

