

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094811	01000000	0107304	0019410	0028410	0011576	0019565	0028290	0012721	0001029	00345	00345	00125	00145	00122	00588	17000000	(17000_BF)	60	-33	34	%
0094811	0100000	0107304	0019410	0028410	0011576	0019966	0028590	0011988	0001111	00226	00226	00085	00096	00082	00352	17000001	(17000_BF)	60	-32	35	%
0094811	0100000	0107304	0019410	0028410	0011576	0019552	0028640	0010579	0001132	00318	00318	00139	00141	00126	00532	17000002	(17000_BF)	60	-34	37	%
0094811	0100000	0107304	0019410	0028410	0011576	0019484	0027980	0010996	0001152	00228	00228	00130	00119	00116	00471	17000003	(17000_BF)	60	-32	36	%
0094811	0100000	0107304	0019410	0028410	0011576	0019352	0029040	0011506	0001091	00299	00299	00120	00128	00111	00616	17000004	(17000_BF)	61	-35	36	%
0094811	0100000	0107304	0019410	0028410	0011576	0019534	0028670	0010388	0001011	00379	00379	00161	00165	00146	00627	17000005	(17000_BF)	60	-34	38	%
0094811	0100000	0107304	0019410	0028410	0011576	0019899	0028360	0012728	0001258	00410	00410	00127	00163	00130	00645	17000006	(17000_BF)	60	-32	34	%
0094811	0100000	0107304	0019410	0028410	0011576	0019476	0027740	0011841	0001081	00347	00347	00130	00149	00127	00706	17000007	(17000_BF)	60	-32	35	%
0094811	0100000	0107304	0019410	0028410	0011576	0019062	0028060	0012338	0001163	00263	00263	00133	00128	00120	00520	17000008	(17000_BF)	60	-34	34	%
0094811	0100000	0107304	0019410	0028410	0011576	0019008	0028160	0012014	0000916	00191	00191	00109	00099	00096	00359	17000009	(17000_BF)	60	-34	35	%
0094811	0100000	0107304	0021512	0027220	0005020	0021341	0027420	0005665	0001146	00309	00309	00137	00145	00145	00399	17000010	(17000_BF)	59	-19	56	%
0094811	0100000	0107304	0021512	0027220	0005020	0021771	0027620	0006204	0001157	00466	00466	00154	00186	00161	00599	17000011	(17000_BF)	59	-19	55	%
0094811	0100000	0107304	0021512	0027220	0005020	0021821	0027340	0005748	0001088	00328	00328	00088	00119	00090	00366	17000012	(17000_BF)	59	-18	55	%
0094811	0100000	0107304	0021512	0027220	0005020	0021113	0027060	00054319	0000939	00349	00349	00095	00124	00093	00385	17000013	(17000_BF)	59	-19	59	%
0094811	0100000	0107304	0021512	0027220	0005020	0021005	0027120	0004770	0001134	00227	00227	00093	00100	00097	00341	17000014	(17000_BF)	59	-20	58	%
0094811	0100000	0107304	0021512	0027220	0005020	0021041	0027130	0005286	0001260	00234	00234	00118	00119	00126	00328	17000015	(17000_BF)	59	-20	56	%
0094811	0100000	0107304	0021512	0027220	0005020	0021061	0027160	0005464	0001283	00288	00288	00137	00141	00145	00362	17000016	(17000_BF)	59	-20	56	%
0094811	0100000	0107304	0021512	0027220	0005020	0021283	0027320	0005496	0001157	00252	00252	00115	00121	00122	00315	17000017	(17000_BF)	59	-19	56	%
0094811	0100000	0107304	0021512	0027220	0005020	0021488	0027370	0005707	0000931	00299	00299	00109	00125	00114	00336	17000018	(17000_BF)	59	-19	56	%
0094811	0100000	0107304	0021512	0027220	0005020	0021383	0027120	0004177	0000825	00412	00412	00120	00151	00120	00378	17000019	(17000_BF)	59	-19	59	%
0094811	0100000	0107304	0021512	0027220	0005020	0021472	0027110	0004109	0001045	00447	00447	00140	00169	00141	00408	17000020	(17000_BF)	59	-18	59	%
0094811	0100000	0107304	0021512	0027220	0005020	0021112	0027180	0004659	0001283	00243	00243	00082	00096	00083	00314	17000021	(17000_BF)	59	-19	58	%
0094811	0100000	0107304	0021512	0027220	0005020	0021282	0026990	0004043	0001318	00464	00464	00138	00171	00137	00462	17000022	(17000_BF)	59	-19	59	%
0094811	0100000	0107304	0021040	0028260	0010749	0020607	0028210	0009780	0001378	00337	00337	00110	00134	00107	00513	17000023	(17000_BF)	60	-26	39	%
0094811	0100000	0107304	0021040	0028260	0010749	0020848	0028070	0009631	0001240	00304	00304	00124	00134	00118	00507	17000024	(17000_BF)	60	-25	39	%
0094811	0100000	0107304	0021040	0028260	0010749	0020994	0028030	0009687	0001461	00289	00289	00140	00140	00132	00495	17000025	(17000_BF)	60	-25	39	%
0094811	0100000	0107304	0021040	0028260	0010749	0020878	0028560	0011312	0001579	00225	00225	00134	00124	00125	00412	17000026	(17000_BF)	60	-26	37	%
0094811	0100000	0107304	0021040	0028260	0010749	0021173	0028090	0010399	0000993	00150	00150	00089	00084	00085	00263	17000027	(17000_BF)	60	-24	38	%
0094811	0100000	0107304	0021040	0028260	0010749	0021374	0028250	0010878	0001103	00168	00168	00079	00081	00076	00243	17000028	(17000_BF)	60	-24	38	%
0094811	0100000	0107304	0021040	0028260	0010749	0020516	0028310	0010064	0001580	00343	00343	00123	00142	00119	00498	17000029	(17000_BF)	60	-26	39	%
0094811	0100000	0107304	0021040	0028260	0010749	0020948	0028080	0009457	0001703	00361	00361	00158	00165	00150	00582	17000030	(17000_BF)	60	-25	40	%
0094811	0100000	0107304	0021040	0028260	0010749	0021289	0028120	0010597	0001344	00175	00175	00097	00093	00092	00274	17000031	(17000_BF)	60	-24	38	%
0094811	0100000	0107304	0021040	0028260	0010749	0021437	0028090	0011205	0001441	00299	00299	00117	00133	00117	00458	17000032	(17000_BF)	60	-24	37	%
0094811	0100000	0107304	0021040	0028260	0010749	0021495	0028390	0011324	0001013	00219	00219	00078	00093	00078	00360	17000033	(17000_BF)	60	-24	37	%
0094811	0100000	0107304	0025290	0028700	0020300	0025104	0028690	0020894	0001482	00135	00135	00098	00111	00109	00337	17000034	(17000_BF)	61	-8	16	%
0094811	0100000	0107304	0025290	0028700	0020300	0025566	0028710	0020039	0001280	00123	00123	00096	00110	00118	00246	17000035	(17000_BF)	61	-7	17	%
0094811	0100000	0107304	0025290	0028700	0020300	0025436	0028570	0020956	0001024	00181	00181	00101	00119	00115	00448	17000036	(17000_BF)	60	-7	16	%
0094811	0100000	0107304	0025290	0028700	0020300	0024853	0028390	0019231	0001361	00173	00173	00096	00107	00095	00520	17000037	(17000_BF)	60	-8	17	%
0094811	0100000	0107304	0025290	0028700	0020300	0025606	0028690	0020724	0001185	00159	00159	00101	00117	00125	00334	17000038	(17000_BF)	61	-7	16	%
0094811	0100000	0107304	0025290	0028700	0020300	0025816	0028810	0020767	0002008	00193	00193	00130	00152	00165	00395	17000039	(17000_BF)	61	-7	16	%
0094811	0100000	0107304	0025290	0028700	0020300	0025204	0028500	0019517	0000916	00126	00126	00084	00094	00089	00373	17000040	(17000_BF)	60	-7	17	%
0094811	0100000	0107304	0026120	0030320	0011056	0025782	0030420	0011576	0001452	00220	00220	00129	00134	00140	00373	17000041	(17000_BF)	62	-11	39	%
0094811	0100000	0107304	0026120	0030320	0011056	0025760	0030310	0011902	0001525	00276	00276	00141	00152	00152	00443	17000042	(17000_BF)	62	-11	39	%
0094811	0100000	0107304	0026120	0030320	0011056	0026426															

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	0100000	0107304	0026120	0030320	0011056	0026639	0030400	0011181	0001757	00186	00186	00109	00115	00120	00331	17000050	(17000_BF)	62	-9	40	%
0094811	0100000	0107304	0026120	0030320	0011056	0025668	0030270	0010631	0001466	00204	00204	00098	00106	00103	00341	17000051	(17000_BF)	62	-11	41	%
0094811	0100000	0107304	0026120	0030320	0011056	0026103	0030040	0009760	0001800	00354	00354	00152	00169	00156	00581	17000052	(17000_BF)	62	-10	42	%
0094811	0100000	0107304	0026120	0030320	0011056	0026609	0030440	0012303	0001786	00358	00358	00130	00159	00135	00595	17000053	(17000_BF)	62	-9	38	%
0094811	0100000	0107304	0025487	0032970	0032570	0025226	0032990	0031018	0001902	00249	00249	00162	00168	00152	00798	17000054	(17000_BF)	64	-23	4	%
0094811	0100000	0107304	0025487	0032970	0032570	0025030	0032400	0030090	0001980	00274	00274	00203	00206	00187	01051	17000055	(17000_BF)	64	-22	5	%
0094811	0100000	0107304	0025487	0032970	0032570	0024775	0032520	0030811	0001708	00236	00236	00147	00153	00139	00771	17000056	(17000_BF)	64	-23	4	%
0094811	0100000	0107304	0025487	0032970	0032570	0025668	0032810	0031585	0002135	00175	00175	00115	00122	00115	00468	17000057	(17000_BF)	64	-22	4	%
0094811	0100000	0107304	0025487	0032970	0032570	0025290	0032950	0031031	0001873	00225	00225	00154	00158	00143	00763	17000058	(17000_BF)	64	-23	4	%
0094811	0100000	0107304	0025487	0032970	0032570	0025260	0033340	0031874	0001805	00270	00270	00147	00158	00145	00661	17000059	(17000_BF)	64	-23	4	%
0094811	0100000	0107304	0025487	0032970	0032570	0025868	0033260	0031449	0002194	00206	00206	00153	00157	00143	00730	17000060	(17000_BF)	64	-22	4	%
0094811	0100000	0107304	0025487	0032970	0032570	0025610	0032669	0031645	0001388	00180	00180	00111	00120	00114	00442	17000061	(17000_BF)	64	-21	4	%
0094811	0100000	0107304	0025487	0032970	0032570	0025949	0032980	0032377	0001359	00192	00192	00100	00115	00110	00296	17000062	(17000_BF)	64	-21	3	%
0094811	0100000	0107304	0025487	0032970	0032570	0024534	0032570	0031594	0002757	00280	00280	00141	00156	00144	00569	17000063	(17000_BF)	64	-24	4	%
0094811	0100000	0107304	0022480	0031600	0038480	0021748	0031440	0037783	0001726	00288	00288	00133	00144	00132	00465	17000064	(17000_BF)	63	-32	-5	%
0094811	0100000	0107304	0022480	0031600	0038480	0021781	0031610	0038954	0002019	00332	00332	00137	00156	00134	00479	17000065	(17000_BF)	63	-32	-6	%
0094811	0100000	0107304	0022480	0031600	0038480	0022395	0031420	0039668	0001485	00173	00173	00117	00110	00118	00727	17000066	(17000_BF)	63	-30	-6	%
0094811	0100000	0107304	0022480	0031600	0038480	0022583	0031370	0036790	0001535	00221	00221	00124	00127	00126	00766	17000067	(17000_BF)	63	-30	-4	%
0094811	0100000	0107304	0022480	0031600	0038480	0022925	0031430	0037064	0001587	00304	00304	00138	00157	00143	00723	17000068	(17000_BF)	63	-29	-5	%
0094811	0100000	0107304	0022480	0031600	0038480	0022920	0031550	0039400	0001562	00249	00249	00135	00140	00138	00575	17000069	(17000_BF)	63	-29	-6	%
0094811	0100000	0107304	0022480	0031600	0038480	0021781	0031430	0038394	0001562	00263	00263	00111	00126	00109	00373	17000070	(17000_BF)	63	-32	-5	%
0094811	0100000	0107304	0022480	0031600	0038480	0022016	0031750	0039615	0001433	00292	00292	00125	00141	00123	00597	17000071	(17000_BF)	63	-32	-6	%
0094811	0100000	0107304	0022480	0031600	0038480	0022595	0031450	0039723	0001355	00203	00203	00133	00127	00134	00744	17000072	(17000_BF)	63	-30	-6	%
0094811	0100000	0107304	0023530	0031250	0039690	0024037	0031510	0040727	0001400	00157	00157	00101	00102	00102	00447	17000073	(17000_BF)	63	-24	-8	%
0094811	0100000	0107304	0023530	0031250	0039690	0023417	0031560	0039572	0001596	00174	00174	00100	00103	00101	00407	17000074	(17000_BF)	63	-25	-7	%
0094811	0100000	0107304	0023530	0031250	0039690	0023129	0031610	0040102	0001708	00310	00310	00152	00166	00153	00494	17000075	(17000_BF)	63	-26	-7	%
0094811	0100000	0107304	0023530	0031250	0039690	0023119	0031120	0038992	0001260	00152	00152	00089	00092	00091	00348	17000076	(17000_BF)	63	-25	-7	%
0094811	0100000	0107304	0023530	0031250	0039690	0023244	0031060	0038831	0001092	00097	00097	00068	00066	00067	00357	17000077	(17000_BF)	63	-25	-7	%
0094811	0100000	0107304	0023530	0031250	0039690	0023649	0031210	0038810	0001049	00121	00121	00070	00074	00070	00432	17000078	(17000_BF)	63	-24	-7	%
0094811	0100000	0107304	0023530	0031250	0039690	0023243	0031620	0040523	0001686	00267	00267	00126	00140	00127	00481	17000079	(17000_BF)	63	-26	-8	%
0094811	0100000	0107304	0023530	0031250	0039690	0023673	0031350	0040908	0001232	00134	00134	00095	00093	00094	00552	17000080	(17000_BF)	63	-24	-8	%
0094811	0100000	0107304	0023530	0031250	0039690	0023851	0031740	0041415	0001260	00144	00144	00099	00096	00094	00657	17000081	(17000_BF)	63	-25	-8	%
0094811	0100000	0107304	0023530	0031250	0039690	0023386	0031880	0039927	0001750	00301	00301	00164	00171	00163	00665	17000082	(17000_BF)	63	-26	-7	%
0094811	0100000	0107304	0024930	0031790	0046760	0025255	0031780	0047535	0001134	00165	00165	00114	00116	00111	00420	17000083	(17000_BF)	63	-20	-15	%
0094811	0100000	0107304	0024930	0031790	0046760	0024261	0031580	0046521	0001202	00214	00214	00119	00126	00119	00357	17000084	(17000_BF)	63	-21	-15	%
0094811	0100000	0107304	0024930	0031790	0046760	0025199	0031820	0047579	0001108	00133	00133	00094	00095	00090	00388	17000085	(17000_BF)	63	-20	-15	%
0094811	0100000	0107304	0024930	0031790	0046760	0025070	0031850	0048365	0000940	00167	00167	00114	00115	00105	00694	17000086	(17000_BF)	63	-20	-15	%
0094811	0100000	0107304	0024930	0031790	0046760	0024652	0031630	0044995	0001371	00181	00181	00129	00129	00121	00729	17000087	(17000_BF)	63	-21	-14	%
0094811	0100000	0107304	0024930	0031790	0046760	0025219	0031820	0046101	0001009	00135	00135	00062	00073	00066	00366	17000088	(17000_BF)	63	-20	-14	%
0094811	0100000	0107304	0024930	0031790	0046760	0024802	0031620	0044888	0001167	00181	00181	00117	00121	00109	00767	17000089	(17000_BF)	63	-20	-14	%
0094811	0100000	0107304	0024930	0031790	0046760	0025624	0032160	0046289	0001327	00195	00195	00094	00108	00099	00596	17000090	(17000_BF)	63	-20	-14	%
0094811	0100000	0107304	0024930	0031790	0046760	0024831	0032050	0048197	0001496	00179	00179	00085	00095	00085	00549	17000091	(17000_BF)	63	-21	-15	%
0094811	0100000	0107304	0024930	0031790	0046760	0024904	0032020	0048194	0001122	00153	00153	00076	00084	00074	00541	17000092					

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
0094811	0100000	0107304	0027990	0033080	0041120	0027577	0032910	0040491	0001416	00117	00117	00088	00098	00099	00294	17000100	(17000_BF)	64	-13	-6 %
0094811	0100000	0107304	0027990	0033080	0041120	0028422	0033140	0040529	0001953	00168	00168	00101	00122	00124	00409	17000101	(17000_BF)	64	-12	-6 %
0094811	0100000	0107304	0027990	0033080	0041120	0027915	0032470	0039029	0001953	00252	00252	00161	00189	00180	00848	17000102	(17000_BF)	64	-11	-6 %
0094811	0100000	0107304	0027990	0033080	0041120	0028134	0032900	0039266	0001864	00230	00230	00155	00184	00160	00833	17000103	(17000_BF)	64	-12	-5 %
0094811	0100000	0107304	0027990	0033080	0041120	0027885	0032870	0039730	0001321	00140	00140	00104	00120	00100	00574	17000104	(17000_BF)	64	-12	-6 %
0094811	0100000	0107304	0027990	0033080	0041120	0027713	0032880	0039708	0001578	00146	00146	00119	00135	00117	00591	17000105	(17000_BF)	64	-13	-6 %
0094811	0100000	0107304	0027990	0033080	0041120	0028109	0033310	0042997	0001482	00189	00189	00139	00156	00131	00776	17000106	(17000_BF)	64	-13	-7 %
0094811	0100000	0107304	0027990	0033080	0041120	0027630	0032930	0040170	0001659	00129	00129	00104	00116	00110	00416	17000107	(17000_BF)	64	-13	-6 %
0094811	0100000	0107304	0027990	0033080	0041120	0028189	0033030	0041100	0001152	00096	00096	00064	00075	00080	00163	17000108	(17000_BF)	64	-12	-6 %
0094811	0100000	0107304	0027990	0033080	0041120	0028286	0033080	0040603	0001659	00132	00132	00079	00094	00096	00316	17000109	(17000_BF)	64	-12	-6 %
0094811	0100000	0107304	0027990	0033080	0041120	0028337	0033090	0040541	0001850	00150	00150	00090	00108	00110	00362	17000110	(17000_BF)	64	-12	-6 %
0094811	0100000	0107304	0027990	0033080	0041120	0027765	0033270	0042799	0001864	00229	00229	00144	00161	00148	00744	17000111	(17000_BF)	64	-13	-7 %
0094811	0100000	0107304	0029580	0031960	0041320	0029051	0031160	0040952	0001662	00129	00129	00115	00141	00132	00704	17000112	(17000_BF)	63	-2	-9 %
0094811	0100000	0107304	0029580	0031960	0041320	0029774	0031850	0040947	0001563	00117	00117	00098	00138	00138	00257	17000113	(17000_BF)	63	-2	-8 %
0094811	0100000	0107304	0029580	0031960	0041320	0029756	0031930	0042621	0001496	00173	00173	00136	00178	00151	00668	17000114	(17000_BF)	63	-2	-9 %
0094811	0100000	0107304	0029580	0031960	0041320	0029127	0031810	0040915	0001829	00123	00123	00108	00149	00144	00273	17000115	(17000_BF)	63	-3	-8 %
0094811	0100000	0107304	0029580	0031960	0041320	0029558	0031590	0040750	0001796	00128	00128	00111	00154	00154	00365	17000116	(17000_BF)	63	-2	-8 %
0094811	0100000	0107304	0029580	0031960	0041320	0028917	0031660	0041218	0002394	00152	00152	00127	00168	00170	00384	17000117	(17000_BF)	63	-3	-8 %
0094811	0100000	0107304	0029580	0031960	0041320	0028802	0031240	0039285	0001214	00157	00157	00127	00156	00129	00779	17000118	(17000_BF)	63	-2	-8 %
0094811	0100000	0107304	0029580	0031960	0041320	0030004	0032680	0041254	0001729	00155	00155	00134	00173	00152	00734	17000119	(17000_BF)	64	-3	-8 %
0094811	0100000	0107304	0029580	0031960	0041320	0030209	0032580	0040535	0001263	00188	00188	00139	00171	00139	00895	17000120	(17000_BF)	64	-2	-7 %
0094811	0100000	0107304	0029580	0031960	0041320	0029833	0032340	0040815	0001297	00123	00123	00098	00126	00103	00564	17000121	(17000_BF)	63	-2	-8 %
0094811	0100000	0107304	0029580	0031960	0041320	0029019	0031110	0041168	0001330	00155	00155	00134	00165	00150	00812	17000122	(17000_BF)	63	-2	-9 %
0094811	0100000	0107304	0029580	0031960	0041320	0029631	0032070	0040168	0001678	00153	00153	00114	00149	00117	00642	17000123	(17000_BF)	63	-2	-8 %
0094811	0100000	0107304	0028995	0029580	0035750	0029206	0029460	0035306	0001523	00133	00133	00118	00165	00159	00315	17000124	(17000_BF)	61	4	-5 %
0094811	0100000	0107304	0028995	0029580	0035750	0029067	0029440	0034688	0001333	00143	00143	00129	00181	00149	00527	17000125	(17000_BF)	61	4	-4 %
0094811	0100000	0107304	0028995	0029580	0035750	0028649	0029540	0035529	0001486	00121	00121	00103	00145	00150	00257	17000126	(17000_BF)	61	3	-5 %
0094811	0100000	0107304	0028995	0029580	0035750	0029077	0029340	0035381	0001554	00124	00124	00108	00148	00148	00314	17000127	(17000_BF)	61	4	-5 %
0094811	0100000	0107304	0028995	0029580	0035750	0028770	0029740	0035604	0001767	00153	00153	00129	00180	00187	00369	17000128	(17000_BF)	61	2	-5 %
0094811	0100000	0107304	0028995	0029580	0035750	0028971	0029850	0035581	0001263	00128	00128	00104	00138	00141	00407	17000129	(17000_BF)	61	3	-5 %
0094811	0100000	0107304	0028995	0029580	0035750	0029280	0029600	0035029	0001546	00141	00141	00128	00181	00157	00454	17000130	(17000_BF)	61	4	-4 %
0094811	0100000	0107304	0028995	0029580	0035750	0028569	0029240	0034054	0001326	00177	00177	00143	00190	00147	00764	17000131	(17000_BF)	61	3	-4 %
0094811	0100000	0107304	0028995	0029580	0035750	0028801	0029290	0033987	0001531	00192	00192	00166	00228	00171	00818	17000132	(17000_BF)	61	3	-4 %
0094811	0100000	0107304	0028995	0029580	0035750	0029196	0029890	0037209	0001402	00147	00147	00125	00169	00135	00633	17000133	(17000_BF)	61	3	-6 %
0094811	0100000	0107304	0028995	0029580	0035750	0028737	0029460	0034357	0001416	00173	00173	00136	00182	00144	00700	17000134	(17000_BF)	61	3	-4 %
0094811	0100000	0107304	0028995	0029580	0035750	0028821	0029320	0034147	0001326	00175	00175	00150	00206	00156	00743	17000135	(17000_BF)	61	3	-4 %
0094811	0100000	0107304	0028995	0029580	0035750	0028870	0029750	0034904	0001402	00176	00176	00136	00181	00166	00628	17000136	(17000_BF)	61	3	-4 %
0094811	0100000	0107304	0031460	0030910	0027050	0031471	0030780	0025774	0001349	00190	00190	00131	00191	00130	00606	17000137	(17000_BF)	62	8	9 %
0094811	0100000	0107304	0031460	0030910	0027050	0031336	0030400	0027004	0001376	00162	00162	00136	00251	00169	00527	17000138	(17000_BF)	62	8	8 %
0094811	0100000	0107304	0031460	0030910	0027050	0031103	0030830	0027721	0001099	00154	00154	00100	00122	00116	00433	17000139	(17000_BF)	62	7	8 %
0094811	0100000	0107304	0031460	0030910	0027050	0031043	0030750	0025894	0001673	00185	00185	00153	00327	00182	00560	17000140	(17000_BF)	62	7	9 %
0094811	0100000	0107304	0031460	0030910	0027050	0031965	0031290	0028619	0001585	00192	00192	00156	00288	00168	00695	17000141	(17000_BF)	63	8	7 %
0094811	0100000	0107304	0031460	0030910	0027050	0032161	0031190	0027035	0001646	00161	00161	00114	00171	00146	00385	17000142	(17000_BF)	63	8	9 %
0094811	0100000	0107304	0031460	0030910	0027050	0030930	0030670	0026589	0001221	00115	00115	00096	00199	00127	00304	17000143	(17000_BF)	62	7	9 %
0094811	0100000	0107304	0031460	0030910	0027050	0031533	0031120	0026217</												

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094811	0100000	0107304	0029990	0031110	0020170	0030051	0030720	0019922	0001459	00169	00169	00130	00180	00177	00443	17000150	(17000_BF)	62	2	20	%
0094811	0100000	0107304	0029990	0031110	0020170	0029930	0030650	0020483	0001658	00196	00196	00138	00189	00182	00539	17000151	(17000_BF)	62	2	20	%
0094811	0100000	0107304	0029990	0031110	0020170	0030336	0031590	0021778	0001484	00234	00234	00126	00146	00129	00704	17000152	(17000_BF)	63	1	19	%
0094811	0100000	0107304	0029990	0031110	0020170	0030624	0031390	0021336	0001985	00224	00224	00147	00199	00189	00570	17000153	(17000_BF)	63	2	20	%
0094811	0100000	0107304	0029990	0031110	0020170	0030240	0031620	0021328	0001191	00172	00172	00105	00127	00122	00569	17000154	(17000_BF)	63	1	20	%
0094811	0100000	0107304	0029990	0031110	0020170	0029878	0031320	0020791	0001312	00147	00147	00099	00131	00132	00361	17000155	(17000_BF)	63	1	20	%
0094811	0100000	0107304	0035690	0030850	0021330	0035501	0031180	0021550	0001163	00185	00185	00107	00152	00117	00436	17000156	(17000_BF)	63	22	18	%
0094811	0100000	0107304	0035690	0030850	0021330	0035861	0030760	0021823	0001174	00136	00136	00094	00141	00103	00324	17000157	(17000_BF)	62	23	17	%
0094811	0100000	0107304	0035690	0030850	0021330	0036170	0030660	0020798	0001123	00241	00241	00114	00141	00117	00499	17000158	(17000_BF)	62	24	18	%
0094811	0100000	0107304	0035690	0030850	0021330	0035507	0030960	0020845	0001338	00146	00146	00101	00157	00112	00339	17000159	(17000_BF)	62	22	18	%
0094811	0100000	0107304	0035690	0030850	0021330	0035955	0030880	0020547	0000779	00168	00168	00080	00103	00081	00406	17000160	(17000_BF)	62	23	19	%
0094811	0100000	0107304	0035690	0030850	0021330	0036329	0030930	0021572	0001105	00188	00188	00110	00154	00119	00356	17000161	(17000_BF)	62	24	18	%
0094811	0100000	0107304	0035690	0030850	0021330	0036050	0030690	0021604	0001198	00194	00194	00123	00177	00134	00407	17000162	(17000_BF)	62	24	18	%
0094811	0100000	0107304	0035690	0030850	0021330	0035545	0030960	0020708	0000965	00158	00158	00109	00169	00120	00380	17000163	(17000_BF)	62	22	19	%
0094811	0100000	0107304	0035690	0030850	0021330	0035569	0030720	0020493	0000873	00136	00136	00080	00116	00085	00369	17000164	(17000_BF)	62	23	19	%
0094811	0100000	0107304	0035690	0030850	0021330	0035791	0031160	0022489	0001123	00182	00182	00092	00120	00095	00531	17000165	(17000_BF)	63	22	17	%
0094811	0100000	0107304	0035690	0030850	0021330	0036004	0030650	0020151	0001174	00261	00261	00114	00132	00112	00620	17000166	(17000_BF)	62	24	19	%
0094811	0100000	0107304	0035690	0030850	0021330	0036056	0030520	0020229	0001314	00290	00290	00128	00145	00126	00677	17000167	(17000_BF)	62	24	19	%
0094811	0100000	0107304	0036510	0033720	0032880	0036579	0033640	0034178	0001608	00193	00193	00154	00201	00141	00688	17000168	(17000_BF)	65	15	3	%
0094811	0100000	0107304	0036510	0033720	0032880	0036180	0033930	0032854	0001384	00185	00185	00117	00147	00139	00391	17000169	(17000_BF)	65	14	4	%
0094811	0100000	0107304	0036510	0033720	0032880	0036228	0033930	0032185	0001527	00207	00207	00153	00208	00164	00557	17000170	(17000_BF)	65	14	4	%
0094811	0100000	0107304	0036510	0033720	0032880	0035975	0033570	0031682	0001672	00193	00193	00149	00205	00152	00573	17000171	(17000_BF)	65	15	5	%
0094811	0100000	0107304	0036510	0033720	0032880	0035853	0033560	0032243	0001384	00177	00177	00120	00156	00137	00399	17000172	(17000_BF)	65	14	4	%
0094811	0100000	0107304	0036510	0033720	0032880	0036753	0033510	0031550	0001334	00218	00218	00139	00166	00140	00639	17000173	(17000_BF)	65	16	5	%
0094811	0100000	0107304	0036510	0033720	0032880	0036467	0034230	0034068	0001641	00213	00213	00129	00151	00149	00610	17000174	(17000_BF)	65	14	3	%
0094811	0100000	0107304	0036510	0033720	0032880	0036319	0033360	0030982	0001591	00217	00217	00168	00225	00155	00799	17000175	(17000_BF)	65	15	5	%
0094811	0100000	0107304	0036510	0033720	0032880	0037180	0033790	0032830	0001286	00197	00197	00115	00131	00133	00372	17000176	(17000_BF)	65	16	4	%
0094811	0100000	0107304	0036510	0033720	0032880	0036339	0033270	0030834	0001625	00246	00246	00176	00224	00165	00872	17000177	(17000_BF)	65	16	5	%
0094811	0100000	0107304	0036510	0033720	0032880	0035768	0033140	0030423	0001913	00272	00272	00218	00299	00205	01019	17000178	(17000_BF)	65	15	5	%
0094811	0100000	0107304	0031800	0030600	0015480	0032012	0030390	0015180	0001438	00159	00159	00098	00144	00113	00355	17000179	(17000_BF)	62	11	30	%
0094811	0100000	0107304	0031800	0030600	0015480	0031590	0030540	0015085	0001035	00097	00097	00058	00083	00066	00198	17000180	(17000_BF)	62	10	30	%
0094811	0100000	0107304	0031800	0030600	0015480	0031294	0030460	0015493	0001480	00136	00136	00085	00126	00101	00280	17000181	(17000_BF)	62	9	29	%
0094811	0100000	0107304	0031800	0030600	0015480	0032095	0030630	0015590	0001237	00098	00098	00066	00101	00078	00191	17000182	(17000_BF)	62	10	29	%
0094811	0100000	0107304	0031800	0030600	0015480	0031561	0030670	0016609	0001408	00264	00264	00110	00133	00114	00541	17000183	(17000_BF)	62	9	28	%
0094811	0100000	0107304	0031800	0030600	0015480	0031476	0030760	0016431	0001480	00257	00257	00122	00161	00135	00535	17000184	(17000_BF)	62	9	28	%
0094811	0100000	0107304	0031800	0030600	0015480	0031569	0030800	0016099	0001237	00191	00191	00101	00140	00115	00415	17000185	(17000_BF)	62	9	29	%
0094811	0100000	0107304	0031800	0030600	0015480	0032208	0030750	0015825	0001264	00108	00108	00073	00112	00087	00242	17000186	(17000_BF)	62	10	29	%
0094811	0100000	0107304	0031800	0030600	0015480	0032468	0030770	0015014	0001524	00222	00222	00113	00155	00124	00441	17000187	(17000_BF)	62	11	30	%
0094811	0100000	0107304	0031800	0030600	0015480	0031654	0030860	0016896	0001552	00310	00310	00132	00162	00139	00675	17000188	(17000_BF)	62	9	28	%
0094811	0100000	0107304	0031800	0030600	0015480	0031952	0030600	0016047	0001150	00138	00138	00076	00112	00087	00276	17000189	(17000_BF)	62	10	29	%
0094811	0100000	0107304	0031800	0030600	0015480	0032118	0030900	0016597	0001480	00204	00204	00096	00123	00101	00488	17000190	(17000_BF)	62	10	28	%
0094811	0100000	0107304	0034100	0030020	0004770	0034059	0029990	0005602	0001555	00394	00394	00112	00159	00124	00341	17000191	(17000_BF)	62	20	61	%
0094811	0100000	0107304	0034100	0030020	0004770	0033376	0029960	0005510	0001338	00425	00425	00117	00164	00127	00533	17000192	(17000_BF)	62	19	61	%
0094811	0100000	0107304	0034100	0030020	0004770	0034614	00302103														

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	0100000	0107304	0034100	0030020	0004770	0034137	0029450	0004227	0001539	00301	00301	00111	00146	00121	00665	17000200	(17000_BF)	61	21	63 %	
0094811	0100000	0107304	0034100	0030020	0004770	0033623	0030150	0004707	0001539	00220	00220	00110	00157	00139	00425	17000201	(17000_BF)	62	19	63 %	
0094811	0100000	0107304	0034100	0030020	0004770	0034775	0030200	0003806	0001431	00564	00564	00142	00191	00137	00519	17000202	(17000_BF)	62	21	65 %	
0094811	0100000	0107304	0028020	0029080	0004020	0028237	0028930	0003855	0000915	00159	00159	00074	00088	00090	00318	17000203	(17000_BF)	61	2	65 %	
0094811	0100000	0107304	0028020	0029080	0004020	0027917	0028640	0003436	0000988	00304	00304	00099	00122	00106	00492	17000204	(17000_BF)	61	2	66 %	
0094811	0100000	0107304	0028020	0029080	0004020	0028019	0028740	0003544	0001034	00259	00259	00089	00109	00098	00420	17000205	(17000_BF)	61	2	66 %	
0094811	0100000	0107304	0028020	0029080	0004020	0028391	0029400	0004657	0000823	00289	00289	00079	00104	00080	00357	17000206	(17000_BF)	61	1	64 %	
0094811	0100000	0107304	0028020	0029080	0004020	0028472	0029230	0004188	0001052	00140	00140	00065	00078	00080	00277	17000207	(17000_BF)	61	2	65 %	
0094811	0100000	0107304	0028020	0029080	0004020	0028011	0028750	0003525	0000869	00267	00267	00088	00109	00096	00410	17000208	(17000_BF)	61	2	66 %	
0094811	0100000	0107304	0028020	0029080	0004020	0028419	0029700	0003899	0001070	00186	00186	00078	00085	00079	00526	17000209	(17000_BF)	61	1	66 %	
0094811	0100000	0107304	0028020	0029080	0004020	0028392	0029060	0004156	0001080	00172	00172	00081	00097	00100	00315	17000210	(17000_BF)	61	2	65 %	
0094811	0100000	0107304	0028020	0029080	0004020	0028380	0029610	0004625	0000777	00251	00251	00081	00097	00080	00491	17000211	(17000_BF)	61	1	64 %	
0094811	0100000	0107304	0028020	0029080	0004020	0027492	0028520	0003233	0001070	00385	00385	00108	00137	00104	00544	17000212	(17000_BF)	61	1	67 %	
0094811	0100000	0107304	0037990	0031690	0014420	0038125	0031610	0013249	0001519	00282	00282	00111	00160	00116	00503	17000213	(17000_BF)	63	28	35 %	
0094811	0100000	0107304	0037990	0031690	0014420	0036244	0031170	0015086	0001587	00451	00451	00176	00254	00189	00879	17000214	(17000_BF)	63	25	32 %	
0094811	0100000	0107304	0037990	0031690	0014420	0038527	0032080	0013545	0001610	00271	00271	00118	00178	00126	00528	17000215	(17000_BF)	63	27	35 %	
0094811	0100000	0107304	0037990	0031690	0014420	0037476	0031600	0014034	0001367	00156	00156	00093	00167	00109	00290	17000216	(17000_BF)	63	27	34 %	
0094811	0100000	0107304	0037990	0031690	0014420	0038237	0031280	0012904	0001230	00388	00388	00135	00160	00130	00780	17000217	(17000_BF)	63	28	35 %	
0094811	0100000	0107304	0037990	0031690	0014420	0039211	0031870	0014175	0001693	00337	00337	00149	00228	00162	00612	17000218	(17000_BF)	63	29	34 %	
0094811	0100000	0107304	0037990	0031690	0014420	0036635	0031720	0015936	0001488	00569	00569	00204	00284	00219	01056	17000219	(17000_BF)	63	25	32 %	
0094811	0100000	0107304	0037990	0031690	0014420	0038906	0031760	0014500	0002081	00269	00269	00138	00226	00156	00487	17000220	(17000_BF)	63	29	33 %	
0094811	0100000	0107304	0037990	0031690	0014420	0038667	0031490	0013102	0001109	00412	00412	00140	00171	00137	00764	17000221	(17000_BF)	63	29	35 %	
0094811	0100000	0107304	0037990	0031690	0014420	0037011	0031650	0014581	0001747	00307	00307	00149	00253	00169	00562	17000222	(17000_BF)	63	26	33 %	
0094811	0100000	0107304	0004140	0008540	0008029	0004412	0008510	0008645	0001255	00460	00460	00181	00206	00186	01100	17000223	(17000_BF)	35	-42	2 %	
0094811	0100000	0107304	0004140	0008540	0008029	0004158	0008390	0007617	0001255	00184	00184	00087	00092	00085	00559	17000224	(17000_BF)	35	-43	4 %	
0094811	0100000	0107304	0004140	0008540	0008029	0004405	0008310	0007860	0001143	00569	00569	00195	00247	00202	00788	17000225	(17000_BF)	35	-41	3 %	
0094811	0100000	0107304	0004140	0008540	0008029	0003751	0008750	0007482	0001943	00795	00795	00284	00325	00268	01388	17000226	(17000_BF)	35	-47	5 %	
0094811	0100000	0107304	0004140	0008540	0008029	0004337	0008330	0007621	0001599	00465	00465	00171	00206	00174	00742	17000227	(17000_BF)	35	-41	4 %	
0094811	0100000	0107304	0004140	0008540	0008029	0003967	0008330	0007323	0001234	00198	00198	00116	00112	00111	00931	17000228	(17000_BF)	35	-44	4 %	
0094811	0100000	0107304	0004140	0008540	0008029	0004158	0008440	0007589	0001295	00167	00167	00089	00087	00087	00589	17000229	(17000_BF)	35	-43	4 %	
0094811	0100000	0107304	0004140	0008540	0008029	0004181	0008660	0007676	0001406	00173	00173	00101	00095	00098	00752	17000230	(17000_BF)	35	-44	4 %	
0094811	0100000	0107304	0004140	0008540	0008029	0004545	0008520	0008766	0001548	00628	00628	00237	00280	00246	01343	17000231	(17000_BF)	35	-41	2 %	
0094811	0100000	0107304	0004140	0008540	0008029	0003924	0008750	0007925	0001103	00503	00503	00175	00208	00168	00794	17000232	(17000_BF)	35	-46	4 %	
0094811	0100000	0107304	0004140	0008540	0008029	0003960	0008670	0007628	0001730	00414	00414	00159	00177	00153	00910	17000233	(17000_BF)	35	-45	4 %	
0094811	0100000	0107304	0004140	0008540	0008029	0004516	0008330	0008276	0001700	00717	00717	00249	00313	00261	01131	17000234	(17000_BF)	35	-40	2 %	
0094811	0100000	0107304	0004140	0008540	0008029	0003977	0008720	0008160	0000971	00388	00388	00134	00161	00129	00543	17000235	(17000_BF)	35	-45	3 %	
0094811	0100000	0107304	0004140	0008540	0008029	0004302	0008440	0008578	0001325	00384	00384	00164	00178	00166	01087	17000236	(17000_BF)	35	-42	2 %	
0094811	0100000	0107304	0006420	0009780	0023870	0006036	0009630	0023886	0001599	00300	00300	00144	00150	00130	00640	17000237	(17000_BF)	37	-28	-29 %	
0094811	0100000	0107304	0006420	0009780	0023870	0006436	0010020	0025385	0001547	00248	00248	00098	00115	00094	00967	17000238	(17000_BF)	38	-27	-29 %	
0094811	0100000	0107304	0006420	0009780	0023870	0006280	0009800	0025205	0001199	00271	00271	00098	00116	00095	01160	17000239	(17000_BF)	37	-27	-30 %	
0094811	0100000	0107304	0006420	0009780	0023870	0006437	0009850	0022772	0001199	00213	00213	00117	00118	00101	01171	17000240	(17000_BF)	38	-26	-27 %	
0094811	0100000	0107304	0006420	0009780	0023870	0006513	0009760	0024380	0001276	00146	00146	00092	00088	00077	00530	17000241	(17000_BF)	37	-25	-29 %	
0094811	0100000	0107304	0006420	0009780	0023870	0006472	0009970	0023283	0001276	00187	00187	00118	00115	00099	01028	1					

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	0100000	0107304	0006420	0009780	0023870	0006159	0009890	0023076	0002011	00403	00403	00243	00233	00207	01111	17000250	(17000_BF)	38	-28	-28	%
0094811	0100000	0107304	0006420	0009780	0023870	0006138	0009860	0023572	0002037	00372	00372	00210	00205	00181	00693	17000251	(17000_BF)	38	-28	-28	%
0094811	0100000	0107304	0004960	0003720	0019590	0004850	0003680	0019844	0001419	00107	00107	00059	00069	00085	00442	17000252	(17000_BF)	23	19	-47	%
0094811	0100000	0107304	0004960	0003720	0019590	0004667	0003690	0017538	0000955	00512	00512	00173	00219	00127	01820	17000253	(17000_BF)	23	18	-44	%
0094811	0100000	0107304	0004960	0003720	0019590	0004665	0003810	0017784	0001617	00657	00657	00255	00318	00203	02325	17000254	(17000_BF)	23	17	-44	%
0094811	0100000	0107304	0004960	0003720	0019590	0005306	0003790	0022463	0001447	00584	00584	00185	00228	00142	02037	17000255	(17000_BF)	23	21	-49	%
0094811	0100000	0107304	0004960	0003720	0019590	0004933	0003830	0019778	0001362	00201	00201	00108	00130	00120	00710	17000256	(17000_BF)	23	19	-46	%
0094811	0100000	0107304	0004960	0003720	0019590	0004982	0003720	0020614	0001154	00196	00196	00064	00079	00085	00826	17000257	(17000_BF)	23	20	-47	%
0094811	0100000	0107304	0004960	0003720	0019590	0004575	0003660	0017798	0001021	00517	00517	00201	00248	00162	01579	17000258	(17000_BF)	23	18	-45	%
0094811	0100000	0107304	0004960	0003720	0019590	0004704	0003810	0018702	0002034	00513	00513	00229	00278	00220	01597	17000259	(17000_BF)	23	17	-45	%
0094811	0100000	0107304	0004960	0003720	0019590	0005137	0003720	0019520	0001854	00220	00220	00119	00135	00148	00480	17000260	(17000_BF)	23	21	-46	%
0094811	0100000	0107304	0004960	0003720	0019590	0004346	0003630	0016420	0001617	00894	00894	00338	00427	00258	02894	17000261	(17000_BF)	23	16	-43	%
0094811	0100000	0107304	0004960	0003720	0019590	0005244	0003670	0021494	0000936	00574	00574	00206	00246	00159	01952	17000262	(17000_BF)	23	22	-48	%
0094811	0100000	0107304	0004630	0003560	0013560	0004440	0003440	0013449	0001724	00092	00092	00066	00088	00073	00648	17000263	(17000_BF)	22	17	-34	%
0094811	0100000	0107304	0004630	0003560	0013560	0004601	0003460	0013194	0001069	00126	00126	00082	00100	00093	00498	17000264	(17000_BF)	22	18	-34	%
0094811	0100000	0107304	0004630	0003560	0013560	0004795	0003530	0014349	0001163	00334	00334	00138	00160	00116	01209	17000265	(17000_BF)	22	19	-35	%
0094811	0100000	0107304	0004630	0003560	0013560	0004460	0003500	0012355	0001163	00300	00300	00110	00137	00115	01281	17000266	(17000_BF)	22	17	-33	%
0094811	0100000	0107304	0004630	0003560	0013560	0004715	0003450	0014431	0000909	00398	00398	00160	00190	00130	01705	17000267	(17000_BF)	22	19	-35	%
0094811	0100000	0107304	0004630	0003560	0013560	0004714	0003570	0014647	0001323	00272	00272	00100	00118	00110	01226	17000268	(17000_BF)	22	18	-35	%
0094811	0100000	0107304	0004630	0003560	0013560	0004732	0003640	0014537	0001283	00189	00189	00083	00100	00105	00836	17000269	(17000_BF)	22	18	-35	%
0094811	0100000	0107304	0004630	0003560	0013560	0004643	0003390	0013883	0001256	00344	00344	00159	00194	00135	01514	17000270	(17000_BF)	22	19	-35	%
0094811	0100000	0107304	0004630	0003560	0013560	0004748	0003460	0013735	0001791	00328	00328	00166	00192	00162	01053	17000271	(17000_BF)	22	19	-35	%
0094811	0100000	0107304	0004630	0003560	0013560	0004735	0003440	0013935	0001577	00367	00367	00173	00202	00157	01334	17000272	(17000_BF)	22	19	-35	%
0094811	0100000	0107304	0004630	0003560	0013560	0004600	0003420	0014175	0000935	00301	00301	00121	00151	00101	01539	17000273	(17000_BF)	22	19	-35	%
0094811	0100000	0107304	0004630	0003560	0013560	0004755	0003420	0014122	0001938	00445	00445	00203	00237	00179	01668	17000274	(17000_BF)	22	20	-35	%
0094811	0100000	0107304	0015600	0009250	0005020	0015914	0009150	0004387	0001363	00388	00388	00142	00172	00141	00927	17000275	(17000_BF)	36	49	19	%
0094811	0100000	0107304	0015600	0009250	0005020	0016484	0009150	0004536	0001877	00624	00624	00190	00235	00182	01291	17000276	(17000_BF)	36	50	19	%
0094811	0100000	0107304	0015600	0009250	0005020	0016158	0009110	0004879	0001973	00438	00438	00148	00181	00145	00936	17000277	(17000_BF)	36	50	18	%
0094811	0100000	0107304	0015600	0009250	0005020	0014722	0009510	0005741	0002212	00775	00775	00239	00314	00251	01777	17000278	(17000_BF)	37	44	17	%
0094811	0100000	0107304	0015600	0009250	0005020	0015715	0009270	0005490	0001363	00217	00217	00122	00141	00124	00587	17000279	(17000_BF)	36	48	17	%
0094811	0100000	0107304	0015600	0009250	0005020	0017319	0009260	0004444	0002787	01005	01005	00306	00373	00286	01942	17000280	(17000_BF)	36	52	19	%
0094811	0100000	0107304	0015600	0009250	0005020	0015919	0009350	0004349	0001363	00383	00383	00184	00219	00188	00924	17000281	(17000_BF)	37	48	20	%
0094811	0100000	0107304	0015600	0009250	0005020	0016335	0009400	0003967	0001913	00664	00664	00286	00341	00288	01499	17000282	(17000_BF)	37	49	21	%
0094811	0100000	0107304	0015600	0009250	0005020	0016458	0009360	0005290	0002141	00415	00415	00165	00196	00164	00814	17000283	(17000_BF)	37	49	17	%
0094811	0100000	0107304	0015600	0009250	0005020	0015098	0009170	0004416	0002320	00359	00359	00197	00236	00205	00834	17000284	(17000_BF)	36	46	19	%
0094811	0100000	0107304	0015600	0009250	0005020	0016900	0009490	0004932	0001758	00561	00561	00179	00220	00172	01115	17000285	(17000_BF)	37	50	18	%
0094811	0100000	0107304	0015600	0009250	0005020	0016900	0009530	0004473	0001363	00631	00631	00209	00254	00200	01353	17000286	(17000_BF)	37	50	20	%
0094811	0100000	0107304	0003172	0004386	0007524	0003207	0004296	0007162	0001039	00202	00202	00114	00135	00132	00608	17000287	(17000_BF)	25	-14	-11	%
0094811	0100000	0107304	0003172	0004386	0007524	0002909	0004206	0007307	0001396	00220	00220	00141	00163	00150	00774	17000288	(17000_BF)	25	-16	-12	%
0094811	0100000	0107304	0003172	0004386	0007524	0002974	0004266	0007510	0001467	00193	00193	00113	00130	00122	00661	17000289	(17000_BF)	25	-16	-12	%
0094811	0100000	0107304	0003172	0004386	0007524	0003151	0004296	0007747	0001552	00158	00158	00123	00135	00120	00832	17000290	(17000_BF)	25	-14	-12	%
0094811	0100000	0107304	0003172	0004386	0007524	0003181	0004286	0007629	0001424	00178	00178	00136	00151	00143	00702	17000291	(17000_BF)	25	-14	-12	%
0094811	0100000	0107304	0003172	0004386	0007524	0003181	0004346	0007883	0001652	00166	00166	00126	00136	00121	00866	17000292	(17000_BF)	25	-14	-12	%
0094811	0100000	0107304	0003172	0004386	0007524	0003018	0004														

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	0100000	0107304	0003652	0004015	0005787	0003812	0004216	0006239	0000995	00108	00108	00092	00123	00084	00823	17000300	(17000_BF)	24	-2	-7	%
0094811	0100000	0107304	0003652	0004015	0005787	0003566	0003976	0005734	0000936	00076	00076	00068	00094	00092	00231	17000301	(17000_BF)	24	-2	-7	%
0094811	0100000	0107304	0003652	0004015	0005787	0003476	0003836	0005766	0001170	00113	00113	00094	00125	00083	00887	17000302	(17000_BF)	23	-2	-7	%
0094811	0100000	0107304	0003652	0004015	0005787	0003659	0003996	0005932	0000913	00084	00084	00070	00094	00078	00421	17000303	(17000_BF)	24	-2	-7	%
0094811	0100000	0107304	0003652	0004015	0005787	0003668	0004086	0005985	0000960	00088	00088	00073	00096	00092	00379	17000304	(17000_BF)	24	-2	-7	%
0094811	0100000	0107304	0003652	0004015	0005787	0003590	0004006	0005834	0000936	00085	00085	00072	00097	00098	00238	17000305	(17000_BF)	24	-2	-7	%
0094811	0100000	0107304	0003652	0004015	0005787	0003522	0003926	0005776	0001159	00092	00092	00076	00102	00094	00472	17000306	(17000_BF)	24	-2	-7	%
0094811	0100000	0107304	0003652	0004015	0005787	0003808	0004146	0006191	0001147	00121	00121	00102	00139	00110	00697	17000307	(17000_BF)	24	-2	-7	%
0094811	0100000	0107304	0004272	0003623	0002726	0004224	0003643	0002627	0001191	00127	00127	00103	00169	00117	00369	17000308	(17000_BF)	22	11	7	%
0094811	0100000	0107304	0004272	0003623	0002726	0004312	0003753	0002895	0000867	00152	00152	00101	00133	00119	00643	17000309	(17000_BF)	23	11	7	%
0094811	0100000	0107304	0004272	0003623	0002726	0004280	0003723	0002846	0001044	00144	00144	00096	00128	00117	00532	17000310	(17000_BF)	23	11	7	%
0094811	0100000	0107304	0004272	0003623	0002726	0004292	0003733	0002857	0001065	00144	00144	00096	00129	00116	00563	17000311	(17000_BF)	23	11	7	%
0094811	0100000	0107304	0004272	0003623	0002726	0004413	0003693	0002893	0001149	00118	00118	00096	00147	00103	00437	17000312	(17000_BF)	23	12	6	%
0094811	0100000	0107304	0004272	0003623	0002726	0004355	0003673	0002925	0001086	00117	00117	00096	00151	00097	00456	17000313	(17000_BF)	23	12	6	%
0094811	0100000	0107304	0004272	0003623	0002726	0004302	0003613	0002878	0001149	00127	00127	00104	00163	00107	00429	17000314	(17000_BF)	22	12	6	%
0094811	0100000	0107304	0004272	0003623	0002726	0004305	0003643	0002981	0001086	00166	00166	00132	00203	00129	00613	17000315	(17000_BF)	22	12	6	%
0094811	0100000	0107304	0004272	0003623	0002726	0004287	0003673	0003032	0001024	00190	00190	00138	00202	00135	00718	17000316	(17000_BF)	23	12	6	%
0094811	0100000	0107304	0004272	0003623	0002726	0004399	0003793	0003113	0001170	00191	00191	00138	00196	00133	00945	17000317	(17000_BF)	23	12	6	%
0094811	0100000	0107304	0004272	0003623	0002726	0004242	0003703	0002942	0001201	00194	00194	00119	00146	00142	00635	17000318	(17000_BF)	23	11	6	%
0094811	0100000	0107304	0004272	0003623	0002726	0004076	0003533	0002624	0001389	00142	00142	00102	00152	00124	00469	17000319	(17000_BF)	22	11	7	%
0094811	0100000	0107304	0001492	0001729	0002517	0001521	0001719	0002408	0001546	00129	00129	00101	00133	00134	00387	17000320	(17000_BF)	14	-3	-5	%
0094811	0100000	0107304	0001492	0001729	0002517	0001497	0001689	0002363	0001744	00141	00141	00112	00151	00146	00455	17000321	(17000_BF)	14	-3	-5	%
0094811	0100000	0107304	0001492	0001729	0002517	0001511	0001799	0002744	0001654	00158	00158	00125	00164	00146	00601	17000322	(17000_BF)	14	-4	-6	%
0094811	0100000	0107304	0001492	0001729	0002517	0001368	0001639	0002346	0001744	00142	00142	00129	00186	00157	00576	17000323	(17000_BF)	14	-4	-5	%
0094811	0100000	0107304	0001492	0001729	0002517	0001438	0001719	0002456	0001744	00131	00131	00116	00154	00152	00284	17000324	(17000_BF)	14	-4	-5	%
0094811	0100000	0107304	0001492	0001729	0002517	0001468	0001759	0002594	0001744	00143	00143	00119	00153	00158	00318	17000325	(17000_BF)	14	-4	-5	%
0094811	0100000	0107304	0001492	0001729	0002517	0001455	0001739	0002561	0001834	00128	00128	00106	00136	00143	00253	17000326	(17000_BF)	14	-4	-5	%
0094811	0100000	0107304	0001492	0001729	0002517	0001417	0001669	0002328	0001834	00111	00111	00101	00144	00109	00506	17000327	(17000_BF)	14	-4	-5	%
0094811	0100000	0107304	0001492	0001729	0002517	0001425	0001679	0002358	0001708	00099	00099	00091	00128	00101	00429	17000328	(17000_BF)	14	-4	-5	%
0094811	0100000	0107304	0001492	0001729	0002517	0001524	0001769	0002784	0001672	00158	00158	00127	00164	00121	00730	17000329	(17000_BF)	14	-4	-6	%
0094811	0100000	0107304	0057414	0062362	0076696	0057919	0063212	0079472	0001244	00159	00159	00117	00132	00118	00574	17000330	(17000_BF)	83	-4	-8	%
0094811	0100000	0107304	0057414	0062362	0076696	0058511	0063392	0079080	0000844	00110	00110	00094	00107	00088	00503	17000331	(17000_BF)	83	-3	-8	%
0094811	0100000	0107304	0057414	0062362	0076696	0058111	0062892	0078331	0001030	00096	00096	00082	00105	00088	00343	17000332	(17000_BF)	83	-3	-8	%
0094811	0100000	0107304	0057414	0062362	0076696	0057323	0061662	0076574	0001287	00153	00153	00136	00183	00173	00405	17000333	(17000_BF)	83	-3	-8	%
0094811	0100000	0107304	0057414	0062362	0076696	0058593	0063282	0078632	0001173	00113	00113	00101	00126	00113	00438	17000334	(17000_BF)	83	-3	-8	%
0094811	0100000	0107304	0057414	0062362	0076696	0057077	0061922	0077261	0000901	00089	00089	00071	00087	00069	00346	17000335	(17000_BF)	83	-4	-8	%
0094811	0100000	0107304	0057414	0062362	0076696	0057460	0061782	0076450	0001430	00151	00151	00133	00181	00174	00347	17000336	(17000_BF)	83	-3	-8	%
0094811	0100000	0107304	0057414	0062362	0076696	0057596	0061962	0076331	0001387	00138	00138	00119	00162	00160	00269	17000337	(17000_BF)	83	-3	-7	%
0094811	0100000	0107304	0057414	0062362	0076696	0058628	0064031	0079838	0001030	00149	00149	00124	00123	00118	00722	17000338	(17000_BF)	84	-4	-8	%
0094811	0100000	0107304	0057414	0062362	0076696	0057797	0062432	0077961	0001173	00120	00120	00102	00138	00119	00339	17000339	(17000_BF)	83	-3	-8	%
0094811	0100000	0107304	0057414	0062362	0076696	0059273	0064982	0080471	0001287	00201	00201	00179	00176	00176	01047	17000340	(17000_BF)	84	-4	-8	%
0094811	0100000	0107304	0049560	0057656	0079954	0049297	0057956	0081564	0001597	00171	00171	00094	00104	00102	00400	17000341	(17000_BF)	81	-14	-15	%
0094811	0100000	0107304	0049560	0057656	0079954	0049648	0058366	0081276	0001497	00154	00154	00100	00105	00105	00373	17000342	(17000_BF)	81	-14	-15	%
0094811	0100000	0107304	0049560	0057656	0079954	0049679	0058556	0080813	0001464	00191	00191	00136	00142	00141	00468	17000343	(17000_BF)	81	-14	-14	%
0094811	0100000	0107304	0049560	0057656	0079954	0049719	0058646	0080547	0001763	00207	00207	00153	00159	00156	00538	17000344	(17000_BF)	81	-14	-14	%
0094811	0100000	0107304	0049560	0057656	0079954	0049914	0058096	0082006	0001281	00114	00114	00073	00079	00066	00430	17000345	(17000_BF)	81	-13	-15	%
0094811	0100000	0107304	0049560	0057656	0079954	0050274	0057736	0080152	0001547	00173	00173	00119	00134	00134	00257	17000346	(17000_BF)	81	-12	-14	%
0094811	0100000	0107304	0049560	0057656	0079954	0050726	0058146	0080133	0001780	00200	00200	00129	00146	00148	00382	17000347	(17000_BF)	81	-12	-14	%
0094811	0100000	0107304	0049560	0057656	0079954	0049704	0057136	0080098	0001331	00177	00177	00134	00146	00141	00401	17000348	(17000_BF)	80	-12	-15	%
0094811	0100000	0107304	0049560	0057656	0079954	0049380	0058186	0080774	0001514	00178	00178	00118	00126	00126	00333	17000349	(17000_BF)	81	-14	-14	%

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*				
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					%			
0094811	0100000	0107304	0049560	0057656	0079954	0050047	0058556	0083232	0001763	00185	00185	00109	00115	00100	00670	17000350	(17000_BF)	81	-13	-15				
0094811	0100000	0107304	0049560	0057656	0079954	0049966	0058346	0078909	0001081	00160	00160	00120	00128	00112	00620	17000351	(17000_BF)	81	-13	-14				
0094811	0100000	0107304	0049560	0057656	0079954	0049554	0058186	0079267	0001247	00167	00167	00129	00138	00129	00480	17000352	(17000_BF)	81	-14	-14				
0094811	0100000	0107304	0049560	0057656	0079954	0049673	0057436	0077904	0001514	00159	00159	00086	00100	00088	00502	17000353	(17000_BF)	80	-12	-14				
0094811	0100000	0107304	0006050	0009790	0011100	0006311	0009680	0011215	0001415	00376	00376	00166	00195	00176	00651	17000354	(17000_BF)	37	-28	-2				
0094811	0100000	0107304	0006050	0009790	0011100	0006106	0009650	0011101	0000687	00179	00179	00084	00096	00086	00427	17000355	(17000_BF)	37	-29	-1				
0094811	0100000	0107304	0006050	0009790	0011100	0006233	0009810	0011466	0001001	00207	00207	00105	00113	00108	00552	17000356	(17000_BF)	37	-29	-2				
0094811	0100000	0107304	0006050	0009790	0011100	0005992	0009610	0011047	0000515	00095	00095	00056	00060	00053	00436	17000357	(17000_BF)	37	-30	-1				
0094811	0100000	0107304	0006050	0009790	0011100	0006149	0009750	0011981	0002002	00290	00290	00189	00183	00191	01320	17000358	(17000_BF)	37	-29	-2				
0094811	0100000	0107304	0006050	0009790	0011100	0006068	0009760	0011510	0001152	00131	00131	00088	00084	00088	00636	17000359	(17000_BF)	37	-30	-2				
0094811	0100000	0107304	0006050	0009790	0011100	0006022	0009690	0011753	0001799	00218	00218	00149	00142	00149	01108	17000360	(17000_BF)	37	-30	-2				
0094811	0100000	0107304	0006050	0009790	0011100	0006014	0009800	0011791	0001445	00193	00193	00128	00121	00128	00959	17000361	(17000_BF)	37	-30	-2				
0094811	0100000	0107304	0006050	0009790	0011100	0006085	0009900	0011553	0000788	00104	00104	00067	00066	00066	00514	17000362	(17000_BF)	38	-30	-2				
0094811	0100000	0107304	0006050	0009790	0011100	0005849	0009600	0011128	0000768	00106	00106	00064	00067	00061	00540	17000363	(17000_BF)	37	-30	-2				
0094811	0100000	0107304	0006050	0009790	0011100	0005716	0009720	0011466	0001648	00342	00342	00154	00169	00151	00781	17000364	(17000_BF)	37	-32	-2				
0094811	0100000	0107304	0006050	0009790	0011100	0005967	0009920	0011313	0000758	00195	00195	00085	00097	00083	00368	17000365	(17000_BF)	38	-31	-1				
0094811	0100000	0107304	0003020	0005310	0008940	0003085	0005240	0008546	0000866	00219	00219	00092	00110	00094	00599	17000366	(17000_BF)	28	-28	-11				
0094811	0100000	0107304	0003020	0005310	0008940	0003101	0005320	0008847	0000636	00133	00133	00055	00065	00057	00259	17000367	(17000_BF)	28	-28	-11				
0094811	0100000	0107304	0003020	0005310	0008940	0003183	0005330	0008980	0001304	00256	00256	00120	00134	00123	00346	17000368	(17000_BF)	28	-28	-12				
0094811	0100000	0107304	0003020	0005310	0008940	0003161	0005250	0008951	0001628	00315	00315	00155	00170	00159	00485	17000369	(17000_BF)	28	-27	-12				
0094811	0100000	0107304	0003020	0005310	0008940	0003229	0005290	0009180	0002150	00391	00391	00205	00219	00210	00702	17000370	(17000_BF)	28	-27	-12				
0094811	0100000	0107304	0003020	0005310	0008940	0003080	0005230	0009194	0001513	00233	00233	00142	00142	00140	00780	17000371	(17000_BF)	28	-28	-12				
0094811	0100000	0107304	0003020	0005310	0008940	0003135	0005330	0009380	0001774	00218	00218	00137	00134	00135	00757	17000372	(17000_BF)	28	-28	-12				
0094811	0100000	0107304	0003020	0005310	0008940	0003064	0005210	0009281	0002327	00252	00252	00161	00159	00157	00992	17000373	(17000_BF)	27	-28	-12				
0094811	0100000	0107304	0003020	0005310	0008940	0003077	0005310	0009456	0002077	00193	00193	00130	00123	00126	00920	17000374	(17000_BF)	28	-28	-12				
0094811	0100000	0107304	0003020	0005310	0008940	0003027	0005380	0009987	0002275	00304	00304	00180	00177	00172	00618	17000375	(17000_BF)	28	-29	-13				
0094811	0100000	0107304	0003020	0005310	0008940	0002917	0005210	0009148	0000897	00133	00133	00074	00079	00070	00755	17000376	(17000_BF)	27	-29	-12				
0094811	0100000	0107304	0003020	0005310	0008940	0003007	0005420	0009563	0000981	00212	00212	00100	00111	00096	00851	17000377	(17000_BF)	28	-30	-12				
0094811	0100000	0107304	0003020	0005310	0008940	0002946	0005320	0009241	0000918	00169	00169	00071	00081	00070	00535	17000378	(17000_BF)	28	-30	-12				
0094811	0100000	0107304	0013020	0023350	0011990	0013222	0023500	0012334	0000321	00094	00094	00032	00037	00031	00227	17000379	(17000_BF)	56	-49	26				
0094811	0100000	0107304	0013020	0023350	0011990	0013264	0023450	0012463	0000554	00159	00159	00049	00060	00048	00291	17000380	(17000_BF)	55	-49	26				
0094811	0100000	0107304	0013020	0023350	0011990	0013183	0023500	0012301	0000301	00071	00071	00028	00030	00026	00206	17000381	(17000_BF)	56	-49	26				
0094811	0100000	0107304	0013020	0023350	0011990	0013104	0023370	0012270	0000379	00084	00084	00030	00034	00028	00164	17000382	(17000_BF)	55	-49	26				
0094811	0100000	0107304	0013020	0023350	0011990	0013216	0023490	0012732	0000856	00183	00183	00076	00078	00069	00415	17000383	(17000_BF)	56	-49	25				
0094811	0100000	0107304	0013020	0023350	0011990	0013231	0023590	0012598	0000573	00125	00125	00058	00057	00053	00366	17000384	(17000_BF)	56	-49	26				
0094811	0100000	0107304	0013020	0023350	0011990	0012877	0023150	0012379	0000836	00139	00139	00072	00067	00063	00347	17000385	(17000_BF)	55	-49	26				
0094811	0100000	0107304	0013020	0023350	0011990	0013014	0023410	0012403	0000768	00103	00103	00055	00050	00047	00229	17000386	(17000_BF)	55	-50	26				
0094811	0100000	0107304	0013020	0023350	0011990	0012869	0023210	0012351	0000768	00127	00127	00068	00062	00059	00290	17000387	(17000_BF)	55	-50	26				
0094811	0100000	0107304	0013020	0023350	0011990	0012886	0023240	0012276	0000515	00104	00104	00056	00051	00049	00231	17000388	(17000_BF)	55	-50	26				
0094811	0100000	0107304	0013020	0023350	0011990	0012757	0023030	0012058	0000418	00088	00088	00055	00049	00049	00349	17000389	(17000_BF)	55	-50	26				
0094811	0100000	0107304	0013020	0023350	0011990	0012815	0023280	0012370	0000856	00154	00154	00081	00074	00070	00274	17000390	(17000_BF)	55	-50	26				
0094811	0100000	0107304	0013020	0023350	0011990	0012862	0023380	0012270	0000700	00136	00136	00065	00062	00057	00195	17000391	(17000_BF)	55	-50	26				
0094811	0100000	0107304	0013020	0023350	0011990	0012440	0022960	0011985	0001011	00230	00230	00105	00103	00094	00475	17000392	(17000_BF)	55	-50	26				
0094811	0100000	0107304	0013020	0023350	0011990	0012526	0022970	0011802	0000700	00167	00167	00073	00074	00067	00424	17000393	(17000_BF)	55	-50	26				
0094811	0100000	0107304	0013020	0023350	0011990	0012832	002																	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	01000000	0107304	0073000	0078050	0081800	0073899	0078640	0079989	0001430	00197	00197	00187	00247	00196	00587	17000400	(17000_BF)	91	-1	2	%
0094811	0100000	0107304	0073000	0078050	0081800	0073415	0078180	0079847	0001355	00168	00168	00159	00213	00168	00483	17000401	(17000_BF)	91	-1	2	%
0094811	0100000	0107304	0073000	0078050	0081800	0073102	0077770	0080314	0001175	00118	00118	00113	00153	00135	00308	17000402	(17000_BF)	91	-1	1	%
0094811	0100000	0107304	0073000	0078050	0081800	0073008	0077560	0080612	0001129	00112	00112	00108	00145	00144	00265	17000403	(17000_BF)	91	-1	1	%
0094811	0100000	0107304	0073000	0078050	0081800	0074254	0078700	0082396	0002078	00137	00137	00128	00177	00184	00290	17000404	(17000_BF)	91	-1	1	%
0094811	0100000	0107304	0073000	0078050	0081800	0074473	0078960	0082836	0001641	00134	00134	00126	00171	00176	00349	17000405	(17000_BF)	91	-1	1	%
0094811	0100000	0107304	0073000	0078050	0081800	0073016	0077780	0081734	0000782	00060	00060	00054	00076	00076	00131	17000406	(17000_BF)	91	-1	1	%
0094811	0100000	0107304	0073000	0078050	0081800	0073781	0078190	0082696	0001792	00146	00146	00132	00194	00190	00270	17000407	(17000_BF)	91	-1	1	%
0094811	0100000	0107304	0073000	0078050	0081800	0074063	0078650	0083831	0001506	00148	00148	00134	00195	00169	00403	17000408	(17000_BF)	91	-1	0	%
0094811	0100000	0107304	0073000	0078050	0081800	0074383	0079110	0085369	0001205	00201	00201	00190	00264	00202	00660	17000409	(17000_BF)	91	-1	0	%
0094811	0100000	0107304	0073000	0078050	0081800	0073935	0078820	0084515	0000964	00150	00150	00141	00195	00144	00501	17000410	(17000_BF)	91	-1	0	%
0094811	0100000	0107304	0073000	0078050	0081800	0074464	0079320	0085568	0001430	00194	00194	00184	00250	00186	00686	17000411	(17000_BF)	91	-1	0	%
0094811	0100000	0107304	0073000	0078050	0081800	0077054	0082420	0086779	0000782	00197	00197	00197	00141	00123	01361	17000412	(17000_BF)	92	-2	1	%
0094811	0100000	0107304	0073000	0078050	0081800	0069199	0074100	0076585	0000994	00201	00201	00198	00165	00137	01318	17000413	(17000_BF)	90	-2	1	%
0094811	0100000	0107304	0073000	0078050	0081800	0075748	0081350	0085524	0001249	00165	00165	00163	00139	00131	01039	17000414	(17000_BF)	92	-2	1	%
0094811	0100000	0107304	0073000	0078050	0081800	0069275	0074660	0077742	0001868	00198	00198	00191	00184	00179	01126	17000415	(17000_BF)	90	-2	1	%
0094811	0100000	0107304	0073000	0078050	0081800	0076116	0081650	0084020	0000572	00205	00205	00198	00191	00156	01176	17000416	(17000_BF)	92	-2	2	%
0094811	0100000	0107304	0073000	0078050	0081800	0075591	0081150	0082997	0001295	00216	00216	00205	00222	00177	01073	17000417	(17000_BF)	92	-2	2	%
0094811	0100000	0107304	0073000	0078050	0081800	0070413	0075290	0080193	0000557	00161	00161	00158	00157	00122	00946	17000418	(17000_BF)	90	-2	0	%
0094811	0100000	0107304	0073000	0078050	0081800	0071330	0076140	0078468	0000661	00135	00135	00131	00145	00114	00691	17000419	(17000_BF)	90	-1	1	%
0094811	0100000	0107304	0073000	0078050	0081800	0070184	0075550	0076998	0001656	00225	00225	00209	00243	00201	00970	17000420	(17000_BF)	90	-2	2	%
0094811	0100000	0107304	0073000	0078050	0081800	0074818	0080580	0082796	0001806	00203	00203	00189	00215	00189	00890	17000421	(17000_BF)	91	-2	2	%
0094811	0100000	0107304	0012150	0012320	0021740	0011857	0012010	0020043	0001733	00234	00234	00138	00165	00155	01246	17000422	(17000_BF)	41	3	-16	%
0094811	0100000	0107304	0012150	0012320	0021740	0012340	0012280	0021011	0003172	00199	00199	00149	00211	00226	00732	17000423	(17000_BF)	42	4	-17	%
0094811	0100000	0107304	0012150	0012320	0021740	0012175	0012120	0020792	0002517	00196	00196	00148	00207	00221	00760	17000424	(17000_BF)	42	4	-17	%
0094811	0100000	0107304	0012150	0012320	0021740	0012678	0012550	0022092	0002341	00209	00209	00163	00227	00232	00618	17000425	(17000_BF)	42	4	-17	%
0094811	0100000	0107304	0012150	0012320	0021740	0012275	0012100	0021456	0002916	00237	00237	00184	00255	00260	00681	17000426	(17000_BF)	42	4	-17	%
0094811	0100000	0107304	0012150	0012320	0021740	0012660	0012550	0022542	0001582	00213	00213	00154	00206	00197	00697	17000427	(17000_BF)	42	4	-18	%
0094811	0100000	0107304	0012150	0012320	0021740	0012643	0012590	0022781	0001510	00197	00197	00134	00172	00156	00777	17000428	(17000_BF)	42	4	-18	%
0094811	0100000	0107304	0012150	0012320	0021740	0012574	0012410	0023170	0001837	00324	00324	00202	00251	00213	01296	17000429	(17000_BF)	42	4	-19	%
0094811	0100000	0107304	0012150	0012320	0021740	0012253	0012090	0023347	0002138	00414	00414	00243	00283	00224	01990	17000430	(17000_BF)	42	4	-19	%
0094811	0100000	0107304	0012150	0012320	0021740	0013458	0013700	0024479	0001635	00238	00238	00218	00223	00208	02255	17000431	(17000_BF)	43	3	-18	%
0094811	0100000	0107304	0012150	0012320	0021740	0013623	0014110	0024659	0002818	00319	00319	00300	00327	00320	02905	17000432	(17000_BF)	43	2	-18	%
0094811	0100000	0107304	0012150	0012320	0021740	0013103	0013660	0022979	0002916	00330	00330	00274	00325	00310	02450	17000433	(17000_BF)	43	2	-17	%
0094811	0100000	0107304	0012150	0012320	0021740	0009633	0009640	0018176	0003649	00470	00470	00459	00484	00403	05166	17000434	(17000_BF)	39	3	-18	%
0094811	0100000	0107304	0012150	0012320	0021740	0010847	0011090	0020813	0002943	00275	00275	00231	00253	00241	02519	17000435	(17000_BF)	41	2	-18	%
0094811	0100000	0107304	0012150	0012320	0021740	0010812	0011110	0020143	0002315	00232	00232	00218	00243	00228	02222	17000436	(17000_BF)	41	2	-18	%
0094811	0100000	0107304	0012150	0012320	0021740	0012441	0012630	0023560	0001759	00241	00241	00140	00158	00153	01264	17000437	(17000_BF)	42	3	-19	%
0094811	0100000	0107304	0012150	0012320	0021740	0010963	0011450	0020340	0003420	00285	00285	00238	00305	00308	01631	17000438	(17000_BF)	41	2	-17	%
0094811	0100000	0107304	0012150	0012320	0021740	0013378	0013560	0025173	0002262	00324	00324	00238	00250	00230	02281	17000439	(17000_BF)	43	3	-19	%
0094811	0100000	0107304	0012150	0012320	0021740	0011276	0011680	0019670	0002138	00295	00295	00201	00250	00225	01514	17000440	(17000_BF)	41	2	-16	%
0094811	0100000	0107304	0011310	0008390	0017350	0011448	0008570	0016881	0000816	00174	00174	00090	00100	00088	01056	17000441	(17000_BF)	35	26	-20	%
0094811	0100000	0107304	0011310	0008390	0017350	0011430	0008520	0016204	0001941	00292	00292	00164	00176	00161	01670	17000442	(17000_BF)	35	27	-19	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094811	0100000	0107304	0011310	0008390	0017350	0011280	0007900	0016622	0002492	00425	00425	00225	00244	00209	01571	17000450	(17000_BF)	34	29	-21 %	
0094811	0100000	0107304	0011310	0008390	0017350	0011215	0007940	0016796	0001909	00344	00344	00181	00199	00167	01411	17000451	(17000_BF)	34	28	-21 %	
0094811	0100000	0107304	0011310	0008390	0017350	0011575	0008149	0017379	0002226	00414	00414	00190	00209	00180	01242	17000452	(17000_BF)	35	29	-21 %	
0094811	0100000	0107304	0011310	0008390	0017350	0011610	0008290	0018083	0001071	00356	00356	00142	00163	00137	01287	17000453	(17000_BF)	35	28	-22 %	
0094811	0100000	0107304	0011310	0008390	0017350	0011851	0008460	0018576	0001569	00397	00397	00156	00180	00151	01395	17000454	(17000_BF)	35	28	-22 %	
0094811	0100000	0107304	0011310	0008390	0017350	0011381	0008250	0017997	0000869	00253	00253	00104	00120	00101	01188	17000455	(17000_BF)	35	28	-22 %	
0094811	0100000	0107304	0011310	0008390	0017350	0011873	0008800	0018428	0000614	00125	00125	00091	00102	00078	00953	17000456	(17000_BF)	35	27	-21 %	
0094811	0100000	0107304	0011310	0008390	0017350	0012109	0008980	0019026	0000774	00193	00193	00135	00151	00118	01401	17000457	(17000_BF)	35	27	-22 %	
0094811	0100000	0107304	0011310	0008390	0017350	0012931	0009690	0019795	0001325	00260	00260	00251	00278	00210	02825	17000458	(17000_BF)	36	27	-21 %	
0094811	0100000	0107304	0011310	0008390	0017350	0009815	0007450	0015445	0001877	00354	00354	00237	00273	00208	02277	17000459	(17000_BF)	34	25	-21 %	
0094811	0100000	0107304	0011310	0008390	0017350	0011875	0009130	0019473	0002258	00319	00319	00234	00251	00220	01868	17000460	(17000_BF)	36	26	-22 %	
0094811	0100000	0107304	0011310	0008390	0017350	0011996	0009070	0017686	0000996	00226	00226	00156	00176	00137	01938	17000461	(17000_BF)	35	26	-20 %	
0094811	0100000	0107304	0011310	0008390	0017350	0012622	0009670	0021314	0002715	00450	00450	00343	00368	00317	03115	17000462	(17000_BF)	36	26	-23 %	
0094811	0100000	0107304	0011310	0008390	0017350	0009270	0006910	0014994	0002226	00380	00380	00338	00391	00280	03738	17000463	(17000_BF)	33	26	-21 %	
0094811	0100000	0107304	0011310	0008390	0017350	0012615	0009320	0019829	0001251	00290	00290	00204	00228	00176	02121	17000464	(17000_BF)	36	27	-22 %	
0094811	0100000	0107304	0034680	0029000	0042820	0034286	0028960	0043854	0001381	00172	00172	00116	00119	00107	00587	17000465	(17000_BF)	61	26	-15 %	
0094811	0100000	0107304	0034680	0029000	0042820	0035173	0029220	0041476	0001602	00208	00208	00143	00143	00128	00867	17000466	(17000_BF)	61	27	-13 %	
0094811	0100000	0107304	0034680	0029000	0042820	0034998	0029340	0041163	0001542	00246	00246	00155	00160	00141	01116	17000467	(17000_BF)	61	26	-13 %	
0094811	0100000	0107304	0034680	0029000	0042820	0034849	0029350	0041490	0001338	00222	00222	00126	00134	00117	00977	17000468	(17000_BF)	61	26	-13 %	
0094811	0100000	0107304	0034680	0029000	0042820	0034595	0029350	0041516	0001492	00262	00262	00126	00142	00124	01004	17000469	(17000_BF)	61	25	-13 %	
0094811	0100000	0107304	0034680	0029000	0042820	0033286	0028450	0040234	0001841	00354	00354	00159	00185	00163	01127	17000470	(17000_BF)	61	25	-13 %	
0094811	0100000	0107304	0034680	0029000	0042820	0033622	0028790	0040999	0001806	00339	00339	00144	00172	00151	00946	17000471	(17000_BF)	61	25	-13 %	
0094811	0100000	0107304	0034680	0029000	0042820	0033410	0028540	0041830	0001838	00272	00272	00131	00147	00133	00624	17000472	(17000_BF)	61	25	-14 %	
0094811	0100000	0107304	0034680	0029000	0042820	0033657	0028860	0042618	0001882	00301	00301	00151	00170	00153	00569	17000473	(17000_BF)	61	25	-14 %	
0094811	0100000	0107304	0034680	0029000	0042820	0033942	0029050	0043067	0001952	00274	00274	00144	00159	00143	00525	17000474	(17000_BF)	61	25	-14 %	
0094811	0100000	0107304	0034680	0029000	0042820	0033893	0028780	0042902	0001483	00194	00194	00110	00117	00106	00435	17000475	(17000_BF)	61	25	-15 %	
0094811	0100000	0107304	0034680	0029000	0042820	0033465	0028620	0040495	0001847	00351	00351	00154	00181	00159	01076	17000476	(17000_BF)	61	25	-13 %	
0094811	0100000	0107304	0034680	0029000	0042820	0034463	0028990	0040939	0001124	00228	00228	00129	00138	00120	00952	17000477	(17000_BF)	61	26	-13 %	
0094811	0100000	0107304	0034680	0029000	0042820	0034644	0029160	0041200	0001296	00224	00224	00126	00135	00118	00952	17000478	(17000_BF)	61	26	-13 %	
0094811	0100000	0107304	0034680	0029000	0042820	0035210	0029230	0041541	0001869	00206	00206	00142	00142	00127	00846	17000479	(17000_BF)	61	27	-13 %	
0094811	0100000	0107304	0034680	0029000	0042820	0035038	0029390	0041290	0001760	00240	00240	00151	00155	00137	01099	17000480	(17000_BF)	61	26	-13 %	
0094811	0100000	0107304	0034680	0029000	0042820	0033577	0028750	0040977	0002105	00337	00337	00144	00172	00151	00937	17000481	(17000_BF)	61	25	-13 %	
0094811	0100000	0107304	0034680	0029000	0042820	0033303	0028460	0040353	0002036	00344	00344	00154	00179	00158	01078	17000482	(17000_BF)	61	25	-13 %	
0094811	0100000	0107304	0034680	0029000	0042820	0033643	0029200	0042117	0003249	00450	00450	00201	00238	00214	00980	17000483	(17000_BF)	61	24	-14 %	
0094811	0100000	0107304	0034680	0029000	0042820	0034342	0029140	0042829	0001069	00171	00171	00081	00092	00082	00357	17000484	(17000_BF)	61	25	-14 %	
0094811	0100000	0107304	0034680	0029000	0042820	0034023	0028820	0040122	0001780	00329	00329	00171	00189	00164	01282	17000485	(17000_BF)	61	25	-13 %	
0094811	0100000	0107304	0034680	0029000	0042820	0034786	0029210	0041951	0001323	00140	00140	00080	00084	00074	00619	17000486	(17000_BF)	61	26	-14 %	
0094811	0100000	0107304	0034680	0029000	0042820	0034423	0029250	0042266	0001679	00210	00210	00091	00106	00093	00615	17000487	(17000_BF)	61	25	-14 %	
0094811	0100000	0107304	0034680	0029000	0042820	0033806	0029180	0041601	0002634	00407	00407	00173	00209	00185	01035	17000488	(17000_BF)	61	24	-14 %	
0094811	0100000	0107304	0034680	0029000	0042820	0033139	0028890	0043063	0002949	00497	00497	00265	00297	00269	00953	17000489	(17000_BF)	61	24	-15 %	
0094811	0100000	0107304	0034680	0029000	0042820	0033832	0028790	0042566	0001739	00214	00214	00109	00121	00109	00425	17000490	(17000_BF)	61	25	-14 %	
0094811	0100000	0107304	0034680	0029000	0042820	0034778	0029100	0042989	0000109	00010	00010	00009	00008	00008	00082	17000491	(17000_BF)	61	26	-14 %	
0094811	0100000	0107304	0031410	0021910	0004940	0031891	0021960	0004650	0000431	00215	00215	00054	00074	00054	00323	17000492	(17000_BF)	54	45	49 %	
0094811	0100000	0107304	0031410	0021910	0004940	0															

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094811	01000000	0107304	0031410	0021910	0004940	0031823	0022190	0005322	0000703	00134	00134	00063	00095	00072	00337	17000500	(17000_BF)	54	44	48	%
0094811	01000000	0107304	0031410	0021910	0004940	0031680	0022140	0005302	0000660	00131	00131	00054	00080	00060	00294	17000501	(17000_BF)	54	44	48	%
0094811	01000000	0107304	0031410	0021910	0004940	0031572	0022120	0005361	0000715	00165	00165	00058	00086	00064	00312	17000502	(17000_BF)	54	44	48	%
0094811	01000000	0107304	0031410	0021910	0004940	0031236	0022000	0005309	0000498	00189	00189	00050	00069	00051	00295	17000503	(17000_BF)	54	44	48	%
0094811	01000000	0107304	0031410	0021910	0004940	0033004	0022480	0005047	0001095	00326	00326	00131	00189	00144	00773	17000504	(17000_BF)	54	46	49	%
0094811	01000000	0107304	0013450	0014650	0016870	0013526	0014780	0017286	0000684	00065	00065	00057	00074	00060	00336	17000505	(17000_BF)	45	-2	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0013419	0014670	0017066	0000623	00048	00048	00041	00055	00048	00192	17000506	(17000_BF)	45	-2	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0013537	0014820	0017134	0000537	00053	00053	00047	00059	00060	00275	17000507	(17000_BF)	45	-3	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0013381	0014660	0016835	0000654	00051	00051	00046	00061	00064	00121	17000508	(17000_BF)	45	-3	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0013491	0014820	0016888	0000992	00086	00086	00080	00104	00103	00346	17000509	(17000_BF)	45	-3	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0013586	0014920	0016888	0000854	00102	00102	00096	00123	00116	00517	17000510	(17000_BF)	45	-3	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0013473	0014770	0017123	0000669	00064	00064	00056	00072	00073	00244	17000511	(17000_BF)	45	-3	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0013881	0015240	0017587	0000908	00109	00109	00103	00116	00119	00867	17000512	(17000_BF)	46	-3	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0013385	0014600	0016544	0000577	00059	00059	00055	00073	00056	00287	17000513	(17000_BF)	45	-2	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0011927	0013090	0015225	0001214	00232	00232	00230	00231	00220	02411	17000514	(17000_BF)	44	-3	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0011873	0012920	0015185	0001262	00258	00258	00257	00259	00241	02699	17000515	(17000_BF)	44	-2	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0011925	0013020	0014741	0001248	00245	00245	00244	00247	00228	02531	17000516	(17000_BF)	44	-2	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0013378	0014670	0017121	0000792	00075	00075	00064	00085	00080	00267	17000517	(17000_BF)	45	-3	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0013336	0014500	0017100	0000760	00089	00089	00082	00107	00082	00472	17000518	(17000_BF)	45	-2	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0013383	0014600	0016586	0000452	00050	00050	00047	00063	00048	00246	17000519	(17000_BF)	45	-2	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0014419	0015870	0018410	0001312	00196	00196	00188	00198	00201	01750	17000520	(17000_BF)	46	-3	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0014386	0015700	0018404	0001115	00161	00161	00157	00162	00152	01532	17000521	(17000_BF)	46	-2	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0014430	0015800	0017841	0001196	00177	00177	00175	00183	00176	01675	17000522	(17000_BF)	46	-3	-2	%
0094811	01000000	0107304	0013450	0014650	0016870	0013794	0015070	0017042	0000761	00090	00090	00087	00103	00089	00688	17000523	(17000_BF)	45	-2	-2	%
0094811	01000000	0107304	0032000	0031010	0027160	0026940	0026260	0023010	0003380	00441	00441	00431	00371	00385	03893	17000524	(17000_BF)	60	9	8	%
0094811	01000000	0107304	0032000	0031010	0027160	0039949	0038760	0034710	0005570	00609	00609	00608	00497	00499	05309	17000525	(17000_BF)	66	9	8	%
0094811	01000000	0107304	0003300	0004150	0009000	0004410	0005570	0012520	0004470	00529	00529	00447	00593	00347	04753	17000526	(17000_BF)	26	-10	-19	%
0094811	01000000	0107304	0003560	0004540	0009580	0004210	0005470	0011640	0003030	00350	00350	00293	00382	00238	03040	17000527	(17000_BF)	27	-11	-18	%
0094811	01000000	0107304	0016139	0022890	0016219	0019470	0026810	0018660	0003490	00433	00433	00406	00353	00373	03674	17000528	(17000_BF)	57	-28	16	%
0094811	01000000	0107304	0016139	0022890	0016219	0017790	0024370	0016490	0003040	00366	00366	00261	00242	00239	01580	17000529	(17000_BF)	56	-27	16	%
0094811	01000000	0107304	0016139	0022890	0016219	0016950	0023080	0015510	0003090	00418	00418	00256	00251	00237	00775	17000530	(17000_BF)	55	-26	16	%
0094811	01000000	0107304	0017790	0024370	0016490	0015320	0020970	0013910	0003750	00379	00379	00359	00318	00342	03439	17000531	(17000_BF)	55	-25	17	%
0094811	01000000	0107304	0015650	0022830	0015530	0015320	0020970	0013910	0003900	00689	00689	00378	00390	00370	02116	17000532	(17000_BF)	54	-28	17	%
0094811	01000000	0107304	0015650	0022830	0015530	0013460	0019130	0012950	0003970	00579	00579	00440	00413	00433	04015	17000533	(17000_BF)	53	-29	16	%
0094811	01000000	0107304	0013460	0019130	0012950	0016990	0024100	0016600	0004380	00575	00575	00542	00485	00525	05239	17000534	(17000_BF)	54	-28	16	%
0094811	01000000	0107304	0015320	0020970	0013910	0016990	0024100	0016600	0003940	00562	00562	00410	00380	00387	03233	17000535	(17000_BF)	55	-26	17	%
0094811	01000000	0107304	0015650	0022830	0015530	0019870	0029360	0020420	0004730	00741	00741	00642	00560	00583	05824	17000536	(17000_BF)	58	-33	17	%
0094811	01000000	0107304	0018990	0029130	0021230	0022890	0035130	0025570	0003520	00567	00567	00504	00420	00426	04425	17000537	(17000_BF)	63	-40	16	%
0094811	01000000	0107304	0032920	0026470	0028530	0038320	0030850	0033510	0002910	00417	00417	00395	00333	00346	03588	17000538	(17000_BF)	60	31	0	%
0094811	01000000	0107304	0032920	0026470	0028530	0041320	0033100	0036790	0004300	00657	00657	00595	00505	00517	05272	17000539	(17000_BF)	61	31	0	%
0094811	01000000	0107304	0032920	0026470	0028530	0038320	0030850	0033510	0003020	00417	00417	00395	00333	00346	03588	17000540	(17000_BF)	60	31	0	%
0094811	01000000	0107304	0032920	0026470	0028530	0041320	0033100	0036790	0004140	00657	00657	00595	00505	00517	05272	17000541	(17000_BF)	61	31	0	%
0094811	01000000	0107304	0034280	0036920	0037530	0029440	0031890	0032450	0003800	00400	00400	00399	00326	00332	03486	17000542	(17000_BF)	65	-2	2	%
0094811	01000000	0107304	0034130	0036890	0036490	003															

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094811	0100000	0107304	0005580	0007250	0014880	0004160	0006070	0012970	0005320	00673	00673	00477	00524	00428	03492	17000550	(17000_BF)	31	-17	-20	%
0094811	0100000	0107304	0005580	0007250	0014880	0005050	0007370	0015320	0005340	00752	00752	00464	00476	00437	01323	17000551	(17000_BF)	33	-17	-20	%
0094811	0100000	0107304	0006730	0008730	0017750	0006330	0009040	0018810	0004770	00689	00689	00408	00421	00381	01392	17000552	(17000_BF)	36	-18	-21	%
0094811	0100000	0107304	0006730	0008730	0017750	0004570	0006770	0014080	0006560	00822	00822	00623	00675	00543	04982	17000553	(17000_BF)	33	-18	-20	%
0094811	0100000	0107304	0005490	0007570	0015060	0007990	0011680	0023740	0008050	01113	01113	00856	00930	00740	08501	17000554	(17000_BF)	37	-21	-21	%
0094811	0100000	0107304	0017670	0028880	0010580	0019850	0028950	0015180	0005370	01607	01607	00441	00618	00485	02484	17000555	(17000_BF)	61	-39	33	%
0094811	0100000	0107304	0017670	0028880	0010580	0017970	0026660	0013470	0004920	01536	01536	00465	00608	00491	02843	17000556	(17000_BF)	60	-39	34	%
0094811	0100000	0107304	0017670	0028880	0010580	0016059	0025030	0011050	0003970	01051	01051	00450	00478	00430	03511	17000557	(17000_BF)	59	-41	36	%
0094811	0100000	0107304	0017670	0028880	0010580	0014660	0024360	0008700	0003640	00458	00458	00425	00364	00382	03961	17000558	(17000_BF)	59	-44	39	%
0094811	0100000	0107304	0017970	0026660	0013470	0014660	0024360	0008700	0005520	01366	01366	00503	00553	00456	03118	17000559	(17000_BF)	58	-39	33	%
0094811	0100000	0107304	0019850	0028950	0015180	0016059	0025030	0011050	0005020	00719	00719	00419	00395	00380	03652	17000560	(17000_BF)	59	-36	30	%
0094811	0100000	0107304	0018520	0029320	0009830	0015860	0025210	0008510	0003370	00473	00473	00386	00335	00345	03520	17000561	(17000_BF)	59	-41	41	%
0094811	0100000	0107304	0045730	0048430	0005150	0037460	0039720	0004200	0003710	00785	00785	00592	00478	00453	04792	17000562	(17000_BF)	72	0	81	%
0094811	0100000	0107304	0044130	0047860	0005600	0050890	0055170	0006560	0002760	00565	00565	00446	00347	00323	03472	17000563	(17000_BF)	77	-3	83	%
0094811	0100000	0107304	0028420	0020440	0003360	0034200	0024590	0004140	0003110	00585	00585	00445	00404	00425	04218	17000564	(17000_BF)	55	41	56	%
0094811	0100000	0107304	0027760	0019660	0003460	0033590	0023440	0004010	0003020	00700	00700	00433	00416	00420	04005	17000565	(17000_BF)	53	43	54	%
0094811	0100000	0107304	0034790	0023200	0009050	0029490	0020640	0009880	0004190	01077	01077	00397	00469	00407	03073	17000566	(17000_BF)	54	46	31	%
0094811	0100000	0107304	0034790	0023200	0009050	0026600	0018450	0008430	0005290	01187	01187	00597	00617	00599	05305	17000567	(17000_BF)	53	46	31	%
0094811	0100000	0107304	0034790	0023200	0009050	0028440	0018830	0007340	0004100	00593	00593	00488	00446	00477	04722	17000568	(17000_BF)	53	49	33	%
0094811	0100000	0107304	0034790	0023200	0009050	0030390	0019680	0006730	0004140	00420	00420	00385	00349	00375	03833	17000569	(17000_BF)	53	51	36	%
0094811	0100000	0107304	0030390	0019680	0006730	0036239	0023460	0007900	0002640	00578	00578	00420	00388	00407	03990	17000570	(17000_BF)	54	52	38	%
0094811	0100000	0107304	0028440	0018830	0007340	0030010	0019050	0005990	0002880	00761	00761	00228	00295	00225	01295	17000571	(17000_BF)	51	50	35	%
0094811	0100000	0107304	0031350	0020200	0008090	0028990	0018180	0005410	0004410	00705	00705	00361	00425	00379	02737	17000572	(17000_BF)	51	52	36	%
0094811	0100000	0107304	0023260	0028450	0005030	0027820	0034060	0006040	0003470	00603	00603	00482	00408	00411	04244	17000573	(17000_BF)	63	-16	61	%
0094811	0100000	0107304	0021950	0027910	0005300	0019220	0024320	0004530	0002950	00423	00423	00347	00304	00316	03197	17000574	(17000_BF)	58	-19	56	%
0094811	0100000	0107304	0031310	0030070	0014360	0026800	0025640	0012200	0003930	00430	00430	00407	00346	00361	03722	17000575	(17000_BF)	60	10	30	%
0094811	0100000	0107304	0032140	0030140	0014490	0039130	0036250	0016890	0003500	00630	00630	00519	00445	00440	04387	17000576	(17000_BF)	64	14	33	%
0094811	0100000	0107304	0033280	0029700	0005100	0040630	0035830	0006120	0003910	00700	00700	00518	00447	00441	04449	17000577	(17000_BF)	64	20	62	%
0094811	0100000	0107304	0033390	0029720	0004250	0027950	0024840	0003690	0003270	00650	00650	00464	00413	00417	04178	17000578	(17000_BF)	59	18	62	%
0094811	0100000	0107304	0004810	0003750	0013970	0006120	0004780	0018079	0002980	00495	00495	00354	00493	00278	03711	17000579	(17000_BF)	24	18	-36	%
0094811	0100000	0107304	0004940	0003920	0014320	0006400	0005140	0018740	0003130	00495	00495	00392	00539	00310	04232	17000580	(17000_BF)	25	17	-35	%
0094811	0100000	0107304	0016020	0009840	0004910	0012900	0007950	0004120	0003950	00550	00550	00389	00442	00333	04139	17000581	(17000_BF)	36	43	19	%
0094811	0100000	0107304	0015860	0009510	0005450	0012680	0007620	0004580	0003900	00568	00568	00401	00459	00341	04264	17000582	(17000_BF)	35	45	16	%
0094811	0100000	0107304	0006030	0010110	0011450	0008550	0009600	0003200	000360	00360	00360	00305	00337	00261	03293	17000583	(17000_BF)	37	-32	-1	%
0094811	0100000	0107304	0006030	0010110	0011450	0007920	0012940	0014500	0004880	00474	00474	00465	00481	00411	05071	17000584	(17000_BF)	40	-33	-1	%
0094811	0100000	0107304	0002960	0004980	0007770	0003640	0006130	0009690	0003280	00379	00379	00321	00411	00252	03510	17000585	(17000_BF)	28	-27	-10	%
0094811	0100000	0107304	0003330	0005480	0009360	0004080	0006810	0011320	0003640	00433	00433	00357	00438	00288	03818	17000586	(17000_BF)	30	-27	-12	%
0094811	0100000	0107304	0074300	0077520	0080760	0061990	0064790	0066860	003450	00620	00620	00445	00402	00447	04447	17000587	(17000_BF)	87	1	2	%
0094811	0100000	0107304	0073000	0077940	0080220	0064710	0069470	0071669	0003250	00408	00408	00408	00299	00273	02861	17000588	(17000_BF)	89	-2	2	%
0094811	0100000	0107304	0011930	0008610	0017710	0009860	0007080	0014710	0003240	00369	00369	00330	00382	00270	03678	17000589	(17000_BF)	34	29	-20	%
0094811	0100000	0107304	0011030	0008390	0016340	0014670	0010950	0021580	0005330	00659	00659	00509	00556	00439	05271	17000590	(17000_BF)	37	27	-20	%
0094811	0100000	0107304	0074300	0077520	0080760	0061990	0064790	0066860	0003640	00620	00620	00445	00402	00447	04447	17000591	(17000_BF)	87	1	2	%
0094811	0100000	0107304	0073000	0077940	0080220	0064710	0069470	0071669	0002610	00408	00408	00408	00299	00273	02861	17000592	(17000_BF)	89	-2	2	%
0094811	0100000	0107304	0034950	0029780	0043320	0028860	0024670	0035950	0003820	00512	00512	00479	00411	00430	04383	17000593	(17000_BF)	59	23	-13	%
0094811	0100000	0107304	0033950	0029950	0042210	0040950	0036110	0049950	0003450	00517	00517	00505	00414	00423	04447	17000594	(17000_BF)	64	21	-12	%
0094811	0100000	0107304	0034950	0029780	0043320	0028860	0024670	0035950	0003280	00512	00512	00479	00411	00430	04383	17000595	(17000_BF)	59	23	-13	%
0094811	0100000	0107304	0033950	0029950	0042210	0040950	0036110	0049950	0003200	00517	00517	00505	00414	00423	04447	17000596	(17000_BF)	64	21	-12	%
0094811	0100000	0107304	0011570	0008130	0011970	0014870	0010470	0015750	0004070	00536	00536	00460	00507	00390	04963	17000597	(17000_BF)	36	32	-10	%
0094811	0100000	0107304	0011850	0008290	0013090	0008400	0005880	0009570	0005790	00650	00650	00566	00676	00458	06244	17000598	(17000_BF)	32	30	-11	%

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	0100000	0107304	00010750	00018000	00019480	00012880	00021750	00023610	00003940	00542	00542	00442	00410	00438	04253	17000600	(17000_BF)	52	-41	0	0 %
0094811	0100000	0107304	0002960	0003450	0004460	0004170	0004840	0006240	0004170	00454	00454	00452	00653	00329	05080	17000601	(17000_BF)	24	-5	-4	0 %
0094811	0100000	0107304	0002960	0003450	0004460	0002130	0002440	0003110	0004280	00440	00440	00428	00703	00327	04451	17000602	(17000_BF)	20	-4	-3	0 %
0094811	0100000	0107304	0073995	0078320	0085306	0069176	0073400	0079713	0001428	00232	00232	00232	00170	00153	01616	17000603	(17000_BF)	90	0	0	0 %
0094811	0100000	0107304	0056309	0059450	0063740	0053070	0055940	0059788	0001498	00197	00197	00197	00150	00139	01498	17000604	(17000_BF)	81	0	0	0 %
0094811	0100000	0107304	0050811	0053650	0057771	0047944	0050660	0054818	0001288	00180	00180	00180	00139	00130	01406	17000605	(17000_BF)	77	0	0	0 %
0094811	0100000	0107304	0041637	0043950	0047353	0038901	0041060	0044124	0001498	00198	00198	00198	00154	00151	01645	17000606	(17000_BF)	71	0	0	0 %
0094811	0100000	0107304	0031455	0033190	0035657	0029588	0031230	0033531	0001400	00161	00161	00161	00131	00135	01442	17000607	(17000_BF)	64	0	0	0 %
0094811	0100000	0107304	00018821	00019920	0021953	0017784	0018830	0020793	0001260	00126	00126	00125	00114	00125	01264	17000608	(17000_BF)	51	0	-1	0 %
0094811	0100000	0107304	0013815	0014610	0015968	0012855	0013590	0014823	0001414	00145	00145	00145	00143	00136	01549	17000609	(17000_BF)	44	0	0	0 %
0094811	0100000	0107304	0010573	0011190	0012542	0009988	0010590	0011936	0001484	00103	00103	00103	00110	00091	01126	17000610	(17000_BF)	39	0	-1	0 %
0094811	0100000	0107304	0004001	0004250	0004996	0003785	0004020	0004745	0001442	00074	00074	00074	00107	00054	00843	17000611	(17000_BF)	24	0	-2	0 %
0094811	0100000	0107304	0002587	0002750	0003308	0002333	0002480	0003000	0001736	00118	00118	00118	00207	00080	01260	17000612	(17000_BF)	18	0	-2	0 %
0094811	0100000	0107304	0001090	0001160	0001467	0000928	0000990	0001258	0001470	00134	00134	00134	00262	00084	01097	17000613	(17000_BF)	10	0	-2	0 %
0094811	0100000	0107304	0000704	0000750	0000972	0000610	0000650	0000851	0001344	00096	00096	00095	00182	00063	00713	17000614	(17000_BF)	6	0	-2	0 %
0094811	0100000	0107304	0000215	0000230	0000321	0000120	0000130	0000195	0001386	00094	00094	00093	00180	00058	00837	17000615	(17000_BF)	2	0	0	0 %
0094811	0100000	0107304	00000220	00000230	0000325	0000093	0000100	0000145	0001246	00131	00131	00130	00245	00090	01086	17000616	(17000_BF)	1	0	0	0 %
0094811	0100000	0107304	00034306	00042210	00072900	00031546	00039040	00067412	0001624	00234	00234	00227	00179	00176	01884	17000617	(17000_BF)	70	-18	-25	0 %
0094811	0100000	0107304	0028451	0035740	0066438	0027047	0033980	0063214	0001232	00147	00147	00138	00113	00114	01204	17000618	(17000_BF)	66	-19	-28	0 %
0094811	0100000	0107304	0015564	0019880	0036247	0014830	0018950	0034656	0001288	00112	00112	00108	00098	00107	01078	17000619	(17000_BF)	51	-17	-22	0 %
0094811	0100000	0107304	00013700	00017480	0031607	00012970	00016540	00029687	0001372	00142	00142	00123	00118	00122	01229	17000620	(17000_BF)	48	-17	-20	0 %
0094811	0100000	0107304	00009566	00012210	00022592	00009085	00011650	00021581	0001036	00093	00093	00091	00093	00081	00976	17000621	(17000_BF)	41	-15	-19	0 %
0094811	0100000	0107304	0003601	0004540	0008648	0003389	0004250	0008047	0001372	00115	00115	00098	00135	00080	01029	17000622	(17000_BF)	25	-10	-14	0 %
0094811	0100000	0107304	0059951	0063240	0018571	0054904	0058120	0016650	0001316	00291	00291	00278	00205	00190	02085	17000623	(17000_BF)	82	0	59	0 %
0094811	0100000	0107304	0051158	0055120	00017922	0047119	0050760	00015880	0001386	00258	00258	00257	00191	00182	02024	17000624	(17000_BF)	78	-2	53	0 %
0094811	0100000	0107304	00039957	00043450	00014431	00037874	00041110	00013459	0001232	00168	00168	00161	00126	00124	01340	17000625	(17000_BF)	71	-3	48	0 %
0094811	0100000	0107304	0025589	0027920	0008812	0023852	0026010	0008143	0001484	00194	00194	00179	00153	00160	01652	17000626	(17000_BF)	59	-3	43	0 %
0094811	0100000	0107304	00018015	00019660	00005620	00016737	00018320	00005313	0001512	00205	00205	00164	00154	00164	01582	17000627	(17000_BF)	51	-3	40	0 %
0094811	0100000	0107304	00012257	00013550	00004338	00011522	00012750	00004023	0001260	00125	00125	00120	00120	00110	01287	17000628	(17000_BF)	43	-3	33	0 %
0094811	0100000	0107304	00009241	00010140	00002934	00008507	00009350	00002691	0001176	00164	00164	00147	00160	00126	01612	17000629	(17000_BF)	37	-3	32	0 %
0094811	0100000	0107304	0051129	0043090	0038000	0048211	0040690	0036030	0000980	00185	00185	00169	00135	00132	01386	17000630	(17000_BF)	71	28	9	0 %
0094811	0100000	0107304	00036770	00031440	00028528	00034415	00029380	00026604	0001414	00180	00180	00176	00146	00151	01598	17000631	(17000_BF)	62	24	7	0 %
0094811	0100000	0107304	00028075	00023990	00021796	00026873	00022930	00020859	0001162	00110	00110	00108	00094	00101	01039	17000632	(17000_BF)	56	22	6	0 %
0094811	0100000	0107304	00024203	00020960	00019429	00022869	00019820	00018408	0001176	00136	00136	00129	00117	00128	01264	17000633	(17000_BF)	52	19	5	0 %
0094811	0100000	0107304	00014157	00012070	00011038	00013266	00011280	00010246	0001302	00129	00129	00128	00132	00114	01402	17000634	(17000_BF)	41	18	5	0 %
0094811	0100000	0107304	00011238	00009510	00008541	00010694	00009060	00008139	0001176	00092	00092	00087	00096	00075	00952	17000635	(17000_BF)	37	17	5	0 %
0094811	0100000	0107304	00006822	00005790	00005154	00006367	00005430	00004884	0001554	00119	00119	00104	00132	00087	01098	17000636	(17000_BF)	28	14	4	0 %
0094811	0100000	0107304	00047867	00049280	00																

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	01000000	0107304	0025820	0029870	0010850	0026280	0030350	0011080	0000480	00043	00043	00042	00035	00036	00377	17000650	(17000_BF)	62	-10	40	%
0094811	01000000	0107304	0028970	0031730	0038720	0029280	0032110	0041210	0002180	00247	00247	00195	00238	00184	01042	17000651	(17000_BF)	63	-4	-7	%
0094811	01000000	0107304	0029280	0032110	0041210	0029179	0031560	0040999	0002690	00173	00173	00152	00204	00195	00559	17000652	(17000_BF)	63	-3	-8	%
0094811	01000000	0107304	0029280	0032110	0041210	0029590	0031800	0041470	0003060	00242	00242	00212	00293	00280	00585	17000653	(17000_BF)	63	-3	-8	%
0094811	01000000	0107304	0029120	0031550	0040820	0030190	0032470	0040860	0001940	00167	00167	00131	00150	00141	00894	17000654	(17000_BF)	63	-2	-8	%
0094811	01000000	0107304	0029120	0031550	0040820	0029670	0031930	0042100	0001440	00125	00125	00104	00137	00121	00498	17000655	(17000_BF)	63	-2	-9	%
0094811	01000000	0107304	0029120	0031550	0040820	0028460	0030890	0039020	0000890	00133	00133	00106	00127	00104	00694	17000656	(17000_BF)	63	-3	-8	%
0094811	01000000	0107304	0029330	0030490	0035330	0029770	0030680	0036670	0002040	00175	00175	00150	00191	00168	00643	17000657	(17000_BF)	62	2	-4	%
0094811	01000000	0107304	0029770	0030680	0036670	0029650	0029970	0036019	0002560	00225	00225	00198	00261	00269	00710	17000658	(17000_BF)	62	3	-5	%
0094811	01000000	0107304	0028700	0029390	0033990	0029370	0029980	0035850	0001600	00168	00168	00145	00180	00141	00795	17000659	(17000_BF)	61	3	-4	%
0094811	01000000	0107304	0028980	0029600	0035050	0029700	0030010	0036049	0001200	00145	00145	00119	00147	00151	00489	17000660	(17000_BF)	61	4	-4	%
0094811	01000000	0107304	0028980	0029600	0035050	0029040	0029500	0035060	0000590	00063	00063	00053	00069	00072	00161	17000661	(17000_BF)	61	3	-4	%
0094811	01000000	0107304	0028980	0029600	0035050	0028770	0029450	0033950	0001000	00126	00126	00105	00141	00106	00526	17000662	(17000_BF)	61	3	-3	%
0094811	01000000	0107304	0028980	0029600	0035050	0029400	0029710	0035080	0000980	00121	00121	00106	00143	00145	00259	17000663	(17000_BF)	61	4	-4	%
0094811	01000000	0107304	0031900	0031050	0026000	0031870	0030900	0026780	0001430	00152	00152	00118	00226	00131	00479	17000664	(17000_BF)	62	9	10	%
0094811	01000000	0107304	0031900	0031050	0026000	0032279	0031240	0027400	0001690	00204	00204	00161	00309	00181	00650	17000665	(17000_BF)	63	9	9	%
0094811	01000000	0107304	0032279	0031240	0027400	0031390	0030970	0026800	0002230	00233	00233	00184	00353	00244	00513	17000666	(17000_BF)	63	8	9	%
0094811	01000000	0107304	0034950	0032509	0034400	0035970	0033290	0033000	0002380	00312	00312	00250	00311	00222	01259	17000667	(17000_BF)	64	15	2	%
0094811	01000000	0107304	0035970	0033290	0033000	0035500	0032220	0032970	0002450	00275	00275	00202	00233	00201	01038	17000668	(17000_BF)	64	16	2	%
0094811	01000000	0107304	0037310	0033580	0033200	0034749	0032290	0034070	0003380	00514	00514	00320	00386	00343	01619	17000669	(17000_BF)	64	16	2	%
0094811	01000000	0107304	0037310	0033580	0033200	0036630	0033800	0033060	0002120	00304	00304	00176	00215	00206	00610	17000670	(17000_BF)	65	17	3	%
0094811	01000000	0107304	0004880	0003840	0014360	0004760	0003680	0014180	0001030	00112	00112	00070	00097	00055	00830	17000671	(17000_BF)	23	17	-35	%
0094811	01000000	0107304	0004880	0003840	0014360	0004770	0003570	0014390	0001150	00326	00326	00168	00213	00137	01763	17000672	(17000_BF)	23	18	-35	%
0094811	01000000	0107304	0004770	0003570	0014390	0004880	0003800	0014050	0000760	00310	00310	00137	00182	00111	01768	17000673	(17000_BF)	23	18	-35	%
0094811	01000000	0107304	0004880	0003800	0014050	0004880	0003840	0014360	0001250	00078	00078	00050	00058	00065	00283	17000674	(17000_BF)	23	17	-34	%
0094811	01000000	0107304	0004880	0003800	0014050	0005110	0004080	0014930	0000890	00155	00155	00121	00163	00119	01124	17000675	(17000_BF)	23	17	-34	%
0094811	01000000	0107304	0004850	0003760	0013960	0004860	0003810	0014280	0001200	00079	00079	00051	00060	00065	00292	17000676	(17000_BF)	23	17	-34	%
0094811	01000000	0107304	0004850	0003760	0013960	0004770	0003550	0014340	0000600	00314	00314	00140	00178	00111	01704	17000677	(17000_BF)	23	19	-35	%
0094811	01000000	0107304	0004740	0003550	0014280	0004850	0003780	0013930	0000720	00313	00313	00138	00183	00112	01783	17000678	(17000_BF)	23	18	-35	%
0094811	01000000	0107304	0004550	0003670	0012300	0004740	0003550	0014280	0002290	00715	00715	00290	00330	00239	03177	17000679	(17000_BF)	22	17	-33	%
0094811	01000000	0107304	0004370	0003660	0012580	0004550	0003670	0012300	0003070	00240	00240	00158	00185	00198	00658	17000680	(17000_BF)	23	14	-31	%
0094811	01000000	0107304	0004370	0003660	0012580	0004740	0003550	0014280	0002250	00821	00821	00383	00430	00301	03006	17000681	(17000_BF)	22	16	-33	%
0094811	01000000	0107304	0004640	0003500	0014100	0004740	0003550	0014280	0000460	00057	00057	00033	00042	00032	00222	17000682	(17000_BF)	22	19	-36	%
0094811	01000000	0107304	0006150	0009890	0011030	0005920	0010020	0011410	0001520	00361	00361	00156	00176	00153	00617	17000683	(17000_BF)	38	-32	-1	%
0094811	01000000	0107304	0005920	0010020	0011410	0006240	0010030	0011420	0001040	00343	00343	00136	00164	00142	00457	17000684	(17000_BF)	38	-32	-1	%
0094811	01000000	0107304	0006150	0009890	0011030	0006220	0010060	0011730	0001270	00155	00155	00103	00100	00101	00790	17000685	(17000_BF)	38	-30	-1	%
0094811	01000000	0107304	0006360	0010250	0010970	0006190	0010020	0011660	0002330	00265	00265	00183	00175	00182	01402	17000686	(17000_BF)	38	-30	-1	%
0094811	01000000	0107304	0006390	0009950	0011360	0005900	0009980	0011340	0001710	00556	00556	00246	00273	00238	00756	17000687	(17000_BF)	38	-30	-1	%
0094811	01000000	0107304	0006200	0009970	0011330	0005900	0009980	0011340	0												

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094811	01000000	0107304	0011740	0011940	0020840	0010990	0011360	0020560	0002420	00199	00199	00159	00200	00211	01304	17000700	(17000_BF)	41	2	-17	%
0094811	0100000	0107304	0011740	0011940	0020840	0012350	0012540	0023280	0001760	00289	00289	00180	00196	00179	01632	17000701	(17000_BF)	42	3	-18	%
0094811	0100000	0107304	0011740	0011940	0020840	0012850	0013180	0023750	0002400	00273	00273	00225	00242	00233	02178	17000702	(17000_BF)	42	2	-18	%
0094811	0100000	0107304	0011740	0011940	0020840	0011370	0011990	0020920	0003660	00298	00298	00236	00327	00349	00718	17000703	(17000_BF)	41	1	-17	%
0094811	0100000	0107304	0010990	0011360	0020560	0012350	0012540	0023280	0002190	00293	00293	00237	00264	00228	02145	17000704	(17000_BF)	41	2	-19	%
0094811	0100000	0107304	0012850	0013180	0023750	0011370	0011990	0020920	0002950	00351	00351	00274	00327	00301	02163	17000705	(17000_BF)	42	1	-18	%
0094811	0100000	0107304	0012230	0012430	0020390	0013060	0012980	0022660	0001810	00341	00341	00223	00261	00233	01618	17000706	(17000_BF)	42	4	-16	%
0094811	0100000	0107304	0011640	0008100	0011970	0011490	0008040	0012330	0000920	00129	00129	00086	00083	00074	00668	17000707	(17000_BF)	34	31	-10	%
0094811	0100000	0107304	0011640	0008100	0011970	0011000	0007780	0012500	0002150	00316	00316	00212	00211	00184	01675	17000708	(17000_BF)	34	31	-11	%
0094811	0100000	0107304	0012510	0008990	0013670	0012850	0008710	0013210	0002280	00466	00466	00215	00234	00200	01221	17000709	(17000_BF)	36	32	-10	%
0094811	0100000	0107304	0011550	0008040	0011890	0011300	0008040	0013010	0001630	00343	00343	00225	00220	00197	01631	17000710	(17000_BF)	34	31	-11	%
0094811	0100000	0107304	0011310	0008250	0012300	0011790	0008189	0012960	0001820	00440	00440	00188	00212	00182	01370	17000711	(17000_BF)	34	30	-11	%
0094811	0100000	0107304	0012450	0008950	0013590	0012730	0008620	0013070	0002160	00471	00471	00219	00239	00204	01300	17000712	(17000_BF)	36	32	-10	%
0094811	0100000	0107304	0011410	0007990	0012240	0011310	0008250	0012300	0001360	00317	00317	00136	00163	00138	01057	17000713	(17000_BF)	34	29	-10	%
0094811	0100000	0107304	0015730	0025330	0031670	0015550	0025430	0032180	0000680	00156	00156	00056	00066	00056	00299	17000714	(17000_BF)	57	-42	-6	%
0094811	0100000	0107304	0015730	0025330	0031670	0015640	0026140	0033650	0001520	00417	00417	00165	00183	00158	01005	17000715	(17000_BF)	58	-43	-7	%
0094811	0100000	0107304	0015550	0025430	0032180	0015720	0025400	0032369	0000820	00116	00116	00046	00051	00047	00189	17000716	(17000_BF)	57	-42	-7	%
0094811	0100000	0107304	0015830	0026440	0032640	0016600	0026770	0034350	0001330	00355	00355	00162	00167	00167	00889	17000717	(17000_BF)	59	-44	-7	%
0094811	0100000	0107304	0015650	0025200	0031480	0015240	0025570	0032330	0001420	00401	00401	00142	00167	00138	00591	17000718	(17000_BF)	57	-43	-6	%
0094811	0100000	0107304	0032800	0035100	0033470	0034320	0036700	0036630	0002080	00237	00237	00205	00244	00196	01296	17000719	(17000_BF)	66	-1	4	%
0094811	0100000	0107304	0034320	0036700	0036630	0034110	0036880	0036689	0002300	00132	00132	00121	00158	00170	00273	17000720	(17000_BF)	67	-2	3	%
0094811	0100000	0107304	0034110	0036880	0036690	0034260	0036930	0037700	0001370	00125	00125	00107	00145	00110	00443	17000721	(17000_BF)	67	-2	2	%
0094811	0100000	0107304	0032820	0035100	0033390	0033120	0035050	0036499	0004440	00432	00432	00343	00504	00388	01520	17000722	(17000_BF)	66	-1	3	%
0094811	0100000	0107304	0032820	0035100	0033390	0034519	0036930	0037159	0003170	00287	00287	00247	00302	00241	01519	17000723	(17000_BF)	67	-1	4	%
0094811	0100000	0107304	0032820	0035100	0033390	0035200	0037630	0037750	0003240	00303	00303	00270	00302	00250	01874	17000724	(17000_BF)	67	-1	4	%
0094811	0100000	0107304	0032820	0035100	0033390	0034320	0036700	0036560	0002450	00238	00238	00206	00246	00198	01299	17000725	(17000_BF)	66	-1	4	%
0094811	0100000	0107304	0033330	0036580	0034810	0034100	0036860	0035580	0002440	00190	00190	00153	00200	00212	00435	17000726	(17000_BF)	67	-3	5	%
0094811	0100000	0107304	0034100	0036860	0035580	0033519	0036320	0036179	0001360	00155	00155	00135	00174	00136	00625	17000727	(17000_BF)	67	-3	4	%
0094811	0100000	0107304	0033330	0036580	0034810	0033520	0036320	0036180	0002690	00261	00261	00197	00263	00233	00805	17000728	(17000_BF)	67	-3	4	%
0094811	0100000	0107304	0034630	0037200	0036690	0033520	0036320	0036180	0001870	00129	00129	00123	00147	00148	00625	17000729	(17000_BF)	67	-2	3	%
0094811	0100000	0107304	0008109	0011470	0021970	0008040	0011870	0024150	0002000	00438	00438	00194	00217	00186	01534	17000730	(17000_BF)	41	-24	-22	%
0094811	0100000	0107304	0008040	0011870	0024150	0008000	0012080	0023520	0001710	00246	00246	00162	00155	00143	01031	17000731	(17000_BF)	41	-26	-22	%
0094811	0100000	0107304	0008040	0011870	0024150	0007970	0011930	0023380	0001160	00181	00181	00118	00113	00104	00816	17000732	(17000_BF)	41	-26	-22	%
0094811	0100000	0107304	0006390	0006410	0020750	0006530	0006380	0021750	0000860	00264	00264	00130	00154	00070	01138	17000733	(17000_BF)	30	4	-36	%
0094811	0100000	0107304	0006390	0006410	0020750	0006680	0006450	0022470	0000980	00393	00393	00191	00225	00099	01622	17000734	(17000_BF)	30	4	-37	%
0094811	0100000	0107304	0006680	0006450	0022470	0006480	0006410	0022090	0000990	00174	00174	00103	00125	00102	00476	17000735	(17000_BF)	30	5	-38	%
0094811	0100000	0107304	0006610	0006380	0022190	0006330	0006340	0020530	0000920	00381	00381	00177	00218	00095	01573	17000736	(17000_BF)	30	4	-36	%
0094811	0100000	0107304	0006610	0006380	0022190	0006030	0006220	0019219	0001340	00664	00664	00320	00396	00184	02659	17000737	(17000_BF)	30	3	-35	%
0094811	0100000	0107304	0006450	0006380	0021900	0006690	0006390	00													

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094811	01000000	0107304	0017670	0029100	0010550	0016200	0027270	0009450	0001360	00201	00201	00168	00144	00148	01551	17000750	(17000_BF)	60	-46	40	%
0094811	01000000	0107304	0017020	0028150	0008590	0018010	0028860	0009950	0001210	00421	00421	00126	00157	00124	00842	17000751	(17000_BF)	60	-44	43	%
0094811	01000000	0107304	0018370	0029220	0009720	0017610	0029010	0010490	0001390	00418	00418	00218	00197	00187	00555	17000752	(17000_BF)	61	-44	41	%
0094811	01000000	0107304	0017530	0028640	0009110	0016640	0027940	0009590	0001360	00346	00346	00186	00167	00159	00720	17000753	(17000_BF)	60	-45	42	%
0094811	01000000	0107304	0028520	0020410	0003290	0030550	0021190	0003280	0001550	00443	00443	00168	00251	00183	01077	17000754	(17000_BF)	53	42	55	%
0094811	01000000	0107304	0028460	0020070	0003130	0027730	0019560	0003390	0000900	00274	00274	00103	00151	00113	00613	17000755	(17000_BF)	52	41	54	%
0094811	01000000	0107304	0026890	0019260	0002730	0027650	0019490	0003350	0001340	00416	00416	00190	00349	00232	00551	17000756	(17000_BF)	51	40	54	%
0094811	01000000	0107304	0027490	0019510	0002840	0028560	0019290	0002980	0003300	00551	00551	00254	00451	00306	01067	17000757	(17000_BF)	51	43	55	%
0094811	01000000	0107304	0035610	0023310	0008560	0034310	0022900	0008220	0001440	00269	00269	00115	00153	00126	00587	17000758	(17000_BF)	55	51	37	%
0094811	01000000	0107304	0035610	0023310	0008560	0035240	0023200	0007910	0001790	00218	00218	00108	00150	00123	00369	17000759	(17000_BF)	55	52	37	%
0094811	01000000	0107304	0035610	0023310	0008560	0035910	0023160	0007850	0001120	00275	00275	00080	00107	00082	00497	17000760	(17000_BF)	55	53	38	%
0094811	01000000	0107304	0035840	0023120	0007780	0034630	0022970	0008910	0001620	00537	00537	00146	00205	00155	00888	17000761	(17000_BF)	55	52	37	%
0094811	01000000	0107304	0034630	0022970	0008910	0034709	0023040	0008100	0001660	00285	00285	00128	00176	00143	00466	17000762	(17000_BF)	55	51	36	%
0094811	01000000	0107304	0034710	0023040	0008100	0035899	0023290	0008360	0001820	00298	00298	00122	00166	00134	00551	17000763	(17000_BF)	55	52	37	%
0094811	01000000	0107304	0015600	0022910	0015590	0016139	0023030	0016299	0000950	00292	00292	00111	00135	00115	00542	17000764	(17000_BF)	55	-30	16	%
0094811	01000000	0107304	0016139	0023030	0016299	0015760	0022810	0016430	0000810	00140	00140	00085	00082	00078	00335	17000765	(17000_BF)	55	-29	15	%
0094811	01000000	0107304	0016940	0024100	0016600	0016240	0023410	0016820	0001300	00203	00203	00144	00132	00130	00810	17000766	(17000_BF)	56	-29	16	%
0094811	01000000	0107304	0015740	0022670	0016309	0016299	0022710	0015630	0001790	00342	00342	00204	00200	00188	00619	17000767	(17000_BF)	55	-28	15	%
0094811	01000000	0107304	0015740	0022670	0016309	0015240	0022750	0014910	0002020	00465	00465	00198	00218	00187	01012	17000768	(17000_BF)	55	-31	16	%
0094811	01000000	0107304	0015740	0022670	0016309	0015750	0022780	0016299	0000550	00049	00049	00022	00024	00022	00134	17000769	(17000_BF)	55	-30	15	%
0094811	01000000	0107304	0015480	0022700	0015410	0016040	0022870	0016139	0000870	00283	00283	00109	00131	00112	00545	17000770	(17000_BF)	55	-30	16	%
0094811	01000000	0107304	0011760	0013400	0030930	0011740	0013130	0013130	0001000	00209	00209	00136	00151	00113	00947	17000771	(17000_BF)	43	-5	-30	%
0094811	01000000	0107304	0011760	0013400	0030930	0011530	0012880	0032019	0001450	00343	00343	00200	00221	00141	01920	17000772	(17000_BF)	43	-5	-31	%
0094811	01000000	0107304	0011760	0013400	0030930	0011920	0013470	0032550	0000890	00219	00219	00110	00124	00071	01061	17000773	(17000_BF)	43	-6	-30	%
0094811	01000000	0107304	0026890	0025170	0026000	0027160	0025190	0026640	0001430	00140	00140	00106	00133	00108	00453	17000774	(17000_BF)	57	13	1	%
0094811	01000000	0107304	0026890	0025170	0026000	0026169	0024680	0025930	0000960	00124	00124	00093	00108	00098	00564	17000775	(17000_BF)	57	12	1	%
0094811	01000000	0107304	0027160	0025190	0026640	0026090	0024550	0026120	0001510	00181	00181	00122	00138	00145	00683	17000776	(17000_BF)	57	12	0	%
0094811	01000000	0107304	0042020	0041450	0035280	0042990	0042230	0039310	0002990	00421	00421	00320	00589	00346	01371	17000777	(17000_BF)	71	8	9	%
0094811	01000000	0107304	0040530	0039390	0035680	0039640	0038710	0036570	0001640	00215	00215	00156	00228	00156	00769	17000778	(17000_BF)	69	9	7	%
0094811	01000000	0107304	0039640	0038710	0036570	0038330	0038120	0035290	0002490	00251	00251	00205	00356	00260	00637	17000779	(17000_BF)	68	8	6	%
0094811	01000000	0107304	0038200	0037970	0035130	0040410	0039170	0036670	0003430	00336	00336	00270	00413	00332	00959	17000780	(17000_BF)	68	8	6	%
0094811	01000000	0107304	0039990	0038790	0034760	0039489	0038540	0036380	0002040	00254	00254	00179	00271	00183	00807	17000781	(17000_BF)	69	9	7	%
0094811	01000000	0107304	0018870	0028880	0019910	0019460	0029100	0020930	0000980	00269	00269	00097	00117	00098	00547	17000782	(17000_BF)	61	-37	17	%
0094811	01000000	0107304	0019460	0029100	0020930	0018470	0028430	0020530	0001160	00260	00260	00126	00128	00116	00646	17000783	(17000_BF)	61	-37	16	%
0094811	01000000	0107304	0018820	0029180	0019450	0018850	0029040	0021120	0001660	00343	00343	00180	00175	00164	00898	17000784	(17000_BF)	61	-39	17	%
0094811	01000000	0107304	0019760	0029340	0020390	0018380	0028270	0020380	0001780	00351	00351	00207	00193	00185	01039	17000785	(17000_BF)	61	-37	17	%
0094811	01000000	0107304	0018850	0029040	0021120	0018380	0028270	0020380	0000820	00087	00087	00073	00063	00064	00637	17000786	(17000_BF)	60	-39	16	%
0094811	01000000	0107304	0002970	0003890	0007490	0003060	0003890	0007950	0002000	00228	00228	00176	00198	00178	00943	17000787	(17000_BF)	23	-10	-15	%
0094811	01000000	0107304	0003																		

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	0100000	0107304	0009770	0017550	0020280	0011000	0018230	0021890	0001910	00612	00612	00237	00275	00247	01320	17000800	(17000_BF)	49	-42	-3	%
0094811	0100000	0107304	00043600	0034320	0014620	0039700	0033490	0016670	0003400	01071	01071	00354	00501	00389	01928	17000801	(17000_BF)	65	31	34	%
0094811	0100000	0107304	00041550	0033100	0016280	0040510	0033580	0019030	0002800	00700	00700	00230	00296	00242	01414	17000802	(17000_BF)	64	31	29	%
0094811	0100000	0107304	00041550	0033100	0016280	0041370	0033630	0015680	0002500	00318	00318	00190	00297	00216	00686	17000803	(17000_BF)	64	32	32	%
0094811	0100000	0107304	00041550	0033100	0016280	0041130	0033640	0014980	0004030	00485	00485	00287	00460	00330	00948	17000804	(17000_BF)	64	32	33	%
0094811	0100000	0107304	00017130	0015870	0025380	0016660	0016000	0024890	0003100	00352	00352	00223	00277	00282	00954	17000805	(17000_BF)	47	10	-14	%
0094811	0100000	0107304	00017130	0015870	0025380	0017000	0015520	0023220	0002230	00312	00312	00233	00281	00250	01466	17000806	(17000_BF)	47	12	-13	%
0094811	0100000	0107304	00017420	0016460	0024100	0018510	0016770	0025130	0002590	00424	00424	00279	00317	00323	01075	17000807	(17000_BF)	48	12	-12	%
0094811	0100000	0107304	00017420	0016460	0024100	0017290	0016400	0026589	0003290	00419	00419	00289	00345	00303	02078	17000808	(17000_BF)	48	10	-14	%
0094811	0100000	0107304	00013830	0015390	0029540	0013770	0015310	0031860	0002160	00350	00350	00176	00196	00144	01801	17000809	(17000_BF)	46	-4	-24	%
0094811	0100000	0107304	00014730	0016460	0032250	0015450	0016780	0035580	0001890	00455	00455	00276	00313	00209	01919	17000810	(17000_BF)	48	-3	-26	%
0094811	0100000	0107304	00013980	0015590	0032009	0014650	0015870	0033480	0001670	00292	00292	00203	00235	00195	00912	17000811	(17000_BF)	47	-3	-26	%
0094811	0100000	0107304	00013980	0015590	0032009	0015030	0016120	0033380	0002950	00357	00357	00259	00302	00282	01065	17000812	(17000_BF)	47	-3	-26	%
0094811	0100000	0107304	00038860	0047840	0046760	0040790	0049680	0051759	0002320	00361	00361	00272	00281	00247	01449	17000813	(17000_BF)	75	-19	3	%
0094811	0100000	0107304	0036250	0043440	0044740	0036280	0043410	0047609	0002170	00316	00316	00255	00283	00238	01157	17000814	(17000_BF)	72	-15	0	%
0094811	0100000	0107304	0033820	0041570	0045080	0034690	0040990	0044370	0003900	00477	00477	00262	00320	00330	00782	17000815	(17000_BF)	70	-16	0	%
0094811	0100000	0107304	0033820	0041570	0045080	0035790	0044920	0049220	0002020	00380	00380	00282	00255	00250	01919	17000816	(17000_BF)	72	-20	0	%
0094811	0100000	0107304	00026020	0029800	0020180	0025930	0029500	0021220	0001480	00251	00251	00132	00155	00136	00674	17000817	(17000_BF)	61	-8	17	%
0094811	0100000	0107304	00025930	0029500	0021220	0026640	0029480	0021250	0003050	00301	00301	00225	00263	00291	00549	17000818	(17000_BF)	61	-6	16	%
0094811	0100000	0107304	00026640	0029480	0021250	0026020	0029800	0020180	0003840	00450	00450	00292	00323	00341	00965	17000819	(17000_BF)	61	-7	17	%
0094811	0100000	0107304	00028860	0030210	0003570	00027850	0029340	0004400	0000870	00602	00602	00165	00216	00167	00799	17000820	(17000_BF)	61	0	66	%
0094811	0100000	0107304	00029050	0030900	0005050	0029610	0030760	0004470	0002100	00377	00377	00153	00183	00180	00581	17000821	(17000_BF)	62	0	64	%
0094811	0100000	0107304	00028690	0030470	0004270	0029500	0030480	0004310	0002340	00309	00309	00155	00182	00192	00614	17000822	(17000_BF)	62	0	66	%
0094811	0100000	0107304	00016049	0010060	0006130	0017070	0010110	0005180	0002300	00689	00689	00245	00292	00237	01546	17000823	(17000_BF)	38	46	18	%
0094811	0100000	0107304	00015900	0009460	0005440	0015960	0009730	0004860	0001950	00404	00404	00232	00273	00238	01128	17000824	(17000_BF)	37	46	18	%
0094811	0100000	0107304	00015900	0009460	0005440	0015990	0009670	0004710	0002110	00431	00431	00245	00288	00252	01147	17000825	(17000_BF)	37	47	19	%
0094811	0100000	0107304	0003760	0005050	0007980	0003550	0004940	0008230	0001640	00236	00236	00135	00153	00142	00956	17000826	(17000_BF)	27	-15	-10	%
0094811	0100000	0107304	0003550	0004940	0008230	0003430	0004920	0008050	0001520	00173	00173	00119	00127	00127	00399	17000827	(17000_BF)	27	-16	-11	%
0094811	0100000	0107304	0003760	0005050	0007980	0003430	0004920	0008050	0002190	00366	00366	00217	00240	00240	00924	17000828	(17000_BF)	27	-16	-10	%
0094811	0100000	0107304	00019270	0020410	0013220	0018850	0019920	0011700	0001890	00307	00307	00175	00192	00171	00991	17000829	(17000_BF)	52	0	19	%
0094811	0100000	0107304	0018850	0019920	0011700	0018840	0019610	0011580	0001860	00153	00153	00118	00153	00160	00480	17000830	(17000_BF)	52	0	21	%
0094811	0100000	0107304	0018840	0019610	0011580	0018750	0019810	0012450	0001930	00242	00242	00148	00189	00186	00647	17000831	(17000_BF)	52	0	19	%
0094811	0100000	0107304	00016580	0021840	0021900	0016610	0021970	0023450	0001840	00251	00251	00189	00193	00178	01055	17000832	(17000_BF)	54	-21	1	%
0094811	0100000	0107304	0016610	0021970	0023450	0017510	0022360	0024170	0002040	00325	00325	00170	00199	00195	00694	17000833	(17000_BF)	54	-20	0	%
0094811	0100000	0107304	00017510	0022360	0024170	0016580	0021840	0021900	0002680	00410	00410	00277	00290	00270	01453	17000834	(17000_BF)	54	-20	1	%
0094811	0100000	0107304	00035730	0023320	0004470	0033520	0022820	0005240	0001670	00713	00713	00171	00244	00177	01118	17000835	(17000_BF)	55	50	51	%
0094811	0100000	0107304	00033520	0022820	0005240	0033910	0023430	0004980	0001850	00273	00273	00141	00215	00163	00712	17000836	(17000_BF)	55	47	50	%
0094811	0100000	0107304	00033910	0023430	0004980	0035730	0023320	0004470	0002850	00711	00711	00221	00332	00239	01238	17000837	(17000_BF)	55	50	52	%
0094811	0100000	0107304	0020110	0014450	0007840	0021390	0014800	0007360	0001920	00486	00486	00175	00205	00168	01078	17000838	(17000_BF)	45	37	22	%
0094811	0100000	0107304	00021390	0014800	0007360	0020320	0014550	0008090	0001820	00488	00488	00167	00213	00174	01074	17000839	(17000_BF)	45	38	22	%
0094811	0100000	0107304	00020830	0014740	0007330	0020970	0014440	0007730	0002330	00332	00332	00195	00250	00209	00849	17000840	(17000_BF)	45	38	22	%
0094811	0100000	0107304	00016010	0023960	0024450	0016620	0024280	0027080	0002450	00424	00424	00258	00251	00260	01616	17000841	(17000_BF)	56	-33	0	%
0094811	0100000	0107304	00016620	0024280	0027080	0017060	0024040	0024860	0003090	00469	00469	00256									

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
0094811	01000000	0107304	0010660	0006920	0006770	0010180	0006890	0006990	0001830	00351	00351	00140	00168	00143	00838	17000850	(17000_BF)	32	34	2 %
0094811	01000000	0107304	0010660	0006920	0006770	0010400	0006930	0007240	0001170	00272	00272	00135	00150	00129	00954	17000851	(17000_BF)	32	34	1 %
0094811	01000000	0107304	0010250	0006870	0006710	0010410	0006700	0007280	0002170	00411	00411	00230	00228	00227	01621	17000852	(17000_BF)	31	34	1 %
0094811	01000000	0107304	0015050	0019150	0027580	0015770	0019270	0029460	0003590	00447	00447	00333	00357	00343	01383	17000853	(17000_BF)	51	-15	-13 %
0094811	01000000	0107304	0015770	0019270	0029460	0015670	0019090	0027800	0002050	00216	00216	00136	00154	00129	01020	17000854	(17000_BF)	51	-13	-13 %
0094811	01000000	0107304	0015440	0019300	0028360	0015870	0019210	0028350	0002390	00296	00296	00194	00218	00222	00532	17000855	(17000_BF)	51	-14	-12 %
0094811	01000000	0107304	0020910	0028910	0026010	0020800	0028820	0024350	0002010	00258	00258	00171	00168	00158	00859	17000856	(17000_BF)	61	-28	8 %
0094811	01000000	0107304	0020910	0028910	0026010	0021330	0028960	0024340	0002580	00334	00334	00226	00223	00212	00959	17000857	(17000_BF)	61	-27	8 %
0094811	01000000	0107304	0020880	0029170	0024970	0021700	0029410	0024210	0001770	00341	00341	00199	00204	00191	00686	17000858	(17000_BF)	61	-28	10 %
0094811	01000000	0107304	0003470	0003960	0009270	0003430	0004090	0010120	0003260	00314	00314	00198	00230	00237	01140	17000859	(17000_BF)	24	-5	-21 %
0094811	01000000	0107304	0003470	0003960	0009270	0003590	0003890	0009790	0002250	00354	00354	00255	00309	00275	01359	17000860	(17000_BF)	23	-2	-21 %
0094811	01000000	0107304	0003270	0003980	0009500	0003570	0004010	0010060	0003100	00466	00466	00348	00409	00386	01239	17000861	(17000_BF)	24	-5	-21 %
0094811	01000000	0107304	0013190	0019710	0005260	0013160	0019650	0005940	0000880	00314	00314	00126	00135	00120	00433	17000862	(17000_BF)	51	-31	41 %
0094811	01000000	0107304	0013190	0019710	0005260	0013800	0019780	0005610	0001170	00387	00387	00150	00165	00145	00545	17000863	(17000_BF)	52	-30	42 %
0094811	01000000	0107304	0012230	0018780	0005410	0012990	0019040	0005100	0001780	00429	00429	00238	00220	00218	00662	17000864	(17000_BF)	51	-31	41 %
0094811	01000000	0107304	0038670	0037290	0038320	0038380	0036790	0036250	0001140	00210	00210	00170	00230	00158	00792	17000865	(17000_BF)	67	11	3 %
0094811	01000000	0107304	0039200	0037050	0038200	0037990	0036960	0037219	0003130	00374	00374	00254	00334	00317	00775	17000866	(17000_BF)	67	11	2 %
0094811	01000000	0107304	0039200	0037050	0038200	0038380	0036790	0036250	0002080	00276	00276	00220	00303	00225	00849	17000867	(17000_BF)	67	12	2 %
0094811	01000000	0107304	0022180	0028090	0007460	0021760	0027720	0005220	0002010	00866	00866	00286	00335	00275	01005	17000868	(17000_BF)	60	-19	53 %
0094811	01000000	0107304	0021760	0027720	0005220	0023020	0028190	0004930	0002980	00451	00451	00235	00237	00253	00770	17000869	(17000_BF)	60	-17	58 %
0094811	01000000	0107304	0022180	0028090	0007460	0023020	0028190	0004930	0003530	01128	01128	00460	00491	00461	01247	17000870	(17000_BF)	60	-17	54 %
0094811	01000000	0107304	0020890	0028480	0009170	0021520	0028520	0011490	0002740	00738	00738	00231	00298	00242	01123	17000871	(17000_BF)	60	-25	40 %
0094811	01000000	0107304	0021520	0028520	0011490	0021380	0029450	0011710	0002500	00435	00435	00222	00217	00205	00936	17000872	(17000_BF)	61	-26	37 %
0094811	01000000	0107304	0020890	0028480	0009170	0021380	0029450	0011710	0003100	00620	00620	00297	00300	00284	01264	17000873	(17000_BF)	61	-27	40 %
0094811	01000000	0107304	0026230	0033620	0032369	0026200	0033450	0034660	0002940	00336	00336	00245	00255	00230	01227	17000874	(17000_BF)	65	-21	3 %
0094811	01000000	0107304	0026200	0033450	0034660	0027169	0033400	0034470	0003440	00414	00414	00213	00256	00255	00626	17000875	(17000_BF)	65	-19	1 %
0094811	01000000	0107304	0026230	0033620	0032369	0027170	0033400	0034470	0004000	00557	00557	00307	00362	00338	01347	17000876	(17000_BF)	65	-19	3 %
0094811	01000000	0107304	0023920	0032250	0034780	0022680	0031510	0036640	0003570	00456	00456	00278	00275	00271	01572	17000877	(17000_BF)	63	-28	-1 %
0094811	01000000	0107304	0022680	0031510	0036640	0021970	0031680	0036730	0001870	00388	00388	00168	00188	00165	00514	17000878	(17000_BF)	63	-31	-3 %
0094811	01000000	0107304	0023920	0032250	0034780	0021970	0031680	0036729	0004820	00758	00758	00380	00395	00363	01691	17000879	(17000_BF)	63	-30	-1 %
0094811	01000000	0107304	0034200	0029350	0003430	0033100	0029540	0005050	0002610	00959	00959	00234	00343	00255	01100	17000880	(17000_BF)	61	21	65 %
0094811	01000000	0107304	0033100	0029540	0005050	0032960	0029280	0004110	0001040	00442	00442	00121	00162	00122	00436	17000881	(17000_BF)	61	19	63 %
0094811	01000000	0107304	0034200	0029350	0003430	0032960	0029280	0004110	0003090	00575	00575	00173	00253	00204	00822	17000882	(17000_BF)	61	21	67 %
0094811	01000000	0107304	0004630	0008910	0008500	0004080	0008520	0007990	0001180	00431	00431	00168	00197	00158	01035	17000883	(17000_BF)	35	-42	3 %
0094811	01000000	0107304	0004080	0008520	0007990	0004160	0008550	0007580	0001380	00179	00179	00101	00095	00099	00677	17000884	(17000_BF)	35	-44	4 %
0094811	01000000	0107304	0004630	0008910	0008500	0004160	0008550	0007580	0001700	00396	00396	00176	00191	00166	01266	17000885	(17000_BF)	35	-42	4 %
0094811	01000000	0107304	0003110	0005420	0008170	0003230	0005590	0009050	0002540	00220	00220	00150	00148	00145	01240	17000886	(17000_BF)	28	-29	-10 %
0094811	01000000	0107304	0003230	0005590	0009050	0003300	0005470	0009340	0002260	00295	00295	00179	00181	00178	00986	17000887	(17000_BF)	28	-27	-11 %
0094811	01000000	0107304	0003110	0005420	0008170	0003300	0005470	0009340	0003790	00447	00447	00301	00290	00298	02015	17000888	(17000_BF)	28	-27	-10 %
0094811	01000000	0107304	0012280	0022390	0010240	0013350	0022860	0012030	0002390	00656	00656	00192	00249	00196	01177	17000889	(17000_BF)	55	-48	27 %
0094811	01000000	0107304	0013350	0022860	0012030	0012030	0022300	0010820	0002230	00679	00679	00215	00258	00204	01064	17000890	(17000_BF)	55	-48	27 %
0094811	01000000	0107304	0012030	0022300	0010820	0011680	0021840	0011610	0001560	00311	00311	00162	00150	00142	00781	17000891	(17000_BF)	54	-52	26 %
0094811	01000000	0107304	0011650	0008860	0016550	0012040	0008860	0018830	0001840	00545	00545	00253	00275	00242	02635	17000892	(17000_BF)	36	27	-20 %
0094811	01000000	0107304	0011650	0008860	0016550	0														

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	0100000	0107304	0006880	0012320	0010070	0006450	0012020	0009170	0001540	00314	00314	00138	00148	00131	00948	17000900	(17000_BF)	41	-41	9 %	
0094811	0100000	0107304	0074480	0078430	0077490	0077249	0080030	0081809	0003600	00332	00332	00307	00461	00413	00872	17000901	(17000_BF)	91	1	3 %	
0094811	0100000	0107304	0074480	0078430	0077490	0074270	0077430	0080800	0003260	00367	00367	00322	00469	00379	01051	17000902	(17000_BF)	91	1	3 %	
0094811	0100000	0107304	0074480	0078430	0077490	0077780	0080260	0080579	0003850	00339	00339	00316	00488	00453	00799	17000903	(17000_BF)	91	1	4 %	
0094811	0100000	0107304	0061950	0064650	0066900	0062110	0064510	0068410	0001540	00156	00156	00150	00211	00166	00468	17000904	(17000_BF)	84	1	1 %	
0094811	0100000	0107304	0062110	0064510	0068410	0061120	0065220	0068310	0004590	00398	00398	00384	00540	00573	00724	17000905	(17000_BF)	84	0	1 %	
0094811	0100000	0107304	0061950	0064650	0066900	0061120	0065220	0068310	0004700	00329	00329	00317	00439	00472	00604	17000906	(17000_BF)	84	0	1 %	
0094811	0100000	0107304	0046240	0047890	0048040	0046120	0048110	0053150	0005330	00509	00509	00470	00641	00483	01774	17000907	(17000_BF)	75	1	0 %	
0094811	0100000	0107304	0046240	0047890	0048040	0044860	0047610	0049780	0005500	00384	00384	00343	00492	00489	00933	17000908	(17000_BF)	75	0	2 %	
0094811	0100000	0107304	0044860	0047610	0049780	0045499	0047010	0049960	0005300	00361	00361	00351	00492	00509	00753	17000909	(17000_BF)	74	0	0 %	
0094811	0100000	0107304	0020210	0021280	0023390	0020510	0021720	0022240	0003040	00291	00291	00286	00401	00291	01313	17000910	(17000_BF)	54	0	0 %	
0094811	0100000	0107304	0019750	0020640	0021400	0020110	0020980	0023260	0002700	00267	00267	00261	00364	00260	01222	17000911	(17000_BF)	53	0	0 %	
0094811	0100000	0107304	0019240	0020690	0021950	0020470	0021390	0023150	0003630	00303	00303	00294	00414	00421	01031	17000912	(17000_BF)	53	0	0 %	
0094811	0100000	0107304	0028890	0029910	0032610	0028860	0030550	0034530	0004250	00302	00302	00293	00402	00400	00971	17000913	(17000_BF)	62	0	-1 %	
0094811	0100000	0107304	0028860	0030550	0034530	0029410	0030620	0035279	0003170	00206	00206	00195	00267	00279	00521	17000914	(17000_BF)	62	0	-2 %	
0094811	0100000	0107304	0028890	0029910	0032610	0029410	0030620	0035280	0002920	00266	00266	00254	00337	00257	01176	17000915	(17000_BF)	62	1	-1 %	
0094811	0100000	0107304	0028550	0029920	0030770	0028340	0029800	0032900	0003320	00317	00317	00307	00434	00311	01277	17000916	(17000_BF)	62	0	0 %	
0094811	0100000	0107304	0028550	0029920	0030770	0028950	0030280	0033910	0003960	00382	00382	00371	00509	00370	01564	17000917	(17000_BF)	62	0	0 %	
0094811	0100000	0107304	0028020	0029700	0030970	0028330	0029480	0031110	0003420	00212	00212	00208	00297	00305	00493	17000918	(17000_BF)	61	0	1 %	
0094811	0100000	0107304	0015740	0016270	0018070	0015810	0016290	0016930	0002830	00243	00243	00235	00321	00233	01120	17000919	(17000_BF)	47	1	0 %	
0094811	0100000	0107304	0015810	0016290	0016930	0015080	0015910	0016910	0003490	00236	00236	00216	00323	00315	00802	17000920	(17000_BF)	47	1	0 %	
0094811	0100000	0107304	0015740	0016270	0018070	0015080	0015910	0016910	0004170	00250	00250	00234	00346	00307	00989	17000921	(17000_BF)	47	0	0 %	
0094811	0100000	0107304	0003070	0003210	0003070	0002940	0003090	0003230	0001840	00192	00192	00174	00265	00179	00979	17000922	(17000_BF)	21	0	1 %	
0094811	0100000	0107304	0002940	0003090	0003230	0002850	0003130	0003260	0004260	00229	00229	00225	00318	00323	00563	17000923	(17000_BF)	21	0	0 %	
0094811	0100000	0107304	0003000	0003160	0003270	0003080	0003190	0003410	0001390	00112	00112	00111	00164	00147	00412	17000924	(17000_BF)	21	0	0 %	
0094811	0100000	0107304	0063670	0069250	0032080	0063900	0068770	0027920	0002260	00585	00585	00223	00258	00226	00855	17000925	(17000_BF)	87	-3	46 %	
0094811	0100000	0107304	0063900	0068770	0027920	0063730	0069670	0027979	0001380	00244	00244	00139	00150	00156	00479	17000926	(17000_BF)	87	-4	49 %	
0094811	0100000	0107304	0063860	0070170	0028300	0065080	0070480	0029660	0001630	00275	00275	00126	00145	00144	00417	17000927	(17000_BF)	87	-4	48 %	
0094811	0100000	0107304	0053120	0057190	0025480	0053849	0057310	00221830	0003450	00653	00653	00244	00284	00244	00932	17000928	(17000_BF)	80	-2	45 %	
0094811	0100000	0107304	0053850	0057310	0021830	0054710	0057190	0022200	0002690	00260	00260	00145	00169	00173	00431	17000929	(17000_BF)	80	0	48 %	
0094811	0100000	0107304	0053120	0057190	0025480	0054710	0057190	0022199	0004740	00689	00689	00317	00363	00346	01044	17000930	(17000_BF)	80	0	44 %	
0094811	0100000	0107304	0035890	0038520	0017540	0036940	0038600	0017780	0002640	00326	00326	00210	00248	00247	00609	17000931	(17000_BF)	68	0	35 %	
0094811	0100000	0107304	0035890	0038520	0017540	0035040	0038570	0017280	0002830	00309	00309	00194	00218	00222	00553	17000932	(17000_BF)	68	-3	36 %	
0094811	0100000	0107304	0035780	0037900	0014570	0035890	0038520	0017539	0003170	00600	00600	00230	00283	00248	01076	17000933	(17000_BF)	68	-1	39 %	
0094811	0100000	0107304	0035780	0037900	0014570	0036360	0038300	0017280	0002770	00555	00555	00197	00246	00206	00945	17000934	(17000_BF)	68	0	39 %	
0094811	0100000	0107304	0029130	0031140	0010980	0028890	0031380	0014010	0003530	00777	00777	00293	00367	00320	01300	17000935	(17000_BF)	63	-2	38 %	
0094811	0100000	0107304	0029160	0030900	0012480	0028780	0031290	0012690	0003270	00290	00290	00187	00213	00216	00630	17000936	(17000_BF)	63	-1	37 %	
0094811	0100000	0107304	0029130	0031140	0010980	0028780	0031290	0012690	0002710	00479	00479	00199	00241	00220	00792	17000937	(17000_BF)	63	-2	39 %	
0094811	0100000	0107304	0018670	0020120	0007540	0018640	0020210	0008410	0001200	00294	00294	00122	00147	00129	00545	17000938	(17000_BF)	52	-2	33 %	
0094811	0100000	0107304	0018640	0020210	0008410	0019370	0021600	0008170	0003480	00471	00471	00271	00286	00279	01678	17000939	(17000_BF)	53	-4	33 %	
0094811	0100000	0107304	0019370	0021600	0008170	0018620	0020080	0007910	0003730	00423	00423	00277	00296	00302	01794	17000940	(17000_BF)	53	-3	34 %	
0094811	0100000	0107304	0018580	0020090	0008660	0018590	0020030	0007500	0002230	00394	00394	00168	00191	00164	00722	17000941	(17000_BF)	52	-2	32 %	
0094811	0100000	0107304	0018580	0020090	0008660	0018810	0020610	0008280	0002090	00269	00269	00137	00152	00142	00737	17000942	(17000_BF)	52	-3	31 %	
0094811	0100000	0107304	0008410	0009360	0003300	0009000	0009760	0003810	0002610	00272	00272	00165	00192	00182	01029	17000943	(17000_BF)	37	-3	27 %	
0094811	0100000	0107304	0009000	0009760	0003810	0008680	0009660	0004000	0002020	00239	00239	00160	00189	00193	00561	17000944	(17000_BF)	37	-3	25 %	
0094811	0100000	0107304	0008680	0009660	0004000	0008510	0009450	0003300	0001120	00349	00349	00171	00192	00167	00836	17000945	(17000_BF)	37	-3	26 %	
0094811	0100000	0107304	0009030	0009640	0003940	0008960	0009710	0003780	0001560	00161	00161	00097	00115	00112	00375	17000946	(17000_BF)	37	-1	25 %	
0094811	0100000	0107304	0008570	0009410	0003950	0008960	0009710	0003780	0002190	00221	00221	00132	00151	00140	00743	17000947	(17000_BF)	37	-2	25 %	
0094811	0100000	0107304	0033160	0038530	0045740	0034370	0039420	0050549	0004120	00429	00429	00359	00415	00354	01660	17000948	(17000_BF)	69	-10	-6 %	
0094811	0100000	0107304	0034370	0039420	0050550	0034950	0038940	0052080	0004120	00411	00411	00341	00415	00393	01086	17000949	(17000_BF)	69	-8	-10 %	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	01000000	0107304	0034950	0038940	0052080	0033840	0038400	0051210	0002760	00218	00218	00174	00209	00212	00502	17000950	(17000_BF)	69	-7	-11	%
0094811	0100000	0107304	0025210	0029080	0036180	0024890	0028540	0037970	0003220	00319	00319	00260	00306	00251	01415	17000951	(17000_BF)	61	-9	-8	%
0094811	0100000	0107304	0024890	0028540	0037970	0023990	0028410	0037400	0004000	00344	00344	00260	00298	00308	00640	17000952	(17000_BF)	60	-10	-9	%
0094811	0100000	0107304	0025210	0029080	0036180	0023990	0028410	0037400	0004210	00378	00378	00252	00277	00265	01341	17000953	(17000_BF)	61	-11	-7	%
0094811	0100000	0107304	0026370	0031090	0039690	0025920	0030850	0042289	0003090	00356	00356	00245	00271	00227	01474	17000954	(17000_BF)	62	-12	-9	%
0094811	0100000	0107304	0025920	0030850	0042290	0026670	0030640	0039890	0005050	00461	00461	00261	00321	00326	01252	17000955	(17000_BF)	62	-11	-10	%
0094811	0100000	0107304	0026370	0031090	0039690	0026670	0030640	0039889	0003330	00303	00303	00230	00271	00276	00711	17000956	(17000_BF)	62	-10	-8	%
0094811	0100000	0107304	0018810	0022210	0027450	0018050	0021490	0028820	0003230	00355	00355	00270	00303	00253	01761	17000957	(17000_BF)	54	-11	-7	%
0094811	0100000	0107304	0018050	0021490	0028820	0018980	0021950	0029550	0003360	00278	00278	00203	00239	00251	00709	17000958	(17000_BF)	54	-10	-9	%
0094811	0100000	0107304	0018810	0022210	0027450	0018980	0021950	0029550	0003610	00418	00418	00351	00414	00361	01727	17000959	(17000_BF)	54	-10	-7	%
0094811	0100000	0107304	0009790	0011470	0015180	0009670	0011280	0014040	0002320	00219	00219	00169	00210	00165	01129	17000960	(17000_BF)	40	-8	-5	%
0094811	0100000	0107304	0009670	0011280	0014040	0009690	0011650	0014260	0002390	00257	00257	00203	00239	00246	00866	17000961	(17000_BF)	40	-9	-4	%
0094811	0100000	0107304	0009690	0011650	0014260	0010170	0011900	0014800	0001810	00217	00217	00166	00203	00208	00672	17000962	(17000_BF)	41	-9	-4	%
0094811	0100000	0107304	0002880	0003350	0004360	0002810	0003320	0004640	0001760	00181	00181	00143	00176	00145	00880	17000963	(17000_BF)	21	-5	-5	%
0094811	0100000	0107304	0002810	0003320	0004640	0002780	0003320	0004290	0002250	00189	00189	00164	00213	00167	00944	17000964	(17000_BF)	21	-6	-5	%
0094811	0100000	0107304	0002880	0003350	0004360	0002780	0003320	0004290	0001850	00135	00135	00113	00144	00149	00316	17000965	(17000_BF)	21	-5	-4	%
0094811	0100000	0107304	0038490	0030850	0033220	0039070	0030620	0030750	0002680	00411	00411	00232	00228	00229	01328	17000966	(17000_BF)	62	33	1	%
0094811	0100000	0107304	0039070	0030620	0030750	0040920	0030980	0031679	0002250	00454	00454	00187	00211	00178	00870	17000967	(17000_BF)	62	37	2	%
0094811	0100000	0107304	0038490	0030850	0033220	0040920	0030980	0031680	0003400	00752	00752	00326	00352	00310	01565	17000968	(17000_BF)	62	35	0	%
0094811	0100000	0107304	0020020	0016049	0017780	0021510	0016330	0016760	0003190	00629	00629	00328	00341	00317	01739	17000969	(17000_BF)	47	28	0	%
0094811	0100000	0107304	0021510	0016330	0016760	0020670	0016320	0016660	0002260	00397	00397	00165	00199	00175	00813	17000970	(17000_BF)	47	29	1	%
0094811	0100000	0107304	0020020	0016049	0017780	0020670	0016320	0016660	0002200	00341	00341	00228	00225	00223	01441	17000971	(17000_BF)	47	26	0	%
0094811	0100000	0107304	0004270	0003440	0003930	0004480	0003470	0003760	0002640	00266	00266	00173	00197	00183	00790	17000972	(17000_BF)	22	16	0	%
0094811	0100000	0107304	0004480	0003470	0003760	0004450	0003510	0003610	0001680	00153	00153	00107	00120	00109	00624	17000973	(17000_BF)	22	17	0	%
0094811	0100000	0107304	0004270	0003440	0003930	0004450	0003510	0003610	0002860	00267	00267	00205	00227	00198	01204	17000974	(17000_BF)	22	15	0	%
0094811	0100000	0107304	0054520	0049530	0021650	0052359	0049670	0052580	0005440	00849	00849	00313	00441	00350	01423	17000975	(17000_BF)	76	17	37	%
0094811	0100000	0107304	0052360	0049670	0025280	0051570	0049950	0024990	0002140	00292	00292	00186	00280	00221	00517	17000976	(17000_BF)	76	12	35	%
0094811	0100000	0107304	0054520	0049530	0021650	0051570	0049950	0024990	0006340	01023	01023	00451	00673	00532	01742	17000977	(17000_BF)	76	15	38	%
0094811	0100000	0107304	0031200	0030090	0016400	0031880	0029940	0014400	0003010	00528	00528	00239	00282	00236	01067	17000978	(17000_BF)	62	11	29	%
0094811	0100000	0107304	0031880	0029940	0014400	0031330	0030200	0014420	0002990	00300	00300	00195	00298	00232	00619	17000979	(17000_BF)	62	11	31	%
0094811	0100000	0107304	0031200	0030090	0016400	0031330	0030200	0014420	0003330	00465	00465	00217	00263	00218	00930	17000980	(17000_BF)	62	10	29	%
0094811	0100000	0107304	0016010	0015150	0007040	0016049	0015540	0008180	0002510	00385	00385	00183	00226	00197	01062	17000981	(17000_BF)	46	8	24	%
0094811	0100000	0107304	0016049	0015540	0008180	0016230	0015050	0008200	0005270	00412	00412	00305	00511	00382	01154	17000982	(17000_BF)	46	9	22	%
0094811	0100000	0107304	0016010	0015150	0007040	0016230	0015050	0008200	0003930	00480	00480	00288	00466	00339	01100	17000983	(17000_BF)	46	10	23	%
0094811	0100000	0107304	0005470	0005040	0002310	0005200	0004880	0002630	0002160	00350	00350	00188	00230	00197	00965	17000984	(17000_BF)	27	7	16	%
0094811	0100000	0107304	0005200	0004880	0002630	0005140	0004980	0002570	0002890	00220	00220	00176	00318	00246	00630	17000985	(17000_BF)	27	6	15	%
0094811	0100000	0107304	0005470	0005040	0002310	0005140	0004980	0002570	0004460	00396	00396	00240	00363	00317	00970	17000986	(17000_BF)	27	6	17	%
0094811	0100000	0107304	0023300	0019070	0020120	0023330	0019170	0018700	0001750	00298	00298	00216	00241	00194	01263	17000987	(17000_BF)	51	25	2	%
0094811	0100000	0107304	0023830	0019950	0021120	0023850	0020060	0019450	0001880	00339	00339	00251	00287	00224	01421	17000988	(17000_BF)	52	23	2	%
0094811	0100000	0107304	0024080	0019600	0018270	0023857	0019440	0020320	0002360	00432	00432	00306	00345	00280	01781	17000989	(17000_BF)	51	26	3	%
0094811	0100000	0107304	0024080	0019600	0018270	0023457	0019310	0016240	0002640	00393	00393	00281	00337	00271	01431	17000990	(17000_BF)	51	25	7	%
0094811	0100000	0107304	0023860	0019740	0016309	0023700	0019870	0014890	0002500	00370	00370	00264	00349	00270	01160	17000991	(17000_BF)	52	23	11	%
0094811	0100000	0107304	0022170	0019130	0013320	0022190	0019520	0012720	0002180	00298	00298	00218	00351	00243	00870	17000992	(1701				

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094811	01000000	0107304	0013760	0018240	0012870	0013910	0018730	0014520	0002150	00346	00346	00253	00248	00231	01168	17001000	(17000_BF)	50	-21	13	%
0094811	0100000	0107304	0014150	0019230	0015920	0013720	0018910	0017120	0002320	00344	00344	00250	00251	00231	01227	17001001	(17000_BF)	51	-23	7	%
0094811	0100000	0107304	0013540	0018860	0020140	0013820	0019210	0022099	0001930	00292	00292	00213	00209	00208	01376	17001002	(17000_BF)	51	-25	-1	%
0094811	0100000	0107304	0013460	0018470	0022770	0013850	0018760	0025120	0002700	00354	00354	00260	00256	00255	01619	17001003	(17000_BF)	50	-23	-7	%
0094811	0100000	0107304	0014470	0019000	0028670	0014470	0018720	0029510	0001530	00232	00232	00171	00173	00163	00990	17001004	(17000_BF)	51	-19	-14	%
0094811	0100000	0107304	0014950	0018410	0032200	0015735	0018850	0034130	0001850	00300	00300	00221	00235	00209	01029	17001005	(17000_BF)	50	-13	-20	%
0094811	0100000	0107304	0016580	0018860	0036090	0017250	0019140	0036860	0001930	00236	00236	00172	00197	00187	00591	17001006	(17000_BF)	51	-5	-24	%
0094811	0100000	0107304	0018020	0018970	0036520	0018880	0019350	0037370	0002110	00265	00265	00194	00241	00230	00726	17001007	(17000_BF)	51	1	-24	%
0094811	0100000	0107304	0018780	0018320	0034750	0019140	0018230	0033630	0002360	00266	00266	00192	00244	00263	00809	17001008	(17000_BF)	50	8	-23	%
0094811	0100000	0107304	0019860	0018250	0032340	0020384	0018324	0031652	0002150	00247	00247	00179	00208	00209	00731	17001009	(17000_BF)	50	14	-20	%
0094811	0100000	0107304	0020380	0018320	0031650	0021055	0018556	0030308	0002340	00317	00317	00230	00261	00251	01307	17001010	(17000_BF)	50	16	-18	%
0094811	0100000	0107304	0021460	0018770	0029190	0021930	0018870	0027330	0002410	00346	00346	00254	00277	00241	01505	17001011	(17000_BF)	50	19	-13	%
0094811	0100000	0107304	0022530	0019120	0029230	0023040	0019140	0027180	0002090	00384	00384	00275	00287	00252	01571	17001012	(17000_BF)	51	22	-12	%
0094811	0100000	0107304	0022120	0018930	0026200	0022960	0019520	0024380	0002580	00429	00429	00320	00335	00279	02105	17001013	(17000_BF)	51	21	-8	%
0094811	0100000	0107304	0022860	0018890	0024290	0023339	0019000	0022410	0001800	00380	00380	00272	00276	00235	01647	17001014	(17000_BF)	51	25	-5	%
0094811	0100000	0107304	0022860	0018890	0024290	0023280	0019000	0022170	0002290	00410	00410	00296	00301	00254	01830	17001015	(17000_BF)	51	24	-5	%
0094811	0100000	0107304	0019290	0013150	0013130	0019460	0013370	0011760	0001720	00419	00419	00263	00276	00243	01762	17001016	(17000_BF)	43	39	4	%
0094811	0100000	0107304	0019600	0012860	0008120	0019950	0013410	0007200	0002170	00513	00513	00310	00369	00321	01559	17001017	(17000_BF)	43	42	18	%
0094811	0100000	0107304	0026080	0017940	0006350	0026790	0017900	0007060	0002060	00425	00425	00229	00321	00259	00779	17001018	(17000_BF)	49	44	33	%
0094811	0100000	0107304	0025470	0018470	0003280	0024470	0018260	0002820	0001470	00414	00414	00212	00398	00258	00701	17001019	(17000_BF)	50	36	52	%
0094811	0100000	0107304	0044840	0039780	0007650	0044329	0040230	0007590	0001670	00298	00298	00150	00212	00187	00587	17001020	(17000_BF)	69	20	64	%
0094811	0100000	0107304	0045750	0040070	0008090	0044330	0040230	0007590	0002340	00499	00499	00248	00359	00313	00835	17001021	(17000_BF)	70	21	63	%
0094811	0100000	0107304	0036300	0038600	0005500	0035700	0039130	0005630	0002130	00369	00369	00181	00205	00220	00737	17001022	(17000_BF)	69	-2	71	%
0094811	0100000	0107304	0037340	0039020	0005470	0035700	0039130	0005630	0003200	00581	00581	00279	00324	00346	01060	17001023	(17000_BF)	69	-1	71	%
0094811	0100000	0107304	0038090	0040190	0005730	0035700	0039130	0005630	0002650	00475	00475	00235	00265	00282	01056	17001024	(17000_BF)	69	-2	71	%
0094811	0100000	0107304	0024700	0029190	0005420	0023850	0029350	0005670	0002300	00440	00440	00231	00238	00258	00720	17001025	(17000_BF)	61	-14	58	%
0094811	0100000	0107304	0012860	0019360	0004610	0012420	0019620	0005420	0001630	00542	00542	00296	00271	00267	00761	17001026	(17000_BF)	51	-34	43	%
0094811	0100000	0107304	0011140	0019220	0007600	0010400	0018730	0008610	0001780	00547	00547	00305	00273	00261	01069	17001027	(17000_BF)	51	-45	30	%
0094811	0100000	0107304	0009570	0018110	0012320	0009500	0018280	0014030	0001630	00421	00421	00235	00217	00216	01246	17001028	(17000_BF)	50	-50	13	%
0094811	0100000	0107304	0010010	0018380	0019910	0009900	0018230	0021920	0001920	00403	00403	00234	00211	00238	01869	17001029	(17000_BF)	50	-47	-2	%
0094811	0100000	0107304	0012750	0021110	0028110	0012900	0021410	0026580	0001560	00297	00297	00183	00165	00186	01394	17001030	(17000_BF)	53	-41	-7	%
0094811	0100000	0107304	0006070	0009540	0016370	0006160	0009570	0017460	0001420	00234	00234	00155	00147	00145	01197	17001031	(17000_BF)	37	-28	-16	%
0094811	0100000	0107304	0006070	0009540	0016370	0006130	0009360	0017510	0001950	00367	00367	00248	00237	00231	01744	17001032	(17000_BF)	37	-27	-16	%
0094811	0100000	0107304	0006990	0009650	0020610	0007470	0009960	0022240	0001250	00306	00306	00213	00216	00184	01200	17001033	(17000_BF)	38	-18	-24	%
0094811	0100000	0107304	0008120	0010100	0023050	0008450	0010080	0023760	0001410	00335	00335	00232	00250	00216	00923	17001034	(17000_BF)	38	-10	-27	%
0094811	0100000	0107304	0009100	0010100	0023580	0009570	0010210	0023960	0001870	00305	00305	00215	00254	00241	00749	17001035	(17000_BF)	38	-2	-27	%
0094811	0100000	0107304	0013670	0013090	0030760	0014250	0013190	0030020	0003020	00329	00329	00223	00274	00297	01006	17001036	(17000_BF)	43	9	-29	%
0094811	0100000	0107304	0015270	0013140	0027430	0015870	0013390	0026759	0001690	00257	00257	00177	00196	00202	01105	17001037	(17000_BF)	43	18	-24	%
0094811	0100000	0107304	0019780	0014750	0025310	0020070	0014500	0022230	0001950	00549	00549	00352	00340	00309	02416	17001038	(17000_BF)	45	33	-15	%
0094811	0100000	0107304	0019020	0013260	0018650	0019360	0013530	0017350	0001100	00336	00336	00211	00203	00183	01760	17001039	(17000_BF)	43	37	-7	%
0094811	0100000	0107304	0019020	0013260	0018650	0019810	0013790	0016560	0001890	00576	00576	00368	00354	00318	02994	17001040	(17000_BF)	44	38	-6	%
0094811	0100000	0107304	0014280	0008620	0005000	0014309	0008855	0004114	0002690	00563	00563	00328	00392	00340	01471	17001041	(17000_BF)	35	44	19	%
0094811	0100000	0107304	0032290	0019480	0005560	0031980	0019675	0004729	0002620	00477	00477	00226	00322	00261	00707	17001042	(17000_BF)	51	58	43	%
0094811	0100000	0107304	0026880	0015510	0003190	0026739	00158														

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	01000000	0107304	0006120	0009600	0016460	0006189	0009625	0017579	0001610	00236	00236	00154	00147	00144	01233	17001050	(17000_BF)	37	-28	-16	%
0094811	01000000	0107304	0007020	0009720	0020620	0007500	0010035	0022215	0001440	00299	00299	00208	00211	00180	01170	17001051	(17000_BF)	38	-18	-24	%
0094811	01000000	0107304	0008149	0010180	0023040	0008445	0010125	0023709	0001710	00332	00332	00231	00247	00214	00946	17001052	(17000_BF)	38	-11	-27	%
0094811	01000000	0107304	0013660	0013130	0030830	0014245	0013215	0030114	0003660	00338	00338	00229	00283	00303	00993	17001053	(17000_BF)	43	9	-29	%
0094811	01000000	0107304	0006140	0004980	0021060	0006560	0005125	0021290	0002870	00275	00275	00161	00186	00195	00816	17001054	(17000_BF)	27	18	-42	%
0094811	01000000	0107304	0006140	0004980	0021060	0006355	0004985	0020194	0003220	00278	00278	00162	00186	00229	00951	17001055	(17000_BF)	27	17	-41	%
0094811	01000000	0107304	0011190	0006990	0011940	0010824	0006985	0013655	0002500	00515	00515	00315	00301	00274	02501	17001056	(17000_BF)	32	37	-16	%
0094811	01000000	0107304	0011190	0006990	0011940	0011384	0007270	0014290	0002140	00506	00506	00313	00301	00270	02682	17001057	(17000_BF)	32	38	-16	%
0094811	01000000	0107304	0008189	0004980	0009000	0008165	0004865	0007470	0002240	00486	00486	00305	00290	00261	02576	17001058	(17000_BF)	27	37	-11	%
0094811	01000000	0107304	0015750	0018830	0033990	0016685	0018975	0036150	0004160	00525	00525	00382	00422	00373	01502	17001059	(17000_BF)	51	-9	-22	%
0094811	01000000	0107304	0017350	0019230	0036870	0018105	0019060	0036510	0004930	00491	00491	00356	00430	00436	01064	17001060	(17000_BF)	51	-2	-24	%
0094811	01000000	0107304	0018830	0018370	0034680	0018895	0019365	0037230	0005050	00501	00501	00373	00484	00495	01631	17001061	(17000_BF)	51	5	-24	%
0094811	01000000	0107304	0007740	0010830	0021130	0007580	0010155	0022240	0002560	00549	00549	00386	00387	00334	02795	17001062	(17000_BF)	39	-19	-23	%
0094811	01000000	0107304	0007580	0010150	0022240	0007990	0009805	0023040	0003780	00696	00696	00475	00498	00431	02008	17001063	(17000_BF)	38	-14	-26	%
0094811	01000000	0107304	0008530	0010250	0023750	0009220	0010255	0023774	0004090	00584	00584	00399	00451	00434	01241	17001064	(17000_BF)	38	-7	-27	%
0094811	01000000	0107304	0027720	0019700	0003800	0028432	0019745	0002957	0001900	00594	00594	00161	00228	00162	00698	17001065	(17000_BF)	52	42	53	%
0094811	01000000	0107304	0027720	0019700	0003800	0027977	0019140	0002316	0003040	00965	00965	00274	00385	00275	01319	17001066	(17000_BF)	51	42	55	%
0094811	01000000	0107304	0027720	0019700	0003800	0028040	0019250	0001990	0003370	01232	01232	00369	00548	00380	01361	17001067	(17000_BF)	51	42	56	%
0094811	01000000	0107304	0027720	0019700	0003800	0027487	0020020	0005314	0002770	00756	00756	00228	00349	00253	01068	17001068	(17000_BF)	52	39	47	%
0094811	01000000	0107304	0027720	0019700	0003800	0029466	0020740	0002426	0003480	01131	01131	00384	00587	00409	01472	17001069	(17000_BF)	52	41	56	%
0094811	01000000	0107304	0027720	0019700	0003800	0027068	0019325	0002674	0003030	00655	00655	00262	00445	00301	00771	17001070	(17000_BF)	51	40	53	%
0094811	01000000	0107304	0027720	0019700	0003800	0026364	0019105	0002085	0003990	01101	01101	00462	00812	00534	01254	17001071	(17000_BF)	51	39	55	%
0094811	01000000	0107304	0027720	0019700	0003800	0027221	0019675	0002854	0002610	00620	00620	00271	00480	00320	00659	17001072	(17000_BF)	51	39	53	%
0094811	01000000	0107304	0027720	0019700	0003800	0027439	0020125	0002895	0003830	00726	00726	00339	00611	00403	00998	17001073	(17000_BF)	52	39	53	%
0094811	01000000	0107304	0027720	0019700	0003800	0026096	0019380	0002713	0004280	00808	00808	00398	00740	00481	01168	17001074	(17000_BF)	51	38	53	%
0094811	01000000	0107304	0027720	0019700	0003800	0027384	0020375	0003032	0004600	00766	00766	00381	00696	00457	01332	17001075	(17000_BF)	52	38	53	%
0094811	01000000	0107304	0027720	0019700	0003800	0029653	0019890	0004584	0004350	00765	00765	00381	00633	00454	01304	17001076	(17000_BF)	52	44	48	%
0094811	01000000	0107304	0027720	0019700	0003800	0026164	0019425	0003445	0002910	00521	00521	00254	00465	00308	00986	17001077	(17000_BF)	51	38	51	%
0094811	01000000	0107304	0027720	0019700	0003800	0026732	0020080	0003727	0003630	00597	00597	00283	00518	00343	01246	17001078	(17000_BF)	52	37	51	%
0094811	01000000	0107304	0027720	0019700	0003800	0028742	0019275	0003695	0003360	00616	00616	00265	00431	00307	01304	17001079	(17000_BF)	51	43	50	%
0094811	01000000	0107304	0027720	0019700	0003800	0028923	0019515	0003367	0003180	00607	00607	00200	00308	00218	01128	17001080	(17000_BF)	51	43	51	%
0094811	01000000	0107304	0027720	0019700	0003800	0029663	0020040	0003110	0003130	00769	00769	00208	00286	00206	01209	17001081	(17000_BF)	52	43	53	%
0094811	01000000	0107304	0027720	0019700	0003800	0028833	0019590	0002826	0002400	00771	00771	00196	00261	00188	01102	17001082	(17000_BF)	51	43	53	%
0094811	01000000	0107304	0044770	0048610	0006510	0046290	0048385	0004558	0003790	00988	00988	00299	00379	00338	00997	17001083	(17000_BF)	75	-1	82	%
0094811	01000000	0107304	0044770	0048610	0006510	0046207	0048060	0003635	0004770	01439	01439	00394	00511	00422	01242	17001084	(17000_BF)	75	0	85	%
0094811	01000000	0107304	0044770	0048610	0006510	0045851	0048100	0004193	0004250	01110	01110	00310	00401	00337	01001	17001085	(17000_BF)	75	-1	83	%
0094811	01000000	0107304	0044770	0048610	0006510	0044892	0047440	0004001	0003260	01108	01108	00296	00385	00308	01046	17001086	(17000_BF)	75	-2	83	%
0094811	01000000	0107304	0044770	0048610	0006510	0044608	0047495	0004123	0002940	01022	01022	00261	00346	00265	00921	17001087	(17000_BF)	75	-2	83	%
0094811	01000000	0107304	0044770	0048610	0006510	0046121	0049535	0003985	0002700	01292	01292	00299	00412	00287	00839	17001088	(17000_BF)	76	-3	85	%
0094811	01000000	0107304	0044770	0048610	0006510	0045571	0049775	0009189	0002340	00838	00838	00204	00284	00210	00869	17001089	(17000_BF)	76	-4	74	%
0094811	01000000	0107304	0044770	0048610	0006510	0045722	0049100	0008780	0002710	00784	00784	00180	00262	00190	00660	17001090	(17000_BF)	75	-3	74	%
0094811	01000000	0107304	0044770	0048610	0006510	0043151	0048095	0008434	0002630	00834	00834	00243	00320	00282	00805	17001091	(17000_BF)	75	-5	74	%
0094811	01000000	0107304	0044770	0048610	0006510	0043107	0048230	0005200	0003580	00651											

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	01000000	0107304	0038160	0042600	0015840	0039702	0042770	0015333	0004260	00460	00460	00271	00297	00312	00785	17001100	(17000_BF)	71	-4	45	%
0094811	0100000	0107304	0038160	0042600	0015840	0037861	0042140	0015145	0000840	00114	00114	00055	00057	00053	00316	17001101	(17000_BF)	71	-6	45	%
0094811	0100000	0107304	0038160	0042600	0015840	0037797	0043300	0015836	0002898	00335	00335	00191	00200	00208	00657	17001102	(17000_BF)	72	-8	45	%
0094811	0100000	0107304	0038160	0042600	0015840	0037429	0042450	0016184	0001217	00214	00214	00124	00133	00140	00354	17001103	(17000_BF)	71	-8	44	%
0094811	0100000	0107304	0038160	0042600	0015840	0038005	0042660	0014602	0001913	00297	00297	00098	00120	00096	00410	17001104	(17000_BF)	71	-7	46	%
0094811	0100000	0107304	0038160	0042600	0015840	0038282	0041600	0014193	0003159	00430	00430	00238	00256	00263	00905	17001105	(17000_BF)	71	-5	46	%
0094811	0100000	0107304	0038160	0042600	0015840	0038965	0043160	0015500	0000898	00174	00174	00087	00093	00091	00393	17001106	(17000_BF)	71	-6	45	%
0094811	0100000	0107304	0038160	0042600	0015840	0037016	0042280	0015270	0002695	00293	00293	00161	00171	00178	00516	17001107	(17000_BF)	71	-8	45	%
0094811	0100000	0107304	0038160	0042600	0015840	0037212	0042100	0014936	0001913	00219	00219	00103	00111	00108	00455	17001108	(17000_BF)	71	-7	45	%
0094811	0100000	0107304	0038160	0042600	0015840	0036427	0041740	0015589	0003188	00321	00321	00196	00203	00215	00719	17001109	(17000_BF)	71	-8	44	%
0094811	0100000	0107304	0038160	0042600	0015840	0038837	0043050	0015710	0001797	00121	00121	00068	00071	00072	00307	17001110	(17000_BF)	71	-6	45	%
0094811	0100000	0107304	0038160	0042600	0015840	0036638	0041890	0016504	0002376	00371	00371	00207	00221	00229	00696	17001111	(17000_BF)	71	-8	43	%
0094811	0100000	0107304	0038160	0042600	0015840	0037775	0042390	0017261	0001304	00337	00337	00126	00152	00133	00503	17001112	(17000_BF)	71	-7	43	%
0094811	0100000	0107304	0038160	0042600	0015840	0038298	0043120	0015286	0001333	00217	00217	00087	00098	00086	00412	17001113	(17000_BF)	71	-7	45	%
0094811	0100000	0107304	0042350	0034800	0014910	0043789	0034610	0014784	0003530	00492	00492	00237	00375	00266	00885	17001114	(17000_BF)	66	32	37	%
0094811	0100000	0107304	0042350	0034800	0014910	0041514	0035080	0015186	0001526	00348	00348	00168	00288	00193	00661	17001115	(17000_BF)	66	28	36	%
0094811	0100000	0107304	0042350	0034800	0014910	0042042	0034190	0014118	0000592	00161	00161	00069	00074	00063	00525	17001116	(17000_BF)	65	31	37	%
0094811	0100000	0107304	0042350	0034800	0014910	0044581	0035440	0014305	0002186	00502	00502	00190	00261	00194	00926	17001117	(17000_BF)	66	32	38	%
0094811	0100000	0107304	0042350	0034800	0014910	0043633	0035950	0013307	0002369	00545	00545	00250	00383	00267	01101	17001118	(17000_BF)	66	30	39	%
0094811	0100000	0107304	0042350	0034800	0014910	0042207	0035240	0014824	0001230	00208	00208	00121	00209	00139	00479	17001119	(17000_BF)	66	29	37	%
0094811	0100000	0107304	0042350	0034800	0014910	0042872	0035450	0013871	0002277	00342	00342	00171	00278	00189	00680	17001120	(17000_BF)	66	30	38	%
0094811	0100000	0107304	0042350	0034800	0014910	0041724	0035300	0015404	0001275	00361	00361	00172	00288	00195	00748	17001121	(17000_BF)	66	28	36	%
0094811	0100000	0107304	0042350	0034800	0014910	0041514	0035080	0015186	0002961	00348	00348	00168	00288	00193	00661	17001122	(17000_BF)	66	28	36	%
0094811	0100000	0107304	0042350	0034800	0014910	0043124	0035630	0014441	0001685	00234	00234	00127	00193	00136	00654	17001123	(17000_BF)	66	30	38	%
0094811	0100000	0107304	0042350	0034800	0014910	0041961	0035060	0014253	0002277	00279	00279	00162	00290	00190	00509	17001124	(17000_BF)	66	29	38	%
0094811	0100000	0107304	0042350	0034800	0014910	0043715	0035170	0013590	0001503	00462	00462	00148	00181	00143	00779	17001125	(17000_BF)	66	31	38	%
0094811	0100000	0107304	0042350	0034800	0014910	0042175	0035280	0014464	0001936	00274	00274	00162	00285	00188	00575	17001126	(17000_BF)	66	29	37	%
0094811	0100000	0107304	0042350	0034800	0014910	0041636	0034120	0013396	0001822	00276	00276	00126	00187	00134	00674	17001127	(17000_BF)	65	30	38	%
0094811	0100000	0107304	0016710	0015900	0025000	0016966	0015700	0025247	0002521	00271	00271	00177	00209	00212	00789	17001128	(17000_BF)	47	10	-15	%
0094811	0100000	0107304	0016710	0015900	0025000	0017363	0016600	0025429	0000594	00129	00129	00105	00106	00104	01087	17001129	(17000_BF)	47	9	-14	%
0094811	0100000	0107304	0016710	0015900	0025000	0016666	0016070	0024251	0001150	00203	00203	00115	00136	00128	00906	17001130	(17000_BF)	47	8	-13	%
0094811	0100000	0107304	0016710	0015900	0025000	0016368	0015260	0025017	0001572	00246	00246	00158	00173	00169	01309	17001131	(17000_BF)	46	10	-15	%
0094811	0100000	0107304	0016710	0015900	0025000	0017202	0016330	0025167	0000642	00094	00094	00078	00088	00085	00713	17001132	(17000_BF)	47	9	-14	%
0094811	0100000	0107304	0016710	0015900	0025000	0017629	0016650	0025592	0000958	00147	00147	00131	00145	00144	01121	17001133	(17000_BF)	47	9	-14	%
0094811	0100000	0107304	0016710	0015900	0025000	0016363	0015430	0024235	0000699	00098	00098	00085	00095	00096	00680	17001134	(17000_BF)	47	9	-14	%
0094811	0100000	0107304	0016710	0015900	0025000	0016899	0016049	0025800	0000488	00100	00100	00061	00070	00063	00500	17001135	(17000_BF)	47	9	-15	%
0094811	0100000	0107304	0016710	0015900	0025000	0015772	0015110	0023122	0001179	00187	00187	00136	00144	00138	01244	17001136	(17000_BF)	46	9	-14	%
0094811	0100000	0107304	0016710	0015900	0025000	0017155	0016630	0025544	0001792	00201	00201	00148	00168	00173	01159	17001137	(17000_BF)	47	8	-14	%
0094811	0100000	0107304	0016710	0015900	0025000	0016799	0016350	0025496	0001438	00212	00212	00158	00199	00205	00788	17001138	(17000_BF)	47	8	-14	%
0094811	0100000	0107304	0016710	0015900	0025000	0017207	0016460	0026341	0000958	00122	00122	00101	00113	00110	00847	17001139	(17000_BF)	47	9	-15	%
0094811	0100000	0107304	0016710	0015900	0025000	0016850	0016219	0025024	0000805	00129	00129	00085	00098	00099	00629	17001140	(17000_BF)	47	8	-14	%
0094811	0100000	0107304	0016710	0015900	0025000	0017316	0016240	0025073	0001610	00163	00163	00131	00161	00160	00665	17001141	(17000_BF)	47	10	-14	%
0094811	0100000	0107304	0014550	0016200	0032780	0014891	0016820	0034172	0000899	00165	00165	00123	00131	00138	00871	170					

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	01000000	0107304	0014550	0016200	0032780	0014440	0016070	0030826	0001750	00244	00244	00115	00136	00104	01204	17001150	(17000_BF)	47	-4	-24	%
0094811	01000000	0107304	0014550	0016200	0032780	0013888	0016160	0031397	0002637	00430	00430	00306	00350	00308	01207	17001151	(17000_BF)	47	-6	-24	%
0094811	01000000	0107304	0014550	0016200	0032780	0015847	0017090	00334720	0001498	00311	00311	00236	00266	00252	01331	17001152	(17000_BF)	48	-3	-25	%
0094811	01000000	0107304	0014550	0016200	0032780	0014577	0016490	0032527	0001199	00179	00179	00126	00144	00121	00751	17001153	(17000_BF)	47	-5	-25	%
0094811	01000000	0107304	0014550	0016200	0032780	0015350	0017250	0032741	0001642	00287	00287	00194	00208	00174	01998	17001154	(17000_BF)	48	-5	-24	%
0094811	01000000	0107304	0014550	0016200	0032780	0014789	0016690	0032150	0001139	00241	00241	00154	00175	00134	01305	17001155	(17000_BF)	48	-5	-24	%
0094811	01000000	0107304	0034740	0042500	0045950	0034490	0043230	0047151	0002103	00307	00307	00175	00190	00187	00607	17001156	(17000_BF)	71	-19	0	%
0094811	01000000	0107304	0034740	0042500	0045950	0035268	0042520	0043699	0002061	00307	00307	00223	00247	00222	00959	17001157	(17000_BF)	71	-17	0	%
0094811	01000000	0107304	0034740	0042500	0045950	0034954	0041940	0043141	0003505	00346	00346	00242	00271	00249	01022	17001158	(17000_BF)	71	-16	0	%
0094811	01000000	0107304	0034740	0042500	0045950	0034230	0042720	0044864	0001628	00281	00281	00174	00189	00180	00649	17001159	(17000_BF)	71	-19	0	%
0094811	01000000	0107304	0034740	0042500	0045950	0035920	0042500	0043218	0004886	00503	00503	00334	00389	00366	01260	17001160	(17000_BF)	71	-16	1	%
0094811	01000000	0107304	0034740	0042500	0045950	0034062	0041970	0042527	0002288	00332	00332	00256	00270	00238	01214	17001161	(17000_BF)	71	-18	1	%
0094811	01000000	0107304	0034740	0042500	0045950	0035968	0043080	0044639	0003360	00328	00328	00222	00250	00233	00925	17001162	(17000_BF)	71	-16	0	%
0094811	01000000	0107304	0034740	0042500	0045950	0033166	0042190	0044333	0003484	00478	00478	00275	00296	00287	00860	17001163	(17000_BF)	71	-20	0	%
0094811	01000000	0107304	0034740	0042500	0045950	0034715	0042280	0043291	0001958	00276	00276	00216	00233	00203	00999	17001164	(17000_BF)	71	-17	0	%
0094811	01000000	0107304	0034740	0042500	0045950	0035036	0043250	0044864	0001546	00244	00244	00181	00189	00171	00883	17001165	(17000_BF)	71	-18	0	%
0094811	01000000	0107304	0034740	0042500	0045950	0034457	0041990	0043696	0001608	00200	00200	00156	00167	00147	00863	17001166	(17000_BF)	71	-17	0	%
0094811	01000000	0107304	0034740	0042500	0045950	0034143	0042160	00441594	0003525	00464	00464	00355	00376	00329	01640	17001167	(17000_BF)	71	-18	1	%
0094811	01000000	0107304	0034740	0042500	0045950	0034317	0043050	0045986	0001896	00315	00315	00179	00196	00193	00575	17001168	(17000_BF)	71	-19	0	%
0094811	01000000	0107304	0034740	0042500	0045950	0035165	0042310	0044668	0001670	00234	00234	00146	00167	00161	00541	17001169	(17000_BF)	71	-17	0	%
0094811	01000000	0107304	0034740	0042500	0045950	0034557	0042320	0044803	0001010	00106	00106	00083	00088	00078	00404	17001170	(17000_BF)	71	-18	0	%
0094811	01000000	0107304	0034740	0042500	0045950	0033785	0042510	0046248	0002061	00334	00334	00184	00204	00201	00491	17001171	(17000_BF)	71	-19	0	%
0094811	01000000	0107304	0034740	0042500	0045950	0033908	0042560	0044373	0002226	00355	00355	00218	00235	00224	00799	17001172	(17000_BF)	71	-19	0	%
0094811	01000000	0107304	0034740	0042500	0045950	0034096	0042180	0044033	0001381	00217	00217	00154	00164	00150	00697	17001173	(17000_BF)	71	-18	0	%
0094811	01000000	0107304	0034740	0042500	0045950	0034103	0042970	0047118	0002762	00366	00366	00206	00225	00220	00626	17001174	(17000_BF)	71	-19	0	%
0094811	01000000	0107304	0019600	0020780	0022060	0019456	0020880	0023205	0002800	00217	00217	00213	00300	00240	00853	17001175	(17000_BF)	53	-1	0	%
0094811	01000000	0107304	0019600	0020780	0022060	0019522	0020900	0022209	0001836	00097	00097	00094	00136	00135	00243	17001176	(17000_BF)	53	0	0	%
0094811	01000000	0107304	0019600	0020780	0022060	0019310	0020600	0022990	0002163	00207	00207	00204	00290	00209	00912	17001177	(17000_BF)	53	0	0	%
0094811	01000000	0107304	0019600	0020780	0022060	0020606	0021800	0022109	0001636	00213	00213	00210	00270	00205	01331	17001178	(17000_BF)	53	0	1	%
0094811	01000000	0107304	0019600	0020780	0022060	0020068	0021490	0022171	0001545	00169	00169	00165	00218	00189	00927	17001179	(17000_BF)	53	-1	0	%
0094811	01000000	0107304	0019600	0020780	0022060	0019931	0021050	0023688	0002909	00237	00237	00233	00331	00233	01075	17001180	(17000_BF)	53	0	0	%
0094811	01000000	0107304	0019600	0020780	0022060	0019256	0020740	0022322	0002454	00163	00163	00159	00227	00220	00409	17001181	(17000_BF)	53	-1	0	%
0094811	01000000	0107304	0019600	0020780	0022060	0020106	0021220	0023054	0000963	00112	00112	00111	00157	00121	00632	17001182	(17000_BF)	53	0	0	%
0094811	01000000	0107304	0019600	0020780	0022060	0020078	0021100	0022703	0001636	00107	00107	00106	00155	00143	00459	17001183	(17000_BF)	53	0	0	%
0094811	01000000	0107304	0019600	0020780	0022060	0020604	0021530	0023989	0002272	00255	00255	00251	00348	00290	01215	17001184	(17000_BF)	53	0	0	%
0094811	01000000	0107304	0019600	0020780	0022060	0020602	0021410	0023683	0003000	00267	00267	00263	00367	00332	01081	17001185	(17000_BF)	53	0	0	%
0094811	01000000	0107304	0019600	0020780	0022060	0019918	0021230	0021625	0001454	00178	00178	00173	00238	00175	00854	17001186	(17000_BF)	53	0	1	%
0094811	01000000	0107304	0019600	0020780	0022060	0020542	0021280	0022878	0002363	00242	00242	00239	00336	00338	00767	17001187	(17000_BF)	53	0	0	%
0094811	01000000	0107304	0019600	0020780	0022060	0019704	0020740	0021596	0001818	00104	00104	00102	00149	00128	00365	17001188	(17000_BF)	53	0	0	%
0094811	01000000	0107304	0012340	0012900	0021330	0012564	0013260	0021079	0001356	00169	00169	00116	00142	00128	00997	17001189	(17000_BF)	43	0	-14	%
0094811	01000000	0107304	0012340	0012900	0021330	0012556	0013330	0022115	0001356	00148	00148	00125	00161	00171	00761	17001190	(17000_BF)	43	0	-15	%
0094811	01000000	0107304	0012340	0012900	0021330	0012424	0012860	0021376	0000949	00086	00086	00068	00096	00100	00235	17001191	(17000_BF)	43	1	-15	%
0094811	01000000	0107304	0012340	0012900	0021330	0012204	0012980	0021759	0001641	00156	00156	00122	00166	00182							

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	01000000	0107304	0012340	0012900	0021330	0012358	0012730	0020117	0002347	00220	00220	00152	00205	00213	00989	17001200	(17000_BF)	42	1	-14	%
0094811	01000000	0107304	0012340	0012900	0021330	0012997	0013590	0021113	0001899	00239	00239	00163	00183	00162	01663	17001201	(17000_BF)	43	0	-14	%
0094811	01000000	0107304	0012340	0012900	0021330	0012828	0013200	0022643	0001356	00212	00212	00146	00182	00167	00946	17001202	(17000_BF)	43	1	-16	%
0094811	01000000	0107304	0038241	0041040	0015586	0038906	0041990	0015168	0001005	00230	00230	00103	00108	00096	00618	17001203	(17000_BF)	71	-2	44	%
0094811	01000000	0107304	0038241	0041040	0015586	0039225	0042300	0016709	0000596	00143	00143	00101	00090	00088	00766	17001204	(17000_BF)	71	-2	43	%
0094811	01000000	0107304	0038241	0041040	0015586	0037376	0039710	0015155	0001450	00169	00169	00122	00116	00116	00825	17001205	(17000_BF)	70	-1	43	%
0094811	01000000	0107304	0038241	0041040	0015586	0039543	0042920	0016544	0001565	00194	00194	00156	00140	00141	01113	17001206	(17000_BF)	71	-2	43	%
0094811	01000000	0107304	0038241	0041040	0015586	0036342	0038930	0014263	0000836	00159	00159	00152	00120	00119	01284	17001207	(17000_BF)	69	-2	43	%
0094811	01000000	0107304	0038241	0041040	0015586	0039454	0042880	0015811	0001975	00265	00265	00167	00158	00154	01105	17001208	(17000_BF)	71	-2	44	%
0094811	01000000	0107304	0038241	0041040	0015586	0045068	0048960	0020417	0002384	00556	00556	00533	00419	00411	04311	17001209	(17000_BF)	73	-3	43	%
0094811	01000000	0107304	0038241	0041040	0015586	0036692	0039050	0014234	0001752	00189	00189	00157	00135	00135	01228	17001210	(17000_BF)	70	-1	43	%
0094811	01000000	0107304	0038241	0041040	0015586	0045129	0048630	0020637	0001779	00532	00532	00506	00393	00383	04154	17001211	(17000_BF)	73	-2	42	%
0094811	01000000	0107304	0038241	0041040	0015586	0039301	0041920	0016108	0000569	00097	00097	00075	00070	00070	00533	17001212	(17000_BF)	71	-1	43	%
0094811	01000000	0107304	0038241	0041040	0015586	0039061	0042340	0015887	0001610	00178	00178	00120	00114	00113	00786	17001213	(17000_BF)	71	-2	43	%
0094811	01000000	0107304	0038241	0041040	0015586	0043793	0047050	0019941	0001743	00452	00452	00408	00321	00311	03362	17001214	(17000_BF)	72	-2	42	%
0094811	01000000	0107304	0038241	0041040	0015586	0036578	0038730	0013972	0001779	00252	00252	00196	00177	00178	01449	17001215	(17000_BF)	69	-1	43	%
0094811	01000000	0107304	0038241	0041040	0015586	0035856	0039020	0014496	0002090	00218	00218	00174	00158	00161	01258	17001216	(17000_BF)	69	-2	43	%
0094811	01000000	0107304	0038241	0041040	0015586	0043836	0047500	0019026	0001939	00451	00451	00438	00343	00337	03556	17001217	(17000_BF)	72	-2	43	%
0094811	01000000	0107304	0038241	0041040	0015586	0040669	0043490	0017310	0001361	00192	00192	00172	00137	00134	01425	17001218	(17000_BF)	71	-1	43	%
0094811	01000000	0107304	0038241	0041040	0015586	0040075	0043990	0016299	0002348	00399	00399	00270	00255	00254	01753	17001219	(17000_BF)	71	-3	44	%
0094811	01000000	0107304	0038241	0041040	0015586	0044866	0048550	0020980	0001903	00563	00563	00509	00403	00392	04135	17001220	(17000_BF)	73	-2	42	%
0094811	01000000	0107304	0038241	0041040	0015586	0033550	0035760	0011925	0003104	00459	00459	00398	00325	00322	03363	17001221	(17000_BF)	68	-1	44	%
0094811	01000000	0107304	0038241	0041040	0015586	0043481	0047130	0019274	0001983	00435	00435	00416	00328	00323	03380	17001222	(17000_BF)	72	-2	43	%
0094811	01000000	0107304	0038241	0041040	0015586	0044730	0047820	0015468	0003202	00922	00922	00527	00473	00427	03778	17001223	(17000_BF)	72	-1	47	%
0094811	01000000	0107304	0038241	0041040	0015586	0045709	0048500	0019214	0003167	00520	00520	00501	00391	00384	04058	17001224	(17000_BF)	73	-1	43	%
0094811	01000000	0107304	0038241	0041040	0015586	0043352	0047350	0019721	0002411	00500	00500	00448	00367	00363	03519	17001225	(17000_BF)	72	-3	42	%
0094811	01000000	0107304	0038241	0041040	0015586	0036357	0039630	0015157	0001708	00224	00224	00154	00153	00157	00908	17001226	(17000_BF)	70	-3	43	%
0094811	01000000	0107304	0038241	0041040	0015586	0037553	0039910	0014964	0000898	00145	00145	00108	00104	00106	00710	17001227	(17000_BF)	70	-1	43	%
0094811	01000000	0107304	0038241	0041040	0015586	0037727	0040080	0014798	0001761	00156	00156	00104	00105	00106	00630	17001228	(17000_BF)	70	-1	43	%
0094811	01000000	0107304	0038241	0041040	0015586	0037086	0039670	0012933	0001975	00478	00478	00188	00207	00174	01088	17001229	(17000_BF)	70	-1	45	%
0094811	01000000	0107304	0038241	0041040	0015586	0038230	0041030	0014996	0000462	00133	00133	00045	00055	00044	00191	17001230	(17000_BF)	70	-2	44	%
0094811	01000000	0107304	0042369	0034540	0015418	0041404	0034080	0015395	0000220	00151	00151	00067	00088	00068	00392	17001231	(17000_BF)	65	30	35	%
0094811	01000000	0107304	0042369	0034540	0015418	0041356	0033000	0014448	0001741	00254	00254	00160	00190	00154	01192	17001232	(17000_BF)	65	32	35	%
0094811	01000000	0107304	0042369	0034540	0015418	0041255	0033370	0014172	0000618	00171	00171	00105	00100	00092	00888	17001233	(17000_BF)	65	31	36	%
0094811	01000000	0107304	0042369	0034540	0015418	0041129	0033290	0015383	0001464	00198	00198	00134	00168	00132	00917	17001234	(17000_BF)	65	31	34	%
0094811	01000000	0107304	0042369	0034540	0015418	0042010	0034630	0016426	0000817	00252	00252	00082	00107	00085	00459	17001235	(17000_BF)	65	30	34	%
0094811	01000000	0107304	0042369	0034540	0015418	0040610	0032730	0015406	0002480	00299	00299	00201	00257	00201	01346	17001236	(17000_BF)	65	31	34	%
0094811	01000000	0107304	0042369	0034540	0015418	0043423	0034670	0014335	0001599	00381	00381	00122	00151	00119	00651	17001237	(17000_BF)	65	32	36	%
0094811	01000000	0107304	0042369	0034540	0015418	0041024	0033650	0015588	0000312	00203	00203	00094	00098	00086	00676	17001238	(17000_BF)	65	30	34	%
0094811	01000000	0107304	0042369	0034540	0015418	0042025	0034030	0015324	0000767	00093	00093	00063	00088	00066	00389	17001239	(17000_BF)	65	31	35	%
0094811	01000000	0107304	0042369	0034540	0015418	0043590	0035050	0014701	0001449	00305	00305	00104	00123	00100	00592	17001240	(17000_BF)	66	32	36	%
0094811	01000000	0107304	0042369	0034540	0015418	0036873	0029970	0014464	0003120	00579	00579	00414	00401	00369	03395	17001241	(17000_BF)	64	30	33	%
0094811	01000000	0107304	0042369	0034540	0015418	0041695	0034760	0016139	0001222	00307	00307	00116									

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094811	0100000	0107304	0042369	0034540	0015418	0043335	0034950	0014889	0001165	00233	00233	00080	00095	00077	00462	17001250	(17000_BF)	66	32	36	%
0094811	0100000	0107304	0042369	0034540	0015418	0040925	0033560	0015997	0001293	00293	00293	00128	00158	00127	00810	17001251	(17000_BF)	65	30	34	%
0094811	0100000	0107304	0042369	0034540	0015418	0040920	0033520	0014827	0000533	00122	00122	00092	00096	00083	00724	17001252	(17000_BF)	65	30	35	%
0094811	0100000	0107304	0042369	0034540	0015418	0039100	0031980	0013388	0001940	00269	00269	00229	00241	00208	01868	17001253	(17000_BF)	64	30	36	%
0094811	0100000	0107304	0042369	0034540	0015418	0041180	0033200	0015083	0001606	00180	00180	00136	00165	00132	00980	17001254	(17000_BF)	65	31	35	%
0094811	0100000	0107304	0042369	0034540	0015418	0042506	0034530	0015711	0000874	00080	00080	00046	00076	00053	00141	17001255	(17000_BF)	65	31	35	%
0094811	0100000	0107304	0042369	0034540	0015418	0040079	0033460	0014605	0002331	00345	00345	00193	00304	00213	00936	17001256	(17000_BF)	65	29	35	%
0094811	0100000	0107304	0042369	0034540	0015418	0038905	0030950	0015594	0003951	00645	00645	00427	00552	00435	02772	17001257	(17000_BF)	64	32	32	%
0094811	0100000	0107304	0042369	0034540	0015418	0042314	0033850	0015544	0002267	00256	00256	00153	00238	00171	00664	17001258	(17000_BF)	65	32	34	%
0094811	0100000	0107304	0042369	0034540	0015418	0041264	0034200	0015808	0000696	00258	00258	00094	00128	00098	00490	17001259	(17000_BF)	65	30	34	%
0094811	0100000	0107304	0017139	0015930	0025090	0017252	0016139	0025490	0000340	00065	00065	00052	00061	00060	00321	17001260	(17000_BF)	47	11	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0017666	0016309	0025506	0001083	00089	00089	00074	00082	00082	00553	17001261	(17000_BF)	47	12	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0017345	0016120	0025173	0000283	00038	00038	00032	00034	00032	00312	17001262	(17000_BF)	47	11	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0016462	0015240	0024909	0000629	00159	00159	00121	00127	00120	01230	17001263	(17000_BF)	46	11	-15	%
0094811	0100000	0107304	0017139	0015930	0025090	0017323	0015970	0025290	0000985	00081	00081	00051	00060	00060	00209	17001264	(17000_BF)	47	12	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0017131	0016240	0024919	0001300	00207	00207	00126	00150	00151	00792	17001265	(17000_BF)	47	10	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0017220	0016090	0025241	0000288	00052	00052	00037	00042	00042	00258	17001266	(17000_BF)	47	11	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0016290	0015270	0024827	0001449	00169	00169	00141	00161	00156	01142	17001267	(17000_BF)	46	11	-15	%
0094811	0100000	0107304	0017139	0015930	0025090	0016727	0015630	0025085	0001001	00097	00097	00079	00092	00088	00577	17001268	(17000_BF)	47	11	-15	%
0094811	0100000	0107304	0017139	0015930	0025090	0017318	0015700	0024979	0001594	00233	00233	00154	00179	00179	00640	17001269	(17000_BF)	47	12	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0017180	0016020	0024842	0000330	00068	00068	00039	00045	00040	00346	17001270	(17000_BF)	47	11	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0017415	0016070	0025271	0000835	00073	00073	00053	00062	00063	00245	17001271	(17000_BF)	47	12	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0017126	0015880	0025226	0000283	00040	00040	00022	00025	00023	00194	17001272	(17000_BF)	47	11	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0017568	0016780	0024965	0001568	00336	00336	00207	00236	00234	01719	17001273	(17000_BF)	47	10	-13	%
0094811	0100000	0107304	0017139	0015930	0025090	0017357	0015880	0025403	0001320	00160	00160	00096	00111	00111	00462	17001274	(17000_BF)	47	12	-15	%
0094811	0100000	0107304	0017139	0015930	0025090	0017274	0016260	0025421	0000995	00121	00121	00086	00100	00102	00541	17001275	(17000_BF)	47	11	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0016821	0015700	0024403	0000381	00081	00081	00051	00055	00053	00424	17001276	(17000_BF)	47	11	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0017181	0015840	0025320	0000639	00095	00095	00053	00061	00059	00368	17001277	(17000_BF)	47	12	-15	%
0094811	0100000	0107304	0017139	0015930	0025090	0016496	0015540	0024886	0001465	00155	00155	00123	00148	00147	00697	17001278	(17000_BF)	47	10	-15	%
0094811	0100000	0107304	0017139	0015930	0025090	0017294	0016190	0025260	0000541	00077	00077	00053	00058	00059	00430	17001279	(17000_BF)	47	11	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0016471	0015220	0024951	0000892	00173	00173	00127	00133	00125	01294	17001280	(17000_BF)	46	11	-15	%
0094811	0100000	0107304	0017139	0015930	0025090	0017479	0015960	0025236	0001455	00169	00169	00113	00133	00133	00379	17001281	(17000_BF)	47	12	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0017464	0016209	0025207	0000443	00060	00060	00050	00055	00053	00462	17001282	(17000_BF)	47	11	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0017114	0015840	0025259	0000185	00062	00062	00035	00039	00036	00295	17001283	(17000_BF)	47	11	-15	%
0094811	0100000	0107304	0017139	0015930	0025090	0017248	0016139	0025238	0000562	00069	00069	00047	00053	00054	00351	17001284	(17000_BF)	47	11	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0017446	0016150	0025344	0000624	00052	00052	00043	00048	00048	00320	17001285	(17000_BF)	47	11	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0017122	0016030	0025245	0000567	00067	00067	00048	00059	00059	00204	17001286	(17000_BF)	47	11	-14	%
0094811	0100000	0107304	0017139	0015930	0025090	0017457	0016120	0025340	0000794	00070	00070	00052	00060	00061	00295	17001287	(17000_BF)	47	11	-14	%
0094811	0100000	0107304	0014292	0016000	0031364	0015822	0017430	0034306	0001959	00241	00241	00213	00214	00209	01909	17001288	(17000_BF)	48	-4	-24	%
0094811	0100000	0107304	0014292	0016000	0031364	0014803	0016900	0033623	0002179	00246	00246	00176	00186	00197	01296	17001289	(17000_BF)	48	-6	-24	%
0094811	0100000	0107304	0014292	0016000	0031364	0016353	0017630	0034669	0003346	00400	00400	00323	00352	00340	02256	17001290	(17000_BF)	48	-3	-24	%
0094811	0100000	0107304	0014292	0016000	0031364	0016581	0018530	0034971	0001472	00320	00320	00317	00296	00314	03349	17001291	(17000_BF)	49	-5	-23	%
0094811	0100000	0107304	0014292	0016000	0031364	0015829	0017660	0034303	0000917	00214	00214	00211	00199	00208	02183	17001292	(17000_BF)	48	-5	-24	%
0094811	0100000	0107304	0014292	0016000	0031364	0016037	0017410	0035204	0002810	00384	00384	00291	00316	00276	02069	17001293	(17000_BF)	48	-4	-25	%
0094811	0100000	0107304	0014292	0016000	0031364	0015359	0017340	0033534	0001080	00193	00193	00182	00177	00184	01800	17001294	(17000_BF)	48	-5	-24	%
0094811	0100000	0107304	0014292	0016000	0031364	0015873	0017900	0035876	0002313	00320	00320	00261	00253	00263	02525	17001295	(17000_BF)	48	-5	-25	%
0094811	0100000	0107304	0014292	0016000	0031364	0015688	0017380	0035954	0002112	00369	00369	00246	00255	00214	02196	17001296	(17000_BF)	48	-4	-25	%
0094811	0100000	0107304	0014292	0016000	0031364	0015259	0016900	0035931	0002122	00439	00439	00248	00269	00194	02205	17001297	(17000_BF)	48	-4	-26	%
0094811	0100000	0107304	0014292	0016000	0031364	0015507	0017400	0034691	0001281	00233	00233	00192	00186	00190	01883	17001298	(17000_BF)	48	-5	-24	%

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	01000000	0107304	0014292	0016000	0031364	0015880	0017940	0034836	0001644	00270	00270	00255	00244	00258	02535	17001300	(17000_BF)	48	-5	-24	%
0094811	0100000	0107304	0014292	0016000	0031364	0016602	0018490	0034812	0001357	00318	00318	00312	00292	00310	03318	17001301	(17000_BF)	49	-5	-23	%
0094811	0100000	0107304	0014292	0016000	0031364	0014777	0016780	0032414	0001319	00171	00171	00142	00150	00148	01124	17001302	(17000_BF)	47	-6	-24	%
0094811	0100000	0107304	0014292	0016000	0031364	0015828	0017670	0034463	0000841	00219	00219	00213	00201	00210	02188	17001303	(17000_BF)	48	-5	-24	%
0094811	0100000	0107304	0014292	0016000	0031364	0015402	0017010	0034006	0001204	00220	00220	00172	00179	00160	01437	17001304	(17000_BF)	48	-4	-24	%
0094811	0100000	0107304	0014292	0016000	0031364	0015518	0017440	0033530	0000965	00191	00191	00187	00178	00185	01945	17001305	(17000_BF)	48	-5	-24	%
0094811	0100000	0107304	0014292	0016000	0031364	0015555	0017490	0033435	0000975	00213	00213	00196	00187	00196	01960	17001306	(17000_BF)	48	-5	-24	%
0094811	0100000	0107304	0014292	0016000	0031364	0016299	0017670	0034919	0003097	00368	00368	00302	00322	00308	02277	17001307	(17000_BF)	48	-3	-24	%
0094811	0100000	0107304	0014292	0016000	0031364	0016744	0018490	0034329	0001883	00352	00352	00323	00308	00328	03423	17001308	(17000_BF)	49	-4	-23	%
0094811	0100000	0107304	0014292	0016000	0031364	0016267	0017610	0035344	0003240	00402	00402	00315	00339	00307	02269	17001309	(17000_BF)	48	-3	-25	%
0094811	0100000	0107304	0014292	0016000	0031364	0015844	0017960	0036709	0002552	00403	00403	00291	00289	00298	02725	17001310	(17000_BF)	48	-6	-25	%
0094811	0100000	0107304	0014292	0016000	0031364	0014530	0016700	0032779	0002332	00262	00262	00193	00212	00215	01053	17001311	(17000_BF)	47	-6	-24	%
0094811	0100000	0107304	0014292	0016000	0031364	0014642	0016830	0032862	0002323	00268	00268	00203	00222	00223	01211	17001312	(17000_BF)	48	-6	-24	%
0094811	0100000	0107304	0014292	0016000	0031364	0016263	0017700	0034140	0003011	00323	00323	00277	00289	00296	02315	17001313	(17000_BF)	48	-4	-24	%
0094811	0100000	0107304	0014292	0016000	0031364	0016200	0017660	0034989	0002782	00335	00335	00279	00292	00277	02244	17001314	(17000_BF)	48	-4	-24	%
0094811	0100000	0107304	0014292	0016000	0031364	0016110	0018160	0035441	0001567	00296	00296	00279	00265	00281	02796	17001315	(17000_BF)	48	-5	-24	%
0094811	0100000	0107304	0014292	0016000	0031364	0016012	0018020	0034484	0001520	00264	00264	00259	00245	00258	02676	17001316	(17000_BF)	48	-5	-24	%
0094811	0100000	0107304	0035526	0043400	0047456	0035257	0043260	0047899	0000427	00081	00081	00056	00060	00056	00261	17001317	(17000_BF)	72	-18	-1	%
0094811	0100000	0107304	0035526	0043400	0047456	0035945	0043730	0047115	0000745	00090	00090	00067	00071	00064	00341	17001318	(17000_BF)	72	-17	0	%
0094811	0100000	0107304	0035526	0043400	0047456	0035730	0043990	0046579	0001730	00196	00196	00145	00152	00139	00698	17001319	(17000_BF)	72	-18	0	%
0094811	0100000	0107304	0035526	0043400	0047456	0036146	0043520	0048786	0001809	00215	00215	00143	00160	00154	00543	17001320	(17000_BF)	72	-17	-1	%
0094811	0100000	0107304	0035526	0043400	0047456	0035251	0043570	0047982	0000948	00147	00147	00083	00093	00092	00260	17001321	(17000_BF)	72	-18	-1	%
0094811	0100000	0107304	0035526	0043400	0047456	0035777	0043500	0047729	0000469	00058	00058	00034	00039	00039	00119	17001322	(17000_BF)	72	-17	-1	%
0094811	0100000	0107304	0035526	0043400	0047456	0036148	0043650	0048433	0001386	00156	00156	00099	00111	00109	00372	17001323	(17000_BF)	72	-17	-1	%
0094811	0100000	0107304	0035526	0043400	0047456	0034281	0042390	0044720	0001736	00232	00232	00173	00177	00163	00903	17001324	(17000_BF)	71	-18	0	%
0094811	0100000	0107304	0035526	0043400	0047456	0036202	0043700	0047391	0000990	00147	00147	00085	00098	00098	00311	17001325	(17000_BF)	72	-17	0	%
0094811	0100000	0107304	0035526	0043400	0047456	0035796	0043550	0048179	0000943	00076	00076	00055	00060	00055	00247	17001326	(17000_BF)	72	-17	-1	%
0094811	0100000	0107304	0035526	0043400	0047456	0034947	0043160	0045951	0001459	00185	00185	00128	00137	00128	00551	17001327	(17000_BF)	72	-18	0	%
0094811	0100000	0107304	0035526	0043400	0047456	0035035	0043120	0047963	0000907	00122	00122	00082	00088	00082	00382	17001328	(17000_BF)	72	-18	-1	%
0094811	0100000	0107304	0035526	0043400	0047456	0035524	0043400	0047496	0000203	00004	00004	00003	00003	00003	00015	17001329	(17000_BF)	72	-18	0	%
0094811	0100000	0107304	0035526	0043400	0047456	0034196	0042770	0046933	0001730	00275	00275	00155	00170	00168	00540	17001330	(17000_BF)	72	-19	-1	%
0094811	0100000	0107304	0035526	0043400	0047456	0035572	0043310	0047755	0000573	00059	00059	00041	00045	00042	00176	17001331	(17000_BF)	72	-17	-1	%
0094811	0100000	0107304	0035526	0043400	0047456	0035796	0043500	0047415	0000255	00064	00064	00036	00041	00041	00123	17001332	(17000_BF)	72	-17	0	%
0094811	0100000	0107304	0035526	0043400	0047456	0035286	0043180	0047827	0000636	00069	00069	00053	00056	00050	00275	17001333	(17000_BF)	72	-18	-1	%
0094811	0100000	0107304	0035526	0043400	0047456	0033956	0041960	0043355	0002148	00320	00320	00250	00255	00230	01338	17001334	(17000_BF)	71	-18	0	%
0094811	0100000	0107304	0035526	0043400	0047456	0034950	0043150	0047847	0000980	00142	00142	00087	00095	00091	00351	17001335	(17000_BF)	72	-18	-1	%
0094811	0100000	0107304	0035526	0043400	0047456	0035790	0043540	0047497	0000281	00050	00050	00029	00033	00033	00116	17001336	(17000_BF)	72	-17	0	%
0094811	0100000	0107304	0035526	0043400	0047456	0034467	0043100	0047179	0001616	00275	00275	00152	00169	00167	00433	17001337	(17000_BF)	72	-19	0	%
0094811	0100000	0107304	0035526	0043400	0047456	0035606	0043370	0047873	0000604	00059	00059	00043	00047	00043	00186	17001338	(17000_BF)	72	-17	-1	%
0094811	0100000	0107304	0035526	0043400	0047456	0035169	0043440	0047266	0000834	00134	00134	00076	00085	00085	00213	17001339	(17000_BF)	72	-18	0	%
0094811	0100000	0107304	0035526	0043400	0047456	0034527	0042790	0047872	0001459	00203	00203	00130	00139	00132	00607	17001340	(17000_BF)	72	-18	-1	%
0094811	0100000	0107304	0035526	0043400	0047456	0036141	0043710	0047992	0001084	00120	00120	00070	00079	00080	00259	17001341	(17000_BF)	72	-17	-1	%
0094811	0100000	0107304	0035526	0043400	0047456	0036136	0044260	0046132	0002038	00252	00252	00200	00208	00184	01008	17001342	(17000_BF)				

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
0094811	01000000	0107304	0019876	0021010	0022454	0019434	0020590	0022086	0000325	00053	00053	00053	00057	00057	00464	17001350	(17000_BF)	53	0	0 %
0094811	01000000	0107304	0019876	0021010	0022454	0019085	0020360	0022439	0001918	00166	00167	00165	00226	00186	00915	17001351	(17000_BF)	53	0	0 %
0094811	01000000	0107304	0019876	0021010	0022454	0019708	0020920	0020577	0003177	00326	00326	00322	00433	00304	01371	17001352	(17000_BF)	53	0	1 %
0094811	01000000	0107304	0019876	0021010	0022454	0020355	0021010	0023460	0003703	00294	00294	00291	00404	00368	00930	17001353	(17000_BF)	53	0	0 %
0094811	01000000	0107304	0019876	0021010	0022454	0019797	0021300	0023389	0003185	00208	00208	00206	00289	00266	00681	17001354	(17000_BF)	53	-1	0 %
0094811	01000000	0107304	0019876	0021010	0022454	0020015	0021390	0023119	0001703	00124	00124	00123	00174	00166	00508	17001355	(17000_BF)	53	0	0 %
0094811	01000000	0107304	0019876	0021010	0022454	0019968	0020750	0022814	0003096	00204	00204	00203	00291	00266	00681	17001356	(17000_BF)	53	0	0 %
0094811	01000000	0107304	0019876	0021010	0022454	0020400	0021560	0022475	0001066	00115	00115	00114	00154	00112	00726	17001357	(17000_BF)	53	0	0 %
0094811	01000000	0107304	0019876	0021010	0022454	0018728	0019860	0022575	0002962	00275	00275	00273	00359	00266	01679	17001358	(17000_BF)	52	0	-1 %
0094811	01000000	0107304	0019876	0021010	0022454	0019314	0020480	0022210	0000888	00087	00087	00087	00110	00092	00636	17001359	(17000_BF)	53	0	0 %
0094811	01000000	0107304	0019876	0021010	0022454	0019629	0020790	0021956	0000274	00055	00055	00055	00078	00058	00317	17001360	(17000_BF)	53	0	0 %
0094811	01000000	0107304	0019876	0021010	0022454	0020320	0021120	0022021	0002881	00194	00194	00192	00276	00258	00570	17001361	(17000_BF)	53	0	0 %
0094811	01000000	0107304	0019876	0021010	0022454	0019820	0021420	0022490	0003288	00235	00235	00232	00320	00311	00708	17001362	(17000_BF)	53	-1	0 %
0094811	01000000	0107304	0019876	0021010	0022454	0019766	0021080	0022324	0001696	00095	00095	00094	00138	00130	00257	17001363	(17000_BF)	53	0	0 %
0094811	01000000	0107304	0019876	0021010	0022454	0019887	0020840	0022347	0001607	00089	00089	00088	00131	00129	00269	17001364	(17000_BF)	53	0	0 %
0094811	01000000	0107304	0019876	0021010	0022454	0019235	0020790	0021194	0003400	00287	00287	00283	00385	00342	00952	17001365	(17000_BF)	53	-1	1 %
0094811	01000000	0107304	0019876	0021010	0022454	0019499	0020630	0020959	0002044	00201	00201	00199	00279	00192	00946	17001366	(17000_BF)	53	0	1 %
0094811	01000000	0107304	0019876	0021010	0022454	0019493	0020210	0023158	0003896	00346	00346	00343	00459	00378	01576	17001367	(17000_BF)	53	0	-1 %
0094811	01000000	0107304	0019876	0021010	0022454	0019445	0020430	0023218	0002800	00258	00258	00256	00354	00255	01269	17001368	(17000_BF)	53	0	-1 %
0094811	01000000	0107304	0019876	0021010	0022454	0019915	0020880	0021812	0001814	00121	00121	00120	00177	00148	00450	17001369	(17000_BF)	53	0	0 %
0094811	01000000	0107304	0019876	0021010	0022454	0018999	0020200	0021754	0001259	00110	00110	00109	00124	00123	00908	17001370	(17000_BF)	53	0	0 %
0094811	01000000	0107304	0019876	0021010	0022454	0020360	0021480	0023627	0001474	00127	00127	00126	00178	00126	00716	17001371	(17000_BF)	53	0	0 %
0094811	01000000	0107304	0019876	0021010	0022454	0019257	0020630	0021093	0002725	00220	00220	00218	00302	00246	00899	17001372	(17000_BF)	53	0	1 %
0094811	01000000	0107304	0028200	0029610	0031540	0028095	0029690	0030395	0002076	00188	00188	00185	00263	00198	00711	17001373	(17000_BF)	61	0	1 %
0094811	01000000	0107304	0028200	0029610	0031540	0028076	0029620	0030120	0002037	00210	00210	00206	00290	00209	00814	17001374	(17000_BF)	61	0	1 %
0094811	01000000	0107304	0028200	0029610	0031540	0028106	0029510	0030765	0001145	00095	00095	00093	00136	00092	00389	17001375	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0027992	0029390	0030063	0001821	00178	00178	00174	00247	00170	00729	17001376	(17000_BF)	61	0	1 %
0094811	01000000	0107304	0028200	0029610	0031540	0028147	0029430	0030353	0001779	00150	00150	00146	00208	00149	00592	17001377	(17000_BF)	61	0	1 %
0094811	01000000	0107304	0028200	0029610	0031540	0028434	0029650	0030796	0001821	00135	00135	00131	00189	00150	00472	17001378	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028259	0029480	0030844	0001757	00107	00107	00104	00151	00126	00364	17001379	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028242	0029390	0030760	0001863	00127	00127	00124	00177	00157	00410	17001380	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028267	0029400	0030914	0001779	00121	00121	00118	00168	00157	00355	17001381	(17000_BF)	61	1	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028571	0029710	0031505	0001721	00110	00110	00107	00155	00152	00244	17001382	(17000_BF)	61	1	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028664	0029640	0031352	0002497	00173	00173	00169	00238	00236	00364	17001383	(17000_BF)	61	1	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028651	0029750	0031779	0002076	00125	00125	00122	00176	00174	00277	17001384	(17000_BF)	61	1	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028322	0029510	0031621	0001640	00090	00089	00088	00128	00124	00217	17001385	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028233	0029330	0031695	0002076	00137	00137	00134	00191	00178	00418	17001386	(17000_BF)	61	1	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028236	0029390	0031952	0001842	00134	00134	00131	00189	00163	00454	17001387	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028415	0029570	0032361	0002056	00156	00156	00153	00220	00181	00533	17001388	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028585	0029840	0032579	0001991	00129	00129	00127	00184	00142	00502	17001389	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028291	0029530	0032735	0002011	00189	00189	00186	00266	00194	00745	17001390	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028235	0029560	0032410	0001677	00132	00132	00131	00191	00133	00533	17001391	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028239	0029610	0033008	0002037	00203	00203	00200	00286	00197	00834	17001392	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028078	0029470	0032328	0001344	00131	00131	0010								

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
0094811	01000000	0107304	0028200	0029610	0031540	0031148	0032540	0034473	0001991	00255	00255	00255	00223	00227	00233	17001400	(17000_BF)	63	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0030753	0032009	0034033	0002587	00227	00227	00226	00220	00224	01850	17001401	(17000_BF)	62	1	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0030380	0031600	0033461	0002037	00202	00202	00201	00210	00211	01552	17001402	(17000_BF)	62	1	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0029252	0030540	0032280	0001721	00108	00108	00107	00124	00119	00752	17001403	(17000_BF)	62	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028879	0030020	0031797	0002095	00120	00120	00117	00165	00161	00406	17001404	(17000_BF)	62	1	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028274	0029520	0031283	0001037	00067	00067	00065	00096	00092	00172	17001405	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028364	0029530	0031214	0001556	00100	00100	00098	00142	00136	00243	17001406	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0027995	0029210	0030937	0001229	00081	00081	00080	00109	00105	00364	17001407	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0027068	0028180	0029735	0001677	00162	00162	00160	00177	00174	01189	17001408	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0026873	0027980	0029730	0001757	00171	00171	00170	00177	00180	01342	17001409	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0025521	0026570	0028085	0002202	00290	00290	00289	00266	00273	02545	17001410	(17000_BF)	60	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0026162	0027350	0029042	0001640	00207	00207	00207	00182	00189	01864	17001411	(17000_BF)	60	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0024935	0026010	0027612	0002514	00334	00334	00333	00291	00304	03032	17001412	(17000_BF)	60	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0024617	0025790	0027345	0001971	00348	00348	00348	00295	00309	03226	17001413	(17000_BF)	60	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0025384	0026580	0028363	0001931	00274	00274	00274	00232	00243	02526	17001414	(17000_BF)	60	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0023810	0024940	0026620	0002152	00430	00430	00430	00364	00384	03998	17001415	(17000_BF)	59	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0026315	0027640	0029424	0001525	00175	00175	00175	00146	00153	01614	17001416	(17000_BF)	60	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0023841	0025050	0026744	0002011	00419	00419	00419	00353	00373	03897	17001417	(17000_BF)	59	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0030571	0032050	0034150	0001699	00207	00207	00207	00172	00178	01869	17001418	(17000_BF)	62	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0031362	0032940	0035066	0001890	00279	00279	00279	00229	00236	02517	17001419	(17000_BF)	63	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0031592	0033190	0035158	0001991	00300	00300	00300	00248	00255	02698	17001420	(17000_BF)	63	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0030069	0031670	0033654	0001757	00178	00178	00178	00153	00158	01589	17001421	(17000_BF)	62	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0030653	0032270	0033985	0001842	00232	00232	00232	00204	00202	02042	17001422	(17000_BF)	62	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0030511	0032230	0033902	0001821	00238	00238	00238	00223	00220	02018	17001423	(17000_BF)	62	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0029461	0030990	0032865	0001173	00121	00121	00121	00106	00107	01077	17001424	(17000_BF)	62	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0030495	0032240	0033764	0002037	00247	00247	00247	00242	00233	02037	17001425	(17000_BF)	62	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0029547	0031200	0032695	0001640	00166	00166	00166	00180	00165	01273	17001426	(17000_BF)	62	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028794	0030370	0031983	0001145	00096	00096	00096	00118	00105	00638	17001427	(17000_BF)	62	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028829	0030590	0031895	0001991	00173	00173	00171	00228	00209	00886	17001428	(17000_BF)	62	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0028191	0029870	0031290	0002011	00126	00126	00125	00182	00166	00413	17001429	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0027846	0029460	0030951	0001699	00104	00104	00102	00151	00138	00320	17001430	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0027083	0028740	0030097	0002076	00157	00158	00156	00209	00198	00798	17001431	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0027284	0028760	0030349	0001274	00095	00095	00095	00107	00099	00709	17001432	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0026449	0027920	0029300	0001757	00173	00173	00172	00178	00169	01409	17001433	(17000_BF)	61	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0025605	0027030	0028366	0002095	00246	00246	00246	00231	00229	02154	17001434	(17000_BF)	60	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0025611	0026980	0028479	0002011	00241	00241	00241	00212	00217	02185	17001435	(17000_BF)	60	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0024847	0026250	0027804	0002095	00312	00312	00312	00276	00287	02820	17001436	(17000_BF)	60	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0025264	0026650	0028286	0002076	00271	00271	00271	00237	00246	02467	17001437	(17000_BF)	60	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0025925	0027230	0028962	0001556	00213	00213	00213	00178	00186	01963	17001438	(17000_BF)	60	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0024767	0026030	0027726	0002076	00325	00325	00325	00273	00287	03010	17001439	(17000_BF)	60	0	0 %
0094811	01000000	0107304	0028200	0029610	0031540	0024525	0025730	0027526	0001931	00354	00354	00354	00298	00313	03280	17001440	(17000_BF)	60	0	0 %
0094811	01000000	0107304	0020550	0014400	0007280	0020909	0014450	0006769	0001241	00252	00252	00097	00122	00099	00541	17001441	(17000_BF)	45	38	24 %
0094811	01000000	0107304	0020550	00144																

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	0100000	0107304	0020550	0014400	0007280	0021325	0014350	0007033	0002201	00411	00411	00152	00187	00152	00832	17001450	(17000_BF)	45	40	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0020852	0014340	0007197	0001361	00183	00183	00073	00091	00075	00387	17001451	(17000_BF)	45	39	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0021174	0014340	0007382	0001778	00341	00341	00155	00196	00162	00694	17001452	(17000_BF)	45	39	22	%
0094811	0100000	0107304	0020550	0014400	0007280	0020843	0014380	0007347	0001314	00157	00157	00073	00094	00077	00319	17001453	(17000_BF)	45	39	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0020780	0014370	0007491	0001257	00155	00155	00086	00111	00093	00332	17001454	(17000_BF)	45	38	22	%
0094811	0100000	0107304	0020550	0014400	0007280	0020897	0014350	0007705	0001943	00260	00260	00149	00191	00160	00568	17001455	(17000_BF)	45	39	22	%
0094811	0100000	0107304	0020550	0014400	0007280	0020980	0014540	0007664	0001257	00164	00164	00096	00123	00103	00406	17001456	(17000_BF)	45	38	22	%
0094811	0100000	0107304	0020550	0014400	0007280	0020917	0014470	0007989	0002003	00275	00275	00164	00212	00178	00648	17001457	(17000_BF)	45	38	22	%
0094811	0100000	0107304	0020550	0014400	0007280	0020558	0014360	0007732	0001147	00177	00177	00101	00131	00109	00421	17001458	(17000_BF)	45	38	22	%
0094811	0100000	0107304	0020550	0014400	0007280	0020475	0014380	0008303	0002720	00370	00370	00197	00255	00213	00909	17001459	(17000_BF)	45	38	21	%
0094811	0100000	0107304	0020550	0014400	0007280	0020415	0014430	0007987	0001257	00262	00262	00122	00158	00131	00630	17001460	(17000_BF)	45	37	21	%
0094811	0100000	0107304	0020550	0014400	0007280	0020288	0014440	0007856	0000903	00251	00251	00095	00122	00100	00578	17001461	(17000_BF)	45	37	22	%
0094811	0100000	0107304	0020550	0014400	0007280	0019758	0014320	0008402	0001979	00540	00540	00203	00262	00215	01234	17001462	(17000_BF)	45	36	21	%
0094811	0100000	0107304	0020550	0014400	0007280	0020051	0014340	0007749	0000933	00279	00279	00096	00121	00099	00604	17001463	(17000_BF)	45	37	22	%
0094811	0100000	0107304	0020550	0014400	0007280	0019761	0014410	0008287	0001868	00532	00532	00184	00236	00193	01187	17001464	(17000_BF)	45	36	21	%
0094811	0100000	0107304	0020550	0014400	0007280	0023069	0016190	0008275	0001241	00284	00284	00247	00240	00238	02541	17001465	(17000_BF)	46	38	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0021893	0015360	0007792	0000882	00155	00155	00134	00132	00128	01394	17001466	(17000_BF)	45	38	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0023546	0016500	0008341	0001706	00350	00350	00290	00283	00280	02954	17001467	(17000_BF)	46	39	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0023603	0016460	0008193	0002092	00387	00387	00291	00287	00281	02904	17001468	(17000_BF)	46	39	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0022001	0015320	0007632	0000892	00211	00211	00138	00140	00133	01346	17001469	(17000_BF)	45	38	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0023456	0016150	0007769	0002021	00468	00468	00272	00280	00262	02529	17001470	(17000_BF)	46	39	24	%
0094811	0100000	0107304	0020550	0014400	0007280	0021948	0015170	0007382	0001281	00274	00274	00135	00145	00131	01181	17001471	(17000_BF)	45	39	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0022462	0015250	0007049	0001930	00506	00506	00201	00228	00194	01491	17001472	(17000_BF)	45	40	24	%
0094811	0100000	0107304	0020550	0014400	0007280	0021553	0014830	0007095	0001207	00288	00288	00112	00129	00109	00805	17001473	(17000_BF)	45	39	24	%
0094811	0100000	0107304	0020550	0014400	0007280	0021534	0014500	0006488	0001905	00528	00528	00178	00215	00173	01080	17001474	(17000_BF)	45	40	24	%
0094811	0100000	0107304	0020550	0014400	0007280	0020544	0014020	0006539	0001103	00305	00305	00115	00135	00112	00916	17001475	(17000_BF)	45	39	24	%
0094811	0100000	0107304	0020550	0014400	0007280	0019374	0013140	0005986	0001849	00338	00338	00208	00217	00196	02144	17001476	(17000_BF)	44	39	24	%
0094811	0100000	0107304	0020550	0014400	0007280	0019450	0013380	0006350	0001190	00203	00203	00155	00158	00147	01654	17001477	(17000_BF)	44	38	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0018377	0012620	0005947	0002133	00275	00275	00264	00264	00245	02859	17001478	(17000_BF)	44	38	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0019417	0013500	0006603	0001329	00134	00134	00131	00130	00123	01402	17001479	(17000_BF)	44	38	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0017987	0012510	0006157	0001631	00299	00299	00281	00280	00260	02991	17001480	(17000_BF)	43	37	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0019152	0013380	0006729	0001048	00165	00165	00149	00148	00139	01569	17001481	(17000_BF)	44	37	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0017673	0012380	0006242	0001617	00367	00367	00306	00309	00284	03200	17001482	(17000_BF)	43	37	22	%
0094811	0100000	0107304	0020550	0014400	0007280	0021772	0015340	0007703	0001241	00148	00148	00133	00132	00128	01370	17001483	(17000_BF)	45	38	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0023611	0016560	0008379	0001836	00354	00354	00297	00289	00287	03034	17001484	(17000_BF)	46	39	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0023339	0016340	0008282	0001467	00327	00327	00269	00263	00260	02741	17001485	(17000_BF)	46	39	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0022356	0015610	0007947	0001489	00221	00221	00173	00172	00166	01746	17001486	(17000_BF)	46	38	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0023781	0016500	0008609	0002279	00399	00399	00303	00305	00295	02968	17001487	(17000_BF)	46	39	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0022091	0015380	0007992	0001190	00204	00204	00152	00158	00148	01439	17001488	(17000_BF)	45	39	23	%
0094811	0100000	0107304	0020550	0014400	0007280	0022240	0015390	0008120	0001726	00262	00262	00175	00193	00175	01484	17001489	(17000_BF)	45	39	22	%
0094811	0100000	0107304	0020550	0014400	0007280	0022719	0015610	0008339	0002436	00360	00360	00228	00255	00229	01824	17001490	(17000_BF)	46	39	22	%
0094811	0100000	0107304	0020550	0014400																	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094811	0100000	0107304	0063710	0069890	0029470	0063600	0069920	0026082	0001697	00521	00521	00166	00203	00160	00676	17001500	(17000_BF)	87	-5	50	%
0094811	0100000	0107304	0063710	0069890	0029470	0063901	0070130	0027339	0001296	00341	00341	00110	00134	00107	00450	17001501	(17000_BF)	87	-5	49	%
0094811	0100000	0107304	0063710	0069890	0029470	0063580	0069740	0026272	0001505	00475	00475	00153	00187	00149	00626	17001502	(17000_BF)	87	-5	49	%
0094811	0100000	0107304	0063710	0069890	0029470	0063913	0069890	0026867	0001391	00397	00397	00133	00161	00133	00522	17001503	(17000_BF)	87	-5	49	%
0094811	0100000	0107304	0063710	0069890	0029470	0064071	0070050	0027474	0001255	00317	00317	00108	00131	00110	00420	17001504	(17000_BF)	87	-5	49	%
0094811	0100000	0107304	0063710	0069890	0029470	0064151	0069960	0027687	0001142	00286	00286	00107	00126	00112	00384	17001505	(17000_BF)	87	-5	48	%
0094811	0100000	0107304	0063710	0069890	0029470	0064521	0070080	0027925	0001296	00286	00286	00123	00140	00135	00396	17001506	(17000_BF)	87	-5	48	%
0094811	0100000	0107304	0063710	0069890	0029470	0064481	0070230	0028618	0001096	00187	00187	00085	00095	00093	00280	17001507	(17000_BF)	87	-5	48	%
0094811	0100000	0107304	0063710	0069890	0029470	0064561	0069810	0028132	0001234	00286	00286	00144	00160	00163	00412	17001508	(17000_BF)	87	-4	48	%
0094811	0100000	0107304	0063710	0069890	0029470	0064844	0070190	0028965	0001281	00219	00219	00122	00134	00140	00338	17001509	(17000_BF)	87	-4	47	%
0094811	0100000	0107304	0063710	0069890	0029470	0064687	0070070	0029344	0001296	00188	00188	00109	00120	00127	00289	17001510	(17000_BF)	87	-4	47	%
0094811	0100000	0107304	0063710	0069890	0029470	0064196	0069710	0029697	0001296	00157	00157	00086	00095	00099	00241	17001511	(17000_BF)	87	-5	47	%
0094811	0100000	0107304	0063710	0069890	0029470	0064671	0069840	0030093	0001458	00248	00248	00133	00149	00154	00371	17001512	(17000_BF)	87	-4	47	%
0094811	0100000	0107304	0063710	0069890	0029470	0064804	0069950	0030694	0001645	00292	00292	00141	00161	00162	00432	17001513	(17000_BF)	87	-4	46	%
0094811	0100000	0107304	0063710	0069890	0029470	0064359	0069700	0030798	0001342	00281	00281	00120	00140	00134	00407	17001514	(17000_BF)	87	-4	46	%
0094811	0100000	0107304	0063710	0069890	0029470	0064155	0070000	0030476	0001142	00158	00158	00058	00070	00063	00229	17001515	(17000_BF)	87	-5	46	%
0094811	0100000	0107304	0063710	0069890	0029470	0064194	0069760	0031201	0001487	00295	00295	00107	00131	00115	00418	17001516	(17000_BF)	87	-5	46	%
0094811	0100000	0107304	0063710	0069890	0029470	0063903	0069570	0031271	0001317	00308	00308	00106	00130	00111	00440	17001517	(17000_BF)	87	-5	46	%
0094811	0100000	0107304	0063710	0069890	0029470	0063534	0069460	0032076	0001296	00412	00412	00132	00167	00135	00590	17001518	(17000_BF)	87	-5	45	%
0094811	0100000	0107304	0063710	0069890	0029470	0063903	0069950	0031361	0001142	00269	00269	00085	00108	00087	00378	17001519	(17000_BF)	87	-5	46	%
0094811	0100000	0107304	0063710	0069890	0029470	0063786	0070000	0031467	0001062	00278	00278	00090	00113	00093	00393	17001520	(17000_BF)	87	-5	46	%
0094811	0100000	0107304	0063710	0069890	0029470	0063360	0069690	0032645	0001473	00469	00469	00156	00197	00165	00666	17001521	(17000_BF)	87	-5	45	%
0094811	0100000	0107304	0063710	0069890	0029470	0070963	0078830	0034006	0001519	00481	00481	00438	00325	00299	03006	17001522	(17000_BF)	89	-6	47	%
0094811	0100000	0107304	0063710	0069890	0029470	0069464	0076810	0032900	0001357	00366	00366	00338	00248	00227	02354	17001523	(17000_BF)	89	-6	47	%
0094811	0100000	0107304	0063710	0069890	0029470	0070739	0078160	0033423	0001357	00428	00428	00398	00289	00262	02784	17001524	(17000_BF)	89	-6	48	%
0094811	0100000	0107304	0063710	0069890	0029470	0069315	0076340	0032629	0001376	00326	00326	00311	00223	00202	02196	17001525	(17000_BF)	88	-6	47	%
0094811	0100000	0107304	0063710	0069890	0029470	0071034	0078050	0033152	0001596	00414	00414	00389	00279	00249	02744	17001526	(17000_BF)	89	-6	48	%
0094811	0100000	0107304	0063710	0069890	0029470	0069366	0076150	0032076	0001376	00331	00331	00302	00218	00195	02131	17001527	(17000_BF)	88	-5	48	%
0094811	0100000	0107304	0063710	0069890	0029470	0069773	0076200	0032068	0001709	00338	00338	00306	00223	00201	02150	17001528	(17000_BF)	88	-5	48	%
0094811	0100000	0107304	0063710	0069890	0029470	0068871	0075220	0031291	0001342	00315	00315	00264	00197	00177	01830	17001529	(17000_BF)	88	-5	48	%
0094811	0100000	0107304	0063710	0069890	0029470	0070062	0076070	0031605	0001473	00383	00383	00314	00242	00223	02119	17001530	(17000_BF)	88	-5	48	%
0094811	0100000	0107304	0063710	0069890	0029470	0067553	0073520	0030386	0000971	00266	00266	00196	00159	00148	01275	17001531	(17000_BF)	88	-5	48	%
0094811	0100000	0107304	0063710	0069890	0029470	0067141	0072700	0029626	0001473	00312	00312	00191	00179	00174	01039	17001532	(17000_BF)	88	-4	48	%
0094811	0100000	0107304	0063710	0069890	0029470	0065926	0071620	0029443	0001169	00220	00220	00130	00126	00124	00660	17001533	(17000_BF)	87	-5	48	%
0094811	0100000	0107304	0063710	0069890	0029470	0064775	0070300	0028874	0001096	00199	00199	00105	00115	00118	00316	17001534	(17000_BF)	87	-4	48	%
0094811	0100000	0107304	0063710	0069890	0029470	0063153	0068310	0027697	0001317	00258	00258	00154	00157	00161	00685	17001535	(17000_BF)	87	-4	48	%
0094811	0100000	0107304	0063710	0069890	0029470	0062998	0068440	0028136	0001096	00178	00178	00115	00112	00114	00581	17001536	(17000_BF)	87	-5	47	%
0094811	0100000	0107304	0063710	0069890	0029470	0068060	0065900	0026892	0001158	00285	00285	00231	00192	00188	01497	17001537	(17000_BF)	86	-4	47	%
0094811	0100000	0107304	0063710	0069890	0029470	0060021	0065290	0026954	0001026	00267	00267	00243	00185	00175	01701	17001538	(17000_BF)	86	-5	47	%
0094811	0100000	0107304	0063710	0069890	0029470	0058362	0063340	0026016	0001255	00375	00375	00346	00261	00245	02451	17001539	(17000_BF)	85	-4	47	%
0094811	0100000	0107304	0063710	0069890	0029470	0055972	0060700	0024889	0001439	00518	00518	00484	00361	00336	03496	17001540	(17000_BF)	85	-4	46	%
0094811	0100000	0107304	0063710	0069890	0029470	0057975	0062980	0026231													

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	01000000	0107304	0063710	0069890	0029470	0062648	0069340	0028487	0001096	00164	00164	00080	00086	00085	00313	17001550	(17000_BF)	87	-6	47	%
0094811	01000000	0107304	0063710	0069890	0029470	0060946	0067510	0027460	0001473	00203	00203	00141	00121	00116	00908	17001551	(17000_BF)	86	-6	47	%
0094811	01000000	0107304	0063710	0069890	0029470	0060424	0066680	0027358	0001096	00182	00182	00165	00124	00115	01183	17001552	(17000_BF)	86	-6	47	%
0094811	01000000	0107304	0063710	0069890	0029470	0057775	0064040	0025950	0001505	00324	00324	00304	00226	00211	02188	17001553	(17000_BF)	85	-6	47	%
0094811	01000000	0107304	0063710	0069890	0029470	0058549	0064489	0026592	0001627	00277	00277	00273	00197	00180	01997	17001554	(17000_BF)	86	-5	47	%
0094811	01000000	0107304	0063710	0069890	0029470	0059563	0065480	0027397	0000814	00231	00231	00222	00160	00145	01615	17001555	(17000_BF)	86	-5	47	%
0094811	01000000	0107304	0063710	0069890	0029470	0058497	0064110	0027081	0001260	00326	00326	00295	00217	00196	02137	17001556	(17000_BF)	85	-5	46	%
0094811	01000000	0107304	0063710	0069890	0029470	0056629	0061860	0026419	0001425	00483	00483	00419	00313	00284	03020	17001557	(17000_BF)	85	-5	46	%
0094811	01000000	0107304	0063710	0069890	0029470	0058260	0063550	0027196	0001142	00396	00396	00331	00251	00227	02359	17001558	(17000_BF)	85	-5	46	%
0094811	01000000	0107304	0063710	0069890	0029470	0055960	0060900	0026336	0001260	00577	00577	00477	00364	00330	03410	17001559	(17000_BF)	85	-5	45	%
0094811	01000000	0107304	0063710	0069890	0029470	0057563	0062630	0027106	0001085	00483	00483	00385	00298	00270	02724	17001560	(17000_BF)	85	-5	46	%
0094811	01000000	0107304	0063710	0069890	0029470	0055663	0060390	0026312	0001296	00635	00635	00510	00395	00359	03622	17001561	(17000_BF)	85	-4	45	%
0094811	01000000	0107304	0016580	0024170	0025810	0015536	0023920	0026071	0001986	00499	00499	00211	00235	00203	00780	17001562	(17000_BF)	56	-34	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0015378	0023920	0025891	0002166	00587	00587	00244	00273	00234	00834	17001563	(17000_BF)	56	-34	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0016247	0024400	0026214	0001164	00288	00288	00121	00137	00119	00434	17001564	(17000_BF)	56	-33	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0015812	0024020	0025862	0001573	00375	00375	00156	00177	00152	00533	17001565	(17000_BF)	56	-33	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0015506	0024080	0025648	0001899	00578	00578	00237	00267	00227	00750	17001566	(17000_BF)	56	-34	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0015946	0023970	0025303	0001260	00279	00279	00118	00134	00116	00463	17001567	(17000_BF)	56	-33	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0015691	0023990	0024681	0001916	00457	00457	00203	00221	00197	00873	17001568	(17000_BF)	56	-33	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0016169	0024280	0025042	0001610	00314	00314	00148	00158	00146	00706	17001569	(17000_BF)	56	-33	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0015898	0023990	0024114	0002075	00397	00397	00207	00211	00202	01119	17001570	(17000_BF)	56	-33	1	%
0094811	01000000	0107304	0016580	0024170	0025810	0016367	0024180	0024922	0001260	00191	00191	00109	00109	00108	00632	17001571	(17000_BF)	56	-32	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0016316	0024070	0024260	0001718	00259	00259	00164	00157	00161	00996	17001572	(17000_BF)	56	-32	1	%
0094811	01000000	0107304	0016580	0024170	0025810	0016451	0024050	0024704	0001324	00161	00161	00108	00102	00107	00678	17001573	(17000_BF)	56	-31	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0016746	0024190	0024225	0001838	00276	00276	00183	00175	00181	01092	17001574	(17000_BF)	56	-31	1	%
0094811	01000000	0107304	0016580	0024170	0025810	0016779	0024180	0024867	0001324	00188	00188	00115	00113	00114	00664	17001575	(17000_BF)	56	-31	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0017060	0024080	0024377	0002075	00376	00376	00199	00211	00202	01001	17001576	(17000_BF)	56	-30	1	%
0094811	01000000	0107304	0016580	0024170	0025810	0017036	0024200	0025078	0001345	00271	00271	00131	00144	00134	00614	17001577	(17000_BF)	56	-30	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0017328	0024160	0025007	0001822	00438	00438	00195	00226	00205	00786	17001578	(17000_BF)	56	-29	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0017056	0024010	0025198	0001392	00342	00342	00147	00173	00154	00559	17001579	(17000_BF)	56	-30	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0017583	0024190	0025340	0001855	00550	00550	00231	00280	00249	00823	17001580	(17000_BF)	56	-29	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0017091	0024080	0025489	0001345	00325	00325	00135	00162	00142	00468	17001581	(17000_BF)	56	-30	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0019334	0028340	0030412	0002432	00455	00455	00404	00351	00367	03696	17001582	(17000_BF)	58	-32	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0018085	0026410	0028253	0001365	00244	00244	00221	00193	00203	02053	17001583	(17000_BF)	57	-32	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0019542	0028360	0030174	0002226	00416	00416	00399	00341	00360	03712	17001584	(17000_BF)	58	-32	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0018331	0026550	0028212	0001289	00233	00233	00230	00197	00210	02178	17001585	(17000_BF)	57	-32	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0019517	0027790	0029200	0002191	00359	00359	00348	00298	00316	03264	17001586	(17000_BF)	58	-31	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0018260	0026180	0027594	0001289	00215	00215	00200	00174	00185	01875	17001587	(17000_BF)	57	-31	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0019257	0027070	0028342	0002241	00371	00371	00299	00269	00278	02690	17001588	(17000_BF)	58	-30	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0017880	0025530	0026875	0001094	00201	00201	00150	00138	00142	01317	17001589	(17000_BF)	57	-31	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0018455	0025810	0026771	0002265	00384	00384	00226	00228	00222	01687	17001590	(17000_BF)	57	-30	0	%
0094811	01000000	0107304	0016580	0024170	0025810	0017519	0024800	0025													

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	0100000	0107304	0016580	0024170	0025810	0013816	0019990	0021196	0002464	00515	00456	00411	00440	04324	17001600	(17000_BF)	54	-30	0 %		
0094811	0100000	0107304	0016580	0024170	0025810	0015265	0022260	0023707	0001156	00212	00212	00198	00175	00187	01889	17001601	(17000_BF)	55	-31	0 %	
0094811	0100000	0107304	0016580	0024170	0025810	0013495	0019730	0021017	0002657	00507	00507	00478	00427	00461	04615	17001602	(17000_BF)	54	-30	0 %	
0094811	0100000	0107304	0016580	0024170	0025810	0018163	0026430	0028411	0001187	00233	00233	00221	00191	00203	02073	17001603	(17000_BF)	57	-32	0 %	
0094811	0100000	0107304	0016580	0024170	0025810	0019413	0028370	0030277	0002191	00443	00443	00404	00349	00366	03719	17001604	(17000_BF)	58	-32	0 %	
0094811	0100000	0107304	0016580	0024170	0025810	0018045	0026400	0027996	0001426	00253	00253	00223	00195	00205	02048	17001605	(17000_BF)	57	-32	0 %	
0094811	0100000	0107304	0016580	0024170	0025810	0018902	0027890	0029030	0002017	00460	00460	00377	00334	00345	03355	17001606	(17000_BF)	58	-33	0 %	
0094811	0100000	0107304	0016580	0024170	0025810	0017705	0026060	0027313	0001038	00264	00264	00203	00184	00189	01777	17001607	(17000_BF)	57	-32	0 %	
0094811	0100000	0107304	0016580	0024170	0025810	0017910	0026720	0027443	0001753	00443	00443	00300	00280	00281	02436	17001608	(17000_BF)	57	-33	1 %	
0094811	0100000	0107304	0016580	0024170	0025810	0017166	0025400	0026374	0001238	00256	00256	00164	00156	00156	01260	17001609	(17000_BF)	57	-32	0 %	
0094811	0100000	0107304	0016580	0024170	0025810	0017195	0025630	0026066	0001510	00369	00369	00225	00217	00215	01616	17001610	(17000_BF)	57	-33	1 %	
0094811	0100000	0107304	0016580	0024170	0025810	0016713	0024700	0025573	0001324	00205	00205	00117	00117	00115	00752	17001611	(17000_BF)	57	-32	0 %	
0094811	0100000	0107304	0016580	0024170	0025810	0016223	0024400	0024611	0002059	00381	00381	00198	00202	00193	01063	17001612	(17000_BF)	56	-33	1 %	
0094811	0100000	0107304	0016580	0024170	0025810	0016178	0023990	0024804	0001413	00201	00201	00109	00110	00107	00619	17001613	(17000_BF)	56	-32	0 %	
0094811	0100000	0107304	0016580	0024170	0025810	0015602	0023380	0023727	0001872	00310	00310	00181	00178	00176	01203	17001614	(17000_BF)	56	-32	1 %	
0094811	0100000	0107304	0016580	0024170	0025810	0015813	0023370	0024196	0001187	00174	00174	00122	00114	00118	00955	17001615	(17000_BF)	56	-32	0 %	
0094811	0100000	0107304	0016580	0024170	0025810	0014614	0021850	0022251	0002446	00327											

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094811	0100000	0107304	0009120	0008940	0023500	0010142	0009780	0025818	0001409	00242	00242	00187	00212	00150	01796	17001650	(17000_BF)	37	6	-31	%
0094811	0100000	0107304	0009120	0008940	0023500	0009711	0009340	0024449	0001382	00175	00175	00127	00154	00126	00931	17001651	(17000_BF)	36	6	-31	%
0094811	0100000	0107304	0009120	0008940	0023500	0009421	0009070	0023634	0001343	00144	00144	00099	00125	00121	00475	17001652	(17000_BF)	36	6	-31	%
0094811	0100000	0107304	0009120	0008940	0023500	0009043	0008730	0022735	0001181	00134	00134	00093	00116	00122	00576	17001653	(17000_BF)	36	6	-30	%
0094811	0100000	0107304	0009120	0008940	0023500	0008813	0008500	0022201	0001252	00162	00162	00123	00148	00145	01030	17001654	(17000_BF)	35	6	-30	%
0094811	0100000	0107304	0009120	0008940	0023500	0008598	0008300	0021704	0001524	00188	00188	00153	00178	00164	01464	17001655	(17000_BF)	35	6	-30	%
0094811	0100000	0107304	0009120	0008940	0023500	0008237	0008010	0020919	0001223	00234	00234	00198	00226	00184	02118	17001656	(17000_BF)	35	5	-30	%
0094811	0100000	0107304	0009120	0008940	0023500	0008014	0007760	0020434	0001223	00282	00282	00251	00288	00229	02714	17001657	(17000_BF)	35	5	-30	%
0094811	0100000	0107304	0009120	0008940	0023500	0007756	0007580	0019819	0001371	00334	00334	00288	00329	00246	03145	17001658	(17000_BF)	35	5	-30	%
0094811	0100000	0107304	0009120	0008940	0023500	0007791	0007610	0020041	0001478	00312	00312	00278	00318	00236	03070	17001659	(17000_BF)	35	5	-30	%
0094811	0100000	0107304	0009120	0008940	0023500	0010240	0010010	0026435	0001275	00246	00246	00208	00228	00174	02233	17001660	(17000_BF)	37	5	-31	%
0094811	0100000	0107304	0009120	0008940	0023500	0009898	0009690	0025437	0001042	00163	00163	00145	00160	00121	01584	17001661	(17000_BF)	37	5	-31	%
0094811	0100000	0107304	0009120	0008940	0023500	0009767	0009480	0024802	0000890	00141	00141	00118	00134	00100	01169	17001662	(17000_BF)	36	5	-31	%
0094811	0100000	0107304	0009120	0008940	0023500	0009259	0008970	0023528	0000751	00091	00091	00061	00078	00073	00233	17001663	(17000_BF)	36	5	-31	%
0094811	0100000	0107304	0009120	0008940	0023500	0008381	0008160	0021375	0000726	00191	00191	00164	00187	00151	01762	17001664	(17000_BF)	35	5	-30	%
0094811	0100000	0107304	0009120	0008940																	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094650	0100000	0103970	0009178	0014227	0033555	0010252	0016007	0040388	0002682	00547	00547	00304	00312	00285	02994	17001700	(17000_BF)	46	-32	-35	%
0094650	0100000	0103970	0009178	0014227	0033555	0007924	0012166	0030990	0001892	00420	00420	00351	00347	00315	03740	17001701	(17000_BF)	43	-30	-33	%
0094650	0100000	0103970	0009178	0014227	0033555	0010334	0015881	0037214	0001254	00248	00248	00229	00222	00219	02384	17001702	(17000_BF)	46	-31	-33	%
0094650	0100000	0103970	0009178	0014227	0033555	0012719	0019012	0044600	0003456	00686	00686	00630	00597	00616	06343	17001703	(17000_BF)	48	-31	-34	%
0094650	0100000	0103970	0009178	0014227	0033555	0007895	0012103	0033919	0002029	00719	00719	00476	00466	00408	05226	17001704	(17000_BF)	43	-30	-35	%
0094650	0100000	0103970	0009178	0014227	0033555	0009210	0014298	0033689	0000138	00019	00019	00012	00012	00011	00110	17001705	(17000_BF)	45	-31	-32	%
0094650	0100000	0103970	0009178	0014227	0033555	0009071	0014143	0034005	0000418	00090	00090	00034	00039	00032	00461	17001706	(17000_BF)	45	-31	-33	%
0094650	0100000	0103970	0009178	0014227	0033555	0009932	0015197	0039905	0002696	00600	00600	00310	00310	00265	02873	17001707	(17000_BF)	45	-31	-35	%
0094650	0100000	0103970	0009178	0014227	0033555	0010620	0015913	0039585	0002761	00469	00469	00322	00311	00287	02743	17001708	(17000_BF)	46	-30	-34	%
0094650	0100000	0103970	0009178	0014227	0033555	0008196	0012535	0034715	0002515	00678	00678	00425	00415	00362	04564	17001709	(17000_BF)	43	-30	-35	%
0094650	0100000	0103970	0009178	0014227	0033555	0005738	0009195	0021285	0004158	00991	00991	00846	00883	00754	08903	17001710	(17000_BF)	40	-30	-30	%
0094650	0100000	0103970	0009178	0014227	0033555	0006874	0010491	0029454	0002864	00831	00831	00681	00681	00598	07454	17001711	(17000_BF)	42	-29	-34	%
0094650	0100000	0103970	0009178	0014227	0033555	0008002	0012900	0034161	0001518	00496	00496	00256	00271	00236	03396	17001712	(17000_BF)	44	-32	-34	%
0094650	0100000	0103970	0009178	0014227	0033555	0008441	0013651	0035007	0001849	00443	00443	00166	00192	00159	02157	17001713	(17000_BF)	44	-32	-34	%
0094650	0100000	0103970	0009178	0014227	0033555	0009719	0014546	0038225	0002188	00588	00588	00330	00318	00268	02574	17001714	(17000_BF)	45	-30	-35	%
0094650	0100000	0103970	0009178	0014227	0033555	0009425	0014563	0034835	0001156	00102	00102	00063	00063	00057	00597	17001715	(17000_BF)	45	-31	-33	%
0094650	0100000	0103970	0009178	0014227	0033555	0012022	001757														

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094650	0100000	0103970	0004346	0006100	0010906	0003788	0005468	0009970	0000941	00189	00189	00172	00217	00137	01923	17001750	(17000_BF)	29	-18	-15	%
0094650	0100000	0103970	0004346	0006100	0010906	0003552	0005110	0009349	0002128	00264	00264	00263	00338	00200	03032	17001751	(17000_BF)	28	-17	-15	%
0094650	0100000	0103970	0004346	0006100	0010906	0003542	0005051	0009000	0003645	00297	00297	00285	00366	00219	03193	17001752	(17000_BF)	28	-17	-15	%
0094650	0100000	0103970	0004346	0006100	0010906	0004145	0006426	0010630	0005039	00664	00664	00444	00450	00428	01848	17001753	(17000_BF)	30	-20	-14	%
0094650	0100000	0103970	0004346	0006100	0010906	0004348	0006719	0011035	0005236	00693	00693	00472	00485	00448	02415	17001754	(17000_BF)	30	-20	-14	%
0094650	0100000	0103970	0004346	0006100	0010906	0003759	0006104	0009632	0006328	00930	00930	00624	00615	00597	02444	17001755	(17000_BF)	30	-21	-13	%
0094650	0100000	0103970	0004346	0006100	0010906	0004200	0006420	0011128	0004563	00549	00549	00347	00359	00337	01315	17001756	(17000_BF)	30	-20	-15	%
0094650	0100000	0103970	0004346	0006100	0010906	0004802	0007831	0013068	0006445	01175	01175	00769	00807	00690	04882	17001757	(17000_BF)	32	-23	-15	%
0094650	0100000	0103970	0004346	0006100	0010906	0004474	0006683	0011841	0003968	00456	00456	00289	00317	00275	01731	17001758	(17000_BF)	30	-19	-15	%
0094650	0100000	0103970	0004346	0006100	0010906	0004304	0006392	0011475	0003355	00374	00374	00222	00239	00219	00987	17001759	(17000_BF)	30	-19	-15	%
0094650	0100000	0103970	0004346	0006100	0010906	0003698	0005188	0010781	0004074	00457	00457	00357	00412	00300	03758	17001760	(17000_BF)	28	-17	-17	%
0094650	0100000	0103970	0004346	0006100	0010906	0004097	0005481	0012018	0005436	00696	00696	00511	00541	00454	04015	17001761	(17000_BF)	29	-16	-18	%
0094650	0100000	0103970	0004346	0006100	0010906	0004064	0005365	0011398	0005370	00663	00663	00505	00545	00459	03742	17001762	(17000_BF)	29	-15	-17	%
0094650	0100000	0103970	0004346	0006100	0010906	0004914	0006614	0013051	0004995	00440	00440	00329	00350	00295	02289	17001763	(17000_BF)	30	-16	-17	%
0094650	0100000	0103970	0004346	0006100	0010906	0004937	0006706	0013139	0004998	00408	00408	00306	00331	00269	02350	17001764	(17000_BF)	30	-17		

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094650	0100000	0103970	0046909	0050847	0004704	0049192	0050623	0003610	0002453	00899	00899	00318	00396	00390	01221	17001800	(17000_BF)	77	0	91 %	
0094650	0100000	0103970	0046909	0050847	0004704	0048560	0051512	0005579	0001455	00451	00451	00144	00183	00171	00613	17001801	(17000_BF)	77	-1	86 %	
0094650	0100000	0103970	0046909	0050847	0004704	0046342	0049804	0004373	0000450	00144	00144	00081	00078	00079	00544	17001802	(17000_BF)	76	-2	88 %	
0094650	0100000	0103970	0046909	0050847	0004704	0047033	0051148	0004843	0001072	00060	00060	00027	00028	00028	00163	17001803	(17000_BF)	77	-3	88 %	
0094650	0100000	0103970	0046909	0050847	0004704	0047376	0050819	0004456	0000923	00185	00185	00065	00081	00080	00240	17001804	(17000_BF)	77	-2	88 %	
0094650	0100000	0103970	0046909	0050847	0004704	0047174	0050970	0004625	0000748	00067	00067	00022	00028	00026	00095	17001805	(17000_BF)	77	-3	88 %	
0094650	0100000	0103970	0046909	0050847	0004704	0045413	0048719	0004138	0000859	00204	00204	00145	00124	00122	01073	17001806	(17000_BF)	76	-2	88 %	
0094650	0100000	0103970	0046909	0050847	0004704	0047054	0050998	0005085	0000772	00172	00172	00035	00053	00035	00115	17001807	(17000_BF)	77	-3	87 %	
0094650	0100000	0103970	0010097	0016683	0029700	0011302	0017608	0034455	0004920	00632	00632	00390	00362	00355	02459	17001808	(17000_BF)	48	-36	-23 %	
0094650	0100000	0103970	0010097	0016683	0029700	0011181	0018671	0033293	0008337	00348	00348	00258	00248	00257	02497	17001809	(17000_BF)	49	-39	-22 %	
0094650	0100000	0103970	0010097	0016683	0029700	0009331	0016833	0027877	0004893	00762	00762	00388	00369	00363	01733	17001810	(17000_BF)	48	-41	-20 %	
0094650	0100000	0103970	0010097	0016683	0029700	0012034	0021421	0032317	0006826	01253	01253	00814	00749	00786	06613	17001811	(17000_BF)	51	-42	-18 %	
0094650	0100000	0103970	0010097	0016683	0029700	0009884	0018114	0025819	0007204	01312	01312	00760	00688	00726	05010	17001812	(17000_BF)	49	-42	-17 %	
0094650	0100000	0103970	0010097	0016683	0029700	0011353	0017100	0037220	0005876	01182	01182	00714	00662	00624	04599	17001813	(17000_BF)	48	-34	-26 %	
0094650	0100000	0103970	0010097	0016683	0029700	0010108	0016813	0031890	0003565	00294	00294	00147	00144	00135	01385	17001814	(17000_BF)	48	-38	-23 %	
0094650	0100000	0103970	0010097	0016683	0029700	0009641	0015750	0032074	0005248	00586	00586	00357	00330	00323	03195	17001815	(17000_BF)	47	-37	-24 %	
0094650	0100000	0103970	0010097	0016683	0029700	0009163	0014664	0031954	0005815	00925	00925	00594	00551	00535	05260	17001816	(17000_BF)	47	-36	-25 %	
0094650	0100000	0103970	0010097	0016683	0029700	0008462	0013322	0031148	0006497	01274	01274	00851	00796	00761	07734	17001817	(17000_BF)	46	-34	-26 %	
0094650	0100000	0103970	0010097	0016683	0029700	0008192	0013283	0030354	0005947	01097	01097	00753	00706	00683	07361	17001818	(17000_BF)	46	-36	-26 %	
0094650	0100000	0103970	0010097	0016683	0029700	0006764	0011790	0024212	0005451	00775	00775	00723	00707	00677	07994	17001819	(17000_BF)	44	-37	-23 %	
0094650	0100000	0103970	0010097	0016683	0029700	0011131	0017534	0035099	0005583	00663	00663	00408	00376	00368	02838	17001820	(17000_BF)	48	-36	-24 %	
0094650	0100000	0103970	0010097	0016683	0029700	0013606	0020680	0040241	0006404	00870	00870	00647	00595	00616	05245	17001821	(17000_BF)	50	-35	-24 %	
0094650	0100000	0103970	0010097	0016683	0029700	0011809	0018386	0036571	0005917	00719	00719	00465	00428	00425	03308	17001822	(17000_BF)	49	-36	-24 %	
0094650	0100000	0103970	0010097	0016683	0029700	0009341	0015901	0029012	0001455	00210	00210	00119	00122	00117	01209	17001823	(17000_BF)	47	-38	-21 %	
0094650	0100000	0103970	0010097	0016683	0029700	0009606	0014932	0025791	0004142	00682	00682	00323	00356	00325	02574	17001824	(17000_BF)	47	-35	-20 %	
0094650	0100000	0103970	0010097	0016683	0029700	0011138	0016797	0028988	0004312	00737	00737	00282	00333	00289	01169	17001825	(17000_BF)	48	-34	-20 %	
0094650	0100000	0103970	0010097	0016683	0029700	0010150	0015241	0028870	0005313	00902	00902	00479	00486	00458	02581	17001826	(17000_BF)	47	-33	-22 %	
0094650	0100000	0103970	0010097	0016683	0029700	0008972	0014202	0025201	0003464	00633	00633	00387	00398	00379	03518	17001827	(17000_BF)	46	-35	-20 %	
0094650	0100000	0103970	0010097	0016683	0029700	0008112	0012859	0024357	0004845	00819	00819	00603	00598	00576	05754	17001828	(17000_BF)	45	-34	-21 %	
0094650	0100000	0103970	0010097	0016683	0029700	0009598	0016496	0028859	0003155	00305	00305	00149	00148	00141	00580	17001829	(17000_BF)	48	-39	-21 %	
0094650	0100000	0103970	0010097	0016683	0029700	0011422	0018845	0032848	0003761	00302	00302	00271	00254	00270	02739	17001830	(17000_BF)	49	-38	-21 %	
0094650	0100000	0103970	0010097	0016683	0029700	0009331	0016761	0026486	0006245	00832	00832	00464	00427	00438	02607	17001831	(17000_BF)	48	-41	-19 %	
0094650	0100000	0103970	0010097	0016683	0029700	0011446	0019496	0030640	0006190	00724	00724	00502	00461	00487	04357	17001832	(17000_BF)	50	-40	-19 %	
0094650	0100000	0103970	0010097	0016683	0029700	0008732	0015652	0025041	0006122	00746	00746	00441	00405	00418	02730	17001833	(17000_BF)	47	-40	-19 %	
0094650	0100000	0103970	0010097	0016683	0029700	0010491	0018673	0029522	0005967	00905	00905	00525	00489	00500	03600	17001834	(17000_BF)	49	-41	-19 %	
0094650	0100000	0103970	0010097	0016683	0029700	0010921	0018487	0028294	0006164	00714	00714	00465	00425	00448	03901	17001835	(17000_BF)	49	-39	-18 %	
0094650	0100000	0103970	0010097	0016683	0029700	0015915	0023465	0041791	0006502	00991	00991	00840	00768	00824	07724	17001836	(17000_BF)	52	-35	-22 %	
0094650	0100000	0103970	0006473	0005997	0020929	0005589	0005052	0021039	0002565	00691	00691	00379	00466	00252	04624	17001837	(17000_BF)	28	11	-41 %	
0094650	0100000	0103970	0006473	0005997	0020929	0006134	0005570	0020462	0002046	00188	00188	00130	00164	00095	01646	17001838	(17000_BF)	29	9	-39 %	
0094650	0100000	0103970	0006473	0005997	0020929	0006396	0005667	0022084	0002110	00464	00464	00208	00249	00117	02474	17001839	(17000_BF)	29	10	-40 %	
0094650	0100000	0103970	0006473	0005997	0020929	0006598	0005558	0023898	0002382	00961	00961	00415	00483	00229	04540	17001840	(17000_BF)	29	11	-42 %	
0094650	0100000	0103970	0006473	0005997	0020929	0006215	0005768	0020320	0002056	00064	00064	00060	00076	00046	00697	17001841	(17000_BF)	29	8	-38 %	
0094650	0100000	0103970	0006473	0005997	0020929	0006703	0006033	0023013	0001948	00413	00413	00158	00188	00086	01821	17001842	(17000_BF)	29	9	-40 %	
0094650	0100000	0103970	0006473	0005997	0020929	0005405	0005340	0017218	0001876	00652	00652	00340	00429	00219	02701	17001843	(17000_BF)	29	6	-36 %	
0094650	0100000	0103970	0006473	0005997	0020929	0005608	0005255	0019190	0001473	00224	00224	00207	00265	00169	02413	17001844	(17000_BF)	28	8	-38 %	
0094650	0100000	0103970	0006473	0005997	0020929	0005651	0005588	0018024	0001855	00602	00602	00305	00383	00205	02220	17001845	(17000_BF)	29	6	-36 %	
0094650	0100000	0103970	0006473	0005997	0020929	0006006	0005582	0019049	0001986	00282	00282	00137	00171	00083	01260	17001846	(17000_BF)	29	7	-37 %	
0094650	0100000	0103970	0006473	0005997	0020929	0006414	0005591	0022645	0002300	00636	00636	00280	00332	00155	03295	17001847	(17000_BF)	29	10	-41 %	
0094650	0100000	0103970	0006473	0005997	0020929	0006172	0005547	0021306	0002116	00345	00345	00174	00214	00110	02348	17001848	(17000_BF)	29	9	-40 %	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094650	0100000	0103970	0006473	0005997	0020929	0005747	0005770	0018292	0001741	00685	00685	00348	00435	00250	02380	17001850	(17000_BF)	29	6	-36	%
0094650	0100000	0103970	0006473	0005997	0020929	0006910	0006025	0024519	0002360	00751	00751	00298	00347	00150	03195	17001851	(17000_BF)	29	10	-42	%
0094650	0100000	0103970	0006473	0005997	0020929	0006763	0006211	0022771	0002126	00258	00258	00105	00127	00088	01161	17001852	(17000_BF)	30	9	-40	%
0094650	0100000	0103970	0006473	0005997	0020929	0007341	0006420	0026575	0002690	00905	00905	00356	00414	00205	03734	17001853	(17000_BF)	30	10	-42	%
0094650	0100000	0103970	0006473	0005997	0020929	0008356	0008099	0025323	0002639	00539	00539	00500	00600	00408	05950	17001854	(17000_BF)	32	7	-38	%
0094650	0100000	0103970	0006473	0005997	0020929	0007261	0006674	0024563	0002385	00404	00404	00211	00256	00177	02173	17001855	(17000_BF)	30	9	-40	%
0094650	0100000	0103970	0006473	0005997	0020929	0007254	0006692	0023447	0002025	00242	00242	00180	00222	00138	01940	17001856	(17000_BF)	30	9	-39	%
0094650	0100000	0103970	0006473	0005997	0020929	0007446	0007365	0021441	0002464	00694	00694	00423	00522	00293	05307	17001857	(17000_BF)	31	6	-36	%
0094650	0100000	0103970	0006473	0005997	0020929	0005946	0005405	0019472	0002192	00182	00182	00165	00211	00139	01902	17001858	(17000_BF)	29	9	-38	%
0094650	0100000	0103970	0006473	0005997	0020929	0006257	0005912	0017441	0003575	00668	00668	00239	00302	00260	03295	17001859	(17000_BF)	29	8	-35	%
0094650	0100000	0103970	0006473	0005997	0020929	0005892	0005431	0017448	0003270	00459	00459	00221	00279	00257	02328	17001860	(17000_BF)	29	8	-36	%
0094650	0100000	0103970	0006473	0005997	0020929	0006320	0005345	0021439	0002828	00713	00713	00378	00452	00284	03642	17001861	(17000_BF)	29	11	-40	%
0094650	0100000	0103970	0006473	0005997	0020929	0006454	0005967	0021108	0001887	00049	00049	00018	00023	00016	00282	17001862	(17000_BF)	29	8	-39	%
0094650	0100000	0103970	0006473	0005997	0020929	0006254	0004766	0016211	0003868	00509	00509	00369	00479	00345	03872	17001863	(17000_BF)	28	9	-37	%
0094650	0100000	0103970	0006473	0005997	0020929	0004722	0004619	0013305	0003654	01136	01136	00549	00717	00407	05683	17001864	(17000_BF)	28	6	-33	%
0094650	0100000	0103970	0006473	0005997	0020929	0006190	0005678	0021481	0002091	00261	00261	00120	00148	00109	01842	17001865	(17000_BF)	29	9	-40	%
0094650	0100000	0103970	0006473	0005997	0020929	0006000	0005550	0021473	0001717	00321	00321	00162	00200	00176	02407	17001866	(17000_BF)	29	8	-40	%
0094650	0100000	0103970	0014970	0007508	0007814	0014943	0007421	0006903	0001719	00316	00316	00164	00150	00166	01471	17001867	(17000_BF)	33	59	1	%
0094650	0100000	0103970	0014970	0007508	0007814	0015837	0008026	0007567	0002189	00302	00302	00184	00184	00174	01811	17001868	(17000_BF)	34	59	1	%
0094650	0100000	0103970	0014970	0007508	0007814	0015794	0007785	0008582	0001855	00290	00290	00122	00137	00107	01099	17001869	(17000_BF)	33	60	0	%
0094650	0100000	0103970	0014970	0007508	0007814	0017178	0008545	0009902	0002883	00514	00514	00287	00319	00242	02912	17001870	(17000_BF)	34	61	-1	%
0094650	0100000	0103970	0014970	0007508	0007814	0014812	0007285	0007522	0000359	00127	00127	00059	00071	00051	00648	17001871	(17000_BF)	33	60	0	%
0094650	0100000	0103970	0014970	0007508	0007814	0016581	0007742	0009270	0003120	00829	00829	00289	00328	00258	02406	17001872	(17000_BF)	33	63	-2	%
0094650	0100000	0103970	0014970	0007508	0007814	0016968	0008284	0007075	0003358	00733	00733	00351	00355	00336	03098	17001873	(17000_BF)	34	61	2	%
0094650	0100000	0103970	0014970	0007508	0007814	0017095	0008543	0008417	0002631	00399	00399	00244	00278	00208	02555	17001874	(17000_BF)	34	60	0	%
0094650	0100000	0103970	0014970	0007508	0007814	0014905	0007456	0007242	0000972	00191	00191	00101	00092	00102	00925	17001875	(17000_BF)	33	59	0	%
0094650	0100000	0103970	0014970	0007508	0007814	0014414	0006986	0007532	0001675	00221	00221	00134	00157	00111	01514	17001876	(17000_BF)	32	60	0	%
0094650	0100000	0103970	0014970	0007508	0007814	0012800	0006906	0006289	0003456	00882	00882	00323	00381	00326	02555	17001877	(17000_BF)	32	55	1	%
0094650	0100000	0103970	0014970	0007508	0007814	0016671	0007893	00													

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094650	0100000	0103970	0007502	0007071	0001875	0006556	0006251	0001592	0002506	00229	00229	00206	00255	00173	02221	17001900	(17000_BF)	31	7	29	%
0094650	0100000	0103970	0007502	0007071	0001875	0007611	0006397	0001924	0004438	00858	00858	00595	00939	00694	02684	17001901	(17000_BF)	31	11	28	%
0094650	0100000	0103970	0007502	0007071	0001875	0007571	0006512	0001779	0004354	00652	00652	00451	00684	00523	02163	17001902	(17000_BF)	31	11	29	%
0094650	0100000	0103970	0007502	0007071	0001875	0007427	0006815	0001587	0001951	00262	00262	00138	00176	00143	00874	17001903	(17000_BF)	32	8	31	%
0094650	0100000	0103970	0007502	0007071	0001875	0006747	0006197	0001454	0001677	00260	00260	00225	00281	00193	02421	17001904	(17000_BF)	31	8	30	%
0094650	0100000	0103970	0007502	0007071	0001875	0007475	0006440	0001946	0004066	00702	00702	00488	00756	00570	02310	17001905	(17000_BF)	31	11	28	%
0094650	0100000	0103970	0007502	0007071	0001875	0006379	0006176	0001545	0003128	00306	00306	00255	00326	00238	02469	17001906	(17000_BF)	31	6	30	%
0094650	0100000	0103970	0007502	0007071	0001875	0006276	0006113	0001686	0002809	00404	00404	00288	00366	00273	02662	17001907	(17000_BF)	31	6	29	%
0094650	0100000	0103970	0007502	0007071	0001875	0006141	0006008	0001561	0002900	00408	00408	00318	00408	00303	02971	17001908	(17000_BF)	31	6	29	%
0094650	0100000	0103970	0007502	0007071	0001875	0006174	0006028	0001601	0003134	00406	00406	00309	00395	00292	02907	17001909	(17000_BF)	31	6	29	%
0094650	0100000	0103970	0007502	0007071	0001875	0006149	0005989	0001529	0002795	00383	00383	00310	00396	00288	03010	17001910	(17000_BF)	31	6	29	%
0094650	0100000	0103970	0007502	0007071	0001875	0006495	0006075	0001636	0002375	00295	00295	00249	00306	00203	02713	17001911	(17000_BF)	31	8	29	%
0094650	0100000	0103970	0007502	0007071	0001875	0008585	0007835	0001741	0002839	00521	00521	00275	00326	00257	02031	17001912	(17000_BF)	33	9	32	%
0094650	0100000	0103970	0007502	0007071	0001875	0007490	0007163	0002028	0001333	00145	00145	00074	00096	00081	00389	17001913	(17000_BF)	32	7	29	%
0094650	0100000	0103970	0007502	0007071	0001875	0007249	0006952	0001984	0001333	00195	00195	00097	00125	00105	00474	17001914	(17000_BF)	32	7	29	%
0094650	0100000	0103970	0007502	0007071	0001875	0006333	0006158	0001680	0002810	00376	00376	00273	00347	00258	02530	17001915	(17000_BF)	31	6	29	%
0094650	0100000	0103970	0007502	0007071	0001875	0006502	0006296	0001758	0002541	00346	00346	00236	00298	00223	02138	17001916	(17000_BF)	31	6	29	%
0094650	0100000	0103970	0007502	0007071	0001875	0006271	0005902	0001543	0002280	00322	00322	00287	00352	00228	03210	17001917	(17000_BF)	31	7	29	%
0094650	0100000	0103970	0007502	0007071	0001875	0006019	0005702	0001557	0002613	00429	00429	00350	00432	00283	03801	17001918	(17000_BF)	30	7	28	%
0094650	0100000	0103970	0007502	0007071	0001875	0006088	0005741	0001496	0002391	00370	00370	00330	00407	00261	03684	17001919	(17000_BF)	30	7	29	%
0094650	0100000	0103970	0007502	0007071	0001875	0007137	0006412	0001530	0002956	00353	00353	00250	00339	00260	01960	17001920	(17000_BF)	31	9	30	%
0094650	0100000	0103970	0007502	0007071	0001875	0006515	0006042	0001523	0001943	00264	00264	00252	00312	00204	02821	17001921	(17000_BF)	31	8	29	%
0094650	0100000	0103970	0007502	0007071	0001875	0006860	0006217	0001540	0002652	00311	00311	00256	00338	00246	02407	17001922	(17000_BF)	31	9	30	%
0094650	0100000	0103970	0007502	0007071	0001875	0006446	0005915	0001652	0002713	00404	00404	00322	00412	00288	03207	17001923	(17000_BF)	31	8	28	%
0094650	0100000	0103970	0007502	0007071	0001875	0007664	0006779	0001510	0003317	00511	00511	00288	00392	00318	01399	17001924	(17000_BF)	32	10	31	%
0094650	0100000	0103970	0007502	0007071	0001875	0007546	0006756	0001733	0002944	00361	00361	00243	00352	00280	01216	17001925	(17000_BF)	32	9	30	%
0094650	0100000	0103970	0007484	0010772	0021236	0004734	0008721	0015970	0005775	01525	01525	00939	00905	00818	04961	17001926	(17000_BF)	37	-30	-20	%
0094650	0100000	0103970	0007484	0010772	0021236	0006420	0010688	0021383	0004141	01007	01007	00519	00517	00461	01486	17001927	(17000_BF)	39	-28	-22	%
0094650	0100000	0103970	0007484	0010772	0021236	0004911	0008460	0017440	0004125	01058	01058	0066									

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094650	0100000	0103970	0007484	0010772	0021236	0006368	0011101	0022182	0006335	01366	01366	00695	00682	00606	01967	17001950	(17000_BF)	39	-30	-22	%
0094650	0100000	0103970	0007484	0010772	0021236	0005996	0011109	0021258	0006683	01775	01775	00933	00887	00799	02491	17001951	(17000_BF)	39	-32	-22	%
0094650	0100000	0103970	0007484	0010772	0021236	0007014	0009882	0021263	0004973	00382	00382	00280	00282	00240	02515	17001952	(17000_BF)	38	-22	-23	%
0094650	0100000	0103970	0007484	0010772	0021236	0007652	0010730	0021202	0003898	00190	00190	00107	00112	00100	00311	17001953	(17000_BF)	39	-22	-22	%
0094650	0100000	0103970	0007484	0010772	0021236	0006731	0009371	0020781	0005026	00543	00543	00409	00416	00350	03711	17001954	(17000_BF)	38	-21	-24	%
0094650	0100000	0103970	0007484	0010772	0021236	0006529	0009148	0021126	0005274	00643	00643	00475	00484	00403	04624	17001955	(17000_BF)	38	-21	-25	%
0094650	0100000	0103970	0007642	0012832	0005016	0007721	0012882	0005108	0000134	00052	00052	00018	00022	00018	00121	17001956	(17000_BF)	43	-35	27	%
0094650	0100000	0103970	0007642	0012832	0005016	0009036	0013165	0005356	0003905	01028	01028	00461	00495	00446	01553	17001957	(17000_BF)	43	-30	27	%
0094650	0100000	0103970	0007642	0012832	0005016	0007374	0012638	0005062	0001127	00149	00149	00087	00081	00076	00385	17001958	(17000_BF)	42	-36	27	%
0094650	0100000	0103970	0007642	0012832	0005016	0008012	0013628	0005238	0001553	00227	00227	00134	00141	00126	01281	17001959	(17000_BF)	43	-36	28	%
0094650	0100000	0103970	0007642	0012832	0005016	0006723	0011547	0005957	0003717	00803	00803	00462	00449	00415	02670	17001960	(17000_BF)	42	-36	24	%
0094650	0100000	0103970	0007642	0012832	0005016	0005672	0010162	0005410	0003845	01048	01048	00691	00676	00613	05104	17001961	(17000_BF)	40	-36	23	%
0094650	0100000	0103970	0007642	0012832	0005016	0006297	0010052	0004143	0003511	00842	00842	00516	00562	00474	05030	17001962	(17000_BF)	40	-32	26	%
0094650	0100000	0103970	0007642	0012832	0005016	0007467	0012301	0003937	0002495	00469	00469	00278	00255	00242	01225	17001963	(17000_BF)	42	-35	30	%
0094650	0100000	0103970	0007642	0012832	0005016	0007372	001297														

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094650	0100000	0103970	0019430	0019506	0052702	0016646	0016481	0047009	0001757	00383	00383	00372	00347	00371	00377	17002000	(17000_BF)	49	5	-43	%
0094650	0100000	0103970	0019430	0019506	0052702	0016678	0016084	0049995	0002642	00699	00699	00479	00476	00431	05552	17002001	(17000_BF)	49	6	-45	%
0094650	0100000	0103970	0019430	0019506	0052702	0017496	0016639	0050172	0002489	00685	00685	00452	00470	00409	04590	17002002	(17000_BF)	50	7	-45	%
0094650	0100000	0103970	0019430	0019506	0052702	0017525	0019065	0049731	0003177	00807	00807	00474	00552	00477	01965	17002003	(17000_BF)	51	1	-42	%
0094650	0100000	0103970	0019430	0019506	0052702	0019091	0017780	0050732	0003147	00753	00753	00462	00531	00485	02935	17002004	(17000_BF)	50	8	-44	%
0094650	0100000	0103970	0019430	0019506	0052702	0016546	0018036	0048053	0003116	00829	00829	00509	00579	00522	02481	17002005	(17000_BF)	50	1	-42	%
0094650	0100000	0103970	0019430	0019506	0052702	0018444	0020395	0050121	0003300	01043	01043	00595	00695	00541	03236	17002006	(17000_BF)	52	0	-41	%
0094650	0100000	0103970	0019430	0019506	0052702	0019433	0017962	0053021	0002722	00879	00879	00492	00568	00457	03353	17002007	(17000_BF)	50	8	-45	%
0094650	0100000																				

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094650	0100000	0103970	0027232	0014908	0002676	0027956	0001853	0001914	00753	00753	00262	00377	00292	00767	17002050	(17000_BF)	46	65	50 %		
0094650	0100000	0103970	0027232	0014908	0002676	0026325	0001395	0001653	00942	00942	00326	00440	00344	02044	17002051	(17000_BF)	45	66	51 %		
0094650	0100000	0103970	0027232	0014908	0002676	0026803	00014208	0002036	0001040	00434	00434	00143	00179	00143	01267	17002052	(17000_BF)	45	66	48 %	
0094650	0100000	0103970	0027232	0014908	0002676	0027806	00015032	0001366	0002595	01220	01220	00428	00623	00478	01033	17002053	(17000_BF)	46	65	52 %	
0094650	0100000	0103970	0027232	0014908	0002676	0021880	00012108	0003643	0003911	01511	01511	00617	00781	00649	04620	17002054	(17000_BF)	43	62	40 %	
0094650	0100000	0103970	0027232	0014908	0002676	0022459	00018189	0002818	0003694	00986	00986	00549	00637	00552	04847	17002055	(17000_BF)	43	64	42 %	
0094650	0100000	0103970	0027232	0014908	0002676	0025082	00013897	0003151	0002099	00655	00655	00234	00305	00248	01617	17002056	(17000_BF)	45	63	44 %	
0094650	0100000	0103970	0027232	0014908	0002676	0025527	00014233	0003284	0002191	00657	00657	00209	00287	00226	01206	17002057	(17000_BF)	45	63	44 %	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094650	0100000	0103970	0017788	0029311	0009639	0018349	0029503	0010269	0001156	00279	00279	00076	00101	00077	00392	17002100	(17000_BF)	61	-44	41	%
0094650	0100000	0103970	0017788	0029311	0009639	0019658	0029825	0009834	0002102	00778	00778	00327	00334	00298	01006	17002101	(17000_BF)	61	-41	42	%
0094650	0100000	0103970	0017788	0029311	0009639	0017122	0028417	0008660	0000822	00198	00198	00106	00098	00093	00794	17002102	(17000_BF)	61	-45	43	%
0094650	0100000	0103970	0017788	0029311	0009639	0016715	0028124	0008699	0001016	00209	00209	00115	00108	00103	01024	17002103	(17000_BF)	61	-46	42	%
0094650	0100000	0103970	0017788	0029311	0009639	0018128	0029358	0009663	0000595	00163	00163	00066	00067	00059	00187	17002104	(17000_BF)	61	-44	42	%
0094650	0100000	0103970	0017788	0029311	0009639	0016268	0028479	0008834	0001386	00544	00544	00194	00211	00174	00936	17002105	(17000_BF)	61	-48	42	%
0094650	0100000	0103970	0017788	0029311	0009639	0016738	0028552	0008338	0001170	00427	00427	00130	00157	00123	00852	17002106	(17000_BF)	61	-47	43	%
0094650	0100000	0103970	0017788	0029311	0009639	0017552	0029486	0008261	0001518	00517	00517	00166	00191	00152	00671	17002107	(17000_BF)	61	-46	44	%
0094650	0100000	0103970	0017788	0029311	0009639	0018310	0028588	0009145	0001800	00558	00558	00246	00244	00220	0083						

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094650	0100000	0103970	0006076	0011697	0002965	0005670	0010925	0002925	0002636	00250	00250	00146	00157	00131	01410	17002150	(17000_BF)	40	-43	35 %	
0094650	0100000	0103970	0006076	0011697	0002965	0006541	0012411	0003036	0000708	00185	00185	00132	00132	00117	01240	17002151	(17000_BF)	41	-44	37 %	
0094650	0100000	0103970	0006076	0011697	0002965	0005967	0011437	0002879	0000359	00076	00076	00047	00050	00042	00465	17002152	(17000_BF)	41	-43	36 %	
0094650	0100000	0103970	0006076	0011697	0002965	0005089	0010867	0002957	0003125	00616	00616	00322	00306	00275	01676	17002153	(17000_BF)	40	-47	35 %	
0094650	0100000	0103970	0006076	0011697	0002965	0005058	0010550	0003481	0003644	00780	00780	00446	00415	00382	02341	17002154	(17000_BF)	40	-46	33 %	
0094650	0100000	0103970	0006076	0011697	0002965	0005895	0011640	0004276	0003569	00823	00823	00413	00387	00360	01308	17002155	(17000_BF)	41	-45	32 %	
0094650	0100000	0103970	0033766	0036141	0034911	0033652	0036069	0034194	0000846	00087	00087	00075	00098	00075	00304	17002156	(17000_BF)	67	-1	3 %	
0094650	0100000	0103970	0033766	0036141	0034911	0034572	0036786	0036330	0001889	00132	00132	00116	00153	00132	00573	17002157	(17000_BF)	67			

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094650	0100000	0103970	0034724	0022963	0008152	0035043	0022914	0007987	0001483	00140	00039	00053	00040	00256	17002200	(17000_BF)	55	52	37 %		
0094650	0100000	0103970	0034724	0022963	0008152	0036360	0023654	0006602	0004216	00748	00748	00273	00366	00289	01225	17002201	(17000_BF)	55	52	40 %	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0098074	0100000	0118232	0009678	0016100	0019446	0009751	0016305	0019834	0000381	00067	00067	00036	00037	00036	00311	17002250	(17000_BF)	47	-41	0 %	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0098074	0100000	0118232	0062149	0062800	0005070	0063196	0063713	0005577	0000517	00154	00154	00056	00057	00044	00369	17002300	(17000_BF)	84	1	100	%
0098074	0100000	0118232	0062149	0062800	0005070	0062600	0063269	0005312	0000258	00071	00071	00027	00026	00020	00187	17002301	(17000_BF)	83			

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0098074	0100000	0118232	0044547	0034700	0037982	0044018	0034344	0037079	0000505	00074	00074	00052	00047	000350	17002350	(17000_BF)	65	32	3	%	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0098074	0100000	0118232	0020796	0021300	0029863	0021263	0021679	0029952	0001050	00084	00084	00072	00089	00086	00515	17002400	(17000_BF)	53	0	-6 %	
0098074	0100000	0118232	0020796	0021300	0029863	0020320	0020799	0029218	0000619	00055	00055	00055	00049	00054	00542	17002401	(17000_BF)	53	0	-6 %	
0098074	0100000	0118232	0020796	0021300	0029863	0021116	0021610	0030876	0000772	00090	00090	00072	00085	00071	00518	17002402	(17000_BF)	53	0	-7 %	
0098074	0100000	0118232	0020796	0021300	0029863	0020896	0021390	0030271	0000324	00042	00042	00032	00040	00033	00219	17002403	(17000_BF)	53	0	-7 %	
0098074	0100000	0118232	0020796	0021300	0029863	0020955	0021455	0030048	0000147	00017	00017	00017	00015	00017	00166	17002404	(17000_BF)	53	0	-6 %	
0098074	0100000	0118232	0020796	0021300	0029863	0021275	0021575	0030161	0001150	00104	00104	00094	00138	00141	00371	17002405	(17000_BF)	53	0	-6 %	
0098074	0100000	0118232	0020796	0021300	0029863	0020895	0021395	0030087	0000153	00017	00017	00015	00016	00015	00119	17002406	(17000_BF)	53	0	-7 %	
0098074	0100000	0118232	0020796	0021300	0029863	0020742	0021188	0029917	0000601	00041	00041	00034	00047	00044	00200	17002407	(17000_BF)	53	0	-7 %	
0098074	0100000	0118232	0020796	0021300	0029863	0021136	0021648	0030301	0000489	00037	00037	00037	00033	00036	00370	17002408	(17000_BF)	53	0	-6 %	
0098074	0100000	0118232	0020796	0021300	0029863	0019954	0020431	0028684	0000961	00095	00095	00095	00085	00093	00944	17002409	(17000_BF)	53	0	-6 %	
0098074	0100000	0118232	0020796	0021300	0029863	0020831	0021336	0029864	0000100	00007	00007	00006	00007	00006	00051	17002410	(17000_BF)	53	0	-6 %	
0098074	0100000	0118232	0020796	0021300	0029863	0020989	0021395	0029968	0000890	00049	00049	00044	00065	00066	00148	17002411	(17000_BF)	53	0	-6 %	
0098074	0100000	0118232	0020796	0021300	0029863	0020719	0021192	0029707	0000312	00018	00018	00017	00021	00021	00119	17002412	(17000_BF)	53	0	-6 %	
0098074	0100000	0118232	0020796	0021300	0029863	0021032	0021537	0030486	0000377	00050	00050	00041	00046	00041	00323	17002413	(17000_BF)	53	0	-7 %	
0098074	0100000	0118232	0020796	0021300	0029863	0020997	0021461	0029922	0000619	00034	00034	00030	00037	00036	00212	17002414	(17000_BF)	53	0	-6 %	
0098074	0100000	0118232	0020796	0021300	0029863	0020859	0021347	0030550	0000802	00088	00088	00067	00083	00066	00438	17002415	(17000_BF)	53	0	-7 %	
0098074	0100000	0118232	0020796	0021300	0029863	0021013	0021463	0030058	0000336	00032	00032	00030	00040	00041	00185	17002416	(17000_BF)	53	0	-6 %	
0098074	0100000	0118232	0020796	0021300	0029863	0021597	0022120	0030911	0000997	00087	00087	00087	00077	00084	00863	17002417	(17000_BF)	54	0	-6 %	
0098074	0100000	0118232	0067534	0069900	0077642	0068599	0070599	0078095	0001111	00093	00093	00088	00112	00118	00292	17002418	(17000_BF)	87	-1	3 %	
0098074	0100000	0118232	0067534	0069900	0077642	0067536	0070193	0078249	0000826	00066	00066	00061	00080	00083	00158	17002419	(17000_BF)	87	-2	3 %	
0098074	0100000	0118232	0067534	0069900	0077642	0068935	0071165	0078533	0000805	00082	00082	00079	00080	00074	00466	17002420	(17000_BF)	87	-2	3 %	
0098074	0100000	0118232	0067534	0069900	0077642	0067629	0069955	0077794	0000270	00011	00011	00009	00012	00012	00033	17002421	(17000_BF)	87	-2	3 %	
0098074	0100000	0118232	0067534	0069900	0077642	0067353	0069620	0076847	0000361	00043	00043	00039	00050	00043	00159	17002422	(17000_BF)	87	-2	3 %	
0098074	0100000	0118232	0067534	0069900	0077642	0067195	0069438	0074938	0001166	00168	00168	00146	00188	00146	00570	17002423	(17000_BF)	87	-2	4 %	
0098074	0100000	0118232	0067534	0069900	0077642	0066470	0069124	0076703	0001006	00078	00078	00072	00085	00090	00299	17002424	(17000_BF)	87	-2	3 %	
0098074	0100000	0118232	0067534	0069900	0077642	0066984	0069243	0076827	0000305	00038	00038	00037	00033	00033	00237	17002425	(17000_BF)	87	-2	3 %	
0098074	0100000	0118232	0067534	0069900	0077642	0068134	0070214	0078294	0000743	00069	00069	00062	00081	00085	00169	17002426	(17000_BF)	87	-1	3 %	
0098074	0100000	0118232	0067534	0069900	0077642	0067907	0070515	0077088	0000944	00109	00109	00093	00115	00096	00381	17002427	(17000_BF)	87	-2	4 %	
0098074	0100000	0118232	0067534	0069900	0077642	0068088	0070396	0079258	0000701	00083	00083	00071	00093	00070	00317	17002428	(17000_BF)	87	-2	3 %	
0098074	0100000	0118232	0067534	0069900	0077642	0068264	0070759	0079773	0000833	00097	00097	00089	00110	00086	00420	17002429	(17000_BF)	87	-2	3 %	
0098074	0100000	0118232	0067534	0069900	0077642	0067464	0069816	0076485	0000777	00079	00079	00069	00090	00068	00265	17002430	(17000_BF)	87	-2	4 %	
0098074	0100000	0118232	0067534	0069900	0077642	0068772	0071158	0078950	0000305	00062	00062	00061	00045	00040	00443	17002431	(17000_BF)	87	-2	3 %	
0098074	0100000	0118232	0067534	0069900	0077642	0068739	0071395	0081177	0001215	00161	00161	00151	00183	00149	00702	17002432	(17000_BF)	87	-2	2 %	
0098074	0100000	0118232	0067534	0069900	0077642	0066909	0069284	0077711	0000631	00065	00065	00059	00071	00054	00290	17002433	(17000_BF)	87	-2	3 %	
0098074	0100000	0118232	0067534	0069900	0077642	0067657	0070011	0078214	0000270	00033	00033	00029	00038	00028	00118	17002434	(17000_BF)	87	-2	3 %	
0098074	0100000	0118232	0067534	0069900	0077642	0067988	0070585	0077812	0000708	00072	00072	00063	00074	00070	00291	17002435	(17000_BF)	87	-2	3 %	
0098074	0100000	0118232	0067534	0069900	0077642	0066299	0068858	0078024	0001201	00136	00136	00127	00159	00129	00545	17002436	(17000_BF)	87	-2	3 %	
0098074	0100000	0118232	0067534	0069900																	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094811	0100000	0107304	0020375	0014342	0007280	0019027	0013220	0006695	0001005	00173	00166	00167	00156	01756	17002450	(17000_BF)	44	37	22 %		
0094811	0100000	0107304	0020375	0014342	0007280	0019475	0013370	0006387	0001358	00236	00236	00154	00158	00145	01620	17002451	(17000_BF)	44	38	23 %	
0094811	0100000	0107304	0020375	0014342	0007280	0017130	0011887	0005937	0001686	00393	00393	00371	00373	00341	03967	17002452	(17000_BF)	43	37	22 %	
0094811	0100000	0107304	0020375	0014342	0007280	00221102	0014732	0007515	0000764	00129	00129	00072	00080	00071	00601	17002453	(17000_BF)	45	38	23 %	
0094811	0100000	0107304	0020375	0014342	0007280	0020217	0014427	0007437	0000272	00134	00134	00049	00061	00050	00317	17002454	(17000_BF)	45	37	22 %	
0094811	0100000	0107304	0020375	0014342	0007280	0020695	0014767	0007190	0001052	00178	00178	00117	00147	00124	00732	17002455	(17000_BF)	45	37	23 %	
0094811	0100000	0107304	0020375	0014342	0007280	0021980	0015542	0008200	0001127	00179	00179	00169	00168	00163	01756	17002456	(17000_BF)	46	38	22 %	
0094811	0100000	0107304	0020375	0014342	0007280	0020960	0014767	0007495	0000534	00069	00069	00060	00059	00057	00628	17002457	(17000_BF)	45	37	23 %	
0094811	0100000	0107304	0020375	0014342	0007280	0019142	0013810	0007107	0001450	00305	00305	00133	00159	00135	00950	17002458	(17000_BF)	44	36	22 %	
0094811	0100000	0107304	0020375	0014342	0007280	0020150	0014330	0007725	0000619	00195	00195	00079	00101	00083	00445	17002459	(17000_BF)	45	37	22 %	
0094811	0100000	0107304	0020375	0014342	0007280	0023307	0016665	0009037	0001686	00321	00321	00314	00304	00304	03303	17002460	(17000_BF)	46	37	22 %	
0094811	0100000	0107304	0020375	0014342	0007280	0020832	0015422	0008742	0001513	00512	00512	00221	00252	00221	02014	17002461	(17000_BF)	45	35	21 %	
0094811	0100000	0107304	0020375	0014342	0007280	0020650	0014587	0007315	0000272	00059	00059	00044	00050	00044	00378	17002462	(17000_BF)	45	37	23 %	
0094811	0100000	0107304	0020375	0014342	0007280	0019920	0013767	0006245	0001479	00305	00305	00149	00178	00150	01158	17002463	(17000_BF)	44	38	24 %	
0094811	0100000	0107304	0020375	0014342	0007280	0020892	0014755	0007792	0000399	00104	00104	00075	00084	00075	00665	17002464	(17000_BF)	45	37	22 %	
0094811	0100000	0107304	0020375	0014342	0007280	0022130	0015577	0008655	0001686	00276	00276	00214	00236	00215	01886	17002465	(17000_BF)	46	38	22 %	
0094811	0100000	0107304	0020375	0014342	0007280	0018015	0012305	0006065	0001825	00320	00320	00307	00309	00284	03300	17002466	(17000_BF)	43	38	22 %	
0094811	0100000	0107304	0020375	0014342	0007280	0018622	0013162	0006510	0001559	00225	00225	00182	00187	00172	01838	17002467	(17000_BF)	44	37	23 %	
0094811	0100000	0107304	0020375	0014342	0007280	0019520	0013537	0006805	0000849	00138	00138	00121	00123	00115	01270	17002468	(17000_BF)	44	38	23 %	
0094811	0100000	0107304	0020375	0014342	0007280	0021380	0014852	0007160	0000866	00254	00254	00111	00125	00108	00858	17002469	(17000_BF)	45	38	23 %	
0094811	0100000	0107304	0020375	0014342	0007280	0020920	0014927	0007757	0000580	00123	00123	00087	00088	00083	00915	17002470	(17000_BF)	45	37	22 %	
0094811	0100000	0107304	0020375	0014342	0007280	0021135	0014720	0007195	0000874	00193	00193	00083	00094	00081	00642	17002471	(17000_BF)	45	38	23 %	
0094811	0100000	0107304	0020375	0014342	0007280	0019260	0013040	0006415	0001686	00322	00322	00217	00230	00208	02175	17002472	(17000_BF)	44	39	23 %	
0094811	0100000	0107304	0020375	0014342	0007280	0017845	0012252	0005867	0001686	00314	00314	00310	00309	00286	03384	17002473	(17000_BF)	43	37	23 %	
0094811	0100000	0107304	0020375	0014342	0007280	0020915	0014777	0007002	0001173	00218	00218	00127	00159	00134	00771	17002474	(17000_BF)	45	37	24 %	
0094811	0100000	0107304	0020375	0014342	0007280	0018640	0012995	0006487	0001479	00200	00200	00196	00195	00183	02110	17002475	(17000_BF)	44	37	22 %	
0094811	0100000	0107304	0020375	0014342	0007280	0019282	0013537	0006565	0000874	00146	00146	00127	00134	00123	01266	17002476	(17000_BF)	44	37	23 %	
0094811	0100000	0107304	0020375	0014342	0007280	0019017	0013195	0006425	0001036	00176	00176	00167	00166	00156	01817	17002477	(17000_BF)	44	37	23 %	
0094811	0100000	0107304	0020375	0014342	0007280	0020770	0014502	0008042	0001513	00255	00255	00153	00198	00166	00658	17002478	(17000_BF)	45	38	21 %	
0094811	0100000	0107304	0020375	0014342	0007280	0020327	0014342	0008360	0001479	00385	00385	00206	00267	00223	00953	17002479	(17000_BF)	45	37	21 %	
0094811	0100000	0107304	0020375	0014342	0007280	0019080	0013512	0006630	0001005	00184	00184	00139	00150	00136	01295	17002480	(17000_BF)	44	37	23 %	
0094811	0100000	0107304	0020375	0014342	0007280	0017962	0012537	0005660	0001686	00341	00341	00295	00314	00282	02937	17002481	(17000_BF)	43	37	24 %	
0094811	0100000	0107304	0020375	0014342	0007280	0020715	0014540	0007102	0000444	00126	00126	00061	00075	00063	00382	17002482	(17000_BF)	45	37	23 %	
0094811	0100000	0107304	0020375	0014342	0007280	0019530	0013912	0006490	0001424	00261	00261	00164	00213	00177	00859	17002483	(17000_BF)	44	36	24 %	
0094811	0100000	0107304	0020375	0014342	0007280	0022060	0015582	0007420	0001398	00303	00303	00206	00224	00205	01836	17002484	(17000_BF)	46	38	24 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029124	0030750	0032997	0000487	00044	00044	00044	00053	00051	00311	17002					

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%	
%1000*CIEXYZ & 100*dE*																					data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %	
0094811	0100000	0107304	0029578	0031150	0033380	0029370	0031050	0033414	0000883	00048	00048	00048	00067	00067	00138	17002500	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0030010	0031530	0034004	0000883	00050	00050	00050	00065	00056	00314	17002501	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029929	0031470	0033646	0000474	00034	00034	00033	00038	00036	00247	17002502	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029619	0031080	0033481	0000548	00048	00048	00047	00072	00065	00137	17002503	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029397	0030970	0033225	0000241	00016	00016	00016	00015	00014	00138	17002504	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029812	0031450	0033924	0000568	00043	00043	00043	00058	00046	00259	17002505	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029923	0031660	0033835	0000883	00068	00068	00068	00089	00087	00400	17002506	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0030054	0031710	0033890	0000500	00052	00052	00052	00053	00051	00426	17002507	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0030141	0031710	0033745	0000690	00057	00057	00057	00063	00053	00440	17002508	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029604	0031160	0033516	0000176	00018	00018	00018	00027	00019	00070	17002509	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029732	0031340	0034040	0000690	00064	00064	00063	00094	00063	00287	17002510	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029408	0031040	0033299	0000428	00027	00027	00027	00040	00038	00099	17002511	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029483	0031090	0033324	0000217	00015	00015	00015	00022	00021	00053	17002512	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029511	0031090	0033325	0000143	00006	00006	00006	00007	00006	00046	17002513	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0028987	0030560	0032917	0000800	00056	00056	00056	00057	00051	00461	17002514	(17000_BF)	62	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029568	0031090	0033211	0000413	00023	00023	00023	00035	00030	00081	17002515	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0030029	0031550	0034025	0000590	00052	00052	00051	00066	00056	00328	17002516	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029541	0031170	0033400	0000331	00021	00021	00021	00032	00031	00044	17002517	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029840	0031350	0033751	0000568	00038	00038	00038	00054	00047	00182	17002518	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029887	0031540	0033543	0000450	00052	00052	00052	00068	00055	00327	17002519	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029884	0031530	0033669	0000383	00041	00041	00041	00047	00043	00296	17002520	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029444	0031020	0033278	0000152	00012	00012	00012	00013	00012	00101	17002521	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029426	0030990	0033208	0000160	00013	00013	00013	00011	00011	00121	17002522	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029827	0031280	0033794	0000752	00061	00061	00061	00091	00079	00202	17002523	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029552	0031060	0033026	0000631	00042	00042	00042	00063	00048	00162	17002524	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029942	0031590	0033703	0000445	00046	00046	00046	00053	00047	00343	17002525	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029470	0031050	0033455	0000346	00026	00026	00026	00039	00026	00125	17002526	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029777	0031290	0033434	0000450	00030	00030	00030	00044	00040	00128	17002527	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0029578	0031150	0033380	0029542	0031130	0033774	0000717	00056	00056	00056	00085	00056	00227	17002528	(17000_BF)	63	0	0	0 %	
0094811	0100000	0107304	0020288	0014350	0007235	0019973	0014100	0007227	0000612	00068	00068	00068	00047	00053	00047	00392	17002529	(17000_BF)	45	37	22	%
0094811	0100000	0107304	0020288	0014350	0007235	0020216	0014260	0007292	0000450	00049	00049	00049	00031	00039	00033	00171	17002530	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020428	0014550	0007466	0000427	00069	00069	00069	00035	00038	00034	00346	17002531	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020421	0014470	0007258	0000219	00027	00027	00027	00021	00023	00021	00185	17002532	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020394	0014440	0007215	0000182	00031	00031	00031	00020	00024	00021	00147	17002533	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0019996	0014180	0007129	0000486	00046	00046	00046	00029	00032	00028	00261	17002534	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020306	0014410	0007307	0000182	00031	00031	00031	00013	00015	00013	00116	17002535	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020561	0014500	000														

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094811	0100000	0107304	0020288	0014350	0007235	0020691	0014660	0007364	0000413	00052	00052	00045	00043	00043	00041	17002550	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020181	0014230	0007148	0000240	00027	00027	00018	00019	00018	00192	17002551	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020315	0014480	0007334	0000450	00068	00068	00032	00038	00032	00248	17002552	(17000_BF)	45	36	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020143	0014240	0007303	0000315	00054	00054	00031	00039	00033	00197	17002553	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020726	0014660	0007392	0000666	00053	00053	00044	00044	00042	00459	17002554	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020156	0014350	0007294	0000331	00068	00068	00024	00030	00024	00139	17002555	(17000_BF)	45	36	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020350	0014410	0007337	0000219	00025	00025	00014	00017	00014	00111	17002556	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020538	0014470	0007277	0000280	00054	00054	00025	00028	00024	00196	17002557	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020431	0014410	0007293	0000158	00035	00035	00018	00023	00019	00109	17002558	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020182	0014340	0007297	0000245	00052	00052	00017	00021	00017	00108	17002559	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020969	0014840	0007443	0000842	00087	00087	00071	00070	00067	00723	17002560	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020688	0014600	0007376	0000507	00057	00057	00039	00040	00037	00374	17002561	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020583	0014560	0007305	0000250	00042	00042	00031	00032	00030	00313	17002562	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020166	0014240	0007353	0000413	00072	00072	00042	00054	00045	00227	17002563	(17000_BF)	45	37	22	%
0094811	0100000	0107304	0020288	0014350	0007235	0020342	0014440	0007403	0000280	00050	00050	00023	00027	00023	00185	17002564	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020525	0014510	0007267	0000336	00040	00040	00025	00027	00024	00242	17002565	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020458	0014520	0007317	0000290	00032	00032	00026	00028	00026	00262	17002566	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020276	0014270	0007191	0000193	00044	00044	00022	00027	00022	00156	17002567	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020362	0014370	0007408	0000364	00064	00064	00038	00050	00041	00151	17002568	(17000_BF)	45	37	22	%
0094811	0100000	0107304	0020288	0014350	0007235	0020555	0014580	0007421	0000413	00035	00035	00032	00032	00031	00351	17002569	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020328	0014260	0007291	0000518	00087	00087	00049	00063	00052	00231	17002570	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020508	0014470	0007159	0000347	00069	00069	00032	00038	00032	00220	17002571	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0020288	0014350	0007235	0020504	0014520	0007296	0000176	00030	00030	00025	00026	00024	00255	17002572	(17000_BF)	45	37	23	%
0094811	0100000	0107304	0062876	0069530	0030275	0062653	0069420	0029405	0000432	00120	00120	00039	00048	00039	00175	17002573	(17000_BF)	87	-7	46	%
0094811	0100000	0107304	0062876	0069530	0030275	0062846	0069670	0030340	0000317	00037	00037	00022	00023	00024	00073	17002574	(17000_BF)	87	-7	46	%
0094811	0100000	0107304	0062876	0069530	0030275	0063038	0069600	0030168	0000233	00031	00031	00016	00017	00018	00050	17002575	(17000_BF)	87	-6	46	%
0094811	0100000	0107304	0062876	0069530	0030275	0063156	0069770	0030353	0000114	00020	00020	00014	00013	00012	00088	17002576	(17000_BF)	87	-6	46	%
0094811	0100000	0107304	0062876	0069530	0030275	0063258	0070000	0030752	0000114	00038	00038	00026	00021	00020	00176	17002577	(17000_BF)	87	-6	45	%
0094811	0100000	0107304	0062876	0069530	0030275	0063081	0069590	0030838	0000299	00083	00083	00029	00035	00030	00122	17002578	(17000_BF)	87	-6	45	%
0094811	0100000	0107304	0062876	0069530	0030275	0063257	0069800	0030484	0000179	00034	00034	00022	00021	00021	00108	17002579	(17000_BF)	87	-6	45	%
0094811	0100000	0107304	0062876	0069530	0030275	0062760	0069470	0029816	0000225	00063	00063	00020	00025	00020	00092	17002580	(17000_BF)	87	-6	46	%
0094811	0100000	0107304	0062876	0069530	0030275	0062883	0069650	0030124	0000176	00040	00040	00016	00018	00017	00068	17002581	(17000_BF)	87	-7	46	%
0094811	0100000	0107304	0062876	0069530	0030275	0062649	0069070	0029998	0000499	00050	00050	00035	00032	00033	00177	17002582	(17000_BF)	87	-6	46	%
0094811	0100000	0107304	0062876	0069530	0030275	0062940	0069370	0030453	0000432	00063	00063	00030	00033	00032	00104	17002583	(17000_BF)	87	-6	45	%
0094811	0100000	0107304	0062876	0069530	0030275	0062501	0069170	0030166	0000114	00025	00025	00019	00015	00014	00130	17002584	(17000_BF)	87	-6	45	%
0094811	0100000	0107304	0062876	0069530	0030275	0063098	0069760	0030018	0000122	00057	00057	00022	00024	00020	00109	17002585	(17000_BF)	87	-6	46	%
0094																					

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094811	0100000	0107304	0062876	0069530	0030275	0062470	0069230	0030392	0000221	00054	00054	00028	00029	00028	00127	17002600	(17000_BF)	87	-7	45	%
0094811	0100000	0107304	0062876	0069530	0030275	0063652	0070350	0030559	0000176	00049	00049	00041	00031	00028	00291	17002601	(17000_BF)	87	-6	46	%
0094811	0100000	0107304	0062876	0069530	0030275	0062734	0069530	0030302	0000206	00033	00033	00019	00020	00022	00048	17002602	(17000_BF)	87	-7	45	%
0094811	0100000	0107304	0062876	0069530	0030275	0062265	0069030	0030140	0000273	00048	00048	00033	00030	00030	00187	17002603	(17000_BF)	87	-7	45	%
0094811	0100000	0107304	0062876	0069530	0030275	0063057	0069430	0030493	0000604	00074	00074	00037	00041	00041	00112	17002604	(17000_BF)	87	-6	45	%
0094811	0100000	0107304	0062876	0069530	0030275	0062544	0069160	0030035	0000122	00018	00018	00018	00013	00011	00133	17002605	(17000_BF)	87	-6	46	%
0094811	0100000	0107304	0062876	0069530	0030275	0062695	0069410	0030066	0000190	00026	00026	00012	00012	00011	00058	17002606	(17000_BF)	87	-7	46	%
0094811	0100000	0107304	0062876	0069530	0030275	0062477	0069170	0030002	0000149	00025	00025	00019	00016	00015	00133	17002607	(17000_BF)	87	-7	46	%
0094811	0100000	0107304	0062876	0069530	0030275	0062409	0069270	0030128	0000353	00054	00054	00033	00034	00036	00122	17002608	(17000_BF)	87	-7	45	%
0094811	0100000	0107304	0062876	0069530	0030275	0062929	0069750	0030477	0000278	00037	00037	00023	00023	00024	00095	17002609	(17000_BF)	87	-7	45	%
0094811	0100000	0107304	0062876	0069530	0030275	0062546	0069390	0030227	0000345	00047	00047	00028	00030	00031	00085	17002610	(17000_BF)	87	-7	45	%
0094811	0100000	0107304	0062876	0069530	0030275	0062343	0069070	0030266	0000233	00051	00051	00031	00028	00027	00173	17002611	(17000_BF)	87	-7	45	%
0094811	0100000	0107304	0062876	0069530	0030275	0062423	0069100	0030531	0000187	00077	00077	00034	00035	00031	00179	17002612	(17000_BF)	87	-6	45	%
0094811	0100000	0107304	0062876	0069530	0030275	0062818	0069690	0030318	0000283	00048	00048	00028	00029	00031	00089	17002613	(17000_BF)	87	-7	46	%
0094811	0100000	0107304	0062876	0069530	0030275	0063607	0070430	0030749	0000299	00049	00049	00045	00034	00031	00320	17002614	(17000_BF)	87	-7	46	%
0094811	0100000	0107304	0062876	0069530	0030275	0063258	0069560	0030429	0000538	00084	00084	00047	00051	00053	00125	17002615	(17000_BF)	87	-6	45	%
0094811	0100000	0107304	0062876	0069530	0030275	0062673	0069470	0030055	0000259	00043	00043	00020	00022	00022	00067	17002616	(17000_BF)	87	-7	46	%
0094811	0100000	0107304	0062876	0069530	0030275	006															

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	0100000	0107304	0016792	0024300	0025700	0016733	0024340	0025938	0000340	00059	00059	00030	00031	00030	00152	17002650	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016369	0023740	0025000	0000391	00058	00058	00057	00049	00053	00543	17002651	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016898	0024210	0025472	0000321	00100	00100	00044	00050	00045	00177	17002652	(17000_BF)	56	-30	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016688	0024120	0025598	0000146	00030	00030	00021	00020	00020	00182	17002653	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016860	0024400	0026046	0000333	00039	00039	00028	00026	00027	00188	17002654	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016818	0024420	0025846	0000166	00038	00038	00019	00020	00019	00121	17002655	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016874	0024390	0025829	0000114	00012	00012	00010	00009	00009	00089	17002656	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016751	0024500	0025887	0000346	00109	00109	00049	00054	00048	00231	17002657	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016950	0024490	0025874	0000161	00020	00020	00019	00016	00017	00181	17002658	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016557	0024160	0025218	0000488	00090	00090	00048	00050	00048	00282	17002659	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016865	0024420	0025799	0000108	00016	00016	00012	00011	00012	00115	17002660	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016495	0023980	0025346	0000346	00042	00042	00034	00030	00032	00311	17002661	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0017018	0024670	0025842	0000292	00063	00063	00047	00043	00045	00387	17002662	(17000_BF)	57	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016821	0024230	0025566	0000186	00047	00047	00021	00024	00021	00097	17002663	(17000_BF)	56	-30	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016918	0024520	0026070	0000260	00038	00038	00028	00026	00026	00228	17002664	(17000_BF)	57	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016877	0024480	0026096	0000333	00047	00047	00031	00029	00030	00221	17002665	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016915	0024490	0025743	0000250	00034	00034	00026	00023	00024	00209	17002666	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	00166															

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE*																					
data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
0094811	0100000	0107304	0016792	0024300	0025700	0016796	0024270	0025771	0000112	00022	00022	00013	00013	00078	17002700	(17000_BF)	56	-31	0 %		
0094811	0100000	0107304	0016792	0024300	0025700	0016723	0024120	0025544	0000165	00043	00043	00024	00024	00023	00178	17002701	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016726	0024320	0025856	0000185	00050	00050	00024	00026	00024	00110	17002702	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016631	0023910	0025088	0000568	00092	00092	00055	00055	00054	00405	17002703	(17000_BF)	56	-30	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016946	0024410	0025571	0000433	00056	00056	00033	00033	00033	00203	17002704	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0017338	0025140	0026432	0000803	00101	00101	00087	00077	00080	00792	17002705	(17000_BF)	57	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016617	0023990	0025386	0000218	00047	00047	00034	00031	00032	00297	17002706	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0017235	0024620	0026077	0000596	00113	00113	00055	00059	00055	00344	17002707	(17000_BF)	57	-30	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016727	0024330	0025108	0000970	00112	00112	00071	00068	00070	00426	17002708	(17000_BF)	56	-31	1 %	
0094811	0100000	0107304	0016792	0024300	0025700	0017042	0024710	0025980	0000440	00059	00059	00046	00042	00043	00400	17002709	(17000_BF)	57	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016724	0024170	0025339	0000314	00042	00042	00028	00027	00028	00196	17002710	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016709	0024190	0025590	0000224	00011	00011	00010	00009	00010	00104	17002711	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016482	0024000	0025105	0000521	00069	00069	00046	00044	00044	00352	17002712	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016843	0024390	0025842	0000151	00015	00015	00011	00010	00010	00091	17002713	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016408	0024080	0025247	0000612	00128	00128	00059	00065	00059	00311	17002714	(17000_BF)	56	-31	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016922	0024220	0025797	0000333	00111	00111	00049	00056	00050	00201	17002715	(17000_BF)	56	-30	0 %	
0094811	0100000	0107304	0016792	0024300	0025700	0016753	0023960	0025398	0000433	0012											

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
0094811	0100000	0107304	0008838	0008680	0022929	0008897	0008770	0023257	0000481	00040	00040	00028	00033	00035	00226	17002750	(17000_BF)	35	5	-31	%
0094811	0100000	0107304	0008838	0008680	0022929	0008869	0008560	0022562	0000280	00040	00040	00029	00033	00022	00277	17002751	(17000_BF)	35	5	-30	%
0094811	0100000	0107304	0008838	0008680	0022929	0008901	0008710	0023070	0000143	00032	00032	00020	00024	00017	00111	17002752	(17000_BF)	35	5	-31	%
0094811	0100000	0107304	0008838	0008680	0022929	0008676	0008510	0022487	0000588	00039	00039	00035	00039	00031	00382	17002753	(17000_BF)	35	5	-30	%
0094811	0100000	0107304	0008838	0008680	0022929	0008992	0008840	0023437	0000588	00046	00046	00034	00039	00032	00362	17002754	(17000_BF)	36	5	-31	%
0094811	0100000	0107304	0008838	0008680	0022929	0008709	0008550	0022563	0000200	00032	00032	00027	00030	00023	00292	17002755	(17000_BF)	35	5	-30	%
0094811	0100000	0107304	0008838	0008680	0022929	0008713	0008550	0022652	0000276	00026	00026	00026	00029	00021	00298	17002756	(17000_BF)	35	5	-30	%
0094811	0100000	0107304	0008838	0008680	0022929	0008784	0008620	0022707	0000293	00022	00022	00014	00017	00016	00147	17002757	(17000_BF)	35	5	-30	%
0094811	0100000	0107304	0008838	0008680	0022929	0008727	0008600	0022542	0000184	00050	00050	00027	00032	00017	00250	17002758	(17000_BF)	35	5	-30	%
0094811	0100000	0107304	0008838	0008680	0022929	0008933	0008810	0023195	0000465	00038	00038	00032	00037	00031	00306	17002759	(17000_BF)	36	5	-31	%
0094811	0100000	0107304	0008838	0008680	0022929	0008813	0008620	0022865	0000297	00033	00033	00023	00028	00022	00177	17002760	(17000_BF)	35	5	-31	%
0094811	0100000	0107304	0008838	0008680	0022929	0008863	0008690	0022659	0000549	00052	00052	00024	00029	00035	00278	17002761	(17000_BF)	35	5	-30	%
0094811	0100000	0107304	0008838	0008680	0022929	0008925	0008770	0023057	0000176	00019	00019	00018	00020	00014	00223	17002762	(17000_BF)	35	5	-30	%
0094811	0100000	0107304	0008838	0008680	0022929	0008957	0008830	0023358	0000654	00045	00045	00036	00041	00039	00340	17002763	(17000_BF)	36	5	-31	%
0094811	0100000	0107304	0008838	0008680	0022929	0008920	0008700	0023091	0000280	00057	00057	00035	00044	00032	00168	17002764	(17000_BF)	35	5	-31	%
0094811	0100000	0107304	0008838	0008680	0022929	0008716	0008580	0022722	0000184	00027	00027	00023	00027	00021	00233	17002765	(17000_BF)	35	5	-30	%
0094811	0100000	0107304	0008838	0008680	0022929	0008784	0008640	0022612	0000207	00044	00044	00019	00023	00016	00218	17002766	(17000_BF)	35	5	-30	%
0094811	0100000	0107304	0008838	0008680	0022929	0008734	0008590	0022722	0000226	00022	00022	00019	00022	00016	00204	17002767	(17000_BF)	35	5	-30	%
0094811	0100000	0107304	0008838	0008680	0022929	0008695	0008520	0022560	0000452	00036	00036	00033	00038	00030	00364	17002768	(17000_BF)	35	5	-30	%
0094811	0100000																				

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
-----	----	----	----	----	----	----	----	----	----	-------	-------	-------	-------	-------	-------	----	------	----	----	----	---

%1000*CIEXYZ & 100*dE* data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %

Minimum, maximum and average colour difference value

STRESS constant F and STRESS value S

iai+1 = 2776, d_CIELABmina = 0.03, d_CIELABmaxa = 18.2, d_CIELABavea = 3.0

iai+1 = 2776, CIELAB_Fa = 1.62, CIELAB_STRESSa = 42.44

iai+1 = 2776, d_CIELCHmina = 0.03, d_CIELCHmaxa = 18.2, d_CIELCHavea = 3.0

iai+1 = 2776, CIELCHFa = 1.62, CIELCHSTRESSa = 42.44

iai+1 = 2776, d_C94LCHmina = 0.02, d_C94LCHmaxa = 10.82, d_C94LCHavea = 1.8

iai+1 = 2776, C94LCHFa = 0.98, C94LCHSTRESSa = 33.7

iai+1 = 2776, d_CMCLCHmina = 0.02, d_CMCLCHmaxa = 12.24, d_CMCLCHavea = 2.04

iai+1 = 2776, CMCLCHFa = 1.11, CMCLCHSTRESSa = 30.88

iai+1 = 2776, d_C00LCHmina = 0.02, d_C00LCHmaxa = 10.35, d_C00LCHavea = 1.76

iai+1 = 2776, C00LCHFa = 0.96, C00LCHSTRESSa = 29.52

iai+1 = 2776, d_C85LCHmina = 0.15, d_C85LCHmaxa = 97.82, d_C85LCHavea = 12.25

iai+1 = 2776, C85LCHFa = 6.76, C85LCHSTRESSa = 52.94

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB	data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																			
60.26	-34.0	36.25	49.7	133.16	60.15	-32.75	33.02	46.51	134.7	1.02	3.45	1.25	1.45	1.22	5.88	17000000	(17000_BF)	60	-33	34 %
60.26	-34.0	36.25	49.7	133.16	60.42	-31.9	35.41	47.66	132.0	1.11	2.26	0.85	0.96	0.82	3.52	17000001	(17000_BF)	60	-32	35 %
60.26	-34.0	36.25	49.7	133.16	60.47	-34.16	39.42	52.16	130.9	1.13	3.18	1.39	1.41	1.26	5.32	17000002	(17000_BF)	60	-34	37 %
60.26	-34.0	36.25	49.7	133.16	59.87	-31.95	37.2	49.04	130.6	1.15	2.28	1.3	1.19	1.16	4.71	17000003	(17000_BF)	60	-32	36 %
60.26	-34.0	36.25	49.7	133.16	60.82	-36.7	37.4	52.4	134.4	1.09	2.99	1.2	1.28	1.11	6.16	17000004	(17000_BF)	61	-35	36 %
60.26	-34.0	36.25	49.7	133.16	60.49	-34.37	40.02	52.76	130.6	1.01	3.79	1.61	1.65	1.46	6.27	17000005	(17000_BF)	60	-34	38 %
60.26	-34.0	36.25	49.7	133.16	60.22	-31.35	33.12	45.6	133.4	1.25	4.1	1.27	1.63	1.3	6.45	17000006	(17000_BF)	60	-32	34 %
60.26	-34.0	36.25	49.7	133.16	59.66	-31.06	34.49	46.41	132.0	1.08	3.47	1.3	1.49	1.27	7.06	17000007	(17000_BF)	60	-32	35 %
60.26	-34.0	36.25	49.7	133.16	59.95	-34.41	33.66	48.14	135.6	1.16	2.63	1.33	1.28	1.2	5.2	17000008	(17000_BF)	60	-34	34 %
60.26	-34.0	36.25	49.7	133.16	60.04	-35.07	34.68	49.32	135.3	0.91	1.91	1.09	0.99	0.96	3.59	17000009	(17000_BF)	60	-34	35 %
59.18	-19.07	57.51	60.59	108.34	59.37	-20.67	54.87	58.63	110.6	1.14	3.09	1.37	1.45	1.45	3.99	17000010	(17000_BF)	59	-19	56 %
59.18	-19.07	57.51	60.59	108.34	59.55	-19.43	52.88	56.33	110.1	1.15	4.66	1.54	1.86	1.61	5.99	17000011	(17000_BF)	59	-19	55 %
59.18	-19.07	57.51	60.59	108.34	59.29	-18.09	54.37	57.31	108.4	1.08	3.28	0.88	1.19	0.9	3.66	17000012	(17000_BF)	59	-18	55 %
59.18	-19.07	57.51	60.59	108.34	59.03	-20.33	60.77	64.08	108.4	0.93	3.49	0.95	1.24	0.93	3.85	17000013	(17000_BF)	59	-19	59 %
59.18	-19.07	57.51	60.59	108.34	59.09	-21.08	58.56	62.24	109.8	1.13	2.27	0.93	1.0	0.97	3.41	17000014	(17000_BF)	59	-20	58 %
59.18	-19.07	57.51	60.59	108.34	59.1	-20.95	56.12	59.9	110.4	1.26	2.34	1.18	1.19	1.26	3.28	17000015	(17000_BF)	59	-20	56 %
59.18	-19.07	57.51	60.59	108.34	59.13	-20.97	55.35	59.19	110.7	1.28	2.88	1.37	1.41	1.45	3.62	17000016	(17000_BF)	59	-20	56 %
59.18	-19.07	57.51	60.59	108.34	59.27	-20.55	55.46	59.15	110.3	1.15	2.52	1.15	1.21	1.22	3.15	17000017	(17000_BF)	59	-19	56 %
59.18	-19.07	57.51	60.59	108.34	59.32	-19.78	54.6	58.08	109.9	0.93	2.99	1.09	1.25	1.14	3.36	17000018	(17000_BF)	59	-19	56 %
59.18	-19.07	57.51	60.59	108.34	59.09	-19.28	61.63	64.57	107.3	0.82	4.12	1.2	1.51	1.2	3.78	17000019	(17000_BF)	59	-19	59 %
59.18	-19.07	57.51	60.59	108.34	59.08	-18.82	61.98	64.77	106.8	1.04	4.47	1.4	1.69	1.41	4.08	17000020	(17000_BF)	59	-18	59 %
59.18	-19.07	57.51	60.59	108.34	59.14	-20.81	59.21	62.77	109.3	1.28	2.43	0.82	0.96	0.83	3.14	17000021	(17000_BF)	59	-19	58 %
59.18	-19.07	57.51	60.59	108.34	58.97	-19.24	62.15	65.06	107.2	1.31	4.64	1.38	1.71	1.37	4.62	17000022	(17000_BF)	59	-19	59 %
60.13	-25.39	38.34	45.99	123.51	60.08	-27.28	41.14	49.37	123.5	1.37	3.37	1.1	1.34	1.07	5.13	17000023	(17000_BF)	60	-26	39 %
60.13	-25.39	38.34	45.99	123.51	59.96	-25.57	41.38	48.65	121.7	1.24	3.04	1.24	1.34	1.18	5.07	17000024	(17000_BF)	60	-25	39 %
60.13	-25.39	38.34	45.99	123.51	59.92	-24.72	41.14	48.0	120.9	1.46	2.89	1.4	1.4	1.32	4.95	17000025	(17000_BF)	60	-25	39 %
60.13	-25.39	38.34	45.99	123.51	60.4	-27.32	37.21	46.17	126.2	1.57	2.25	1.34	1.24	1.25	4.12	17000026	(17000_BF)	60	-26	37 %
60.13	-25.39	38.34	45.99	123.51	59.97	-24.09	39.09	45.92	121.6	0.99	1.5	0.89	0.84	0.85	2.63	17000027	(17000_BF)	60	-24	38 %
60.13	-25.39	38.34	45.99	123.51	60.12	-23.76	37.95	44.78	122.0	1.1	1.68	0.79	0.81	0.76	2.43	17000028	(17000_BF)	60	-24	38 %
60.13	-25.39	38.34	45.99	123.51	60.17	-28.11	40.43	49.25	124.8	1.58	3.43	1.23	1.42	1.19	4.98	17000029	(17000_BF)	60	-26	39 %
60.13	-25.39	38.34	45.99	123.51	59.96	-25.13	41.94	48.89	120.9	1.7	3.61	1.58	1.65	1.5	5.82	17000030	(17000_BF)	60	-25	40 %
60.13	-25.39	38.34	45.99	123.51	60.0	-23.66	38.56	45.24	121.5	1.34	1.75	0.97	0.93	0.92	2.74	17000031	(17000_BF)	60	-24	38 %
60.13	-25.39	38.34	45.99	123.51	59.97	-22.84	36.78	43.3	121.8	1.44	2.99	1.17	1.33	1.17	4.58	17000032	(17000_BF)	60	-24	37 %
60.13	-25.39	38.34	45.99	123.51	60.24	-23.72	36.91	43.88	122.7	1.01	2.19	0.78	0.93	0.78	3.6	17000033	(17000_BF)	60	-24	37 %
60.52	-7.94	17.1	18.86	114.92	60.51	-8.69	15.98	18.19	118.5	1.48	1.35	0.98	1.11	1.09	3.37	17000034	(17000_BF)	61	-8	16 %
60.52	-7.94	17.1	18.86	114.92	60.53	-6.81	17.61	18.88	111.1	1.28	1.23	0.96	1.1	1.18	2.46	17000035	(17000_BF)	61	-7	17 %
60.52	-7.94	17.1	18.86	114.92	60.4	-6.82	15.68	17.1	113.5	1.02	1.81	1.01	1.19	1.15	4.48	17000036	(17000_BF)	60	-7	16 %
60.52	-7.94	17.1	18.86	114.92	60.24	-8.62	18.68	20.57	114.7	1.36	1.73	0.96	1.07	0.95	5.2	17000037	(17000_BF)	60	-8	17 %
60.52	-7.94	17.1	18.86	114.92	60.51	-6.57	16.29	17.57	111.9	1.18	1.59	1.01	1.17	1.25	3.34	17000038	(17000_BF)	61	-7	16 %
60.52	-7.94	17.1	18.86	114.92	60.62	-6.15	16.4	17.51	110.5	2.0	1.93	1.3	1.52	1.65	3.95	17000039	(17000_BF)	61	-7	16 %
60.52	-7.94	17.1	18.86	114.92	60.34	-7.54	18.29	19.78	112.4	0.91	1.26	0.84	0.94	0.89	3.73	17000040	(17000_BF)	60	-7	17 %
61.93	-10.55	40.58	41.93	104.58	62.02	-12.33	39.28	41.17	107.4	1.45	2.2	1.29	1.34	1.4	3.73	17000041	(17000_BF)	62	-11	39 %
61.93	-10.55	40.58	41.93	104.58	61.92	-12.01	38.23	40.08	107.4	1.52	2.76	1.41	1.52	1.52	4.43	17000042	(17000_BF)	62	-11	39 %
61.93	-10.55	40.58	41.93	104.58	61.94	-9.32	38.16	39.28	103.7	1.33	2.71	0.98	1.2	1.02	4.35	17000043	(17000_BF)	62	-9	39 %
61.93	-10.55	40.58	41.93	104.58	61.73	-8.9	40.39	41.36	102.4	1.46	1.67	1.0	1.04	1.09	3.4	17000044	(17000_BF)	62	-9	40 %
61.93	-10.55	40.58	41.93	104.58	61.84	-9.23	43.54	44.5	101.9	1.59	3.24	1.5	1.64	1.58	5.03	17000045	(17000_BF)	62	-9	42 %
61.93	-10.55	40.58	41.93	104.58	62.02	-12.12	40.38	42.16	106.7	1.44	1.58	0.96	0.99	1.04	2.78	17000046	(17000_BF)	62	-11	40 %
61.93	-10.55	40.58	41.93	104.58	62.08	-9.29	37.55	38.69	103.8	1.38	3.28	1.17	1.43	1.2	5.54	17000047	(17000_BF)	62	-9	39 %
61.93	-10.55	40.58	41.93	104.58	62.09	-10.26	36.94	38.34	105.5	1.53	3.65	1.31	1.61	1.36	6.1	17000048	(17000_BF)	62	-10	38 %
61.93	-10.55	40.58	41.93	104.58	61.9	-9.01	37.96	39.02	103.3	1.36	3.03	1.13	1.37	1.18	4.89	17000049	(17000_BF)	62	-9	39 %

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
61.93	-10.55	40.58	41.93	104.58	62.0	-8.71	40.34	41.27	102.1	1.75	1.86	1.09	1.15	1.2	3.31	17000050	(17000_BF)	62	-9	40 %
61.93	-10.55	40.58	41.93	104.58	61.89	-12.25	41.72	43.48	106.3	1.46	2.04	0.98	1.06	1.03	3.41	17000051	(17000_BF)	62	-11	41 %
61.93	-10.55	40.58	41.93	104.58	61.69	-9.58	43.98	45.01	102.2	1.8	3.54	1.52	1.69	1.56	5.81	17000052	(17000_BF)	62	-10	42 %
61.93	-10.55	40.58	41.93	104.58	62.04	-8.97	37.36	38.42	103.5	1.78	3.58	1.3	1.59	1.35	5.95	17000053	(17000_BF)	62	-9	38 %
64.14	-22.71	3.75	23.02	170.61	64.16	-23.89	5.95	24.62	166.0	1.9	2.49	1.62	1.68	1.52	7.98	17000054	(17000_BF)	64	-23	4 %
64.14	-22.71	3.75	23.02	170.61	63.68	-22.65	6.45	23.55	164.0	1.98	2.74	2.03	2.06	1.87	10.51	17000055	(17000_BF)	64	-22	5 %
64.14	-22.71	3.75	23.02	170.61	63.77	-24.17	5.58	24.8	166.9	1.7	2.36	1.47	1.53	1.39	7.71	17000056	(17000_BF)	64	-23	4 %
64.14	-22.71	3.75	23.02	170.61	64.01	-21.39	4.89	21.95	167.1	2.13	1.75	1.15	1.22	1.15	4.68	17000057	(17000_BF)	64	-22	4 %
64.14	-22.71	3.75	23.02	170.61	64.12	-23.47	5.87	24.2	165.9	1.87	2.25	1.54	1.58	1.43	7.63	17000058	(17000_BF)	64	-23	4 %
64.14	-22.71	3.75	23.02	170.61	64.44	-24.96	5.23	25.5	168.1	1.8	2.7	1.47	1.58	1.45	6.61	17000059	(17000_BF)	64	-23	4 %
64.14	-22.71	3.75	23.02	170.61	64.37	-22.12	5.71	22.85	165.5	2.19	2.06	1.53	1.57	1.43	7.3	17000060	(17000_BF)	64	-22	4 %
64.14	-22.71	3.75	23.02	170.61	63.9	-21.14	4.61	21.64	167.6	1.38	1.8	1.11	1.2	1.14	4.42	17000061	(17000_BF)	64	-21	4 %
64.14	-22.71	3.75	23.02	170.61	64.15	-20.81	4.03	21.2	169.0	1.35	1.92	1.0	1.15	1.1	2.96	17000062	(17000_BF)	64	-21	3 %
64.14	-22.71	3.75	23.02	170.61	63.81	-25.38	4.54	25.79	169.8	2.75	2.8	1.41	1.56	1.44	5.69	17000063	(17000_BF)	64	-24	4 %
63.01	-31.08	-5.86	31.63	190.68	62.88	-33.9	-5.23	34.3	188.7	1.72	2.88	1.33	1.44	1.32	4.65	17000064	(17000_BF)	63	-32	-5 %
63.01	-31.08	-5.86	31.63	190.68	63.02	-34.36	-6.43	34.95	190.6	2.01	3.32	1.37	1.56	1.34	4.79	17000065	(17000_BF)	63	-32	-6 %
63.01	-31.08	-5.86	31.63	190.68	62.86	-30.82	-7.57	31.74	193.7	1.48	1.73	1.17	1.1	1.18	7.27	17000066	(17000_BF)	63	-30	-6 %
63.01	-31.08	-5.86	31.63	190.68	62.82	-29.78	-4.08	30.06	187.8	1.53	2.21	1.24	1.27	1.26	7.66	17000067	(17000_BF)	63	-30	-4 %
63.01	-31.08	-5.86	31.63	190.68	62.87	-28.44	-4.34	28.77	188.6	1.58	3.04	1.38	1.57	1.43	7.23	17000068	(17000_BF)	63	-29	-5 %
63.01	-31.08	-5.86	31.63	190.68	62.97	-28.9	-7.06	29.75	193.7	1.56	2.49	1.35	1.4	1.38	5.75	17000069	(17000_BF)	63	-29	-6 %
63.01	-31.08	-5.86	31.63	190.68	62.87	-33.71	-6.0	34.24	190.0	1.56	2.63	1.11	1.26	1.09	3.73	17000070	(17000_BF)	63	-32	-5 %
63.01	-31.08	-5.86	31.63	190.68	63.14	-33.76	-7.03	34.49	191.7	1.43	2.92	1.25	1.41	1.23	5.97	17000071	(17000_BF)	63	-32	-6 %
63.01	-31.08	-5.86	31.63	190.68	62.89	-30.02	-7.59	30.96	194.1	1.35	2.03	1.33	1.27	1.34	7.44	17000072	(17000_BF)	63	-30	-6 %
62.72	-25.08	-7.84	26.28	197.36	62.94	-23.77	-8.7	25.32	200.1	1.4	1.57	1.01	1.02	1.02	4.47	17000073	(17000_BF)	63	-24	-8 %
62.72	-25.08	-7.84	26.28	197.36	62.98	-26.7	-7.25	27.67	195.1	1.59	1.74	1.0	1.03	1.01	4.07	17000074	(17000_BF)	63	-25	-7 %
62.72	-25.08	-7.84	26.28	197.36	63.02	-28.17	-7.81	29.23	195.5	1.7	3.1	1.52	1.66	1.53	4.94	17000075	(17000_BF)	63	-26	-7 %
62.72	-25.08	-7.84	26.28	197.36	62.61	-26.45	-7.18	27.41	195.1	1.26	1.52	0.89	0.92	0.91	3.48	17000076	(17000_BF)	63	-25	-7 %
62.72	-25.08	-7.84	26.28	197.36	62.56	-25.67	-7.07	26.62	195.4	1.09	0.97	0.68	0.66	0.67	3.57	17000077	(17000_BF)	63	-25	-7 %
62.72	-25.08	-7.84	26.28	197.36	62.69	-24.4	-6.83	25.34	195.6	1.04	1.21	0.7	0.74	0.7	4.32	17000078	(17000_BF)	63	-24	-7 %
62.72	-25.08	-7.84	26.28	197.36	63.03	-27.69	-8.3	28.91	196.6	1.68	2.67	1.26	1.4	1.27	4.81	17000079	(17000_BF)	63	-26	-8 %
62.72	-25.08	-7.84	26.28	197.36	62.81	-24.8	-9.15	26.44	200.2	1.23	1.34	0.95	0.93	0.94	5.52	17000080	(17000_BF)	63	-24	-8 %
62.72	-25.08	-7.84	26.28	197.36	63.13	-25.42	-9.18	27.03	199.8	1.26	1.44	0.99	0.96	0.94	6.57	17000081	(17000_BF)	63	-25	-8 %
62.72	-25.08	-7.84	26.28	197.36	63.25	-27.98	-7.22	28.9	194.4	1.75	3.01	1.64	1.71	1.63	6.65	17000082	(17000_BF)	63	-26	-7 %
63.17	-20.91	-15.12	25.81	215.87	63.16	-19.49	-15.97	25.2	219.3	1.13	1.65	1.14	1.16	1.11	4.2	17000083	(17000_BF)	63	-20	-15 %
63.17	-20.91	-15.12	25.81	215.87	63.0	-23.05	-15.17	27.59	213.3	1.2	2.14	1.19	1.26	1.19	3.57	17000084	(17000_BF)	63	-21	-15 %
63.17	-20.91	-15.12	25.81	215.87	63.2	-19.87	-15.96	25.49	218.7	1.1	1.33	0.94	0.95	0.9	3.88	17000085	(17000_BF)	63	-20	-15 %
63.17	-20.91	-15.12	25.81	215.87	63.22	-20.53	-16.75	26.5	219.2	0.94	1.67	1.14	1.15	1.05	6.94	17000086	(17000_BF)	63	-20	-15 %
63.17	-20.91	-15.12	25.81	215.87	63.04	-21.53	-13.42	25.37	211.9	1.37	1.81	1.29	1.29	1.21	7.29	17000087	(17000_BF)	63	-21	-14 %
63.17	-20.91	-15.12	25.81	215.87	63.2	-19.78	-14.37	24.45	215.9	1.0	1.35	0.62	0.73	0.66	3.66	17000088	(17000_BF)	63	-20	-14 %
63.17	-20.91	-15.12	25.81	215.87	63.03	-20.85	-13.32	24.74	212.5	1.16	1.81	1.17	1.21	1.09	7.67	17000089	(17000_BF)	63	-20	-14 %
63.17	-20.91	-15.12	25.81	215.87	63.48	-19.28	-14.09	23.88	216.1	1.32	1.95	0.94	1.08	0.99	5.96	17000090	(17000_BF)	63	-20	-14 %
63.17	-20.91	-15.12	25.81	215.87	63.39	-22.26	-16.29	27.58	216.1	1.49	1.79	0.85	0.95	0.85	5.49	17000091	(17000_BF)	63	-21	-15 %
63.17	-20.91	-15.12	25.81	215.87	63.36	-21.84	-16.33	27.27	216.7	1.12	1.53	0.76	0.84	0.74	5.41	17000092	(17000_BF)	63	-21	-15 %
63.17	-20.91	-15.12	25.81	215.87	63.02	-22.02	-16.0	27.22	216.0	0.91	1.41	0.67	0.75	0.67	4.42	17000093	(17000_BF)	63	-21	-15 %
63.17	-20.91	-15.12	25.81	215.87	63.16	-21.01	-16.72	26.85	218.5	1.22	1.59	0.99	1.02	0.91	6.81	17000094	(17000_BF)	63	-20	-15 %
63.17	-20.91	-15.12	25.81	215.87	63.21	-21.34	-16.81	27.16	218.2	1.13	1.73	1.0	1.05	0.93	7.17	17000095	(17000_BF)	63	-21	-15 %
63.17	-20.91	-15.12	25.81	215.87	63.18	-20.09	-16.57	26.04	219.5	1.16	1.65	1.18	1.19	1.1	6.26	17000096	(17000_BF)	63	-20	-15 %
63.17	-20.91	-15.12	25.81	215.87	63.32	-19.1	-15.78	24.78	219.5	1.21	1.93	1.27	1.31	1.26	4.09	17000097	(17000_BF)	63	-20	-15 %
64.23	-12.86	-6.94	14.62	208.36	64.11	-12.94	-5.37	14.01	202.5	1.46	1.58	1.25	1.42	1.2	6.5	17000098	(17000_BF)	64	-12	-6 %
64.23	-12.86	-6.94	14.62	208.36	64.31	-11.53	-6.7	13.33	210.1	1.47	1.36	0.85	1.01	1.08	2.56	17000099	(17000_BF)	64	-12	-6 %

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
64.23	-12.86	-6.94	14.62	208.36	64.09	-13.91	-6.44	15.33	204.8	1.41	1.17	0.88	0.98	0.99	2.94	17000100 (17000_BF)	64	-13	-6	%
64.23	-12.86	-6.94	14.62	208.36	64.28	-11.37	-6.16	12.93	208.4	1.95	1.68	1.01	1.22	1.24	4.09	17000101 (17000_BF)	64	-12	-6	%
64.23	-12.86	-6.94	14.62	208.36	63.73	-11.02	-5.29	12.23	205.6	1.95	2.52	1.61	1.89	1.8	8.48	17000102 (17000_BF)	64	-11	-6	%
64.23	-12.86	-6.94	14.62	208.36	64.08	-11.66	-4.98	12.68	203.1	1.86	2.3	1.55	1.84	1.6	8.33	17000103 (17000_BF)	64	-12	-5	%
64.23	-12.86	-6.94	14.62	208.36	64.06	-12.55	-5.58	13.73	203.9	1.32	1.4	1.04	1.2	1.0	5.74	17000104 (17000_BF)	64	-12	-6	%
64.23	-12.86	-6.94	14.62	208.36	64.07	-13.27	-5.54	14.38	202.6	1.57	1.46	1.19	1.35	1.17	5.91	17000105 (17000_BF)	64	-13	-6	%
64.23	-12.86	-6.94	14.62	208.36	64.41	-13.19	-8.8	15.86	213.7	1.48	1.89	1.39	1.56	1.31	7.76	17000106 (17000_BF)	64	-13	-7	%
64.23	-12.86	-6.94	14.62	208.36	64.11	-13.77	-6.03	15.03	203.6	1.65	1.29	1.04	1.16	1.1	4.16	17000107 (17000_BF)	64	-13	-6	%
64.23	-12.86	-6.94	14.62	208.36	64.19	-11.9	-6.99	13.8	210.4	1.15	0.96	0.64	0.75	0.8	1.63	17000108 (17000_BF)	64	-12	-6	%
64.23	-12.86	-6.94	14.62	208.36	64.23	-11.69	-6.33	13.3	208.4	1.65	1.32	0.79	0.94	0.96	3.16	17000109 (17000_BF)	64	-12	-6	%
64.23	-12.86	-6.94	14.62	208.36	64.24	-11.53	-6.25	13.11	208.4	1.85	1.5	0.9	1.08	1.1	3.62	17000110 (17000_BF)	64	-12	-6	%
64.23	-12.86	-6.94	14.62	208.36	64.38	-14.42	-8.63	16.8	210.9	1.86	2.29	1.44	1.61	1.48	7.44	17000111 (17000_BF)	64	-13	-7	%
63.31	-2.73	-8.76	9.17	252.66	62.65	-1.88	-9.48	9.66	258.7	1.66	1.29	1.15	1.41	1.32	7.04	17000112 (17000_BF)	63	-2	-9	%
63.31	-2.73	-8.76	9.17	252.66	63.22	-1.6	-8.48	8.63	259.3	1.56	1.17	0.98	1.38	1.38	2.57	17000113 (17000_BF)	63	-2	-8	%
63.31	-2.73	-8.76	9.17	252.66	63.29	-1.95	-10.31	10.5	259.2	1.49	1.73	1.36	1.78	1.51	6.68	17000114 (17000_BF)	63	-2	-9	%
63.31	-2.73	-8.76	9.17	252.66	63.19	-3.93	-8.5	9.36	245.1	1.82	1.23	1.08	1.49	1.44	2.73	17000115 (17000_BF)	63	-3	-8	%
63.31	-2.73	-8.76	9.17	252.66	63.01	-1.49	-8.62	8.74	260.1	1.79	1.28	1.11	1.54	1.54	3.65	17000116 (17000_BF)	63	-2	-8	%
63.31	-2.73	-8.76	9.17	252.66	63.06	-4.21	-9.07	10.0	245.0	2.39	1.52	1.27	1.68	1.7	3.84	17000117 (17000_BF)	63	-3	-8	%
63.31	-2.73	-8.76	9.17	252.66	62.71	-3.14	-7.36	8.01	246.8	1.21	1.57	1.27	1.56	1.29	7.79	17000118 (17000_BF)	63	-2	-8	%
63.31	-2.73	-8.76	9.17	252.66	63.9	-3.66	-7.66	8.49	244.4	1.72	1.55	1.34	1.73	1.52	7.34	17000119 (17000_BF)	64	-3	-8	%
63.31	-2.73	-8.76	9.17	252.66	63.82	-2.54	-6.95	7.4	249.9	1.26	1.88	1.39	1.71	1.39	8.95	17000120 (17000_BF)	64	-2	-7	%
63.31	-2.73	-8.76	9.17	252.66	63.63	-3.11	-7.62	8.24	247.7	1.29	1.23	0.98	1.26	1.03	5.64	17000121 (17000_BF)	63	-2	-8	%
63.31	-2.73	-8.76	9.17	252.66	62.6	-1.83	-9.8	9.97	259.4	1.33	1.55	1.34	1.65	1.5	8.12	17000122 (17000_BF)	63	-2	-9	%
63.31	-2.73	-8.76	9.17	252.66	63.4	-2.93	-7.24	7.81	247.9	1.67	1.53	1.14	1.49	1.17	6.42	17000123 (17000_BF)	63	-2	-8	%
61.29	3.71	-5.38	6.54	304.6	61.19	4.98	-4.99	7.05	314.9	1.52	1.33	1.18	1.65	1.59	3.15	17000124 (17000_BF)	61	4	-5	%
61.29	3.71	-5.38	6.54	304.6	61.17	4.52	-4.21	6.18	317.0	1.33	1.43	1.29	1.81	1.49	5.27	17000125 (17000_BF)	61	4	-4	%
61.29	3.71	-5.38	6.54	304.6	61.26	2.52	-5.16	5.74	296.0	1.48	1.21	1.03	1.45	1.5	2.57	17000126 (17000_BF)	61	3	-5	%
61.29	3.71	-5.38	6.54	304.6	61.08	4.94	-5.27	7.22	313.1	1.55	1.24	1.08	1.48	1.48	3.14	17000127 (17000_BF)	61	4	-5	%
61.29	3.71	-5.38	6.54	304.6	61.43	2.24	-4.96	5.44	294.3	1.76	1.53	1.29	1.8	1.87	3.69	17000128 (17000_BF)	61	2	-5	%
61.29	3.71	-5.38	6.54	304.6	61.53	2.61	-4.76	5.43	298.7	1.26	1.28	1.04	1.38	1.41	4.07	17000129 (17000_BF)	61	3	-5	%
61.29	3.71	-5.38	6.54	304.6	61.31	4.74	-4.42	6.48	317.0	1.54	1.41	1.28	1.81	1.57	4.54	17000130 (17000_BF)	61	4	-4	%
61.29	3.71	-5.38	6.54	304.6	61.0	3.34	-3.67	4.96	312.2	1.32	1.77	1.43	1.9	1.47	7.64	17000131 (17000_BF)	61	3	-4	%
61.29	3.71	-5.38	6.54	304.6	61.04	4.06	-3.5	5.36	319.1	1.53	1.92	1.66	2.28	1.71	8.18	17000132 (17000_BF)	61	3	-4	%
61.29	3.71	-5.38	6.54	304.6	61.56	3.33	-6.78	7.56	296.1	1.4	1.47	1.25	1.69	1.35	6.33	17000133 (17000_BF)	61	3	-6	%
61.29	3.71	-5.38	6.54	304.6	61.19	3.17	-3.74	4.9	310.2	1.41	1.73	1.36	1.82	1.44	7.0	17000134 (17000_BF)	61	3	-4	%
61.29	3.71	-5.38	6.54	304.6	61.07	4.02	-3.67	5.45	317.5	1.32	1.75	1.5	2.06	1.56	7.43	17000135 (17000_BF)	61	3	-4	%
61.29	3.71	-5.38	6.54	304.6	61.44	2.59	-4.03	4.79	302.8	1.4	1.76	1.36	1.81	1.66	6.28	17000136 (17000_BF)	61	3	-4	%
62.44	8.08	8.88	12.01	47.68	62.32	8.6	10.71	13.73	51.2	1.34	1.9	1.31	1.91	1.3	6.06	17000137 (17000_BF)	62	8	9	%
62.44	8.08	8.88	12.01	47.68	62.0	9.5	8.2	12.55	40.8	1.37	1.62	1.36	2.51	1.69	5.27	17000138 (17000_BF)	62	8	8	%
62.44	8.08	8.88	12.01	47.68	62.37	7.06	7.72	10.47	47.5	1.09	1.54	1.0	1.22	1.16	4.33	17000139 (17000_BF)	62	7	8	%
62.44	8.08	8.88	12.01	47.68	62.3	7.13	10.47	12.67	55.7	1.67	1.85	1.53	3.27	1.82	5.6	17000140 (17000_BF)	62	7	9	%
62.44	8.08	8.88	12.01	47.68	62.76	8.54	7.03	11.07	39.4	1.58	1.92	1.56	2.88	1.68	6.95	17000141 (17000_BF)	63	8	7	%
62.44	8.08	8.88	12.01	47.68	62.67	9.62	9.31	13.39	44.0	1.64	1.61	1.14	1.71	1.46	3.85	17000142 (17000_BF)	63	8	9	%
62.44	8.08	8.88	12.01	47.68	62.23	7.0	9.25	11.6	52.8	1.22	1.15	0.96	1.99	1.27	3.04	17000143 (17000_BF)	62	7	9	%
62.44	8.08	8.88	12.01	47.68	62.61	7.59	10.49	12.95	54.1	1.61	1.69	1.34	2.67	1.5	5.44	17000144 (17000_BF)	63	7	9	%
62.44	8.08	8.88	12.01	47.68	62.81	6.79	10.01	12.09	55.8	1.52	1.75	1.5	3.23	1.88	5.52	17000145 (17000_BF)	63	7	9	%
62.44	8.08	8.88	12.01	47.68	62.35	6.85	8.95	11.28	52.5	1.39	1.23	0.96	1.91	1.32	2.51	17000146 (17000_BF)	62	7	8	%
62.6	1.88	20.94	21.02	84.86	62.71	2.67	18.39	18.58	81.7	1.72	2.67	1.5	1.91	1.73	6.78	17000147 (17000_BF)	63	2	19	%
62.6	1.88	20.94	21.02	84.86	62.37	3.29	20.54	20.8	80.8	1.58	1.48	1.13	1.58	1.55	3.61	17000148 (17000_BF)	62	2	20	%
62.6	1.88	20.94	21.02	84.86	62.78	2.24	18.28	18.41	83.0	1.83	2.69	1.43	1.74	1.54	7.07	17000149 (17000_BF)	63	2	19	%

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
62.6	1.88	20.94	21.02	84.86	62.27	3.53	20.84	21.14	80.3	1.45	1.69	1.3	1.8	1.77	4.43	17000150	(17000_BF)	62	2	20 %	
62.6	1.88	20.94	21.02	84.86	62.21	3.33	19.68	19.96	80.3	1.65	1.96	1.38	1.89	1.82	5.39	17000151	(17000_BF)	62	2	20 %	
62.6	1.88	20.94	21.02	84.86	63.01	1.45	18.67	18.72	85.5	1.48	2.34	1.26	1.46	1.29	7.04	17000152	(17000_BF)	63	1	19 %	
62.6	1.88	20.94	21.02	84.86	62.84	3.25	19.18	19.45	80.3	1.98	2.24	1.47	1.99	1.89	5.7	17000153	(17000_BF)	63	2	20 %	
62.6	1.88	20.94	21.02	84.86	63.03	0.98	19.52	19.55	87.1	1.19	1.72	1.05	1.27	1.22	5.69	17000154	(17000_BF)	63	1	20 %	
62.6	1.88	20.94	21.02	84.86	62.78	0.69	20.08	20.09	88.0	1.31	1.47	0.99	1.31	1.32	3.61	17000155	(17000_BF)	63	1	20 %	
62.38	23.16	18.41	29.59	38.47	62.66	21.33	18.49	28.23	40.9	1.16	1.85	1.07	1.52	1.17	4.36	17000156	(17000_BF)	63	22	18 %	
62.38	23.16	18.41	29.59	38.47	62.31	24.07	17.38	29.69	35.8	1.17	1.36	0.94	1.41	1.03	3.24	17000157	(17000_BF)	62	23	17 %	
62.38	23.16	18.41	29.59	38.47	62.22	25.47	19.11	31.84	36.8	1.12	2.41	1.14	1.41	1.17	4.99	17000158	(17000_BF)	62	24	18 %	
62.38	23.16	18.41	29.59	38.47	62.48	22.15	19.46	29.48	41.3	1.33	1.46	1.01	1.57	1.12	3.39	17000159	(17000_BF)	62	22	18 %	
62.38	23.16	18.41	29.59	38.47	62.41	23.95	19.89	31.13	39.7	0.77	1.68	0.8	1.03	0.81	4.06	17000160	(17000_BF)	62	23	19 %	
62.38	23.16	18.41	29.59	38.47	62.45	25.01	18.08	30.87	35.8	1.1	1.88	1.1	1.54	1.19	3.56	17000161	(17000_BF)	62	24	18 %	
62.38	23.16	18.41	29.59	38.47	62.25	24.96	17.67	30.59	35.3	1.19	1.94	1.23	1.77	1.34	4.07	17000162	(17000_BF)	62	24	18 %	
62.38	23.16	18.41	29.59	38.47	62.48	22.28	19.71	29.75	41.5	0.96	1.58	1.09	1.69	1.2	3.8	17000163	(17000_BF)	62	22	19 %	
62.38	23.16	18.41	29.59	38.47	62.27	23.23	19.76	30.5	40.3	0.87	1.36	0.8	1.16	0.85	3.69	17000164	(17000_BF)	62	23	19 %	
62.38	23.16	18.41	29.59	38.47	62.65	22.38	16.78	27.97	36.8	1.12	1.82	0.92	1.2	0.95	5.31	17000165	(17000_BF)	63	22	17 %	
62.38	23.16	18.41	29.59	38.47	62.21	24.95	20.3	32.17	39.1	1.17	2.61	1.14	1.32	1.12	6.2	17000166	(17000_BF)	62	24	19 %	
62.38	23.16	18.41	29.59	38.47	62.1	25.6	19.96	32.47	37.9	1.31	2.9	1.28	1.45	1.26	6.77	17000167	(17000_BF)	62	24	19 %	
64.74	15.74	4.37	16.34	15.51	64.68	16.25	2.5	16.44	8.7	1.6	1.93	1.54	2.01	1.41	6.88	17000168	(17000_BF)	65	15	3 %	
64.74	15.74	4.37	16.34	15.51	64.91	13.92	4.69	14.69	18.6	1.38	1.85	1.17	1.47	1.39	3.91	17000169	(17000_BF)	65	14	4 %	
64.74	15.74	4.37	16.34	15.51	64.91	14.08	5.61	15.16	21.7	1.52	2.07	1.53	2.08	1.64	5.57	17000170	(17000_BF)	65	14	4 %	
64.74	15.74	4.37	16.34	15.51	64.62	14.47	5.82	15.6	21.9	1.67	1.93	1.49	2.05	1.52	5.73	17000171	(17000_BF)	65	15	5 %	
64.74	15.74	4.37	16.34	15.51	64.61	14.1	5.02	14.97	19.6	1.38	1.77	1.2	1.56	1.37	3.99	17000172	(17000_BF)	65	14	4 %	
64.74	15.74	4.37	16.34	15.51	64.57	17.27	5.92	18.26	18.9	1.33	2.18	1.39	1.66	1.4	6.39	17000173	(17000_BF)	65	16	5 %	
64.74	15.74	4.37	16.34	15.51	65.15	13.85	3.46	14.28	14.0	1.64	2.13	1.29	1.51	1.49	6.1	17000174	(17000_BF)	65	14	3 %	
64.74	15.74	4.37	16.34	15.51	64.45	15.92	6.51	17.2	22.2	1.59	2.17	1.68	2.25	1.55	7.99	17000175	(17000_BF)	65	15	5 %	
64.74	15.74	4.37	16.34	15.51	64.8	17.71	4.53	18.28	14.3	1.28	1.97	1.15	1.31	1.33	3.72	17000176	(17000_BF)	65	16	4 %	
64.74	15.74	4.37	16.34	15.51	64.38	16.73	6.6	17.98	21.5	1.62	2.46	1.76	2.24	1.65	8.72	17000177	(17000_BF)	65	16	5 %	
64.74	15.74	4.37	16.34	15.51	64.28	15.27	7.01	16.8	24.6	1.91	2.72	2.18	2.99	2.05	10.19	17000178	(17000_BF)	65	15	5 %	
62.17	10.46	29.87	31.64	70.69	61.99	12.0	30.24	32.53	68.3	1.43	1.59	0.98	1.44	1.13	3.55	17000179	(17000_BF)	62	11	30 %	
62.17	10.46	29.87	31.64	70.69	62.12	9.91	30.68	32.24	72.0	1.03	0.97	0.58	0.83	0.66	1.98	17000180	(17000_BF)	62	10	30 %	
62.17	10.46	29.87	31.64	70.69	62.05	9.12	29.63	31.0	72.8	1.48	1.36	0.85	1.26	1.01	2.8	17000181	(17000_BF)	62	9	29 %	
62.17	10.46	29.87	31.64	70.69	62.2	11.42	29.66	31.78	68.9	1.23	0.98	0.66	1.01	0.78	1.91	17000182	(17000_BF)	62	10	29 %	
62.17	10.46	29.87	31.64	70.69	62.23	9.33	27.48	29.02	71.2	1.4	2.64	1.1	1.33	1.14	5.41	17000183	(17000_BF)	62	9	28 %	
62.17	10.46	29.87	31.64	70.69	62.31	8.69	27.99	29.31	72.7	1.48	2.57	1.22	1.61	1.35	5.35	17000184	(17000_BF)	62	9	28 %	
62.17	10.46	29.87	31.64	70.69	62.34	8.88	28.78	30.12	72.8	1.23	1.91	1.01	1.4	1.15	4.15	17000185	(17000_BF)	62	9	29 %	
62.17	10.46	29.87	31.64	70.69	62.3	11.39	29.31	31.45	68.7	1.26	1.08	0.73	1.12	0.87	2.42	17000186	(17000_BF)	62	10	29 %	
62.17	10.46	29.87	31.64	70.69	62.32	12.25	31.18	33.5	68.5	1.52	2.22	1.13	1.55	1.24	4.41	17000187	(17000_BF)	62	11	30 %	
62.17	10.46	29.87	31.64	70.69	62.39	8.98	27.14	28.59	71.6	1.55	3.1	1.32	1.62	1.39	6.75	17000188	(17000_BF)	62	9	28 %	
62.17	10.46	29.87	31.64	70.69	62.17	11.01	28.6	30.65	68.9	1.15	1.38	0.76	1.12	0.87	2.76	17000189	(17000_BF)	62	10	29 %	
62.17	10.46	29.87	31.64	70.69	62.43	10.52	27.84	29.76	69.3	1.48	2.04	0.96	1.23	1.01	4.88	17000190	(17000_BF)	62	10	28 %	
61.68	20.78	63.02	66.36	71.75	61.65	20.75	59.08	62.62	70.6	1.55	3.94	1.12	1.59	1.24	3.41	17000191	(17000_BF)	62	20	61 %	
61.68	20.78	63.02	66.36	71.75	61.62	18.47	59.45	62.25	72.7	1.33	4.25	1.17	1.64	1.27	5.33	17000192	(17000_BF)	62	19	61 %	
61.68	20.78	63.02	66.36	71.75	61.84	21.85	60.83	64.63	70.2	1.5	2.45	0.98	1.41	1.19	3.13	17000193	(17000_BF)	62	21	61 %	
61.68	20.78	63.02	66.36	71.75	61.55	20.27	67.8	70.77	73.3	1.75	4.8	1.46	2.02	1.61	3.96	17000194	(17000_BF)	62	20	65 %	
61.68	20.78	63.02	66.36	71.75	61.61	18.5	62.48	65.17	73.5	1.41	2.34	1.05	1.5	1.31	4.35	17000195	(17000_BF)	62	19	62 %	
61.68	20.78	63.02	66.36	71.75	61.8	18.55	60.43	63.22	72.9	1.29	3.41	1.04	1.46	1.17	4.98	17000196	(17000_BF)	62	19	61 %	
61.68	20.78	63.02	66.36	71.75	62.01	18.92	57.88	60.9	71.8	1.71	5.47	1.41	1.93	1.44	6.75	17000197	(17000_BF)	62	19	60 %	
61.68	20.78	63.02	66.36	71.75	61.88	22.36	68.47	72.03	71.9	1.49	5.67	1.44	1.93	1.39	5.24	17000198	(17000_BF)	62	21	65 %	
61.68	20.78	63.02	66.36	71.75	62.02	21.99	61.84	65.64	70.4	1.13	1.72	0.85	1.18	1.02	3.95	17000199	(17000_BF)	62	21	62 %	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*a*b*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
61.68	20.78	63.02	66.36	71.75	61.18	23.04	64.96	68.93	70.4	1.53	3.01	1.11	1.46	1.21	6.65	17000200	(17000_BF)	61	21	63 %	
61.68	20.78	63.02	66.36	71.75	61.79	18.63	63.53	66.21	73.6	1.53	2.2	1.1	1.57	1.39	4.25	17000201	(17000_BF)	62	19	63 %	
61.68	20.78	63.02	66.36	71.75	61.83	22.44	68.42	72.0	71.8	1.43	5.64	1.42	1.91	1.37	5.19	17000202	(17000_BF)	62	21	65 %	
60.86	1.78	65.53	65.56	88.43	60.72	3.21	66.23	66.31	87.2	0.91	1.59	0.74	0.88	0.9	3.18	17000203	(17000_BF)	61	2	65 %	
60.86	1.78	65.53	65.56	88.43	60.47	3.06	68.27	68.33	87.4	0.98	3.04	0.99	1.22	1.06	4.92	17000204	(17000_BF)	61	2	66 %	
60.86	1.78	65.53	65.56	88.43	60.56	3.08	67.76	67.83	87.3	1.03	2.59	0.89	1.09	0.98	4.2	17000205	(17000_BF)	61	2	66 %	
60.86	1.78	65.53	65.56	88.43	61.14	2.04	62.66	62.69	88.1	0.82	2.89	0.79	1.04	0.8	3.57	17000206	(17000_BF)	61	1	64 %	
60.86	1.78	65.53	65.56	88.43	60.99	3.0	64.84	64.91	87.3	1.05	1.4	0.65	0.78	0.8	2.77	17000207	(17000_BF)	61	2	65 %	
60.86	1.78	65.53	65.56	88.43	60.56	3.01	67.89	67.96	87.4	0.86	2.67	0.88	1.09	0.96	4.1	17000208	(17000_BF)	61	2	66 %	
60.86	1.78	65.53	65.56	88.43	61.4	1.02	67.14	67.15	89.1	1.07	1.86	0.78	0.85	0.79	5.26	17000209	(17000_BF)	61	1	66 %	
60.86	1.78	65.53	65.56	88.43	60.84	3.33	64.75	64.84	87.0	1.08	1.72	0.81	0.97	1.0	3.15	17000210	(17000_BF)	61	2	65 %	
60.86	1.78	65.53	65.56	88.43	61.32	1.2	63.13	63.15	88.9	0.77	2.51	0.81	0.97	0.8	4.91	17000211	(17000_BF)	61	1	64 %	
60.86	1.78	65.53	65.56	88.43	60.36	1.82	69.35	69.38	88.4	1.07	3.85	1.08	1.37	1.04	5.44	17000212	(17000_BF)	61	1	67 %	
63.09	27.72	33.9	43.79	50.72	63.02	28.44	36.63	46.38	52.1	1.51	2.82	1.11	1.6	1.16	5.03	17000213	(17000_BF)	63	28	35 %	
63.09	27.72	33.9	43.79	50.72	62.65	23.86	31.59	39.59	52.9	1.58	4.51	1.76	2.54	1.89	8.79	17000214	(17000_BF)	63	25	32 %	
63.09	27.72	33.9	43.79	50.72	63.41	28.05	36.57	46.09	52.5	1.61	2.71	1.18	1.78	1.26	5.28	17000215	(17000_BF)	63	27	35 %	
63.09	27.72	33.9	43.79	50.72	63.01	26.37	34.69	43.58	52.7	1.36	1.56	0.93	1.67	1.09	2.9	17000216	(17000_BF)	63	27	34 %	
63.09	27.72	33.9	43.79	50.72	62.75	29.99	37.03	47.65	50.9	1.23	3.88	1.35	1.6	1.3	7.8	17000217	(17000_BF)	63	28	35 %	
63.09	27.72	33.9	43.79	50.72	63.24	30.98	34.74	46.55	48.2	1.69	3.37	1.49	2.28	1.62	6.12	17000218	(17000_BF)	63	29	34 %	
63.09	27.72	33.9	43.79	50.72	63.11	23.18	30.47	38.28	52.7	1.48	5.69	2.04	2.84	2.19	10.56	17000219	(17000_BF)	63	25	32 %	
63.09	27.72	33.9	43.79	50.72	63.15	30.41	33.81	45.47	48.0	2.08	2.69	1.38	2.26	1.56	4.87	17000220	(17000_BF)	63	29	33 %	
63.09	27.72	33.9	43.79	50.72	62.92	30.62	36.83	47.89	50.2	1.1	4.12	1.4	1.71	1.37	7.64	17000221	(17000_BF)	63	29	35 %	
63.09	27.72	33.9	43.79	50.72	63.06	24.67	33.46	41.57	53.5	1.74	3.07	1.49	2.53	1.69	5.62	17000222	(17000_BF)	63	26	33 %	
35.1	-44.06	3.79	44.23	175.08	35.04	-40.02	1.58	40.06	177.7	1.25	4.6	1.81	2.06	1.86	11.0	17000223	(17000_BF)	35	-42	2 %	
35.1	-44.06	3.79	44.23	175.08	34.8	-42.51	4.74	42.77	173.6	1.25	1.84	0.87	0.92	0.85	5.59	17000224	(17000_BF)	35	-43	4 %	
35.1	-44.06	3.79	44.23	175.08	34.64	-38.39	3.58	38.56	174.6	1.14	5.69	1.95	2.47	2.02	7.88	17000225	(17000_BF)	35	-41	3 %	
35.1	-44.06	3.79	44.23	175.08	35.51	-51.54	6.46	51.94	172.8	1.94	7.95	2.84	3.25	2.68	13.88	17000226	(17000_BF)	35	-47	5 %	
35.1	-44.06	3.79	44.23	175.08	34.68	-39.49	4.51	39.74	173.4	1.59	4.65	1.71	2.06	1.74	7.42	17000227	(17000_BF)	35	-41	4 %	
35.1	-44.06	3.79	44.23	175.08	34.68	-44.72	5.61	45.07	172.8	1.23	1.98	1.16	1.12	1.11	9.31	17000228	(17000_BF)	35	-44	4 %	
35.1	-44.06	3.79	44.23	175.08	34.9	-42.93	5.01	43.23	173.3	1.29	1.67	0.89	0.87	0.87	5.89	17000229	(17000_BF)	35	-43	4 %	
35.1	-44.06	3.79	44.23	175.08	35.34	-44.5	5.45	44.83	173.0	1.4	1.73	1.01	0.95	0.98	7.52	17000230	(17000_BF)	35	-44	4 %	
35.1	-44.06	3.79	44.23	175.08	35.06	-38.33	1.22	38.35	178.1	1.54	6.28	2.37	2.8	2.46	13.43	17000231	(17000_BF)	35	-41	2 %	
35.1	-44.06	3.79	44.23	175.08	35.51	-48.96	4.87	49.2	174.3	1.1	5.03	1.75	2.08	1.68	7.94	17000232	(17000_BF)	35	-46	4 %	
35.1	-44.06	3.79	44.23	175.08	35.36	-47.75	5.66	48.08	173.2	1.73	4.14	1.59	1.77	1.53	9.1	17000233	(17000_BF)	35	-45	4 %	
35.1	-44.06	3.79	44.23	175.08	34.68	-37.07	2.2	37.14	176.5	1.7	7.17	2.49	3.13	2.61	11.31	17000234	(17000_BF)	35	-40	2 %	
35.1	-44.06	3.79	44.23	175.08	35.45	-47.93	3.95	48.09	175.2	0.97	3.88	1.34	1.61	1.29	5.43	17000235	(17000_BF)	35	-45	3 %	
35.1	-44.06	3.79	44.23	175.08	34.9	-40.93	1.57	40.96	177.8	1.32	3.84	1.64	1.78	1.66	10.87	17000236	(17000_BF)	35	-42	2 %	
37.46	-26.54	-29.02	39.33	227.55	37.18	-29.5	-29.52	41.73	225.0	1.59	3.0	1.44	1.5	1.3	6.4	17000237	(17000_BF)	37	-28	-29 %	
37.46	-26.54	-29.02	39.33	227.55	37.89	-28.24	-30.78	41.78	227.4	1.54	2.48	0.98	1.15	0.94	9.67	17000238	(17000_BF)	38	-27	-29 %	
37.46	-26.54	-29.02	39.33	227.55	37.49	-28.19	-31.17	42.03	227.8	1.19	2.71	0.98	1.16	0.95	11.6	17000239	(17000_BF)	37	-27	-30 %	
37.46	-26.54	-29.02	39.33	227.55	37.58	-26.9	-26.91	38.06	225.0	1.19	2.13	1.17	1.18	1.01	11.71	17000240	(17000_BF)	38	-26	-27 %	
37.46	-26.54	-29.02	39.33	227.55	37.42	-25.4	-29.94	39.26	229.6	1.27	1.46	0.92	0.88	0.77	5.3	17000241	(17000_BF)	37	-25	-29 %	
37.46	-26.54	-29.02	39.33	227.55	37.8	-27.47	-27.43	38.82	224.9	1.27	1.87	1.18	1.15	0.99	10.28	17000242	(17000_BF)	38	-27	-28 %	
37.46	-26.54	-29.02	39.33	227.55	37.26	-28.05	-27.47	39.26	224.4	1.56	2.16	1.37	1.31	1.15	8.34	17000243	(17000_BF)	37	-27	-28 %	
37.46	-26.54	-29.02	39.33	227.55	37.0	-23.68	-28.65	37.17	230.4	1.45	2.92	1.5	1.59	1.37	6.53	17000244	(17000_BF)	37	-25	-28 %	
37.46	-26.54	-29.02	39.33	227.55	37.26	-24.15	-28.54	37.38	229.7	1.35	2.45	1.18	1.26	1.09	4.57	17000245	(17000_BF)	37	-25	-28 %	
37.46	-26.54	-29.02	39.33	227.55	37.33	-29.87	-29.84	42.22	224.9	1.98	3.42	1.56	1.65	1.42	6.91	17000246	(17000_BF)	37	-28	-29 %	
37.46	-26.54	-29.02	39.33	227.55	37.02	-23.61	-27.07	35.92	228.9	1.83	3.55	1.42	1.68	1.42	11.2	17000247	(17000_BF)	37	-25	-28 %	
37.46	-26.54	-29.02	39.33	227.55	37.62	-28.43	-30.79	41.91	227.2	1.48	2.59	0.95	1.12	0.93	9.5	17000248	(17000_BF)	38	-27	-29 %	
37.46	-26.54	-29.02	39.33	227.55	37.75	-27.87	-31.88	42.35	228.8	1.62	3.16	1.26	1.43	1.17	14.8	17000249	(17000_BF)	38	-27	-30 %	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*a*b*	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL											%BF_2776=BFD_ALL									
37.46	-26.54	-29.02	39.33	227.55	37.66	-30.2	-27.32	40.72	222.1	2.01	4.03	2.43	2.33	2.07	11.11	17000250	(17000_BF)	38	-28	-28
37.46	-26.54	-29.02	39.33	227.55	37.6	-30.19	-28.26	41.36	223.1	2.03	3.72	2.1	2.05	1.81	6.93	17000251	(17000_BF)	38	-28	-28
22.75	20.06	-46.65	50.78	293.26	22.61	19.27	-47.38	51.15	292.1	1.41	1.07	0.59	0.69	0.85	4.42	17000252	(17000_BF)	23	19	-47
22.75	20.06	-46.65	50.78	293.26	22.65	16.76	-42.72	45.9	291.4	0.95	5.12	1.73	2.19	1.27	18.2	17000253	(17000_BF)	23	18	-44
22.75	20.06	-46.65	50.78	293.26	23.06	14.94	-42.52	45.07	289.3	1.61	6.57	2.55	3.18	2.03	23.25	17000254	(17000_BF)	23	17	-44
22.75	20.06	-46.65	50.78	293.26	22.99	23.27	-51.53	56.54	294.3	1.44	5.84	1.85	2.28	1.42	20.37	17000255	(17000_BF)	23	21	-49
22.75	20.06	-46.65	50.78	293.26	23.13	18.1	-46.36	49.77	291.3	1.36	2.01	1.08	1.3	1.2	7.1	17000256	(17000_BF)	23	19	-46
22.75	20.06	-46.65	50.78	293.26	22.75	20.34	-48.59	52.68	292.7	1.15	1.96	0.64	0.79	0.85	8.26	17000257	(17000_BF)	23	20	-47
22.75	20.06	-46.65	50.78	293.26	22.54	16.0	-43.44	46.29	290.2	1.02	5.17	2.01	2.48	1.62	15.79	17000258	(17000_BF)	23	18	-45
22.75	20.06	-46.65	50.78	293.26	23.06	15.46	-44.38	46.99	289.2	2.03	5.13	2.29	2.78	2.2	15.97	17000259	(17000_BF)	23	17	-45
22.75	20.06	-46.65	50.78	293.26	22.75	22.26	-46.51	51.57	295.5	1.85	2.2	1.19	1.35	1.48	4.8	17000260	(17000_BF)	23	21	-46
22.75	20.06	-46.65	50.78	293.26	22.44	13.37	-40.71	42.85	288.1	1.61	8.94	3.38	4.27	2.58	28.94	17000261	(17000_BF)	23	16	-43
22.75	20.06	-46.65	50.78	293.26	22.58	24.3	-50.51	56.06	295.6	0.93	5.74	2.06	2.46	1.59	19.52	17000262	(17000_BF)	23	22	-48
22.19	18.24	-34.53	39.05	297.84	21.76	17.58	-35.0	39.17	296.6	1.72	0.92	0.66	0.88	0.73	6.48	17000263	(17000_BF)	22	17	-34
22.19	18.24	-34.53	39.05	297.84	21.83	19.42	-34.24	39.37	299.5	1.06	1.26	0.82	1.0	0.93	4.98	17000264	(17000_BF)	22	18	-34
22.19	18.24	-34.53	39.05	297.84	22.08	20.85	-36.63	42.15	299.6	1.16	3.34	1.38	1.6	1.16	12.09	17000265	(17000_BF)	22	19	-35
22.19	18.24	-34.53	39.05	297.84	21.98	16.92	-31.84	36.06	297.9	1.16	3.0	1.1	1.37	1.15	12.81	17000266	(17000_BF)	22	17	-33
22.19	18.24	-34.53	39.05	297.84	21.79	21.06	-37.32	42.85	299.4	0.9	3.98	1.6	1.9	1.3	17.05	17000267	(17000_BF)	22	19	-35
22.19	18.24	-34.53	39.05	297.84	22.23	19.19	-37.08	41.75	297.3	1.32	2.72	1.0	1.18	1.1	12.26	17000268	(17000_BF)	22	18	-35
22.19	18.24	-34.53	39.05	297.84	22.47	18.36	-36.4	40.77	296.7	1.28	1.89	0.83	1.0	1.05	8.36	17000269	(17000_BF)	22	18	-35
22.19	18.24	-34.53	39.05	297.84	21.57	21.07	-36.38	42.05	300.0	1.25	3.44	1.59	1.94	1.35	15.14	17000270	(17000_BF)	22	19	-35
22.19	18.24	-34.53	39.05	297.84	21.83	21.33	-35.58	41.49	300.9	1.79	3.28	1.66	1.92	1.62	10.53	17000271	(17000_BF)	22	19	-35
22.19	18.24	-34.53	39.05	297.84	21.76	21.48	-36.19	42.09	300.6	1.57	3.67	1.73	2.02	1.57	13.34	17000272	(17000_BF)	22	19	-35
22.19	18.24	-34.53	39.05	297.84	21.68	20.04	-36.9	41.99	298.5	0.93	3.01	1.21	1.51	1.01	15.39	17000273	(17000_BF)	22	19	-35
22.19	18.24	-34.53	39.05	297.84	21.68	22.06	-36.77	42.88	300.9	1.93	4.45	2.03	2.37	1.79	16.68	17000274	(17000_BF)	22	20	-35
36.48	47.83	18.36	51.23	21.0	36.29	50.47	21.19	54.75	22.7	1.36	3.88	1.42	1.72	1.41	9.27	17000275	(17000_BF)	36	49	19
36.48	47.83	18.36	51.23	21.0	36.29	53.72	20.42	57.48	20.8	1.87	6.24	1.9	2.35	1.82	12.91	17000276	(17000_BF)	36	50	19
36.48	47.83	18.36	51.23	21.0	36.21	52.2	18.58	55.41	19.5	1.97	4.38	1.48	1.81	1.45	9.36	17000277	(17000_BF)	36	50	18
36.48	47.83	18.36	51.23	21.0	36.96	40.49	15.9	43.51	21.4	2.21	7.75	2.39	3.14	2.51	17.77	17000278	(17000_BF)	37	44	17
36.48	47.83	18.36	51.23	21.0	36.51	48.34	16.24	51.0	18.5	1.36	2.17	1.22	1.41	1.24	5.87	17000279	(17000_BF)	36	48	17
36.48	47.83	18.36	51.23	21.0	36.49	57.46	21.26	61.27	20.3	2.78	10.05	3.06	3.73	2.86	19.42	17000280	(17000_BF)	36	52	19
36.48	47.83	18.36	51.23	21.0	36.66	48.87	22.04	53.61	24.2	1.36	3.83	1.84	2.19	1.88	9.24	17000281	(17000_BF)	37	48	20
36.48	47.83	18.36	51.23	21.0	36.76	50.85	24.28	56.35	25.5	1.91	6.64	2.86	3.41	2.88	14.99	17000282	(17000_BF)	37	49	21
36.48	47.83	18.36	51.23	21.0	36.68	51.87	17.45	54.73	18.5	2.14	4.15	1.65	1.96	1.64	8.14	17000283	(17000_BF)	37	49	17
36.48	47.83	18.36	51.23	21.0	36.32	45.52	21.11	50.17	24.8	2.32	3.59	1.97	2.36	2.05	8.34	17000284	(17000_BF)	36	46	19
36.48	47.83	18.36	51.23	21.0	36.92	53.3	19.56	56.78	20.1	1.75	5.61	1.79	2.2	1.72	11.15	17000285	(17000_BF)	37	50	18
36.48	47.83	18.36	51.23	21.0	37.0	52.98	21.98	57.36	22.5	1.36	6.31	2.09	2.54	2.0	13.53	17000286	(17000_BF)	37	50	20
24.93	-15.19	-11.92	19.31	218.13	24.65	-13.37	-11.07	17.36	219.6	1.03	2.02	1.14	1.35	1.32	6.08	17000287	(17000_BF)	25	-14	-11
24.93	-15.19	-11.92	19.31	218.13	24.37	-17.31	-12.1	21.12	214.9	1.39	2.2	1.41	1.63	1.5	7.74	17000288	(17000_BF)	25	-16	-12
24.93	-15.19	-11.92	19.31	218.13	24.56	-16.98	-12.52	21.1	216.4	1.46	1.93	1.13	1.3	1.22	6.61	17000289	(17000_BF)	25	-16	-12
24.93	-15.19	-11.92	19.31	218.13	24.65	-14.31	-13.22	19.48	222.7	1.55	1.58	1.23	1.35	1.2	8.32	17000290	(17000_BF)	25	-14	-12
24.93	-15.19	-11.92	19.31	218.13	24.62	-13.68	-12.84	18.77	223.1	1.42	1.78	1.36	1.51	1.43	7.02	17000291	(17000_BF)	25	-14	-12
24.93	-15.19	-11.92	19.31	218.13	24.81	-14.5	-13.43	19.76	222.8	1.65	1.66	1.26	1.36	1.21	8.66	17000292	(17000_BF)	25	-14	-12
24.93	-15.19	-11.92	19.31	218.13	24.81	-17.29	-11.71	20.89	214.1	1.65	2.12	1.38	1.5	1.52	3.94	17000293	(17000_BF)	25	-16	-11
24.93	-15.19	-11.92	19.31	218.13	25.58	-13.87	-12.65	18.78	222.3	1.08	1.63	1.29	1.51	1.28	8.31	17000294	(17000_BF)	25	-14	-12
24.93	-15.19	-11.92	19.31	218.13	24.68	-16.08	-13.27	20.84	219.5	1.46	1.63	0.93	1.07	0.91	8.45	17000295	(17000_BF)	25	-15	-12
24.93	-15.19	-11.92	19.31	218.13	24.84	-16.27	-13.08	20.87	218.7	1.36	1.58	0.86	0.97	0.88	6.83	17000296	(17000_BF)	25	-15	-12
23.75	-2.36	-7.06	7.44	251.51	22.98	-2.71	-7.72	8.19	250.6	1.28	1.07	0.95	1.33	0.83	9.77	17000297	(17000_BF)	23	-2	-7
23.75	-2.36	-7.06	7.44	251.51	23.82	-1.81	-7.53	7.74	256.4	0.91	0.72	0.63	0.88	0.79	2.86	17000298	(17000_BF)	24	-2	-7
23.75	-2.36	-7.06	7.44	251.51	23.39	-1.58	-7.01	7.19	257.2	0.97	0.86	0.78	1.11	1.01	4.49	17000299	(17000_BF)	24	-1	-7

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /.PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation
TUB-Material: Code=rh4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
23.75	-2.36	-7.06	7.44	251.51	24.4	-2.71	-7.86	8.31	250.9	0.99	1.08	0.92	1.23	0.84	8.23	17000300	(17000_BF)	24	-2	-7 %	
23.75	-2.36	-7.06	7.44	251.51	23.62	-3.11	-7.05	7.71	246.1	0.93	0.76	0.68	0.94	0.92	2.31	17000301	(17000_BF)	24	-2	-7 %	
23.75	-2.36	-7.06	7.44	251.51	23.15	-2.5	-8.01	8.39	252.6	1.17	1.13	0.94	1.25	0.83	8.87	17000302	(17000_BF)	23	-2	-7 %	
23.75	-2.36	-7.06	7.44	251.51	23.69	-1.95	-7.8	8.04	255.9	0.91	0.84	0.7	0.94	0.78	4.21	17000303	(17000_BF)	24	-2	-7 %	
23.75	-2.36	-7.06	7.44	251.51	23.98	-3.08	-7.51	8.12	247.6	0.96	0.88	0.73	0.96	0.92	3.79	17000304	(17000_BF)	24	-2	-7 %	
23.75	-2.36	-7.06	7.44	251.51	23.72	-3.17	-7.32	7.98	246.5	0.93	0.85	0.72	0.97	0.98	2.38	17000305	(17000_BF)	24	-2	-7 %	
23.75	-2.36	-7.06	7.44	251.51	23.45	-3.09	-7.53	8.14	247.6	1.15	0.92	0.76	1.02	0.94	4.72	17000306	(17000_BF)	24	-2	-7 %	
23.75	-2.36	-7.06	7.44	251.51	24.18	-1.81	-8.05	8.25	257.3	1.14	1.21	1.02	1.39	1.1	6.97	17000307	(17000_BF)	24	-2	-7 %	
22.41	12.45	7.36	14.47	30.61	22.48	11.48	8.2	14.11	35.5	1.19	1.27	1.03	1.69	1.17	3.69	17000308	(17000_BF)	22	11	7 %	
22.41	12.45	7.36	14.47	30.61	22.87	11.05	6.95	13.06	32.1	0.86	1.52	1.01	1.33	1.19	6.43	17000309	(17000_BF)	23	11	7 %	
22.41	12.45	7.36	14.47	30.61	22.76	11.06	7.11	13.16	32.7	1.04	1.44	0.96	1.28	1.17	5.32	17000310	(17000_BF)	23	11	7 %	
22.41	12.45	7.36	14.47	30.61	22.8	11.08	7.1	13.16	32.6	1.06	1.44	0.96	1.29	1.16	5.63	17000311	(17000_BF)	23	11	7 %	
22.41	12.45	7.36	14.47	30.61	22.66	13.33	6.61	14.88	26.3	1.14	1.18	0.96	1.47	1.03	4.37	17000312	(17000_BF)	23	12	6 %	
22.41	12.45	7.36	14.47	30.61	22.59	12.84	6.27	14.29	26.0	1.08	1.17	0.96	1.51	0.97	4.56	17000313	(17000_BF)	23	12	6 %	
22.41	12.45	7.36	14.47	30.61	22.38	13.03	6.23	14.44	25.5	1.14	1.27	1.04	1.63	1.07	4.29	17000314	(17000_BF)	22	12	6 %	
22.41	12.45	7.36	14.47	30.61	22.48	12.61	5.71	13.84	24.3	1.08	1.66	1.32	2.03	1.29	6.13	17000315	(17000_BF)	22	12	6 %	
22.41	12.45	7.36	14.47	30.61	22.59	11.91	5.55	13.14	24.9	1.02	1.9	1.38	2.02	1.35	7.18	17000316	(17000_BF)	23	12	6 %	
22.41	12.45	7.36	14.47	30.61	23.0	11.65	5.73	12.98	26.1	1.17	1.91	1.38	1.96	1.33	9.45	17000317	(17000_BF)	23	12	6 %	
22.41	12.45	7.36	14.47	30.61	22.69	10.82	6.33	12.54	30.3	1.2	1.94	1.19	1.46	1.42	6.35	17000318	(17000_BF)	23	11	6 %	
22.41	12.45	7.36	14.47	30.61	22.09	11.07	7.55	13.4	34.2	1.38	1.42	1.02	1.52	1.24	4.69	17000319	(17000_BF)	22	11	7 %	
14.05	-3.97	-5.51	6.8	234.2	13.99	-2.91	-4.78	5.6	238.6	1.54	1.29	1.01	1.33	1.34	3.87	17000320	(17000_BF)	14	-3	-5 %	
14.05	-3.97	-5.51	6.8	234.2	13.82	-2.82	-4.73	5.51	239.1	1.74	1.41	1.12	1.51	1.46	4.55	17000321	(17000_BF)	14	-3	-5 %	
14.05	-3.97	-5.51	6.8	234.2	14.45	-5.15	-6.49	8.29	231.5	1.65	1.58	1.25	1.64	1.46	6.01	17000322	(17000_BF)	14	-4	-6 %	
14.05	-3.97	-5.51	6.8	234.2	13.52	-5.24	-5.1	7.31	224.2	1.74	1.42	1.29	1.86	1.57	5.76	17000323	(17000_BF)	14	-4	-5 %	
14.05	-3.97	-5.51	6.8	234.2	13.99	-5.24	-5.15	7.35	224.4	1.74	1.31	1.16	1.54	1.52	2.84	17000324	(17000_BF)	14	-4	-5 %	
14.05	-3.97	-5.51	6.8	234.2	14.22	-5.37	-5.8	7.91	227.1	1.74	1.43	1.19	1.53	1.58	3.18	17000325	(17000_BF)	14	-4	-5 %	
14.05	-3.97	-5.51	6.8	234.2	14.11	-5.24	-5.74	7.78	227.6	1.83	1.28	1.06	1.36	1.43	2.53	17000326	(17000_BF)	14	-4	-5 %	
14.05	-3.97	-5.51	6.8	234.2	13.7	-4.59	-4.65	6.54	225.4	1.83	1.11	1.01	1.44	1.09	5.06	17000327	(17000_BF)	14	-4	-5 %	
14.05	-3.97	-5.51	6.8	234.2	13.76	-4.6	-4.79	6.64	226.1	1.7	0.99	0.91	1.28	1.01	4.29	17000328	(17000_BF)	14	-4	-5 %	
14.05	-3.97	-5.51	6.8	234.2	14.28	-4.06	-7.08	8.16	240.1	1.67	1.58	1.27	1.64	1.21	7.3	17000329	(17000_BF)	14	-4	-6 %	
83.11	-4.16	-7.94	8.97	242.35	83.55	-4.85	-9.3	10.49	242.4	1.24	1.59	1.17	1.32	1.18	5.74	17000330	(17000_BF)	83	-4	-8 %	
83.11	-4.16	-7.94	8.97	242.35	83.65	-3.82	-8.84	9.63	246.6	0.84	1.1	0.94	1.07	0.88	5.03	17000331	(17000_BF)	83	-3	-8 %	
83.11	-4.16	-7.94	8.97	242.35	83.39	-3.66	-8.72	9.46	247.2	1.03	0.96	0.82	1.05	0.88	3.43	17000332	(17000_BF)	83	-3	-8 %	
83.11	-4.16	-7.94	8.97	242.35	82.73	-2.78	-8.49	8.93	251.8	1.28	1.53	1.36	1.83	1.73	4.05	17000333	(17000_BF)	83	-3	-8 %	
83.11	-4.16	-7.94	8.97	242.35	83.59	-3.37	-8.6	9.24	248.5	1.17	1.13	1.01	1.26	1.13	4.38	17000334	(17000_BF)	83	-3	-8 %	
83.11	-4.16	-7.94	8.97	242.35	82.87	-3.98	-8.78	9.64	245.6	0.9	0.89	0.71	0.87	0.69	3.46	17000335	(17000_BF)	83	-4	-8 %	
83.11	-4.16	-7.94	8.97	242.35	82.8	-2.72	-8.28	8.72	251.8	1.43	1.51	1.33	1.81	1.74	3.47	17000336	(17000_BF)	83	-3	-8 %	
83.11	-4.16	-7.94	8.97	242.35	82.89	-2.79	-8.03	8.5	250.7	1.38	1.38	1.19	1.62	1.6	2.69	17000337	(17000_BF)	83	-3	-7 %	
83.11	-4.16	-7.94	8.97	242.35	83.98	-4.98	-8.84	10.15	240.6	1.03	1.49	1.24	1.23	1.18	7.22	17000338	(17000_BF)	84	-4	-8 %	
83.11	-4.16	-7.94	8.97	242.35	83.14	-3.38	-8.86	9.48	249.1	1.17	1.2	1.02	1.38	1.19	3.39	17000339	(17000_BF)	83	-3	-8 %	
83.11	-4.16	-7.94	8.97	242.35	84.47	-5.54	-8.47	10.12	236.8	1.28	2.01	1.79	1.76	1.76	10.47	17000340	(17000_BF)	84	-4	-8 %	
80.55	-13.37	-14.85	19.98	227.99	80.71	-14.8	-15.77	21.63	226.8	1.59	1.71	0.94	1.04	1.02	4.0	17000341	(17000_BF)	81	-14	-15 %	
80.55	-13.37	-14.85	19.98	227.99	80.94	-14.83	-15.16	21.21	225.6	1.49	1.54	1.0	1.05	1.05	3.73	17000342	(17000_BF)	81	-14	-15 %	
80.55	-13.37	-14.85	19.98	227.99	81.05	-15.2	-14.64	21.1	223.9	1.46	1.91	1.36	1.42	1.41	4.68	17000343	(17000_BF)	81	-14	-14 %	
80.55	-13.37	-14.85	19.98	227.99	81.1	-15.31	-14.35	20.99	223.1	1.76	2.07	1.53	1.59	1.56	5.38	17000344	(17000_BF)	81	-14	-14 %	
80.55	-13.37	-14.85	19.98	227.99	80.79	-13.47	-15.97	20.89	229.8	1.28	1.14	0.73	0.79	0.66	4.3	17000345	(17000_BF)	81	-13	-15 %	
80.55	-13.37	-14.85	19.98	227.99	80.59	-11.64	-14.92	18.93	232.0	1.54	1.73	1.19	1.34	1.34	2.57	17000346	(17000_BF)	81	-12	-14 %	
80.55	-13.37	-14.85	19.98	227.99	80.82	-11.41	-14.52	18.47	231.8	1.78	2.0	1.29	1.46	1.48	3.82	17000347	(17000_BF)	81	-12	-14 %	
80.55	-13.37	-14.85	19.98	227.99	80.26	-11.73	-15.46	19.41	232.8	1.33	1.77	1.34	1.46	1.41	4.01	17000348	(17000_BF)	80	-12	-15 %	
80.55	-13.37	-14.85	19.98	227.99	80.84	-15.13	-14.96	21.28	224.6	1.51	1.78	1.18	1.26	1.26	3.33	17000349	(17000_BF)	81	-14	-14 %	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
80.55	-13.37	-14.85	19.98	227.99	81.05	-14.21	-16.43	21.73	229.1	1.76	1.85	1.09	1.15	1.0	6.7	17000350	(17000_BF)	81	-13	-15	%
80.55	-13.37	-14.85	19.98	227.99	80.93	-13.93	-13.4	19.32	223.8	1.08	1.6	1.2	1.28	1.12	6.2	17000351	(17000_BF)	81	-13	-14	%
80.55	-13.37	-14.85	19.98	227.99	80.84	-14.66	-13.82	20.15	223.3	1.24	1.67	1.29	1.38	1.29	4.8	17000352	(17000_BF)	81	-14	-14	%
80.55	-13.37	-14.85	19.98	227.99	80.42	-12.53	-13.5	18.42	227.1	1.51	1.59	0.86	1.0	0.88	5.02	17000353	(17000_BF)	80	-12	-14	%
37.48	-30.61	-1.7	30.66	183.19	37.28	-26.91	-2.37	27.02	185.0	1.41	3.76	1.66	1.95	1.76	6.51	17000354	(17000_BF)	37	-28	-2	%
37.48	-30.61	-1.7	30.66	183.19	37.22	-28.88	-2.15	28.96	184.2	0.68	1.79	0.84	0.96	0.86	4.27	17000355	(17000_BF)	37	-29	-1	%
37.48	-30.61	-1.7	30.66	183.19	37.51	-28.77	-2.66	28.9	185.2	1.0	2.07	1.05	1.13	1.08	5.52	17000356	(17000_BF)	37	-29	-2	%
37.48	-30.61	-1.7	30.66	183.19	37.15	-29.82	-2.12	29.89	184.0	0.51	0.95	0.56	0.6	0.53	4.36	17000357	(17000_BF)	37	-30	-1	%
37.48	-30.61	-1.7	30.66	183.19	37.4	-29.2	-4.25	29.51	188.2	2.0	2.9	1.89	1.83	1.91	13.2	17000358	(17000_BF)	37	-29	-2	%
37.48	-30.61	-1.7	30.66	183.19	37.42	-30.17	-2.94	30.31	185.5	1.15	1.31	0.88	0.84	0.88	6.36	17000359	(17000_BF)	37	-30	-2	%
37.48	-30.61	-1.7	30.66	183.19	37.29	-30.12	-3.82	30.37	187.2	1.79	2.18	1.49	1.42	1.49	11.08	17000360	(17000_BF)	37	-30	-2	%
37.48	-30.61	-1.7	30.66	183.19	37.49	-31.08	-3.58	31.28	186.5	1.44	1.93	1.28	1.21	1.28	9.59	17000361	(17000_BF)	37	-30	-2	%
37.48	-30.61	-1.7	30.66	183.19	37.68	-31.08	-2.62	31.19	184.8	0.78	1.04	0.67	0.66	0.66	5.14	17000362	(17000_BF)	38	-30	-2	%
37.48	-30.61	-1.7	30.66	183.19	37.13	-31.34	-2.38	31.43	184.3	0.76	1.06	0.64	0.67	0.61	5.4	17000363	(17000_BF)	37	-30	-2	%
37.48	-30.61	-1.7	30.66	183.19	37.35	-33.8	-2.94	33.93	184.9	1.64	3.42	1.54	1.69	1.51	7.81	17000364	(17000_BF)	37	-32	-2	%
37.48	-30.61	-1.7	30.66	183.19	37.71	-32.54	-1.89	32.6	183.3	0.75	1.95	0.85	0.97	0.83	3.68	17000365	(17000_BF)	38	-31	-1	%
27.62	-29.38	-12.16	31.8	202.48	27.43	-27.42	-11.19	29.62	202.2	0.86	2.19	0.92	1.1	0.94	5.99	17000366	(17000_BF)	28	-28	-11	%
27.62	-29.38	-12.16	31.8	202.48	27.65	-28.1	-11.81	30.48	202.8	0.63	1.33	0.55	0.65	0.57	2.59	17000367	(17000_BF)	28	-28	-11	%
27.62	-29.38	-12.16	31.8	202.48	27.68	-26.82	-12.2	29.46	204.4	1.3	2.56	1.2	1.34	1.23	3.46	17000368	(17000_BF)	28	-28	-12	%
27.62	-29.38	-12.16	31.8	202.48	27.46	-26.24	-12.48	29.06	205.4	1.62	3.15	1.55	1.7	1.59	4.85	17000369	(17000_BF)	28	-27	-12	%
27.62	-29.38	-12.16	31.8	202.48	27.57	-25.57	-13.03	28.7	207.0	2.15	3.91	2.05	2.19	2.1	7.02	17000370	(17000_BF)	28	-27	-12	%
27.62	-29.38	-12.16	31.8	202.48	27.4	-27.39	-13.36	30.48	206.0	1.51	2.33	1.42	1.42	1.4	7.8	17000371	(17000_BF)	28	-28	-12	%
27.62	-29.38	-12.16	31.8	202.48	27.68	-27.64	-13.48	30.75	206.0	1.77	2.18	1.37	1.34	1.35	7.57	17000372	(17000_BF)	28	-28	-12	%
27.62	-29.38	-12.16	31.8	202.48	27.35	-27.42	-13.73	30.67	206.6	2.32	2.52	1.61	1.59	1.57	9.92	17000373	(17000_BF)	27	-28	-12	%
27.62	-29.38	-12.16	31.8	202.48	27.62	-28.38	-13.81	31.57	205.9	2.07	1.93	1.3	1.23	1.26	9.2	17000374	(17000_BF)	28	-28	-12	%
27.62	-29.38	-12.16	31.8	202.48	27.81	-30.08	-15.12	33.66	206.6	2.27	3.04	1.8	1.77	1.72	16.18	17000375	(17000_BF)	28	-29	-13	%
27.62	-29.38	-12.16	31.8	202.48	27.35	-30.01	-13.31	32.83	203.9	0.89	1.33	0.74	0.79	0.7	7.55	17000376	(17000_BF)	27	-29	-12	%
27.62	-29.38	-12.16	31.8	202.48	27.92	-30.89	-13.63	33.76	203.8	0.98	2.12	1.0	1.11	0.96	8.51	17000377	(17000_BF)	28	-30	-12	%
27.62	-29.38	-12.16	31.8	202.48	27.65	-30.8	-13.08	33.47	203.0	0.91	1.69	0.71	0.81	0.7	5.35	17000378	(17000_BF)	28	-30	-12	%
55.44	-49.91	26.81	56.65	151.75	55.59	-49.24	26.16	55.76	152.0	0.32	0.94	0.32	0.37	0.31	2.27	17000379	(17000_BF)	56	-49	26	%
55.44	-49.91	26.81	56.65	151.75	55.54	-48.74	25.74	55.12	152.1	0.55	1.59	0.49	0.6	0.48	2.91	17000380	(17000_BF)	55	-49	26	%
55.44	-49.91	26.81	56.65	151.75	55.59	-49.49	26.25	56.02	152.0	0.3	0.71	0.28	0.3	0.26	2.06	17000381	(17000_BF)	56	-49	26	%
55.44	-49.91	26.81	56.65	151.75	55.46	-49.44	26.1	55.91	152.1	0.37	0.84	0.3	0.34	0.28	1.64	17000382	(17000_BF)	55	-49	26	%
55.44	-49.91	26.81	56.65	151.75	55.58	-49.23	25.11	55.27	152.9	0.85	1.83	0.76	0.78	0.69	4.15	17000383	(17000_BF)	56	-49	25	%
55.44	-49.91	26.81	56.65	151.75	55.68	-49.57	25.63	55.81	152.6	0.57	1.25	0.58	0.57	0.53	3.66	17000384	(17000_BF)	56	-49	26	%
55.44	-49.91	26.81	56.65	151.75	55.23	-49.97	25.43	56.07	153.0	0.83	1.39	0.72	0.67	0.63	3.47	17000385	(17000_BF)	55	-49	26	%
55.44	-49.91	26.81	56.65	151.75	55.5	-50.21	25.82	56.46	152.7	0.76	1.03	0.55	0.5	0.47	2.29	17000386	(17000_BF)	55	-50	26	%
55.44	-49.91	26.81	56.65	151.75	55.29	-50.29	25.61	56.43	153.0	0.76	1.27	0.68	0.62	0.59	2.9	17000387	(17000_BF)	55	-50	26	%
55.44	-49.91	26.81	56.65	151.75	55.32	-50.31	25.86	56.57	152.7	0.51	1.04	0.56	0.51	0.49	2.31	17000388	(17000_BF)	55	-50	26	%
55.44	-49.91	26.81	56.65	151.75	55.11	-50.24	26.06	56.6	152.5	0.41	0.88	0.55	0.49	0.49	3.49	17000389	(17000_BF)	55	-50	26	%
55.44	-49.91	26.81	56.65	151.75	55.36	-50.95	25.68	57.06	153.2	0.85	1.54	0.81	0.74	0.7	2.74	17000390	(17000_BF)	55	-50	26	%
55.44	-49.91	26.81	56.65	151.75	55.47	-51.09	26.12	57.38	152.9	0.7	1.36	0.65	0.62	0.57	1.95	17000391	(17000_BF)	55	-50	26	%
55.44	-49.91	26.81	56.65	151.75	55.04	-52.07	26.13	58.26	153.3	1.01	2.3	1.05	1.03	0.94	4.75	17000392	(17000_BF)	55	-50	26	%
55.44	-49.91	26.81	56.65	151.75	55.05	-51.53	26.64	58.01	152.6	0.7	1.67	0.73	0.74	0.67	4.24	17000393	(17000_BF)	55	-50	26	%
55.44	-49.91	26.81	56.65	151.75	55.58	-51.76	27.06	58.41	152.3	0.55	1.87	0.62	0.72	0.58	2.31	17000394	(17000_BF)	56	-50	26	%
55.44	-49.91	26.81	56.65	151.75	55.47	-50.75	27.05	57.51	151.9	0.26	0.87	0.26	0.32	0.25	1.02	17000395	(17000_BF)	55	-50	26	%
55.44	-49.91	26.81	56.65	151.75	55.68	-51.48	27.73	58.47	151.6	0.45	1.83	0.56	0.69	0.55	3.26	17000396	(17000_BF)	56	-50	27	%
90.8	-2.08	1.44	2.53	145.32	90.71	-2.02	3.11	3.71	123.1	1.06	1.67	1.55	2.07	1.51	5.08	17000397	(17000_BF)	91	-2	2	%
90.8	-2.08	1.44	2.53	145.32	91.19	-1.82	3.46	3.91	117.8	1.24	2.07	1.93	2.53	1.88	6.61	17000398	(17000_BF)	91	-1	2	%
90.8	-2.08	1.44	2.53	145.32	90.69	-1.9	2.74	3.33	124.8	0.88	1.31	1.23	1.65	1.21	4.02	17000399	(17000_BF)	91	-1	2	%

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
90.8	-2.08	1.44	2.53	145.32	91.07	-1.36	3.26	3.53	112.7	1.43	1.97	1.87	2.47	1.96	5.87	17000400	(17000_BF)	91	-1	2	%
90.8	-2.08	1.44	2.53	145.32	90.86	-1.47	3.0	3.34	116.0	1.35	1.68	1.59	2.13	1.68	4.83	17000401	(17000_BF)	91	-1	2	%
90.8	-2.08	1.44	2.53	145.32	90.67	-1.31	2.33	2.67	119.4	1.17	1.18	1.13	1.53	1.35	3.08	17000402	(17000_BF)	91	-1	1	%
90.8	-2.08	1.44	2.53	145.32	90.58	-1.09	1.94	2.23	119.5	1.12	1.12	1.08	1.45	1.44	2.65	17000403	(17000_BF)	91	-1	1	%
90.8	-2.08	1.44	2.53	145.32	91.1	-0.74	1.5	1.68	116.3	2.07	1.37	1.28	1.77	1.84	2.9	17000404	(17000_BF)	91	-1	1	%
90.8	-2.08	1.44	2.53	145.32	91.22	-0.8	1.38	1.6	120.0	1.64	1.34	1.26	1.71	1.76	3.49	17000405	(17000_BF)	91	-1	1	%
90.8	-2.08	1.44	2.53	145.32	90.68	-1.51	1.27	1.98	139.9	0.78	0.6	0.54	0.76	0.76	1.31	17000406	(17000_BF)	91	-1	1	%
90.8	-2.08	1.44	2.53	145.32	90.87	-0.72	0.88	1.14	129.4	1.79	1.46	1.32	1.94	1.9	2.7	17000407	(17000_BF)	91	-1	1	%
90.8	-2.08	1.44	2.53	145.32	91.08	-1.04	0.41	1.12	158.4	1.5	1.48	1.34	1.95	1.69	4.03	17000408	(17000_BF)	91	-1	0	%
90.8	-2.08	1.44	2.53	145.32	91.28	-1.28	-0.34	1.32	195.2	1.2	2.01	1.9	2.64	2.02	6.6	17000409	(17000_BF)	91	-1	0	%
90.8	-2.08	1.44	2.53	145.32	91.15	-1.64	0.04	1.64	178.4	0.96	1.5	1.41	1.95	1.44	5.01	17000410	(17000_BF)	91	-1	0	%
90.8	-2.08	1.44	2.53	145.32	91.38	-1.52	-0.32	1.55	192.1	1.43	1.94	1.84	2.5	1.86	6.86	17000411	(17000_BF)	91	-1	0	%
90.8	-2.08	1.44	2.53	145.32	92.76	-2.18	1.18	2.48	151.6	0.78	1.97	1.97	1.41	1.23	13.61	17000412	(17000_BF)	92	-2	1	%
90.8	-2.08	1.44	2.53	145.32	88.97	-2.27	2.24	3.2	135.3	0.99	2.01	1.98	1.65	1.37	13.18	17000413	(17000_BF)	90	-2	1	%
90.8	-2.08	1.44	2.53	145.32	92.29	-2.8	1.26	3.07	155.6	1.24	1.65	1.63	1.39	1.31	10.39	17000414	(17000_BF)	92	-2	1	%
90.8	-2.08	1.44	2.53	145.32	89.23	-3.24	1.8	3.71	150.9	1.86	1.98	1.91	1.84	1.79	11.26	17000415	(17000_BF)	90	-2	1	%
90.8	-2.08	1.44	2.53	145.32	92.42	-2.62	2.59	3.68	135.3	0.57	2.05	1.98	1.91	1.56	11.76	17000416	(17000_BF)	92	-2	2	%
90.8	-2.08	1.44	2.53	145.32	92.2	-2.73	2.96	4.03	132.7	1.29	2.16	2.05	2.22	1.77	10.73	17000417	(17000_BF)	92	-2	2	%
90.8	-2.08	1.44	2.53	145.32	89.53	-2.06	0.44	2.11	167.7	0.55	1.61	1.58	1.57	1.22	9.46	17000418	(17000_BF)	90	-2	0	%
90.8	-2.08	1.44	2.53	145.32	89.92	-1.81	2.44	3.04	126.6	0.66	1.35	1.31	1.45	1.14	6.91	17000419	(17000_BF)	90	-1	1	%
90.8	-2.08	1.44	2.53	145.32	89.65	-3.08	3.1	4.37	134.8	1.65	2.25	2.09	2.43	2.01	9.7	17000420	(17000_BF)	90	-2	2	%
90.8	-2.08	1.44	2.53	145.32	91.94	-3.22	2.67	4.19	140.4	1.8	2.03	1.89	2.15	1.89	8.9	17000421	(17000_BF)	91	-2	2	%
41.73	3.28	-17.94	18.23	280.38	41.24	3.34	-15.64	15.99	282.0	1.73	2.34	1.38	1.65	1.55	12.46	17000422	(17000_BF)	41	3	-16	%
41.73	3.28	-17.94	18.23	280.38	41.67	4.86	-16.72	17.41	286.2	3.17	1.99	1.49	2.11	2.26	7.32	17000423	(17000_BF)	42	4	-17	%
41.73	3.28	-17.94	18.23	280.38	41.42	4.81	-16.75	17.42	286.0	2.51	1.96	1.48	2.07	2.21	7.6	17000424	(17000_BF)	42	4	-17	%
41.73	3.28	-17.94	18.23	280.38	42.09	5.35	-17.95	18.73	286.5	2.34	2.09	1.63	2.27	2.32	6.18	17000425	(17000_BF)	42	4	-17	%
41.73	3.28	-17.94	18.23	280.38	41.39	5.63	-18.02	18.88	287.3	2.91	2.37	1.84	2.55	2.6	6.81	17000426	(17000_BF)	42	4	-17	%
41.73	3.28	-17.94	18.23	280.38	42.09	5.23	-18.75	19.46	285.5	1.58	2.13	1.54	2.06	1.97	6.97	17000427	(17000_BF)	42	4	-18	%
41.73	3.28	-17.94	18.23	280.38	42.15	4.85	-19.06	19.67	284.2	1.51	1.97	1.34	1.72	1.56	7.77	17000428	(17000_BF)	42	4	-18	%
41.73	3.28	-17.94	18.23	280.38	41.87	5.58	-20.21	20.97	285.4	1.83	3.24	2.02	2.51	2.13	12.96	17000429	(17000_BF)	42	4	-19	%
41.73	3.28	-17.94	18.23	280.38	41.37	5.55	-21.38	22.09	284.5	2.13	4.14	2.43	2.83	2.24	19.9	17000430	(17000_BF)	42	4	-19	%
41.73	3.28	-17.94	18.23	280.38	43.81	3.06	-19.09	19.34	279.1	1.63	2.38	2.18	2.23	2.08	22.55	17000431	(17000_BF)	43	3	-18	%
41.73	3.28	-17.94	18.23	280.38	44.4	1.58	-18.37	18.44	274.9	2.81	3.19	3.0	3.27	3.2	29.05	17000432	(17000_BF)	43	2	-18	%
41.73	3.28	-17.94	18.23	280.38	43.75	1.0	-16.64	16.67	273.4	2.91	3.3	2.74	3.25	3.1	24.5	17000433	(17000_BF)	43	2	-17	%
41.73	3.28	-17.94	18.23	280.38	37.2	4.05	-18.94	19.37	282.0	3.64	4.7	4.59	4.84	4.03	51.66	17000434	(17000_BF)	39	3	-18	%
41.73	3.28	-17.94	18.23	280.38	39.74	2.5	-19.67	19.83	277.2	2.94	2.75	2.31	2.53	2.41	25.19	17000435	(17000_BF)	41	2	-18	%
41.73	3.28	-17.94	18.23	280.38	39.78	2.1	-18.36	18.48	276.5	2.31	2.32	2.18	2.43	2.28	22.22	17000436	(17000_BF)	41	2	-18	%
41.73	3.28	-17.94	18.23	280.38	42.21	3.21	-20.3	20.55	279.0	1.75	2.41	1.4	1.58	1.53	12.64	17000437	(17000_BF)	42	3	-19	%
41.73	3.28	-17.94	18.23	280.38	40.34	0.79	-17.76	17.78	272.5	3.42	2.85	2.38	3.05	3.08	16.31	17000438	(17000_BF)	41	2	-17	%
41.73	3.28	-17.94	18.23	280.38	43.6	3.43	-20.59	20.87	279.4	2.26	3.24	2.38	2.5	2.3	22.81	17000439	(17000_BF)	43	3	-19	%
41.73	3.28	-17.94	18.23	280.38	40.71	1.47	-15.84	15.91	275.3	2.13	2.95	2.01	2.5	2.25	15.14	17000440	(17000_BF)	41	2	-16	%
34.8	27.22	-21.38	34.62	321.84	35.16	26.67	-19.77	33.2	323.4	0.81	1.74	0.9	1.0	0.88	10.56	17000441	(17000_BF)	35	26	-20	%
34.8	27.22	-21.38	34.62	321.84	35.06	26.97	-18.48	32.7	325.5	1.94	2.92	1.64	1.76	1.61	16.7	17000442	(17000_BF)	35	27	-19	%
34.8	27.22	-21.38	34.62	321.84	34.33	26.85	-18.64	32.68	325.2	1.37	2.81	1.58	1.7	1.53	15.0	17000443	(17000_BF)	35	27	-20	%
34.8	27.22	-21.38	34.62	321.84	35.02	27.78	-19.94	34.2	324.3	1.42	1.56	1.01	1.04	0.98	8.78	17000444	(17000_BF)	35	27	-20	%
34.8	27.22	-21.38	34.62	321.84	34.72	28.35	-19.71	34.53	325.1	1.53	2.02	1.33	1.35	1.28	9.39	17000445	(17000_BF)	35	27	-20	%
34.8	27.22	-21.38	34.62	321.84	34.88	29.52	-20.1	35.72	325.7	2.19	2.63	1.63	1.66	1.56	8.76	17000446	(17000_BF)	35	28	-20	%
34.8	27.22	-21.38	34.62	321.84	34.84	28.96	-20.56	35.51	324.6	1.49	1.92	1.17	1.2	1.12	5.96	17000447	(17000_BF)	35	28	-20	%
34.8	27.22	-21.38	34.62	321.84	34.6	29.48	-20.47	35.89	325.2	1.83	2.44	1.47	1.51	1.4	7.26	17000448	(17000_BF)	35	28	-20	%
34.8	27.22	-21.38	34.62	321.84	34.43	29.91	-21.21	36.67	324.6	1.78	2.72	1.44	1.54	1.37	7.53	17000449	(17000_BF)	35	28	-21	%

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
34.8	27.22	-21.38	34.62	321.84	33.79	31.35	-21.58	38.06	325.4	2.49	4.25	2.25	2.44	2.09	15.71	17000450	(17000_BF)	34	29	-21 %	
34.8	27.22	-21.38	34.62	321.84	33.87	30.52	-21.81	37.51	324.4	1.9	3.44	1.81	1.99	1.67	14.11	17000451	(17000_BF)	34	28	-21 %	
34.8	27.22	-21.38	34.62	321.84	34.31	31.24	-22.29	38.37	324.4	2.22	4.14	1.9	2.09	1.8	12.42	17000452	(17000_BF)	35	29	-21 %	
34.8	27.22	-21.38	34.62	321.84	34.6	30.25	-23.25	38.16	322.4	1.07	3.56	1.42	1.63	1.37	12.87	17000453	(17000_BF)	35	28	-22 %	
34.8	27.22	-21.38	34.62	321.84	34.94	30.48	-23.65	38.58	322.1	1.56	3.97	1.56	1.8	1.51	13.95	17000454	(17000_BF)	35	28	-22 %	
34.8	27.22	-21.38	34.62	321.84	34.51	28.96	-23.21	37.12	321.2	0.86	2.53	1.04	1.2	1.01	11.88	17000455	(17000_BF)	35	28	-22 %	
34.8	27.22	-21.38	34.62	321.84	35.61	27.74	-22.19	35.53	321.3	0.61	1.25	0.91	1.02	0.78	9.53	17000456	(17000_BF)	35	27	-21 %	
34.8	27.22	-21.38	34.62	321.84	35.96	27.88	-22.78	36.0	320.7	0.77	1.93	1.35	1.51	1.18	14.01	17000457	(17000_BF)	35	27	-22 %	
34.8	27.22	-21.38	34.62	321.84	37.29	27.7	-21.97	35.36	321.5	1.32	2.6	2.51	2.78	2.1	28.25	17000458	(17000_BF)	36	27	-21 %	
34.8	27.22	-21.38	34.62	321.84	32.83	24.36	-20.64	31.93	319.7	1.87	3.54	2.37	2.73	2.08	22.77	17000459	(17000_BF)	34	25	-21 %	
34.8	27.22	-21.38	34.62	321.84	36.25	25.0	-23.16	34.08	317.1	2.25	3.19	2.34	2.51	2.2	18.68	17000460	(17000_BF)	36	26	-22 %	
34.8	27.22	-21.38	34.62	321.84	36.13	26.34	-19.78	32.95	323.0	0.99	2.26	1.56	1.76	1.37	19.38	17000461	(17000_BF)	35	26	-20 %	
34.8	27.22	-21.38	34.62	321.84	37.26	25.79	-24.88	35.84	316.0	2.71	4.5	3.43	3.68	3.17	31.15	17000462	(17000_BF)	36	26	-23 %	
34.8	27.22	-21.38	34.62	321.84	31.62	25.14	-21.73	33.21	319.2	2.22	3.8	3.38	3.91	2.8	37.38	17000463	(17000_BF)	33	26	-21 %	
34.8	27.22	-21.38	34.62	321.84	36.61	28.55	-23.22	36.8	320.8	1.25	2.9	2.04	2.28	1.76	21.21	17000464	(17000_BF)	36	27	-22 %	
60.79	26.62	-14.85	30.48	330.83	60.75	25.41	-16.09	30.08	327.6	1.38	1.72	1.16	1.19	1.07	5.87	17000465	(17000_BF)	61	26	-15 %	
60.79	26.62	-14.85	30.48	330.83	60.98	27.47	-12.96	30.38	334.7	1.6	2.08	1.43	1.43	1.28	8.67	17000466	(17000_BF)	61	27	-13 %	
60.79	26.62	-14.85	30.48	330.83	61.08	26.42	-12.42	29.19	334.8	1.54	2.46	1.55	1.6	1.41	11.16	17000467	(17000_BF)	61	26	-13 %	
60.79	26.62	-14.85	30.48	330.83	61.09	25.87	-12.78	28.86	333.7	1.33	2.22	1.26	1.34	1.17	9.77	17000468	(17000_BF)	61	26	-13 %	
60.79	26.62	-14.85	30.48	330.83	61.09	25.0	-12.82	28.09	332.8	1.49	2.62	1.26	1.42	1.24	10.04	17000469	(17000_BF)	61	25	-13 %	
60.79	26.62	-14.85	30.48	330.83	60.3	23.87	-12.67	27.03	332.0	1.84	3.54	1.59	1.85	1.63	11.27	17000470	(17000_BF)	61	25	-13 %	
60.79	26.62	-14.85	30.48	330.83	60.6	23.75	-13.06	27.1	331.1	1.8	3.39	1.44	1.72	1.51	9.46	17000471	(17000_BF)	61	25	-13 %	
60.79	26.62	-14.85	30.48	330.83	60.38	23.96	-14.42	27.96	328.9	1.83	2.72	1.31	1.47	1.33	6.24	17000472	(17000_BF)	61	25	-14 %	
60.79	26.62	-14.85	30.48	330.83	60.66	23.6	-14.84	27.88	327.8	1.88	3.01	1.51	1.7	1.53	5.69	17000473	(17000_BF)	61	25	-14 %	
60.79	26.62	-14.85	30.48	330.83	60.83	23.88	-15.06	28.23	327.7	1.95	2.74	1.44	1.59	1.43	5.25	17000474	(17000_BF)	61	25	-14 %	
60.79	26.62	-14.85	30.48	330.83	60.59	24.73	-15.28	29.08	328.2	1.48	1.94	1.1	1.17	1.06	4.35	17000475	(17000_BF)	61	25	-15 %	
60.79	26.62	-14.85	30.48	330.83	60.45	23.84	-12.72	27.03	331.9	1.84	3.51	1.54	1.81	1.59	10.76	17000476	(17000_BF)	61	25	-13 %	
60.79	26.62	-14.85	30.48	330.83	60.78	25.91	-12.68	28.85	333.9	1.12	2.28	1.29	1.38	1.2	9.52	17000477	(17000_BF)	61	26	-13 %	
60.79	26.62	-14.85	30.48	330.83	60.93	25.89	-12.73	28.85	333.8	1.29	2.24	1.26	1.35	1.18	9.52	17000478	(17000_BF)	61	26	-13 %	
60.79	26.62	-14.85	30.48	330.83	60.99	27.56	-13.03	30.48	334.6	1.86	2.06	1.42	1.42	1.27	8.46	17000479	(17000_BF)	61	27	-13 %	
60.79	26.62	-14.85	30.48	330.83	61.13	26.37	-12.49	29.18	334.6	1.76	2.4	1.51	1.55	1.37	10.99	17000480	(17000_BF)	61	26	-13 %	
60.79	26.62	-14.85	30.48	330.83	60.56	23.74	-13.09	27.12	331.1	2.1	3.37	1.44	1.72	1.51	9.37	17000481	(17000_BF)	61	25	-13 %	
60.79	26.62	-14.85	30.48	330.83	60.31	23.89	-12.8	27.1	331.8	2.03	3.44	1.54	1.79	1.58	10.78	17000482	(17000_BF)	61	25	-13 %	
60.79	26.62	-14.85	30.48	330.83	60.96	22.26	-13.74	26.16	328.3	3.24	4.5	2.01	2.38	2.14	9.8	17000483	(17000_BF)	61	24	-14 %	
60.79	26.62	-14.85	30.48	330.83	60.91	24.92	-14.65	28.91	329.5	1.06	1.71	0.81	0.92	0.82	3.57	17000484	(17000_BF)	61	25	-14 %	
60.79	26.62	-14.85	30.48	330.83	60.63	25.03	-11.97	27.75	334.4	1.78	3.29	1.71	1.89	1.64	12.82	17000485	(17000_BF)	61	25	-13 %	
60.79	26.62	-14.85	30.48	330.83	60.97	26.19	-13.53	29.48	332.6	1.32	1.4	0.8	0.84	0.74	6.19	17000486	(17000_BF)	61	26	-14 %	
60.79	26.62	-14.85	30.48	330.83	61.01	24.79	-13.84	28.39	330.8	1.67	2.1	0.91	1.06	0.93	6.15	17000487	(17000_BF)	61	25	-14 %	
60.79	26.62	-14.85	30.48	330.83	60.94	22.91	-13.17	26.42	330.0	2.63	4.07	1.73	2.09	1.85	10.35	17000488	(17000_BF)	61	24	-14 %	
60.79	26.62	-14.85	30.48	330.83	60.69	21.66	-15.3	26.52	324.7	2.94	4.97	2.65	2.97	2.69	9.53	17000489	(17000_BF)	61	24	-15 %	
60.79	26.62	-14.85	30.48	330.83	60.6	24.48	-14.88	28.65	328.6	1.73	2.14	1.09	1.21	1.09	4.25	17000490	(17000_BF)	61	25	-14 %	
60.79	26.62	-14.85	30.48	330.83	60.87	26.57	-14.9	30.47	330.7	0.1	0.1	0.09	0.08	0.08	0.82	17000491	(17000_BF)	61	26	-14 %	
53.94	44.53	48.85	66.1	47.65	53.99	46.06	50.37	68.25	47.5	0.43	2.15	0.54	0.74	0.54	3.23	17000492	(17000_BF)	54	45	49 %	
53.94	44.53	48.85	66.1	47.65	54.18	46.21	49.62	67.81	47.0	0.52	1.86	0.61	0.86	0.65	3.73	17000493	(17000_BF)	54	45	49 %	
53.94	44.53	48.85	66.1	47.65	54.37	46.24	49.23	67.54	46.7	0.57	1.8	0.75	1.03	0.81	4.97	17000494	(17000_BF)	54	45	49 %	
53.94	44.53	48.85	66.1	47.65	54.35	46.31	48.65	67.17	46.4	0.75	1.84	0.87	1.3	0.98	4.92	17000495	(17000_BF)	54	45	48 %	
53.94	44.53	48.85	66.1	47.65	54.42	46.13	48.33	66.81	46.3	0.79	1.75	0.92	1.36	1.04	5.38	17000496	(17000_BF)	54	45	48 %	
53.94	44.53	48.85	66.1	47.65	54.55	46.18	47.93	66.56	46.0	0.99	1.99	1.11	1.62	1.25	6.58	17000497	(17000_BF)	54	45	48 %	
53.94	44.53	48.85	66.1	47.65	54.4	45.59	47.71	65.99	46.3	0.78	1.62	0.9	1.35	1.03	5.04	17000498	(17000_BF)	54	45	48 %	
53.94	44.53	48.85	66.1	47.65	54.66	45.65	46.94	65.48	45.8	1.06	2.33	1.3	1.88	1.46	7.72	17000499	(17000_BF)	54	45	47 %	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*a*b*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
53.94	44.53	48.85	66.1	47.65	54.23	44.76	47.56	65.32	46.7	0.7	1.34	0.63	0.95	0.72	3.37	17000500	(17000_BF)	54	44	48 %	
53.94	44.53	48.85	66.1	47.65	54.18	44.46	47.56	65.11	46.9	0.66	1.31	0.54	0.8	0.6	2.94	17000501	(17000_BF)	54	44	48 %	
53.94	44.53	48.85	66.1	47.65	54.16	44.16	47.26	64.68	46.9	0.71	1.65	0.58	0.86	0.64	3.12	17000502	(17000_BF)	54	44	48 %	
53.94	44.53	48.85	66.1	47.65	54.03	43.48	47.27	64.23	47.3	0.49	1.89	0.5	0.69	0.51	2.95	17000503	(17000_BF)	54	44	48 %	
53.94	44.53	48.85	66.1	47.65	54.54	47.69	49.37	68.65	45.9	1.09	3.26	1.31	1.89	1.44	7.73	17000504	(17000_BF)	54	46	49 %	
45.16	-2.81	-2.5	3.76	221.76	45.34	-3.09	-3.07	4.36	224.8	0.68	0.65	0.57	0.74	0.6	3.36	17000505	(17000_BF)	45	-2	-2 %	
45.16	-2.81	-2.5	3.76	221.76	45.19	-3.12	-2.87	4.24	222.6	0.62	0.48	0.41	0.55	0.48	1.92	17000506	(17000_BF)	45	-2	-2 %	
45.16	-2.81	-2.5	3.76	221.76	45.4	-3.25	-2.66	4.2	219.2	0.53	0.53	0.47	0.59	0.6	2.75	17000507	(17000_BF)	45	-3	-2 %	
45.16	-2.81	-2.5	3.76	221.76	45.17	-3.31	-2.41	4.09	216.0	0.65	0.51	0.46	0.61	0.64	1.21	17000508	(17000_BF)	45	-3	-2 %	
45.16	-2.81	-2.5	3.76	221.76	45.4	-3.55	-2.14	4.15	211.0	0.99	0.86	0.8	1.04	1.03	3.46	17000509	(17000_BF)	45	-3	-2 %	
45.16	-2.81	-2.5	3.76	221.76	45.53	-3.54	-1.9	4.02	208.2	0.85	1.02	0.96	1.23	1.16	5.17	17000510	(17000_BF)	45	-3	-2 %	
45.16	-2.81	-2.5	3.76	221.76	45.33	-3.37	-2.75	4.36	219.2	0.66	0.64	0.56	0.72	0.73	2.44	17000511	(17000_BF)	45	-3	-2 %	
45.16	-2.81	-2.5	3.76	221.76	45.97	-3.54	-2.62	4.4	216.5	0.9	1.09	1.03	1.16	1.19	8.67	17000512	(17000_BF)	46	-3	-2 %	
45.16	-2.81	-2.5	3.76	221.76	45.09	-2.93	-1.93	3.5	213.3	0.57	0.59	0.55	0.73	0.56	2.87	17000513	(17000_BF)	45	-2	-2 %	
45.16	-2.81	-2.5	3.76	221.76	42.91	-3.33	-2.76	4.33	219.6	1.21	2.32	2.3	2.31	2.2	24.11	17000514	(17000_BF)	44	-3	-2 %	
45.16	-2.81	-2.5	3.76	221.76	42.65	-2.61	-3.11	4.06	229.9	1.26	2.58	2.57	2.59	2.41	26.99	17000515	(17000_BF)	44	-2	-2 %	
45.16	-2.81	-2.5	3.76	221.76	42.8	-2.89	-1.82	3.42	212.2	1.24	2.45	2.44	2.47	2.28	25.31	17000516	(17000_BF)	44	-2	-2 %	
45.16	-2.81	-2.5	3.76	221.76	45.19	-3.39	-2.99	4.52	221.4	0.79	0.75	0.64	0.85	0.8	2.67	17000517	(17000_BF)	45	-3	-2 %	
45.16	-2.81	-2.5	3.76	221.76	44.95	-2.64	-3.35	4.27	231.8	0.76	0.89	0.82	1.07	0.82	4.72	17000518	(17000_BF)	45	-2	-2 %	
45.16	-2.81	-2.5	3.76	221.76	45.09	-2.93	-2.02	3.56	214.5	0.45	0.5	0.47	0.63	0.48	2.46	17000519	(17000_BF)	45	-2	-2 %	
45.16	-2.81	-2.5	3.76	221.76	46.81	-3.81	-2.85	4.76	216.7	1.31	1.96	1.88	1.98	2.01	17.5	17000520	(17000_BF)	46	-3	-2 %	
45.16	-2.81	-2.5	3.76	221.76	46.59	-3.04	-3.22	4.43	226.6	1.11	1.61	1.57	1.62	1.52	15.32	17000521	(17000_BF)	46	-2	-2 %	
45.16	-2.81	-2.5	3.76	221.76	46.72	-3.34	-1.85	3.82	208.9	1.19	1.77	1.75	1.83	1.76	16.75	17000522	(17000_BF)	46	-3	-2 %	
45.16	-2.81	-2.5	3.76	221.76	45.74	-3.09	-1.87	3.62	211.2	0.76	0.9	0.87	1.03	0.89	6.88	17000523	(17000_BF)	45	-2	-2 %	
62.52	9.69	8.85	13.12	42.42	58.29	8.52	8.36	11.94	44.4	3.38	4.41	4.31	3.71	3.85	38.93	17000524	(17000_BF)	60	9	8 %	
62.52	9.69	8.85	13.12	42.42	68.58	10.29	8.52	13.36	39.6	5.57	6.09	6.08	4.97	4.99	53.09	17000525	(17000_BF)	66	9	8 %	
24.19	-9.84	-18.28	20.76	241.7	28.32	-11.11	-21.33	24.05	242.4	4.46	5.29	4.47	5.93	3.47	47.53	17000526	(17000_BF)	26	-10	-19 %	
25.41	-10.92	-18.02	21.07	238.78	28.06	-12.72	-19.44	23.24	236.7	3.03	3.5	2.93	3.82	2.38	30.4	17000527	(17000_BF)	27	-11	-18 %	
54.96	-28.73	15.79	32.79	151.2	58.8	-27.4	17.32	32.42	147.7	3.49	4.33	4.06	3.53	3.73	36.74	17000528	(17000_BF)	57	-28	16 %	
54.96	-28.73	15.79	32.79	151.2	56.46	-26.05	17.79	31.55	145.6	3.04	3.66	2.61	2.42	2.39	15.8	17000529	(17000_BF)	56	-27	16 %	
54.96	-28.73	15.79	32.79	151.2	55.16	-25.02	17.71	30.65	144.7	3.09	4.18	2.56	2.51	2.37	7.75	17000530	(17000_BF)	55	-26	16 %	
56.46	-26.05	17.79	31.55	145.67	52.92	-24.71	17.59	30.33	144.5	3.75	3.79	3.59	3.18	3.42	34.39	17000531	(17000_BF)	55	-25	17 %	
54.9	-31.3	17.22	35.72	151.17	52.92	-24.71	17.59	30.33	144.5	3.9	6.89	3.78	3.9	3.7	21.16	17000532	(17000_BF)	54	-28	17 %	
54.9	-31.3	17.22	35.72	151.17	50.85	-27.25	16.39	31.8	148.9	3.97	5.79	4.4	4.13	4.33	40.15	17000533	(17000_BF)	53	-29	16 %	
50.85	-27.25	16.39	31.8	148.96	56.19	-29.25	17.09	33.88	149.7	4.38	5.75	5.42	4.85	5.25	52.39	17000534	(17000_BF)	54	-28	16 %	
52.92	-24.71	17.59	30.33	144.54	56.19	-29.25	17.09	33.88	149.7	3.94	5.62	4.1	3.8	3.87	32.33	17000535	(17000_BF)	55	-26	17 %	
54.9	-31.3	17.22	35.72	151.17	61.1	-35.31	17.88	39.58	153.1	4.73	7.41	6.42	5.6	5.83	58.24	17000536	(17000_BF)	58	-33	17 %	
60.9	-38.89	16.03	42.06	157.59	65.85	-41.45	17.12	44.84	157.5	3.52	5.67	5.04	4.2	4.26	44.25	17000537	(17000_BF)	63	-40	16 %	
58.48	30.38	-0.19	30.38	359.64	62.38	31.82	-0.55	31.83	359.0	2.91	4.17	3.95	3.33	3.46	35.88	17000538	(17000_BF)	60	31	0 %	
58.48	30.38	-0.19	30.38	359.64	64.24	33.2	-1.63	33.24	357.1	4.3	6.57	5.95	5.05	5.17	52.72	17000539	(17000_BF)	61	31	0 %	
58.48	30.38	-0.19	30.38	359.64	62.38	31.82	-0.55	31.83	359.0	3.02	4.17	3.95	3.33	3.46	35.88	17000540	(17000_BF)	60	31	0 %	
58.48	30.38	-0.19	30.38	359.64	64.24	33.2	-1.63	33.24	357.1	4.14	6.57	5.95	5.05	5.17	52.72	17000541	(17000_BF)	61	31	0 %	
67.22	-2.49	2.56	3.57	134.16	63.26	-3.02	2.39	3.85	141.5	3.8	4.0	3.99	3.26	3.32	34.86	17000542	(17000_BF)	65	-2	2 %	
67.2	-2.91	3.83	4.81	127.19	71.83	-3.61	4.21	5.55	130.6	3.51	4.69	4.67	3.72	3.7	39.09	17000543	(17000_BF)	70	-3	4 %	
30.4	3.47	-34.94	35.11	275.67	33.45	2.68	-36.97	37.06	274.1	3.62	3.74	3.21	3.83	2.8	35.04	17000544	(17000_BF)	32	3	-35 %	
30.52	5.98	-37.68	38.16	279.02	28.14	5.71	-35.08	35.55	279.2	2.97	3.53	2.56	3.22	2.12	27.54	17000545	(17000_BF)	29	5	-36 %	
32.39	-13.98	-20.11	24.49	235.18	35.47	-14.76	-21.05	25.71	234.9	2.95	3.32	3.14	3.61	2.57	35.09	17000546	(17000_BF)	34	-14	-20 %	
39.29	-26.11	-21.19	33.62	219.06	34.16	-24.83	-19.71	31.7	218.4	5.48	5.48	5.18	5.68	4.38	57.33	17000547	(17000_BF)	37	-25	-20 %	
32.39	-13.98	-20.11	24.49	235.18	35.55	-21.11	-22.24	30.67	226.4	5.53	8.09	5.28	5.7	4.77	37.65	17000548	(17000_BF)	34	-17	-21 %	
32.39	-13.98	-20.11	24.49	235.18	31.3	-21.79	-20.1	29.64	222.6	5.45	7.88	5.05	5.2	4.7	18.88	17000549	(17000_BF)	32	-17	-20 %	

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /.PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation
TUB-Material: Code=rh4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*a*b*	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
32.39	-13.98	-20.11	24.49	235.18	29.61	-20.12	-20.27	28.56	225.2	5.32	6.73	4.77	5.24	4.28	34.92	17000550	(17000_BF)	31	-17	-20 %
32.39	-13.98	-20.11	24.49	235.18	32.65	-21.48	-20.66	29.8	223.8	5.34	7.52	4.64	4.76	4.37	13.23	17000551	(17000_BF)	33	-17	-20 %
35.47	-14.76	-21.05	25.71	234.95	36.08	-21.54	-22.15	30.9	225.8	4.77	6.89	4.08	4.21	3.81	13.92	17000552	(17000_BF)	36	-18	-21 %
35.47	-14.76	-21.05	25.71	234.95	31.3	-21.79	-20.1	29.64	222.6	6.56	8.22	6.23	6.75	5.43	49.82	17000553	(17000_BF)	33	-18	-20 %
33.09	-18.05	-19.31	26.44	226.93	40.71	-25.17	-23.18	34.23	222.6	8.05	11.13	8.56	9.3	7.4	85.01	17000554	(17000_BF)	37	-21	-21 %
60.68	-44.88	39.78	59.97	138.44	60.74	-33.86	28.08	43.99	140.3	5.37	16.07	4.41	6.18	4.85	24.84	17000555	(17000_BF)	61	-39	33 %
60.68	-44.88	39.78	59.97	138.44	58.66	-34.58	28.56	44.85	140.4	4.92	15.36	4.65	6.08	4.91	28.43	17000556	(17000_BF)	60	-39	34 %
60.68	-44.88	39.78	59.97	138.44	57.11	-38.44	32.28	50.2	139.9	3.97	10.51	4.5	4.78	4.3	35.11	17000557	(17000_BF)	59	-41	36 %
60.68	-44.88	39.78	59.97	138.44	56.45	-43.88	38.32	58.26	138.8	3.64	4.58	4.25	3.64	3.82	39.61	17000558	(17000_BF)	59	-44	39 %
58.66	-34.58	28.56	44.85	140.43	56.45	-43.88	38.32	58.26	138.8	5.52	13.66	5.03	5.53	4.56	31.18	17000559	(17000_BF)	58	-39	33 %
60.74	-33.86	28.08	43.99	140.32	57.11	-38.44	32.28	50.2	139.9	5.02	7.19	4.19	3.95	3.8	36.52	17000560	(17000_BF)	59	-36	30 %
61.07	-42.04	42.69	59.91	134.56	57.28	-40.34	40.39	57.09	134.9	3.37	4.73	3.86	3.35	3.45	35.2	17000561	(17000_BF)	59	-41	41 %
75.1	-0.53	84.33	84.34	90.36	69.27	-0.64	79.06	79.06	90.4	3.71	7.85	5.92	4.78	4.53	47.92	17000562	(17000_BF)	72	0	81 %
74.74	-3.61	81.66	81.74	92.53	79.14	-3.73	85.21	85.29	92.5	2.76	5.65	4.46	3.47	3.23	34.72	17000563	(17000_BF)	77	-3	83 %
52.34	40.08	54.72	67.83	53.77	56.68	42.66	57.67	71.74	53.5	3.11	5.85	4.45	4.04	4.25	42.18	17000564	(17000_BF)	55	41	56 %
51.46	41.26	52.59	66.84	51.87	55.53	45.49	56.4	72.46	51.1	3.02	7.0	4.33	4.16	4.2	40.05	17000565	(17000_BF)	53	43	54 %
55.28	50.71	35.16	61.71	34.73	52.56	43.27	27.86	51.47	32.7	4.19	10.77	3.97	4.69	4.07	30.73	17000566	(17000_BF)	54	46	31 %
55.28	50.71	35.16	61.71	34.73	50.04	42.66	28.18	51.13	33.4	5.29	11.87	5.97	6.17	5.99	53.05	17000567	(17000_BF)	53	46	31 %
55.28	50.71	35.16	61.71	34.73	50.49	48.1	32.82	58.23	34.3	4.1	5.93	4.88	4.46	4.77	47.22	17000568	(17000_BF)	53	49	33 %
55.28	50.71	35.16	61.71	34.73	51.48	51.33	36.84	63.19	35.6	4.14	4.2	3.85	3.49	3.75	38.33	17000569	(17000_BF)	53	51	36 %
51.48	51.33	36.84	63.19	35.66	55.55	54.47	39.5	67.29	35.9	2.64	5.78	4.2	3.88	4.07	39.9	17000570	(17000_BF)	54	52	38 %
50.49	48.1	32.82	58.23	34.3	50.75	53.04	38.61	65.6	36.0	2.88	7.61	2.28	2.95	2.25	12.95	17000571	(17000_BF)	51	50	35 %
52.07	52.36	32.84	61.81	32.09	49.72	53.58	39.38	66.5	36.3	4.41	7.05	3.61	4.25	3.79	27.37	17000572	(17000_BF)	51	52	36 %
60.3	-15.83	59.39	61.46	104.93	65.01	-16.92	62.99	65.22	105.0	3.47	6.03	4.82	4.08	4.11	42.44	17000573	(17000_BF)	63	-16	61 %
59.81	-19.73	57.28	60.59	109.0	56.41	-18.37	55.16	58.14	108.4	2.95	4.23	3.47	3.04	3.16	31.97	17000574	(17000_BF)	58	-19	56 %
61.72	10.62	31.67	33.41	71.45	57.7	10.49	30.15	31.93	70.8	3.93	4.3	4.07	3.46	3.61	37.22	17000575	(17000_BF)	60	10	30 %
61.78	13.39	31.47	34.2	66.95	66.71	15.75	34.6	38.02	65.5	3.5	6.3	5.19	4.45	4.4	43.87	17000576	(17000_BF)	64	14	33 %
61.4	19.1	60.95	63.88	72.59	66.39	21.83	65.03	68.6	71.4	3.91	7.0	5.18	4.47	4.41	44.49	17000577	(17000_BF)	64	20	62 %
61.42	19.41	65.25	68.07	73.42	56.92	18.45	60.63	63.38	73.0	3.27	6.5	4.64	4.13	4.17	41.78	17000578	(17000_BF)	59	18	62 %
22.86	17.71	-34.38	38.68	297.25	26.12	19.08	-37.85	42.39	296.7	2.98	4.95	3.54	4.93	2.78	37.11	17000579	(17000_BF)	24	18	-36 %
23.43	16.87	-34.23	38.16	296.24	27.15	17.65	-37.4	41.36	295.2	3.13	4.95	3.92	5.39	3.1	42.32	17000580	(17000_BF)	25	17	-35 %
37.57	45.56	20.77	50.07	24.51	33.89	42.14	18.5	46.02	23.7	3.95	5.5	3.89	4.42	3.33	41.39	17000581	(17000_BF)	36	43	19 %
36.96	47.24	17.2	50.28	20.01	33.2	43.68	14.87	46.15	18.8	3.9	5.68	4.01	4.59	3.41	42.64	17000582	(17000_BF)	35	45	16 %
38.05	-33.31	-1.69	33.35	182.9	35.12	-31.25	-1.34	31.27	182.4	3.2	3.6	3.05	3.37	2.61	32.93	17000583	(17000_BF)	37	-32	-1 %
38.05	-33.31	-1.69	33.35	182.9	42.68	-34.3	-1.47	34.33	182.4	4.88	4.74	4.65	4.81	4.11	50.71	17000584	(17000_BF)	40	-33	-1 %
26.7	-26.47	-9.76	28.21	200.25	29.76	-28.43	-10.86	30.43	200.9	3.28	3.79	3.21	4.11	2.52	35.1	17000585	(17000_BF)	28	-27	-10 %
28.08	-26.13	-12.71	29.06	205.95	31.39	-28.93	-12.81	31.64	203.8	3.64	4.33	3.57	4.38	2.88	38.18	17000586	(17000_BF)	30	-27	-12 %
90.56	1.66	1.8	2.45	47.22	84.38	1.31	2.23	2.59	59.5	3.45	6.2	6.2	4.45	4.02	44.47	17000587	(17000_BF)	87	1	2 %
90.75	-1.86	2.53	3.15	126.32	86.74	-2.6	2.3	3.47	138.4	3.25	4.08	4.08	2.99	2.73	28.61	17000588	(17000_BF)	89	-2	2 %
35.24	29.74	-21.37	36.63	324.29	32.01	28.26	-20.37	34.83	324.2	3.24	3.69	3.3	3.82	2.7	36.78	17000589	(17000_BF)	34	29	-20 %
34.8	25.17	-19.23	31.68	322.62	39.51	29.2	-21.48	36.25	323.6	5.33	6.59	5.09	5.56	4.39	52.71	17000590	(17000_BF)	37	27	-20 %
90.56	1.66	1.8	2.45	47.22	84.38	1.31	2.23	2.59	59.5	3.64	6.2	6.2	4.45	4.02	44.47	17000591	(17000_BF)	87	1	2 %
90.75	-1.86	2.53	3.15	126.32	86.74	-2.6	2.3	3.47	138.4	2.61	4.08	4.08	2.99	2.73	28.61	17000592	(17000_BF)	89	-2	2 %
61.47	24.6	-14.25	28.43	329.91	56.76	22.74	-13.46	26.43	329.3	3.82	5.12	4.79	4.11	4.3	43.83	17000593	(17000_BF)	59	23	-13 %
61.61	20.52	-12.72	24.14	328.19	66.61	21.89	-12.57	25.25	330.1	3.45	5.17	5.05	4.14	4.23	44.47	17000594	(17000_BF)	64	21	-12 %
61.47	24.6	-14.25	28.43	329.91	56.76	22.74	-13.46	26.43	329.3	3.28	5.12	4.79	4.11	4.3	43.83	17000595	(17000_BF)	59	23	-13 %
61.61	20.52	-12.72	24.14	328.19	66.61	21.89	-12.57	25.25	330.1	3.2	5.17	5.05	4.14	4.23	44.47	17000596	(17000_BF)	64	21	-12 %
34.27	31.38	-9.62	32.82	342.94	38.69	33.96	-11.22	35.77	341.7	4.07	5.36	4.6	5.07	3.9	49.63	17000597	(17000_BF)	36	32	-10 %
34.6	31.95	-11.97	34.12	339.45	29.13	28.44	-11.57	30.7	337.8	5.79	6.5	5.66	6.76	4.58	62.44	17000598	(17000_BF)	32	30	-11 %
49.53	-40.39	-1.78	40.43	182.53	54.29	-43.31	-1.49	43.34	181.9	4.01	5.59	4.87	4.46	4.81	47.36	17000599	(17000_BF)	52	-41	-1 %

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /.PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation
TUB-Material: Code=rh4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
49.5	-40.28	-0.32	40.29	180.45	53.77	-43.64	-0.46	43.64	180.6	3.94	5.42	4.42	4.1	4.38	42.53	17000600	(17000_BF)	52	-41	0 %
21.79	-5.32	-4.16	6.75	218.04	26.3	-5.71	-4.59	7.33	218.7	4.17	4.54	4.52	6.53	3.29	50.8	17000601	(17000_BF)	24	-5	-4 %
21.79	-5.32	-4.16	6.75	218.04	17.69	-3.92	-3.41	5.2	221.0	4.28	4.4	4.28	7.03	3.27	44.51	17000602	(17000_BF)	20	-4	-3 %
90.93	-0.54	-0.92	1.06	239.58	88.64	-0.89	-0.72	1.15	218.8	1.42	2.32	2.32	1.7	1.53	16.16	17000603	(17000_BF)	90	0	0 %
81.54	-0.13	0.04	0.14	161.78	79.58	0.08	0.21	0.23	68.3	1.49	1.97	1.97	1.5	1.39	14.98	17000604	(17000_BF)	81	0	0 %
78.26	-0.14	-0.19	0.24	232.36	76.47	-0.24	-0.44	0.5	241.7	1.28	1.8	1.8	1.39	1.3	14.06	17000605	(17000_BF)	77	0	0 %
72.2	-0.09	-0.2	0.22	244.54	70.22	-0.09	-0.07	0.11	219.3	1.49	1.98	1.98	1.54	1.51	16.45	17000606	(17000_BF)	71	0	0 %
64.32	-0.04	-0.05	0.07	229.88	62.7	-0.08	-0.02	0.08	199.2	1.4	1.61	1.61	1.31	1.35	14.42	17000607	(17000_BF)	64	0	0 %
51.75	-0.33	-1.04	1.09	252.09	50.49	-0.36	-1.1	1.15	251.6	1.26	1.26	1.25	1.14	1.25	12.64	17000608	(17000_BF)	51	0	-1 %
45.1	-0.23	-0.64	0.68	250.14	43.65	-0.19	-0.56	0.59	250.6	1.41	1.45	1.45	1.43	1.36	15.49	17000609	(17000_BF)	44	0	0 %
39.91	-0.27	-1.4	1.43	258.94	38.89	-0.4	-1.56	1.61	255.4	1.48	1.03	1.03	1.1	0.91	11.26	17000610	(17000_BF)	39	0	-1 %
24.51	-0.39	-2.15	2.18	259.55	23.77	-0.39	-2.21	2.24	259.8	1.44	0.74	0.74	1.07	0.54	8.43	17000611	(17000_BF)	24	0	-2 %
19.05	-0.39	-2.33	2.37	260.48	17.87	-0.36	-2.37	2.39	261.1	1.73	1.18	1.18	2.07	0.8	12.6	17000612	(17000_BF)	18	0	-2 %
10.33	-0.33	-2.53	2.55	262.46	8.99	-0.36	-2.48	2.5	261.5	1.47	1.34	1.34	2.62	0.84	10.97	17000613	(17000_BF)	10	0	-2 %
6.77	-0.29	-2.57	2.59	263.56	5.87	-0.24	-2.22	2.24	263.8	1.34	0.96	0.95	1.82	0.63	7.13	17000614	(17000_BF)	6	0	-2 %
2.07	-0.12	-1.07	1.08	263.33	1.17	-0.1	-0.8	0.81	262.9	1.38	0.94	0.93	1.8	0.58	8.37	17000615	(17000_BF)	2	0	0 %
2.07	0.07	-1.13	1.13	274.0	0.9	-0.06	-0.55	0.55	263.5	1.24	1.31	1.3	2.45	0.9	10.86	17000616	(17000_BF)	1	0	0 %
71.02	-18.77	-25.78	31.89	233.95	68.78	-18.95	-25.11	31.46	232.9	1.62	2.34	2.27	1.79	1.76	18.84	17000617	(17000_BF)	70	-18	-25 %
66.32	-20.08	-28.52	34.88	234.85	64.95	-19.75	-28.09	34.34	234.8	1.23	1.47	1.38	1.13	1.14	12.04	17000618	(17000_BF)	66	-19	-28 %
51.71	-18.03	-22.55	28.88	231.35	50.64	-17.78	-22.33	28.55	231.4	1.28	1.12	1.08	0.98	1.07	10.78	17000619	(17000_BF)	51	-17	-22 %
48.87	-17.18	-21.23	27.31	231.02	47.68	-16.82	-20.53	26.54	230.6	1.37	1.42	1.23	1.18	1.22	12.29	17000620	(17000_BF)	48	-17	-20 %
41.56	-15.27	-19.75	24.96	232.28	40.67	-15.38	-19.49	24.82	231.7	1.03	0.93	0.91	0.93	0.81	9.76	17000621	(17000_BF)	41	-15	-19 %
25.41	-10.28	-15.02	18.2	235.61	24.51	-9.75	-14.53	17.49	236.1	1.37	1.15	0.98	1.35	0.8	10.29	17000622	(17000_BF)	25	-10	-14 %
83.57	-0.01	60.2	60.2	90.01	80.81	-0.5	59.41	59.42	90.4	1.31	2.91	2.78	2.05	1.9	20.85	17000623	(17000_BF)	82	0	59 %
79.11	-2.9	53.82	53.9	93.08	76.53	-2.79	53.73	53.8	92.9	1.38	2.58	2.57	1.91	1.82	20.24	17000624	(17000_BF)	78	-2	53 %
71.86	-3.83	48.99	49.14	94.47	70.25	-3.53	48.58	48.7	94.1	1.23	1.68	1.61	1.26	1.24	13.4	17000625	(17000_BF)	71	-3	48 %
59.82	-3.67	43.76	43.91	94.79	58.05	-3.52	42.96	43.11	94.6	1.48	1.94	1.79	1.53	1.6	16.52	17000626	(17000_BF)	59	-3	43 %
51.46	-3.28	41.43	41.56	94.53	49.89	-3.48	40.11	40.27	94.9	1.51	2.05	1.64	1.54	1.64	15.82	17000627	(17000_BF)	51	-3	40 %
43.59	-3.99	34.05	34.28	96.68	42.39	-3.98	33.68	33.92	96.7	1.26	1.25	1.2	1.2	1.1	12.87	17000628	(17000_BF)	43	-3	33 %
38.11	-3.05	32.96	33.1	95.28	36.66	-3.08	32.18	32.33	95.4	1.17	1.64	1.47	1.6	1.26	16.12	17000629	(17000_BF)	37	-3	32 %
71.62	29.32	9.56	30.84	18.06	69.96	28.57	9.19	30.01	17.8	0.98	1.85	1.69	1.35	1.32	13.86	17000630	(17000_BF)	71	28	9 %
62.88	24.63	7.39	25.71	16.7	61.12	24.27	7.31	25.34	16.7	1.41	1.8	1.76	1.46	1.51	15.98	17000631	(17000_BF)	62	24	7 %
56.08	22.57	6.7	23.55	16.53	55.01	22.4	6.55	23.34	16.3	1.16	1.1	1.08	0.94	1.01	10.39	17000632	(17000_BF)	56	22	6 %
52.91	20.16	5.65	20.94	15.66	51.64	19.71	5.47	20.46	15.5	1.17	1.36	1.29	1.17	1.28	12.64	17000633	(17000_BF)	52	19	5 %
41.34	18.15	5.12	18.86	15.76	40.06	17.98	5.21	18.72	16.1	1.3	1.29	1.28	1.32	1.14	14.02	17000634	(17000_BF)	41	18	5 %
36.96	17.37	5.25	18.15	16.82	36.11	17.0	5.15	17.77	16.8	1.17	0.92	0.87	0.96	0.75	9.52	17000635	(17000_BF)	37	17	5 %
28.9	14.51	4.66	15.24	17.81	27.95	13.88	4.31	14.53	17.2	1.55	1.19	1.04	1.32	0.87	10.98	17000636	(17000_BF)	28	14	4 %
75.63	3.19	67.68	67.75	87.29	73.97	3.27	65.56	65.64	87.1	1.27	2.68	1.73	1.44	1.32	13.33	17000637	(17000_BF)	75	3	66 %
75.05	3.71	68.12	68.23	86.88	72.08	3.85	67.04	67.15	86.7	1.65	3.16	2.98	2.29	2.22	24.2	17000638	(17000_BF)	74	3	67 %
74.32	4.16	67.06	67.19	86.44	72.08	3.85	67.04	67.15	86.7	1.37	2.26	2.24	1.72	1.68	18.37	17000639	(17000_BF)	73	4	67 %
71.23	1.61	62.18	62.2	88.51	68.12	1.49	59.77	59.79	88.5	1.62	3.93	3.17	2.57	2.49	26.24	17000640	(17000_BF)	70	1	60 %
45.34	46.74	23.92	52.51	27.1	44.0	45.72	23.65	51.47	27.3	1.19	1.7	1.38	1.37	1.3	14.26	17000641	(17000_BF)	45	46	23 %
41.4	48.21	26.71	55.12	28.99	40.24	47.28	26.68	54.29	29.4	0.98	1.48	1.2	1.26	1.09	12.72	17000642	(17000_BF)	41	47	26 %
36.38	48.98	31.22	58.08	32.5	35.22	47.79	30.92	56.92	32.9	1.33	1.69	1.22	1.39	1.04	13.13	17000643	(17000_BF)	36	48	31 %
29.63	-9.04	-34.94	36.09	255.48	28.72	-8.88	-34.15	35.29	255.4	1.47	1.22	0.96	1.21	0.76	10.55	17000644	(17000_BF)	29	-8	-34 %
29.63	-9.04	-34.94	36.09	255.48	28.43	-8.58	-34.16	35.22	255.8	1.56	1.51	1.26	1.59	1.02	13.87	17000645	(17000_BF)	29	-8	-34 %
61.86	-10.8	44.74	46.02	103.57	61.69	-10.22	40.49	41.76	104.1	1.39	4.28	1.42	1.79	1.47	6.26	17000646	(17000_BF)	62	-10	42 %
61.69	-10.22	40.49	41.76	104.17	62.02	-11.88	41.11	42.79	106.1	1.74	1.79	1.0	1.04	1.05	4.1	17000647	(17000_BF)	62	-11	40 %
61.61	-10.69	44.73	45.99	103.44	61.86	-9.06	38.54	39.59	103.2	2.35	6.4	2.1	2.69	2.2	10.08	17000648	(17000_BF)	62	-9	41 %
61.86	-9.06	38.54	39.59	103.22	61.94	-11.84	40.27	41.98	106.3	2.59	3.27	1.65	1.77	1.74	5.51	17000649	(17000_BF)	62	-10	39 %

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /.PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation
TUB-Material: Code=rh4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB	data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																			
61.55	-10.13	40.5	41.75	104.05	61.96	-10.0	40.56	41.77	103.8	0.48	0.43	0.42	0.35	0.36	3.77	17000650	(17000_BF)	62	-10	40 %
63.12	-4.25	-5.97	7.33	234.5	63.44	-4.41	-8.41	9.5	242.3	2.18	2.47	1.95	2.38	1.84	10.42	17000651	(17000_BF)	63	-4	-7 %
63.44	-4.41	-8.41	9.5	242.3	62.98	-2.83	-8.95	9.39	252.4	2.69	1.73	1.52	2.04	1.95	5.59	17000652	(17000_BF)	63	-3	-8 %
63.44	-4.41	-8.41	9.5	242.3	63.18	-2.12	-9.16	9.4	256.9	3.06	2.42	2.12	2.93	2.8	5.85	17000653	(17000_BF)	63	-3	-8 %
62.97	-3.03	-8.76	9.27	250.89	63.73	-2.22	-7.49	7.82	253.4	1.94	1.67	1.31	1.5	1.41	8.94	17000654	(17000_BF)	63	-2	-8 %
62.97	-3.03	-8.76	9.27	250.89	63.29	-2.28	-9.71	9.97	256.7	1.44	1.25	1.04	1.37	1.21	4.98	17000655	(17000_BF)	63	-2	-9 %
62.97	-3.03	-8.76	9.27	250.89	62.42	-3.21	-7.55	8.2	246.9	0.89	1.33	1.06	1.27	1.04	6.94	17000656	(17000_BF)	63	-3	-8 %
62.08	1.62	-3.49	3.85	295.02	62.24	2.61	-4.93	5.58	297.9	2.04	1.75	1.5	1.91	1.68	6.43	17000657	(17000_BF)	62	2	-4 %
62.24	2.61	-4.93	5.58	297.9	61.63	4.77	-5.15	7.02	312.8	2.56	2.25	1.98	2.61	2.69	7.1	17000658	(17000_BF)	62	3	-5 %
61.13	3.28	-3.36	4.7	314.36	61.64	3.66	-4.92	6.13	306.7	1.6	1.68	1.45	1.8	1.41	7.95	17000659	(17000_BF)	61	3	-4 %
61.31	3.58	-4.44	5.71	308.87	61.67	4.82	-5.13	7.04	313.2	1.2	1.45	1.19	1.47	1.51	4.89	17000660	(17000_BF)	61	4	-4 %
61.31	3.58	-4.44	5.71	308.87	61.22	4.19	-4.61	6.23	312.2	0.58	0.63	0.53	0.69	0.72	1.61	17000661	(17000_BF)	61	3	-4 %
61.31	3.58	-4.44	5.71	308.87	61.18	3.33	-3.21	4.63	316.0	1.0	1.26	1.05	1.41	1.06	5.26	17000662	(17000_BF)	61	3	-3 %
61.31	3.58	-4.44	5.71	308.87	61.41	4.79	-4.32	6.45	317.9	0.98	1.21	1.06	1.43	1.45	2.59	17000663	(17000_BF)	61	4	-4 %
62.55	9.18	10.74	14.13	49.47	62.43	9.61	9.29	13.37	44.0	1.43	1.52	1.18	2.26	1.31	4.79	17000664	(17000_BF)	62	9	10 %
62.55	9.18	10.74	14.13	49.47	62.71	9.86	8.81	13.23	41.7	1.69	2.04	1.61	3.09	1.81	6.5	17000665	(17000_BF)	63	9	9 %
62.71	9.86	8.81	13.23	41.78	62.49	7.61	9.36	12.06	50.8	2.23	2.33	1.84	3.53	2.44	5.13	17000666	(17000_BF)	63	8	9 %
63.77	14.7	0.63	14.71	2.49	64.4	15.42	3.61	15.84	13.1	2.38	3.12	2.5	3.11	2.22	12.59	17000667	(17000_BF)	64	15	2 %
64.4	15.42	3.61	15.84	13.17	63.53	17.59	2.15	17.73	6.9	2.45	2.75	2.02	2.33	2.01	10.38	17000668	(17000_BF)	64	16	2 %
64.63	18.86	3.74	19.23	11.21	63.59	14.79	0.76	14.81	2.9	3.38	5.14	3.2	3.86	3.43	16.19	17000669	(17000_BF)	64	16	2 %
64.63	18.86	3.74	19.23	11.21	64.81	15.86	4.23	16.42	14.9	2.11	3.04	1.76	2.15	2.06	6.1	17000670	(17000_BF)	65	17	3 %
23.16	17.27	-34.79	38.84	296.4	22.61	18.11	-35.31	39.68	297.1	1.03	1.12	0.7	0.97	0.55	8.3	17000671	(17000_BF)	23	17	-35 %
23.16	17.27	-34.79	38.84	296.4	22.23	19.91	-36.48	41.56	298.6	1.15	3.26	1.68	2.13	1.37	17.63	17000672	(17000_BF)	23	18	-35 %
22.23	19.91	-36.48	41.56	298.62	23.03	17.86	-34.28	38.66	297.5	0.76	3.1	1.37	1.82	1.11	17.68	17000673	(17000_BF)	23	18	-35 %
23.03	17.86	-34.28	38.66	297.52	23.16	17.27	-34.79	38.84	296.4	1.25	0.78	0.5	0.58	0.65	2.83	17000674	(17000_BF)	23	17	-34 %
23.03	17.86	-34.28	38.66	297.52	23.96	16.71	-34.75	38.56	295.6	0.89	1.55	1.21	1.63	1.19	11.24	17000675	(17000_BF)	23	17	-34 %
22.89	18.07	-34.3	38.77	297.78	23.06	17.46	-34.77	38.91	296.6	1.2	0.79	0.51	0.6	0.65	2.92	17000676	(17000_BF)	23	17	-34 %
22.89	18.07	-34.3	38.77	297.78	22.15	20.22	-36.48	41.71	298.9	0.6	3.14	1.4	1.78	1.11	17.04	17000677	(17000_BF)	23	19	-35 %
22.15	19.83	-36.34	41.4	298.62	22.96	17.77	-34.11	38.46	297.5	0.72	3.13	1.38	1.83	1.12	17.83	17000678	(17000_BF)	23	18	-35 %
22.58	15.51	-30.65	34.36	296.84	22.15	19.83	-36.34	41.4	298.6	2.29	7.15	2.9	3.3	2.39	31.77	17000679	(17000_BF)	22	17	-33 %
22.54	13.24	-31.44	34.12	292.83	22.58	15.51	-30.65	34.36	296.8	3.07	2.4	1.58	1.85	1.98	6.58	17000680	(17000_BF)	23	14	-31 %
22.54	13.24	-31.44	34.12	292.83	22.15	19.83	-36.34	41.4	298.6	2.25	8.21	3.83	4.3	3.01	30.06	17000681	(17000_BF)	22	16	-33 %
21.98	19.3	-36.22	41.04	298.05	22.15	19.83	-36.34	41.4	298.6	0.46	0.57	0.33	0.42	0.32	2.22	17000682	(17000_BF)	22	19	-36 %
37.66	-30.3	-1.19	30.32	182.26	37.89	-33.84	-1.85	33.89	183.1	1.52	3.61	1.56	1.76	1.53	6.17	17000683	(17000_BF)	38	-32	-1 %
37.89	-33.84	-1.85	33.89	183.14	37.91	-30.41	-1.85	30.46	183.4	1.04	3.43	1.36	1.64	1.42	4.57	17000684	(17000_BF)	38	-32	-1 %
37.66	-30.3	-1.19	30.32	182.26	37.96	-30.86	-2.61	30.97	184.8	1.27	1.55	1.03	1.0	1.01	7.9	17000685	(17000_BF)	38	-30	-1 %
38.3	-30.81	0.08	30.81	179.84	37.89	-30.87	-2.54	30.98	184.7	2.33	2.65	1.83	1.75	1.82	14.02	17000686	(17000_BF)	38	-30	-1 %
37.77	-28.19	-1.93	28.25	183.92	37.82	-33.75	-1.78	33.8	183.0	1.71	5.56	2.46	2.73	2.38	7.56	17000687	(17000_BF)	38	-30	-1 %
37.8	-30.38	-1.78	30.43	183.37	37.82	-33.75	-1.78	33.8	183.0	0.93	3.37	1.42	1.62	1.4	4.47	17000688	(17000_BF)	38	-32	-1 %
42.01	3.11	-15.35	15.66	281.46	42.27	4.56	-18.16	18.73	284.1	1.74	3.17	1.92	2.21	1.9	14.93	17000689	(17000_BF)	42	3	-16 %
41.86	5.14	-17.99	18.71	285.95	41.27	2.95	-17.3	17.55	279.6	2.59	2.37	1.77	2.42	2.37	8.53	17000690	(17000_BF)	42	4	-17 %
42.27	4.56	-18.16	18.73	284.1	41.46	2.41	-17.98	18.14	277.6	2.68	2.3	1.83	2.47	2.49	10.07	17000691	(17000_BF)	42	3	-18 %
41.86	5.14	-17.99	18.71	285.95	41.46	2.41	-17.98	18.14	277.6	3.08	2.75	2.14	3.03	3.09	7.69	17000692	(17000_BF)	42	3	-17 %
41.46	2.41	-17.98	18.14	277.64	42.21	3.2	-20.26	20.52	278.9	1.28	2.53	1.54	1.71	1.4	13.51	17000693	(17000_BF)	42	2	-19 %
41.13	3.0	-17.33	17.58	279.83	41.9	3.1	-15.16	15.47	281.5	1.66	2.3	1.46	1.7	1.58	15.03	17000694	(17000_BF)	42	3	-16 %
41.13	3.0	-17.33	17.58	279.83	41.02	4.82	-16.85	17.52	285.9	2.4	1.88	1.49	2.14	2.25	5.06	17000695	(17000_BF)	41	3	-17 %
41.13	3.0	-17.33	17.58	279.83	42.74	5.06	-17.82	18.53	285.8	2.79	2.66	2.26	2.75	2.64	18.06	17000696	(17000_BF)	42	4	-17 %
41.13	3.0	-17.33	17.58	279.83	41.78	5.2	-17.96	18.7	286.1	2.6	2.38	1.82	2.44	2.4	8.98	17000697	(17000_BF)	41	4	-17 %
41.13	3.0	-17.33	17.58	279.83	39.54	2.79	-19.6	19.8	278.1	2.25	2.78	2.06	2.23	2.05	22.88	17000698	(17000_BF)	40	2	-18 %
41.13	3.0	-17.33	17.58	279.83	40.34	1.87	-19.08	19.17	275.6	2.82	2.22	1.59	1.95	2.08	13.92	17000699	(17000_BF)	41	2	-18 %

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*a*b*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
41.13	3.0	-17.33	17.58	279.83	40.19	1.63	-18.42	18.5	275.0	2.42	1.99	1.59	2.0	2.11	13.04	17000700	(17000_BF)	41	2	-17 %	
41.13	3.0	-17.33	17.58	279.83	42.07	3.19	-20.06	20.31	279.0	1.76	2.89	1.8	1.96	1.79	16.32	17000701	(17000_BF)	42	3	-18 %	
41.13	3.0	-17.33	17.58	279.83	43.04	2.37	-19.19	19.33	277.0	2.4	2.73	2.25	2.42	2.33	21.78	17000702	(17000_BF)	42	2	-18 %	
41.13	3.0	-17.33	17.58	279.83	41.21	0.01	-17.34	17.34	270.0	3.66	2.98	2.36	3.27	3.49	7.18	17000703	(17000_BF)	41	1	-17 %	
40.19	1.63	-18.42	18.5	275.06	42.07	3.19	-20.06	20.31	279.0	2.19	2.93	2.37	2.64	2.28	21.45	17000704	(17000_BF)	41	2	-19 %	
43.04	2.37	-19.19	19.33	277.06	41.21	0.01	-17.34	17.34	270.0	2.95	3.51	2.74	3.27	3.01	21.63	17000705	(17000_BF)	42	1	-18 %	
41.9	3.1	-15.16	15.47	281.55	42.74	5.06	-17.82	18.53	285.8	1.81	3.41	2.23	2.61	2.33	16.18	17000706	(17000_BF)	42	4	-16 %	
34.21	32.14	-9.73	33.58	343.15	34.08	31.6	-10.9	33.43	340.9	0.92	1.29	0.86	0.83	0.74	6.68	17000707	(17000_BF)	34	31	-10 %	
34.21	32.14	-9.73	33.58	343.15	33.54	30.39	-12.28	32.78	337.9	2.15	3.16	2.12	2.11	1.84	16.75	17000708	(17000_BF)	34	31	-11 %	
35.98	30.54	-11.03	32.47	340.13	35.43	35.17	-10.83	36.8	342.8	2.28	4.66	2.15	2.34	2.0	12.21	17000709	(17000_BF)	36	32	-10 %	
34.08	32.03	-9.73	33.48	343.09	34.08	30.23	-12.65	32.78	337.2	1.63	3.43	2.25	2.2	1.97	16.31	17000710	(17000_BF)	34	31	-11 %	
34.51	28.44	-10.08	30.18	340.48	34.39	32.41	-11.99	34.56	339.6	1.82	4.4	1.88	2.12	1.82	13.7	17000711	(17000_BF)	34	30	-11 %	
35.9	30.46	-10.96	32.38	340.19	35.26	35.13	-10.78	36.75	342.9	2.16	4.71	2.19	2.39	2.04	13.0	17000712	(17000_BF)	36	32	-10 %	
33.98	31.48	-10.84	33.29	340.98	34.51	28.44	-10.08	30.18	340.4	1.36	3.17	1.36	1.63	1.38	10.57	17000713	(17000_BF)	34	29	-10 %	
57.4	-41.6	-6.61	42.12	189.03	57.5	-43.07	-7.15	43.66	189.4	0.68	1.56	0.56	0.66	0.56	2.99	17000714	(17000_BF)	57	-42	-6 %	
57.4	-41.6	-6.61	42.12	189.03	58.17	-45.46	-7.99	46.16	189.9	1.52	4.17	1.65	1.83	1.58	10.05	17000715	(17000_BF)	58	-43	-7 %	
57.5	-43.07	-7.15	43.66	189.43	57.47	-41.95	-7.47	42.61	190.0	0.82	1.16	0.46	0.51	0.47	1.89	17000716	(17000_BF)	57	-42	-7 %	
58.46	-45.57	-6.13	45.98	187.67	58.77	-42.51	-7.91	43.24	190.5	1.33	3.55	1.62	1.67	1.67	8.89	17000717	(17000_BF)	59	-44	-7 %	
57.27	-41.52	-6.56	42.04	188.98	57.63	-45.48	-7.13	46.03	188.9	1.42	4.01	1.42	1.67	1.38	5.91	17000718	(17000_BF)	57	-43	-6 %	
65.83	-1.69	5.44	5.7	107.33	67.05	-1.63	3.41	3.78	115.6	2.08	2.37	2.05	2.44	1.96	12.96	17000719	(17000_BF)	66	-1	4 %	
67.05	-1.63	3.41	3.78	115.63	67.19	-2.95	3.57	4.63	129.5	2.3	1.32	1.21	1.58	1.7	2.73	17000720	(17000_BF)	67	-2	3 %	
67.19	-2.95	3.57	4.63	129.56	67.23	-2.59	2.36	3.5	137.6	1.37	1.25	1.07	1.45	1.1	4.43	17000721	(17000_BF)	67	-2	2 %	
65.83	-1.62	5.55	5.78	106.34	65.79	-0.39	1.4	1.45	105.6	4.44	4.32	3.43	5.04	3.88	15.2	17000722	(17000_BF)	66	-1	3 %	
65.83	-1.62	5.55	5.78	106.34	67.23	-1.69	3.04	3.48	119.1	3.17	2.87	2.47	3.02	2.41	15.19	17000723	(17000_BF)	67	-1	4 %	
65.83	-1.62	5.55	5.78	106.34	67.75	-1.61	3.2	3.58	116.7	3.24	3.03	2.7	3.02	2.5	18.74	17000724	(17000_BF)	67	-1	4 %	
65.83	-1.62	5.55	5.78	106.34	67.05	-1.63	3.5	3.86	115.0	2.45	2.38	2.06	2.46	1.98	12.99	17000725	(17000_BF)	66	-1	4 %	
66.96	-4.7	5.61	7.32	129.98	67.17	-2.92	4.96	5.76	120.4	2.44	1.9	1.53	2.0	2.12	4.35	17000726	(17000_BF)	67	-3	5 %	
67.17	-2.92	4.96	5.76	120.44	66.77	-3.18	3.49	4.72	132.3	1.36	1.55	1.35	1.74	1.36	6.25	17000727	(17000_BF)	67	-3	4 %	
66.96	-4.7	5.61	7.32	129.98	66.77	-3.18	3.49	4.72	132.3	2.69	2.61	1.97	2.63	2.33	8.05	17000728	(17000_BF)	67	-3	4 %	
67.43	-2.18	3.98	4.54	118.75	66.77	-3.18	3.49	4.72	132.3	1.87	1.29	1.23	1.47	1.48	6.25	17000729	(17000_BF)	67	-2	3 %	
40.37	-22.61	-20.69	30.65	222.46	41.02	-26.04	-23.35	34.97	221.8	2.0	4.38	1.94	2.17	1.86	15.34	17000730	(17000_BF)	41	-24	-22 %	
41.02	-26.04	-23.35	34.97	221.88	41.35	-27.84	-21.71	35.3	217.9	1.71	2.46	1.62	1.55	1.43	10.31	17000731	(17000_BF)	41	-26	-22 %	
41.02	-26.04	-23.35	34.97	221.88	41.12	-27.09	-21.88	34.82	218.9	1.16	1.81	1.18	1.13	1.04	8.16	17000732	(17000_BF)	41	-26	-22 %	
30.44	3.37	-35.59	35.75	275.4	30.37	5.15	-37.54	37.89	277.8	0.86	2.64	1.3	1.54	0.7	11.38	17000733	(17000_BF)	30	4	-36 %	
30.44	3.37	-35.59	35.75	275.4	30.54	5.98	-38.53	38.99	278.8	0.98	3.93	1.91	2.25	0.99	16.22	17000734	(17000_BF)	30	4	-37 %	
30.54	5.98	-38.53	38.99	278.82	30.44	4.32	-38.02	38.27	276.4	0.99	1.74	1.03	1.25	1.02	4.76	17000735	(17000_BF)	30	5	-38 %	
30.37	5.98	-38.33	38.79	278.88	30.27	3.46	-35.47	35.64	275.5	0.92	3.81	1.77	2.18	0.95	15.73	17000736	(17000_BF)	30	4	-36 %	
30.37	5.98	-38.33	38.79	278.88	29.98	1.47	-33.47	33.5	272.5	1.34	6.64	3.2	3.96	1.84	26.59	17000737	(17000_BF)	30	3	-35 %	
30.37	4.31	-37.81	38.05	276.51	30.4	6.71	-37.79	38.38	280.0	2.06	2.39	1.51	1.83	1.77	5.9	17000738	(17000_BF)	30	5	-37 %	
76.27	-4.12	84.83	84.93	92.78	75.15	-0.83	84.81	84.81	90.5	2.27	3.47	1.82	1.9	1.99	10.5	17000739	(17000_BF)	76	-2	84 %	
76.27	-4.12	84.83	84.93	92.78	75.23	-0.61	82.24	82.24	90.4	2.49	4.48	1.91	2.13	2.13	10.24	17000740	(17000_BF)	76	-2	83 %	
75.23	-0.61	82.24	82.24	90.42	75.72	2.94	85.13	85.18	88.0	2.07	4.6	1.76	2.13	2.11	7.49	17000741	(17000_BF)	75	1	83 %	
75.15	-0.83	84.81	84.81	90.56	75.23	-0.61	82.24	82.24	90.4	0.72	2.57	0.54	0.81	0.55	1.63	17000742	(17000_BF)	75	0	83 %	
75.0	-0.78	84.68	84.69	90.53	75.13	-0.58	82.2	82.2	90.4	0.54	2.49	0.53	0.79	0.54	1.82	17000743	(17000_BF)	75	0	83 %	
75.0	-0.78	84.68	84.69	90.53	75.05	-1.03	79.96	79.97	90.7	0.63	4.72	0.99	1.49	1.01	2.8	17000744	(17000_BF)	75	0	82 %	
75.0	-0.78	84.68	84.69	90.53	74.65	-3.81	81.91	82.0	92.6	1.94	4.12	1.51	1.85	1.84	6.08	17000745	(17000_BF)	75	-2	83 %	
75.05	-1.03	79.96	79.97	90.73	74.65	-3.81	81.91	82.0	92.6	1.99	3.42	1.37	1.61	1.63	5.96	17000746	(17000_BF)	75	-2	80 %	
60.66	-45.18	43.89	62.99	135.82	61.66	-43.7	42.56	61.0	135.7	1.31	2.22	1.12	1.08	1.0	9.76	17000747	(17000_BF)	61	-44	43 %	
60.66	-45.18	43.89	62.99	135.82	59.96	-46.97	41.2	62.48	138.7	1.2	3.3	1.79	1.61	1.53	7.68	17000748	(17000_BF)	60	-46	42 %	
61.66	-43.7	42.56	61.0	135.76	60.87	-45.71	40.2	60.88	138.6	1.51	3.19	1.79	1.59	1.53	8.18	17000749	(17000_BF)	61	-44	41 %	

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /.PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation
TUB-Material: Code=rh4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*a*b*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
60.87	-45.71	40.2	60.88	138.66	59.23	-46.77	40.69	61.99	138.9	1.36	2.01	1.68	1.44	1.48	15.51	17000750	(17000_BF)	60	-46	40	%
60.03	-45.61	44.85	63.98	135.48	60.66	-42.98	41.62	59.83	135.9	1.21	4.21	1.26	1.57	1.24	8.42	17000751	(17000_BF)	60	-44	43	%
60.98	-42.45	42.87	60.33	134.71	60.79	-45.7	40.24	60.89	138.6	1.39	4.18	2.18	1.97	1.87	5.55	17000752	(17000_BF)	61	-44	41	%
60.47	-44.72	43.91	62.67	135.52	59.84	-46.91	41.31	62.51	138.6	1.36	3.46	1.86	1.67	1.59	7.2	17000753	(17000_BF)	60	-45	42	%
52.3	40.61	55.1	68.46	53.6	53.16	44.68	56.65	72.15	51.7	1.55	4.43	1.68	2.51	1.83	10.77	17000754	(17000_BF)	53	42	55	%
51.92	42.02	55.48	69.6	52.85	51.34	41.64	52.82	67.26	51.7	0.9	2.74	1.03	1.51	1.13	6.13	17000755	(17000_BF)	52	41	54	%
51.0	39.74	56.62	69.17	54.93	51.26	41.66	52.93	67.36	51.7	1.34	4.16	1.9	3.49	2.32	5.51	17000756	(17000_BF)	51	40	54	%
51.29	40.92	56.34	69.63	54.0	51.03	46.26	54.94	71.82	49.9	3.3	5.51	2.54	4.51	3.06	10.67	17000757	(17000_BF)	51	43	55	%
55.4	53.02	36.97	64.64	34.88	54.97	50.39	37.4	62.75	36.5	1.44	2.69	1.15	1.53	1.26	5.87	17000758	(17000_BF)	55	51	37	%
55.4	53.02	36.97	64.64	34.88	55.28	52.25	39.01	65.21	36.7	1.79	2.18	1.08	1.5	1.23	3.69	17000759	(17000_BF)	55	52	37	%
55.4	53.02	36.97	64.64	34.88	55.24	54.69	39.15	67.26	35.5	1.12	2.75	0.8	1.07	0.82	4.97	17000760	(17000_BF)	55	53	38	%
55.2	54.63	39.33	67.32	35.75	55.05	51.18	35.21	62.12	34.5	1.62	5.37	1.46	2.05	1.55	8.88	17000761	(17000_BF)	55	52	37	%
55.05	51.18	35.21	62.12	34.52	55.12	51.15	38.06	63.75	36.6	1.66	2.85	1.28	1.76	1.43	4.66	17000762	(17000_BF)	55	51	36	%
55.12	51.15	38.06	63.75	36.65	55.38	54.08	37.61	65.87	34.8	1.82	2.98	1.22	1.66	1.34	5.51	17000763	(17000_BF)	55	52	37	%
54.98	-31.95	17.23	36.3	151.66	55.11	-29.35	15.87	33.37	151.6	0.95	2.92	1.11	1.35	1.15	5.42	17000764	(17000_BF)	55	-30	16	%
55.11	-29.35	15.87	33.37	151.6	54.88	-30.57	15.19	34.14	153.5	0.81	1.4	0.85	0.82	0.78	3.35	17000765	(17000_BF)	55	-29	15	%
56.19	-29.53	17.09	34.11	149.93	55.5	-30.46	15.42	34.14	153.1	1.3	2.03	1.44	1.32	1.3	8.1	17000766	(17000_BF)	56	-29	16	%
54.74	-30.06	15.2	33.69	153.16	54.78	-27.02	16.78	31.81	148.1	1.79	3.42	2.04	2.0	1.88	6.19	17000767	(17000_BF)	55	-28	15	%
54.74	-30.06	15.2	33.69	153.16	54.82	-33.36	18.49	38.14	150.9	2.02	4.65	1.98	2.18	1.87	10.12	17000768	(17000_BF)	55	-31	16	%
54.74	-30.06	15.2	33.69	153.16	54.85	-30.49	15.42	34.17	153.1	0.55	0.49	0.22	0.24	0.22	1.34	17000769	(17000_BF)	55	-30	15	%
54.77	-31.71	17.26	36.11	151.44	54.94	-29.22	15.93	33.28	151.3	0.87	2.83	1.09	1.31	1.12	5.45	17000770	(17000_BF)	55	-30	16	%
43.37	-6.5	-29.75	30.46	257.67	42.97	-4.91	-31.06	31.44	261.0	1.0	2.09	1.36	1.51	1.13	9.47	17000771	(17000_BF)	43	-5	-30	%
43.37	-6.5	-29.75	30.46	257.67	42.59	-4.78	-32.63	32.98	261.6	1.45	3.43	2.0	2.21	1.41	19.2	17000772	(17000_BF)	43	-5	-31	%
43.37	-6.5	-29.75	30.46	257.67	43.47	-5.82	-31.84	32.37	259.6	0.89	2.19	1.1	1.24	0.71	10.61	17000773	(17000_BF)	43	-6	-30	%
57.25	12.81	1.59	12.91	7.07	57.26	13.82	0.61	13.83	2.5	1.43	1.4	1.06	1.33	1.08	4.53	17000774	(17000_BF)	57	13	1	%
57.25	12.81	1.59	12.91	7.07	56.77	11.91	0.87	11.94	4.2	0.96	1.24	0.93	1.08	0.98	5.64	17000775	(17000_BF)	57	12	1	%
57.26	13.82	0.61	13.83	2.52	56.64	12.13	0.35	12.14	1.6	1.51	1.81	1.22	1.38	1.45	6.83	17000776	(17000_BF)	57	12	0	%
70.49	8.41	11.08	13.91	52.79	71.03	8.99	6.94	11.36	37.6	2.99	4.21	3.2	5.89	3.46	13.71	17000777	(17000_BF)	71	8	9	%
69.04	10.13	8.04	12.93	38.46	68.54	9.47	6.05	11.24	32.5	1.64	2.15	1.56	2.28	1.56	7.69	17000778	(17000_BF)	69	9	7	%
68.54	9.47	6.05	11.24	32.58	68.11	7.17	6.96	9.99	44.1	2.49	2.51	2.05	3.56	2.6	6.37	17000779	(17000_BF)	68	8	6	%
68.0	7.22	6.98	10.04	43.99	68.88	10.44	6.5	12.3	31.9	3.43	3.36	2.7	4.13	3.32	9.59	17000780	(17000_BF)	68	8	6	%
68.6	10.32	8.5	13.37	39.47	68.42	9.53	6.08	11.31	32.5	2.04	2.54	1.79	2.71	1.83	8.07	17000781	(17000_BF)	69	9	7	%
60.68	-38.56	18.12	42.6	154.82	60.87	-36.38	16.54	39.97	155.5	0.98	2.69	0.97	1.17	0.98	5.47	17000782	(17000_BF)	61	-37	17	%
60.87	-36.38	16.54	39.97	155.55	60.28	-38.91	16.25	42.17	157.3	1.16	2.6	1.26	1.28	1.16	6.46	17000783	(17000_BF)	61	-37	16	%
60.94	-39.95	19.46	44.44	154.03	60.82	-39.27	16.1	42.44	157.7	1.66	3.43	1.8	1.75	1.64	8.98	17000784	(17000_BF)	61	-39	17	%
61.08	-35.78	17.91	40.01	153.41	60.14	-38.76	16.29	42.05	157.2	1.78	3.51	2.07	1.93	1.85	10.39	17000785	(17000_BF)	61	-37	17	%
60.82	-39.27	16.1	42.44	157.7	60.14	-38.76	16.29	42.05	157.2	0.82	0.87	0.73	0.63	0.64	6.37	17000786	(17000_BF)	60	-39	16	%
23.33	-11.77	-14.56	18.72	231.03	23.33	-10.2	-16.21	19.15	237.8	2.0	2.28	1.76	1.98	1.78	9.43	17000787	(17000_BF)	23	-10	-15	%
23.33	-10.2	-16.21	19.15	237.81	23.8	-11.86	-16.28	20.14	233.9	1.42	1.72	1.25	1.47	1.34	5.99	17000788	(17000_BF)	24	-11	-16	%
23.33	-11.77	-14.56	18.72	231.03	23.8	-11.86	-16.28	20.14	233.9	1.65	1.78	1.17	1.39	1.05	9.89	17000789	(17000_BF)	24	-11	-15	%
23.8	-12.55	-14.16	18.92	228.44	23.7	-11.78	-16.17	20.01	233.9	1.67	2.15	1.56	1.73	1.48	11.33	17000790	(17000_BF)	24	-12	-15	%
23.7	-11.78	-16.17	20.01	233.93	23.23	-10.46	-16.1	19.2	236.9	1.44	1.4	1.02	1.24	1.08	5.74	17000791	(17000_BF)	23	-11	-16	%
23.23	-10.46	-16.1	19.2	236.99	23.2	-11.72	-14.53	18.67	231.1	1.84	2.01	1.53	1.73	1.54	8.77	17000792	(17000_BF)	23	-11	-15	%
23.2	-11.72	-14.53	18.67	231.11	24.09	-14.34	-14.33	20.28	224.9	2.02	2.77	2.04	2.4	2.12	11.25	17000793	(17000_BF)	24	-13	-14	%
49.59	-40.95	-1.92	41.0	182.69	49.49	-42.12	-3.56	42.27	184.8	1.32	2.01	1.06	1.02	1.07	7.79	17000794	(17000_BF)	50	-41	-2	%
49.49	-42.12	-3.56	42.27	184.83	49.16	-45.84	-2.87	45.93	183.5	1.12	3.79	1.42	1.62	1.4	6.4	17000795	(17000_BF)	49	-43	-3	%
50.26	-42.57	-2.73	42.66	183.67	49.55	-43.84	-2.94	43.94	183.8	1.0	1.46	0.83	0.84	0.83	7.52	17000796	(17000_BF)	50	-43	-2	%
49.16	-45.84	-2.87	45.93	183.58	50.26	-42.57	-2.73	42.66	183.6	1.22	3.45	1.53	1.68	1.55	12.06	17000797	(17000_BF)	50	-44	-2	%
49.39	-40.72	-0.45	40.72	180.63	49.64	-42.98	-3.43	43.11	184.5	2.08	3.75	1.99	1.91	1.99	14.2	17000798	(17000_BF)	50	-41	-1	%
48.95	-45.5	-2.79	45.58	183.51	50.15	-42.33	-2.71	42.42	183.6	1.28	3.38	1.58	1.71	1.6	13.02	17000799	(17000_BF)	50	-43	-2	%

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /.PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation
TUB-Material: Code=rh4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB	data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
48.95	-45.5	-2.79	45.58	183.51	49.78	-39.62	-4.33	39.86	186.2	1.91	6.12	2.37	2.75	2.47	13.2	17000800	(17000_BF)	49	-42	-3	%
65.22	35.85	37.1	51.59	45.97	64.56	26.83	31.36	41.27	49.4	3.4	10.71	3.54	5.01	3.89	19.28	17000801	(17000_BF)	65	31	34	%
64.24	33.91	31.66	46.39	43.04	64.63	29.05	26.63	39.41	42.5	2.8	7.0	2.3	2.96	2.42	14.14	17000802	(17000_BF)	64	31	29	%
64.24	33.91	31.66	46.39	43.04	64.67	31.52	33.72	46.16	46.9	2.5	3.18	1.9	2.97	2.16	6.86	17000803	(17000_BF)	64	32	32	%
64.24	33.91	31.66	46.39	43.04	64.68	30.75	35.33	46.84	48.9	4.03	4.85	2.87	4.6	3.3	9.48	17000804	(17000_BF)	64	32	33	%
46.81	11.95	-15.39	19.49	307.82	46.98	8.6	-14.3	16.69	301.0	3.1	3.52	2.23	2.77	2.82	9.54	17000805	(17000_BF)	47	10	-14	%
46.81	11.95	-15.39	19.49	307.82	46.35	13.24	-12.58	18.27	316.4	2.23	3.12	2.33	2.81	2.5	14.66	17000806	(17000_BF)	47	12	-13	%
47.58	10.22	-11.95	15.73	310.53	47.98	14.32	-12.98	19.33	317.8	2.59	4.24	2.79	3.17	3.23	10.75	17000807	(17000_BF)	48	12	-12	%
47.58	10.22	-11.95	15.73	310.53	47.5	9.85	-16.14	18.91	301.3	3.29	4.19	2.89	3.45	3.03	20.78	17000808	(17000_BF)	48	10	-14	%
46.17	-4.74	-22.91	23.4	258.31	46.06	-4.65	-26.42	26.83	260.0	2.16	3.5	1.76	1.96	1.44	18.01	17000809	(17000_BF)	46	-4	-24	%
47.58	-5.22	-24.35	24.9	257.89	47.99	-2.67	-28.1	28.23	264.5	1.89	4.55	2.76	3.13	2.09	19.19	17000810	(17000_BF)	48	-3	-26	%
46.44	-4.94	-25.98	26.45	259.21	46.81	-2.39	-27.36	27.46	264.9	1.67	2.92	2.03	2.35	1.95	9.12	17000811	(17000_BF)	47	-3	-26	%
46.44	-4.94	-25.98	26.45	259.21	47.14	-1.51	-26.65	26.7	266.7	2.95	3.57	2.59	3.02	2.82	10.65	17000812	(17000_BF)	47	-3	-26	%
74.73	-19.64	4.79	20.21	166.29	75.87	-18.54	1.54	18.6	175.2	2.32	3.61	2.72	2.81	2.47	14.49	17000813	(17000_BF)	75	-19	3	%
71.85	-15.77	2.05	15.9	172.57	71.83	-15.58	-1.1	15.62	184.0	2.17	3.16	2.55	2.83	2.38	11.57	17000814	(17000_BF)	72	-15	0	%
70.58	-18.55	-0.52	18.56	181.62	70.17	-13.79	-0.43	13.8	181.7	3.9	4.77	2.62	3.2	3.3	7.82	17000815	(17000_BF)	70	-16	0	%
70.58	-18.55	-0.52	18.56	181.62	72.84	-21.56	-1.07	21.59	182.8	2.02	3.8	2.82	2.55	2.5	19.19	17000816	(17000_BF)	72	-20	0	%
61.48	-9.04	18.99	21.03	115.45	61.22	-8.29	16.61	18.56	116.5	1.48	2.51	1.32	1.55	1.36	6.74	17000817	(17000_BF)	61	-8	17	%
61.22	-8.29	16.61	18.56	116.52	61.21	-5.28	16.52	17.35	107.7	3.05	3.01	2.25	2.63	2.91	5.49	17000818	(17000_BF)	61	-6	16	%
61.21	-5.28	16.52	17.35	107.72	61.48	-9.04	18.99	21.03	115.4	3.84	4.5	2.92	3.23	3.41	9.65	17000819	(17000_BF)	61	-7	17	%
61.84	0.84	69.82	69.82	89.3	61.08	0.12	63.88	63.88	89.8	0.87	6.02	1.65	2.16	1.67	7.99	17000820	(17000_BF)	61	0	66	%
62.43	-0.95	62.96	62.97	90.86	62.31	1.71	65.63	65.65	88.5	2.09	3.77	1.53	1.83	1.8	5.81	17000821	(17000_BF)	62	0	64	%
62.06	-0.77	66.25	66.26	90.66	62.07	2.31	66.06	66.1	87.9	2.33	3.09	1.55	1.82	1.92	6.14	17000822	(17000_BF)	62	0	66	%
37.96	44.02	15.97	46.83	19.94	38.05	49.38	20.32	53.4	22.3	2.3	6.89	2.45	2.92	2.37	15.46	17000823	(17000_BF)	38	46	18	%
36.87	47.87	17.09	50.83	19.64	37.37	46.07	20.67	50.5	24.1	1.95	4.04	2.32	2.73	2.38	11.28	17000824	(17000_BF)	37	46	18	%
36.87	47.87	17.09	50.83	19.64	37.26	46.72	21.22	51.32	24.4	2.1	4.31	2.45	2.88	2.52	11.47	17000825	(17000_BF)	37	47	19	%
26.9	-14.28	-10.16	17.53	215.44	26.59	-16.16	-11.57	19.88	215.6	1.64	2.36	1.35	1.53	1.42	9.56	17000826	(17000_BF)	27	-15	-10	%
26.59	-16.16	-11.57	19.88	215.61	26.53	-17.81	-11.05	20.96	211.8	1.52	1.73	1.19	1.27	1.27	3.99	17000827	(17000_BF)	27	-16	-11	%
26.9	-14.28	-10.16	17.53	215.44	26.53	-17.81	-11.05	20.96	211.8	2.19	3.66	2.17	2.4	2.4	9.24	17000828	(17000_BF)	27	-16	-10	%
52.3	-0.41	18.22	18.23	91.29	51.75	-0.18	21.24	21.24	90.5	1.89	3.07	1.75	1.92	1.71	9.91	17000829	(17000_BF)	52	0	19	%
51.75	-0.18	21.24	21.24	90.5	51.4	1.28	20.96	21.0	86.4	1.86	1.53	1.18	1.53	1.6	4.8	17000830	(17000_BF)	52	0	21	%
51.4	1.28	20.96	21.0	86.49	51.63	-0.16	19.03	19.03	90.4	1.93	2.42	1.48	1.89	1.86	6.47	17000831	(17000_BF)	52	0	19	%
53.86	-21.49	2.68	21.66	172.86	54.0	-21.92	0.21	21.92	179.4	1.84	2.51	1.89	1.93	1.78	10.55	17000832	(17000_BF)	54	-21	1	%
54.0	-21.92	0.21	21.92	179.44	54.41	-18.73	-0.29	18.73	180.9	2.04	3.25	1.7	1.99	1.95	6.94	17000833	(17000_BF)	54	-20	0	%
54.41	-18.73	-0.29	18.73	180.9	53.86	-21.49	2.68	21.66	172.8	2.68	4.1	2.77	2.9	2.7	14.53	17000834	(17000_BF)	54	-20	1	%
55.41	53.38	53.73	75.74	45.18	54.89	47.99	49.08	68.64	45.6	1.67	7.13	1.71	2.44	1.77	11.18	17000835	(17000_BF)	55	50	51	%
54.89	47.99	49.08	68.64	45.64	55.52	46.66	51.39	69.41	47.7	1.85	2.73	1.41	2.15	1.63	7.12	17000836	(17000_BF)	55	47	50	%
55.52	46.66	51.39	69.41	47.76	55.41	53.38	53.73	75.74	45.1	2.85	7.11	2.21	3.32	2.39	12.38	17000837	(17000_BF)	55	50	52	%
44.88	35.79	21.32	41.66	30.78	45.37	39.88	23.9	46.5	30.9	1.92	4.86	1.75	2.05	1.68	10.78	17000838	(17000_BF)	45	37	22	%
45.37	39.88	23.9	46.5	30.93	45.02	36.22	20.68	41.71	29.7	1.82	4.88	1.67	2.13	1.74	10.74	17000839	(17000_BF)	45	38	22	%
45.28	37.56	23.87	44.51	32.43	44.87	40.04	21.69	45.54	28.4	2.33	3.32	1.95	2.5	2.09	8.49	17000840	(17000_BF)	45	38	22	%
56.05	-34.17	2.06	34.23	176.54	56.37	-32.08	-1.61	32.12	182.8	2.45	4.24	2.58	2.51	2.6	16.16	17000841	(17000_BF)	56	-33	0	%
56.37	-32.08	-1.61	32.12	182.88	56.13	-28.6	1.52	28.64	176.9	3.09	4.69	2.56	2.68	2.61	14.32	17000842	(17000_BF)	56	-30	0	%
56.05	-34.17	2.06	34.23	176.54	56.13	-28.6	1.52	28.64	176.9	2.22	5.59	2.2	2.71	2.36	7.84	17000843	(17000_BF)	56	-31	1	%
36.89	2.02	-27.39	27.47	274.22	36.46	7.15	-32.64	33.42	282.3	2.15	7.35	4.06	4.74	2.43	32.29	17000844	(17000_BF)	37	4	-30	%
36.66	6.02	-30.29	30.88	281.24	36.21	4.02	-29.72	29.99	277.7	1.56	2.12	1.4	1.75	1.4	7.15	17000845	(17000_BF)	36	5	-30	%
36.66	6.02	-30.29	30.88	281.24	36.78	3.9	-30.68	30.93	277.2	2.05	2.15	1.47	1.85	1.85	5.58	17000846	(17000_BF)	37	4	-30	%
40.73	-29.91	23.52	38.05	141.82	41.2	-27.25	21.88	34.95	141.2	0.97	3.16	1.25	1.49	1.27	7.79	17000847	(17000_BF)	41	-28	22	%
41.2	-27.25	21.88	34.95	141.23	40.52	-30.15	20.84	36.66	145.3	1.59	3.15	1.93	1.86	1.72	8.91	17000848	(17000_BF)	41	-28	21	%
40.73	-29.91	23.52	38.05	141.82	40.52	-30.15	20.84	36.66	145.3	1.04	2.69	1.56	1.5	1.4	6.55	17000849	(17000_BF)	41	-30	22	%

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*a*b*	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
31.64	36.02	2.48	36.1	3.95	31.57	32.64	1.51	32.67	2.6	1.83	3.51	1.4	1.68	1.43	8.38	17000850	(17000_BF)	32	34	2 %	
31.64	36.02	2.48	36.1	3.95	31.66	33.94	0.72	33.95	1.2	1.16	2.72	1.35	1.5	1.29	9.54	17000851	(17000_BF)	32	34	1 %	
31.53	33.38	2.52	33.47	4.32	31.13	36.31	-0.33	36.31	359.4	2.17	4.11	2.3	2.28	2.27	16.21	17000852	(17000_BF)	31	34	1 %	
50.87	-17.46	-11.87	21.12	214.21	51.01	-13.81	-14.46	20.0	226.3	3.59	4.47	3.33	3.57	3.43	13.83	17000853	(17000_BF)	51	-15	-13 %	
51.01	-13.81	-14.46	20.0	226.3	50.8	-13.49	-12.33	18.28	222.4	2.05	2.16	1.36	1.54	1.29	10.2	17000854	(17000_BF)	51	-13	-13 %	
51.04	-15.89	-12.76	20.39	218.76	50.94	-12.93	-12.93	18.29	224.9	2.39	2.96	1.94	2.18	2.22	5.32	17000855	(17000_BF)	51	-14	-12 %	
60.71	-28.51	7.54	29.49	165.18	60.63	-28.7	10.11	30.43	160.5	2.01	2.58	1.71	1.68	1.58	8.59	17000856	(17000_BF)	61	-28	8 %	
60.71	-28.51	7.54	29.49	165.18	60.75	-26.69	10.34	28.63	158.8	2.58	3.34	2.26	2.23	2.12	9.59	17000857	(17000_BF)	61	-27	8 %	
60.94	-29.64	9.62	31.17	162.02	61.15	-26.65	11.24	28.92	157.1	1.77	3.41	1.99	2.04	1.91	6.86	17000858	(17000_BF)	61	-28	10 %	
23.57	-4.41	-20.21	20.69	257.69	23.99	-6.89	-22.1	23.15	252.6	3.26	3.14	1.98	2.3	2.37	11.4	17000859	(17000_BF)	24	-5	-21 %	
23.57	-4.41	-20.21	20.69	257.69	23.33	-1.51	-22.24	22.29	266.1	2.25	3.54	2.55	3.09	2.75	13.59	17000860	(17000_BF)	23	-2	-21 %	
23.63	-7.94	-20.83	22.29	249.12	23.73	-3.54	-22.37	22.65	260.9	3.1	4.66	3.48	4.09	3.86	12.39	17000861	(17000_BF)	24	-5	-21 %	
51.51	-31.88	43.16	53.66	126.45	51.45	-31.79	40.02	51.11	128.4	0.88	3.14	1.26	1.35	1.2	4.33	17000862	(17000_BF)	51	-31	41 %	
51.51	-31.88	43.16	53.66	126.45	51.59	-28.3	41.71	50.41	124.1	1.16	3.87	1.5	1.65	1.45	5.45	17000863	(17000_BF)	52	-30	42 %	
50.44	-33.68	40.61	52.76	129.66	50.74	-29.87	42.58	52.01	125.0	1.78	4.29	2.38	2.2	2.18	6.62	17000864	(17000_BF)	51	-31	41 %	
67.5	10.91	2.06	11.1	10.69	67.12	11.59	4.01	12.27	19.0	1.14	2.1	1.7	2.3	1.58	7.92	17000865	(17000_BF)	67	11	3 %	
67.32	13.37	1.89	13.5	8.08	67.25	9.79	3.0	10.24	17.0	3.13	3.74	2.54	3.34	3.17	7.75	17000866	(17000_BF)	67	11	2 %	
67.32	13.37	1.89	13.5	8.08	67.12	11.59	4.01	12.27	19.0	2.08	2.76	2.2	3.03	2.25	8.49	17000867	(17000_BF)	67	12	2 %	
59.97	-19.36	48.72	52.42	111.67	59.64	-19.87	57.36	60.7	109.1	2.01	8.66	2.86	3.35	2.75	10.05	17000868	(17000_BF)	60	-19	53 %	
59.64	-19.87	57.36	60.7	109.11	60.06	-15.91	59.46	61.56	104.9	2.98	4.51	2.35	2.37	2.53	7.7	17000869	(17000_BF)	60	-17	58 %	
59.97	-19.36	48.72	52.42	111.67	60.06	-15.91	59.46	61.56	104.9	3.53	11.28	4.6	4.91	4.61	12.47	17000870	(17000_BF)	60	-17	54 %	
60.32	-26.96	43.47	51.15	121.81	60.36	-24.11	36.66	43.88	123.3	2.74	7.38	2.31	2.98	2.42	11.23	17000871	(17000_BF)	60	-25	40 %	
60.36	-24.11	36.66	43.88	123.33	61.18	-28.31	37.47	46.96	127.0	2.5	4.35	2.22	2.17	2.05	9.36	17000872	(17000_BF)	61	-26	37 %	
60.32	-26.96	43.47	51.15	121.81	61.18	-28.31	37.47	46.96	127.0	3.1	6.2	2.97	3.0	2.84	12.64	17000873	(17000_BF)	61	-27	40 %	
64.66	-21.86	4.93	22.41	167.28	64.53	-21.4	1.6	21.46	175.7	2.94	3.36	2.45	2.55	2.3	12.27	17000874	(17000_BF)	65	-21	3 %	
64.53	-21.4	1.6	21.46	175.7	64.49	-17.26	1.79	17.35	174.0	3.44	4.14	2.13	2.56	2.55	6.26	17000875	(17000_BF)	65	-19	1 %	
64.66	-21.86	4.93	22.41	167.28	64.49	-17.26	1.79	17.35	174.0	4.0	5.57	3.07	3.62	3.38	13.47	17000876	(17000_BF)	65	-19	3 %	
63.55	-26.93	-0.23	26.93	180.48	62.94	-29.84	-3.69	30.07	187.0	3.57	4.56	2.78	2.75	2.71	15.72	17000877	(17000_BF)	63	-28	-1 %	
62.94	-29.85	-3.69	30.07	187.05	63.08	-33.73	-3.56	33.92	186.0	1.87	3.88	1.68	1.88	1.65	5.14	17000878	(17000_BF)	63	-31	-3 %	
63.55	-26.93	-0.23	26.93	180.48	63.08	-33.73	-3.56	33.92	186.0	4.82	7.58	3.8	3.95	3.63	16.91	17000879	(17000_BF)	63	-30	-1 %	
61.09	23.63	69.38	73.3	71.18	61.26	19.06	60.95	63.86	72.6	2.61	9.59	2.34	3.43	2.55	11.0	17000880	(17000_BF)	61	21	65 %	
61.26	19.06	60.95	63.86	72.62	61.03	19.54	65.34	68.2	73.3	1.04	4.42	1.21	1.62	1.22	4.36	17000881	(17000_BF)	61	19	63 %	
61.09	23.63	69.38	73.3	71.18	61.03	19.54	65.34	68.2	73.3	3.09	5.75	1.73	2.53	2.04	8.22	17000882	(17000_BF)	61	21	67 %	
35.82	-40.52	3.43	40.66	175.15	35.06	-44.74	3.86	44.91	175.0	1.17	4.31	1.68	1.97	1.58	10.35	17000883	(17000_BF)	35	-42	3 %	
35.06	-44.74	3.86	44.91	175.06	35.12	-43.87	5.42	44.2	172.9	1.38	1.79	1.01	0.95	0.99	6.77	17000884	(17000_BF)	35	-44	4 %	
35.82	-40.52	3.43	40.66	175.15	35.12	-43.87	5.42	44.2	172.9	1.7	3.96	1.76	1.91	1.66	12.66	17000885	(17000_BF)	35	-42	4 %	
27.92	-29.11	-9.07	30.49	197.3	28.38	-29.04	-11.22	31.14	201.1	2.54	2.2	1.5	1.48	1.45	12.4	17000886	(17000_BF)	28	-29	-10 %	
28.38	-29.04	-11.22	31.14	201.13	28.06	-26.5	-12.7	29.39	205.6	2.26	2.95	1.79	1.81	1.78	9.86	17000887	(17000_BF)	28	-27	-11 %	
27.92	-29.11	-9.07	30.49	197.3	28.06	-26.5	-12.7	29.39	205.6	3.79	4.47	3.01	2.9	2.98	20.15	17000888	(17000_BF)	28	-27	-10 %	
54.44	-50.61	30.03	58.85	149.31	54.93	-45.58	25.84	52.39	150.4	2.39	6.56	1.92	2.49	1.96	11.77	17000889	(17000_BF)	55	-48	27 %	
54.93	-45.58	25.84	52.39	150.45	54.35	-51.93	28.18	59.08	151.5	2.23	6.79	2.15	2.58	2.04	10.64	17000890	(17000_BF)	55	-48	27 %	
54.35	-51.93	28.18	59.08	151.51	53.86	-52.29	25.12	58.02	154.3	1.56	3.11	1.62	1.5	1.42	7.81	17000891	(17000_BF)	54	-52	26 %	
35.73	25.65	-18.08	31.39	324.82	35.73	28.39	-22.79	36.41	321.2	1.84	5.45	2.53	2.75	2.42	26.35	17000892	(17000_BF)	36	27	-20 %	
35.73	25.65	-18.08	31.39	324.82	35.06	29.95	-21.44	36.83	324.4	2.21	5.49	2.36	2.65	2.23	23.43	17000893	(17000_BF)	35	27	-19 %	
35.06	29.95	-21.44	36.83	324.4	35.2	26.8	-21.22	34.18	321.6	1.81	3.16	1.49	1.67	1.49	7.36	17000894	(17000_BF)	35	28	-21 %	
61.59	25.65	-8.95	27.17	340.74	61.43	25.02	-14.22	28.78	330.3	3.19	5.3	3.66	3.69	3.2	22.72	17000895	(17000_BF)	62	25	-11 %	
61.43	25.03	-14.22	28.78	330.39	61.55	18.96	-12.43	22.67	326.7	4.06	6.32	2.89	3.5	3.21	13.92	17000896	(17000_BF)	61	21	-13 %	
61.24	25.92	-10.88	28.11	337.21	61.42	20.96	-13.05	24.69	328.0	4.15	5.41	3.32	3.59	3.23	13.27	17000897	(17000_BF)	61	23	-11 %	
43.04	-43.37	13.07	45.3	163.22	42.33	-37.4	9.9	38.68	165.1	1.87	6.8	2.44	2.99	2.51	14.26	17000898	(17000_BF)	43	-40	11 %	
42.33	-37.4	9.9	38.68	165.16	41.73	-40.21	8.62	41.12	167.8	1.51	3.14	1.61	1.64	1.52	8.7	17000899	(17000_BF)	42	-38	9 %	

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /.PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation
TUB-Material: Code=rha4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> /PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
41.73	-40.21	8.62	41.12	167.89	41.26	-42.61	10.6	43.91	166.0	1.54	3.14	1.38	1.48	1.31	9.48	17000900	(17000_BF)	41	-41	9 %	
90.98	0.24	5.0	5.01	87.17	91.7	2.78	2.97	4.07	46.9	3.6	3.32	3.07	4.61	4.13	8.72	17000901	(17000_BF)	91	1	3 %	
90.98	0.24	5.0	5.01	87.17	90.52	1.78	1.69	2.46	43.6	3.26	3.67	3.22	4.69	3.79	10.51	17000902	(17000_BF)	91	1	3 %	
90.98	0.24	5.0	5.01	87.17	91.8	3.4	4.07	5.3	50.1	3.85	3.39	3.16	4.88	4.53	7.99	17000903	(17000_BF)	91	1	4 %	
84.3	1.53	2.07	2.58	53.58	84.23	2.21	0.67	2.32	16.9	1.54	1.56	1.5	2.11	1.66	4.68	17000904	(17000_BF)	84	1	1 %	
84.23	2.21	0.67	2.32	16.99	84.6	-1.67	1.39	2.18	140.3	4.59	3.98	3.84	5.4	5.73	7.24	17000905	(17000_BF)	84	0	1 %	
84.3	1.53	2.07	2.58	53.58	84.6	-1.67	1.39	2.18	140.3	4.69	3.29	3.17	4.39	4.72	6.04	17000906	(17000_BF)	84	0	1 %	
74.76	2.38	3.47	4.21	55.55	74.9	1.44	-1.52	2.1	313.3	5.33	5.09	4.7	6.41	4.83	17.74	17000907	(17000_BF)	75	1	0 %	
74.76	2.38	3.47	4.21	55.55	74.58	-0.8	1.34	1.56	120.9	5.5	3.84	3.43	4.92	4.89	9.33	17000908	(17000_BF)	75	0	2 %	
74.58	-0.8	1.34	1.56	121.0	74.2	2.68	0.49	2.72	10.5	5.3	3.61	3.51	4.92	5.09	7.53	17000909	(17000_BF)	74	0	0 %	
53.26	0.16	-0.96	0.97	279.96	53.73	-0.4	1.86	1.9	102.2	3.04	2.91	2.86	4.01	2.91	13.13	17000910	(17000_BF)	54	0	0 %	
52.56	0.9	1.34	1.62	55.96	52.93	1.08	-1.3	1.69	309.8	2.7	2.67	2.61	3.64	2.6	12.22	17000911	(17000_BF)	53	0	0 %	
52.61	-1.9	0.44	1.95	166.76	53.38	0.93	-0.34	0.99	339.7	3.63	3.03	2.94	4.14	4.21	10.31	17000912	(17000_BF)	53	0	0 %	
61.58	2.07	-0.71	2.19	341.08	62.13	-0.4	-2.35	2.38	260.2	4.25	3.02	2.93	4.02	4.0	9.71	17000913	(17000_BF)	62	0	-1 %	
62.13	-0.4	-2.35	2.38	260.2	62.19	1.45	-3.23	3.54	294.2	3.17	2.06	1.95	2.67	2.79	5.21	17000914	(17000_BF)	62	0	-2 %	
61.58	2.07	-0.71	2.19	341.08	62.19	1.45	-3.23	3.54	294.2	2.92	2.66	2.54	3.37	2.57	11.76	17000915	(17000_BF)	62	1	-1 %	
61.59	0.71	1.88	2.01	69.16	61.48	0.33	-1.27	1.31	284.9	3.32	3.17	3.07	4.34	3.11	12.77	17000916	(17000_BF)	62	0	0 %	
61.59	0.71	1.88	2.01	69.16	61.9	0.93	-1.92	2.14	295.9	3.96	3.82	3.71	5.09	3.7	15.64	17000917	(17000_BF)	62	0	0 %	
61.4	-0.54	1.26	1.38	113.43	61.21	1.49	0.73	1.67	26.1	3.42	2.12	2.08	2.97	3.05	4.93	17000918	(17000_BF)	61	0	1 %	
47.33	1.84	-1.25	2.23	325.6	47.36	2.13	1.15	2.42	28.4	2.83	2.43	2.35	3.21	2.33	11.2	17000919	(17000_BF)	47	1	0 %	
47.36	2.13	1.15	2.42	28.45	46.86	-0.02	0.34	0.34	94.3	3.49	2.36	2.16	3.23	3.15	8.02	17000920	(17000_BF)	47	1	0 %	
47.33	1.84	-1.25	2.23	325.6	46.86	-0.02	0.34	0.34	94.3	4.17	2.5	2.34	3.46	3.07	9.89	17000921	(17000_BF)	47	0	0 %	
20.9	0.46	2.38	2.43	79.08	20.44	0.18	0.54	0.57	71.3	1.84	1.92	1.74	2.65	1.79	9.79	17000922	(17000_BF)	21	0	1 %	
20.44	0.18	0.54	0.57	71.31	20.59	-2.1	0.62	2.19	163.5	4.26	2.29	2.25	3.18	3.23	5.63	17000923	(17000_BF)	21	0	0 %	
20.71	0.06	0.75	0.76	84.74	20.82	0.96	0.08	0.96	4.7	1.39	1.12	1.11	1.64	1.47	4.12	17000924	(17000_BF)	21	0	0 %	
86.63	-4.5	43.2	43.44	95.95	86.39	-2.95	48.84	48.93	93.4	2.26	5.85	2.23	2.58	2.26	8.55	17000925	(17000_BF)	87	-3	46 %	
86.39	-2.95	48.84	48.93	93.46	86.83	-5.26	49.52	49.79	96.0	1.38	2.44	1.39	1.5	1.56	4.79	17000926	(17000_BF)	87	-4	49 %	
87.08	-6.02	49.45	49.82	96.94	87.23	-3.9	47.69	47.85	94.6	1.63	2.75	1.26	1.45	1.44	4.17	17000927	(17000_BF)	87	-4	48 %	
80.29	-2.83	42.15	42.24	93.84	80.35	-1.24	48.48	48.5	91.4	3.45	6.53	2.44	2.84	2.44	9.32	17000928	(17000_BF)	80	-2	45 %	
80.35	-1.24	48.48	48.5	91.46	80.29	1.24	47.71	47.72	88.5	2.69	2.6	1.45	1.69	1.73	4.31	17000929	(17000_BF)	80	0	48 %	
80.29	-2.83	42.15	42.24	93.84	80.29	1.24	47.71	47.72	88.5	4.73	6.89	3.17	3.63	3.46	10.44	17000930	(17000_BF)	80	0	44 %	
68.4	-2.1	36.15	36.21	93.33	68.46	1.13	35.76	35.77	88.1	2.64	3.26	2.1	2.48	2.47	6.09	17000931	(17000_BF)	68	0	35 %	
68.4	-2.1	36.15	36.21	93.33	68.44	-5.14	36.76	37.12	97.9	2.83	3.09	1.94	2.18	2.22	5.53	17000932	(17000_BF)	68	-3	36 %	
67.95	-0.51	41.92	41.93	90.7	68.4	-2.1	36.15	36.21	93.3	3.17	6.0	2.3	2.83	2.48	10.76	17000933	(17000_BF)	68	-1	39 %	
67.95	-0.51	41.92	41.93	90.7	68.24	0.15	36.42	36.42	89.7	2.77	5.55	1.97	2.46	2.06	9.45	17000934	(17000_BF)	68	0	39 %	
62.63	-1.51	41.99	42.02	92.06	62.83	-3.31	34.43	34.59	95.4	3.53	7.77	2.93	3.67	3.2	13.0	17000935	(17000_BF)	63	-2	38 %	
62.43	-0.52	37.57	37.57	90.8	62.76	-3.41	37.59	37.75	95.1	3.27	2.9	1.87	2.13	2.16	6.3	17000936	(17000_BF)	63	-1	37 %	
62.63	-1.51	41.99	42.02	92.06	62.76	-3.41	37.59	37.75	95.1	2.71	4.79	1.99	2.41	2.2	7.92	17000937	(17000_BF)	63	-2	39 %	
51.98	-2.09	34.64	34.7	93.45	52.08	-2.68	31.76	31.87	94.8	1.2	2.94	1.22	1.47	1.29	5.45	17000938	(17000_BF)	52	-2	33 %	
52.08	-2.68	31.76	31.87	94.83	53.61	-5.51	35.21	35.64	98.9	3.48	4.71	2.71	2.86	2.79	16.78	17000939	(17000_BF)	53	-4	33 %	
53.61	-5.51	35.21	35.64	98.9	51.93	-2.15	33.23	33.3	93.7	3.73	4.23	2.77	2.96	3.02	17.94	17000940	(17000_BF)	53	-3	34 %	
51.95	-2.41	30.68	30.78	94.49	51.88	-2.07	34.61	34.67	93.4	2.23	3.94	1.68	1.91	1.64	7.22	17000941	(17000_BF)	52	-2	32 %	
51.95	-2.41	30.68	30.78	94.49	52.53	-3.72	32.97	33.18	96.4	2.08	2.69	1.37	1.52	1.42	7.37	17000942	(17000_BF)	52	-3	31 %	
36.68	-4.02	28.11	28.39	98.15	37.42	-2.12	26.31	26.4	94.6	2.61	2.72	1.65	1.92	1.82	10.29	17000943	(17000_BF)	37	-3	27 %	
37.42	-2.12	26.31	26.4	94.6	37.24	-4.06	24.92	25.25	99.2	2.02	2.39	1.6	1.89	1.93	5.61	17000944	(17000_BF)	37	-3	25 %	
37.24	-4.06	24.92	25.25	99.26	36.85	-3.87	28.4	28.66	97.7	1.12	3.49	1.71	1.92	1.67	8.36	17000945	(17000_BF)	37	-3	26 %	
37.2	-0.92	25.2	25.21	92.09	37.33	-2.06	26.33	26.41	94.4	1.56	1.61	0.97	1.15	1.12	3.75	17000946	(17000_BF)	37	-1	25 %	
36.78	-3.02	24.41	24.59	97.06	37.33	-2.06	26.33	26.41	94.4	2.19	2.21	1.32	1.51	1.4	7.43	17000947	(17000_BF)	37	-2	25 %	
68.41	-11.55	-4.98	12.58	203.34	69.06	-10.09	-8.97	13.5	221.6	4.12	4.29	3.59	4.15	3.54	16.6	17000948	(17000_BF)	69	-10	-6 %	
69.06	-10.09	-8.97	13.5	221.62	68.71	-6.6	-11.12	12.94	239.2	4.12	4.11	3.41	4.15	3.93	10.86	17000949	(17000_BF)	69	-8	-10 %	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB	data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
68.71	-6.61	-11.12	12.94	239.28	68.32	-8.75	-10.92	13.99	231.3	2.76	2.18	1.74	2.09	2.12	5.02	17000950	(17000_BF)	69	-7	-11 %	
60.86	-9.73	-6.69	11.81	214.52	60.38	-9.03	-9.78	13.31	227.2	3.22	3.19	2.6	3.06	2.51	14.15	17000951	(17000_BF)	61	-9	-8 %	
60.38	-9.04	-9.78	13.31	227.25	60.26	-12.44	-9.26	15.51	216.6	4.0	3.44	2.6	2.98	3.08	6.4	17000952	(17000_BF)	60	-10	-9 %	
60.86	-9.73	-6.69	11.81	214.52	60.26	-12.44	-9.27	15.51	216.6	4.21	3.78	2.52	2.77	2.65	13.41	17000953	(17000_BF)	61	-11	-7 %	
62.59	-12.34	-8.07	14.74	213.19	62.38	-13.33	-11.49	17.6	220.7	3.09	3.56	2.45	2.71	2.27	14.74	17000954	(17000_BF)	62	-12	-9 %	
62.38	-13.33	-11.49	17.6	220.75	62.21	-9.46	-8.97	13.04	223.4	5.05	4.61	2.61	3.21	3.26	12.52	17000955	(17000_BF)	62	-11	-10 %	
62.59	-12.34	-8.07	14.74	213.19	62.21	-9.46	-8.97	13.04	223.4	3.33	3.03	2.3	2.71	2.76	7.11	17000956	(17000_BF)	62	-10	-8 %	
54.25	-11.17	-5.84	12.61	207.59	53.49	-11.85	-9.24	15.02	217.9	3.23	3.55	2.7	3.03	2.53	17.61	17000957	(17000_BF)	54	-11	-7 %	
53.49	-11.85	-9.24	15.02	217.94	53.98	-9.11	-9.47	13.14	226.1	3.36	2.78	2.03	2.39	2.51	7.09	17000958	(17000_BF)	54	-10	-9 %	
54.25	-11.17	-5.84	12.61	207.59	53.98	-9.11	-9.47	13.14	226.1	3.61	4.18	3.51	4.14	3.61	17.27	17000959	(17000_BF)	54	-10	-7 %	
40.37	-8.35	-7.03	10.92	220.08	40.06	-7.97	-4.89	9.35	211.5	2.32	2.19	1.69	2.1	1.65	11.29	17000960	(17000_BF)	40	-8	-5 %	
40.06	-7.97	-4.89	9.35	211.56	40.67	-10.42	-4.37	11.3	202.7	2.39	2.57	2.03	2.39	2.46	8.66	17000961	(17000_BF)	40	-9	-4 %	
40.67	-10.42	-4.37	11.3	202.79	41.07	-8.35	-4.95	9.71	210.6	1.81	2.17	1.66	2.03	2.08	6.72	17000962	(17000_BF)	41	-9	-4 %	
21.43	-5.16	-4.27	6.7	219.63	21.31	-5.95	-5.9	8.38	224.7	1.76	1.81	1.43	1.76	1.45	8.8	17000963	(17000_BF)	21	-5	-5 %	
21.31	-5.95	-5.9	8.38	224.78	21.31	-6.5	-4.1	7.68	212.2	2.25	1.89	1.64	2.13	1.67	9.44	17000964	(17000_BF)	21	-6	-5 %	
21.43	-5.16	-4.27	6.7	219.63	21.31	-6.5	-4.1	7.68	212.2	1.85	1.35	1.13	1.44	1.49	3.16	17000965	(17000_BF)	21	-5	-4 %	
62.38	32.37	-0.15	32.37	359.71	62.19	35.06	2.94	35.18	4.7	2.68	4.11	2.32	2.28	2.29	13.28	17000966	(17000_BF)	62	33	1 %	
62.19	35.06	2.94	35.18	4.79	62.49	39.52	2.15	39.58	3.1	2.25	4.54	1.87	2.11	1.78	8.7	17000967	(17000_BF)	62	37	2 %	
62.38	32.37	-0.15	32.37	359.71	62.49	39.52	2.15	39.58	3.1	3.4	7.52	3.26	3.52	3.1	15.65	17000968	(17000_BF)	62	35	0 %	
47.05	26.0	-1.16	26.03	357.44	47.41	31.64	1.6	31.68	2.9	3.19	6.29	3.28	3.41	3.17	17.39	17000969	(17000_BF)	47	28	0 %	
47.41	31.64	1.6	31.68	2.91	47.4	27.67	1.8	27.73	3.7	2.26	3.97	1.65	1.99	1.75	8.13	17000970	(17000_BF)	47	29	1 %	
47.05	26.0	-1.16	26.03	357.44	47.4	27.67	1.8	27.73	3.7	2.2	3.41	2.28	2.25	2.23	14.41	17000971	(17000_BF)	47	26	0 %	
21.76	15.25	-1.37	15.31	354.86	21.87	17.64	-0.21	17.65	359.3	2.64	2.66	1.73	1.97	1.83	7.9	17000972	(17000_BF)	22	16	0 %	
21.87	17.64	-0.21	17.65	359.31	22.01	16.62	0.91	16.64	3.1	1.68	1.53	1.07	1.2	1.09	6.24	17000973	(17000_BF)	22	17	0 %	
21.76	15.25	-1.37	15.31	354.86	22.01	16.62	0.91	16.64	3.1	2.86	2.67	2.05	2.27	1.98	12.04	17000974	(17000_BF)	22	15	0 %	
75.78	20.17	40.92	45.63	63.75	75.87	14.24	34.85	37.65	67.7	5.44	8.49	3.13	4.41	3.5	14.23	17000975	(17000_BF)	76	17	37 %	
75.87	14.24	34.85	37.65	67.77	76.04	11.42	35.63	37.41	72.2	2.14	2.92	1.86	2.8	2.21	5.17	17000976	(17000_BF)	76	12	35 %	
75.78	20.17	40.92	45.63	63.75	76.04	11.42	35.63	37.41	72.2	6.34	10.23	4.51	6.73	5.32	17.42	17000977	(17000_BF)	76	15	38 %	
61.74	10.14	27.08	28.91	69.46	61.61	13.19	31.39	34.05	67.2	3.01	5.28	2.39	2.82	2.36	10.67	17000978	(17000_BF)	62	11	29 %	
61.61	13.19	31.39	34.05	67.2	61.83	10.21	31.73	33.33	72.1	2.99	3.0	1.95	2.98	2.32	6.19	17000979	(17000_BF)	62	11	31 %	
61.74	10.14	27.08	28.91	69.46	61.83	10.21	31.73	33.33	72.1	3.33	4.65	2.17	2.63	2.18	9.3	17000980	(17000_BF)	62	10	29 %	
45.85	9.81	25.93	27.73	69.27	46.37	7.77	22.7	24.0	71.0	2.51	3.85	1.83	2.26	1.97	10.62	17000981	(17000_BF)	46	8	24 %	
46.37	7.77	22.7	24.0	71.09	45.71	11.65	21.49	24.45	61.5	5.27	4.12	3.05	5.11	3.82	11.54	17000982	(17000_BF)	46	9	22 %	
45.85	9.81	25.93	27.73	69.27	45.71	11.65	21.49	24.45	61.5	3.93	4.8	2.88	4.66	3.39	11.0	17000983	(17000_BF)	46	10	23 %	
26.87	8.5	18.2	20.08	64.96	26.41	7.24	14.96	16.62	64.1	2.16	3.5	1.88	2.3	1.97	9.65	17000984	(17000_BF)	27	7	16 %	
26.41	7.24	14.96	16.62	64.16	26.7	5.27	15.9	16.75	71.6	2.89	2.2	1.76	3.18	2.46	6.3	17000985	(17000_BF)	27	6	15 %	
26.87	8.5	18.2	20.08	64.96	26.7	5.27	15.9	16.75	71.6	4.46	3.96	2.4	3.63	3.17	9.7	17000986	(17000_BF)	27	6	17 %	
50.78	25.38	0.64	25.38	1.45	50.89	25.01	3.6	25.27	8.2	1.75	2.98	2.16	2.41	1.94	12.63	17000987	(17000_BF)	51	25	2 %	
51.79	23.37	0.52	23.38	1.28	51.91	22.93	3.88	23.25	9.6	1.88	3.39	2.51	2.87	2.24	14.21	17000988	(17000_BF)	52	23	2 %	
51.39	26.19	5.32	26.73	11.48	51.2	26.0	1.0	26.02	2.2	2.35	4.32	3.06	3.45	2.8	17.81	17000989	(17000_BF)	51	26	3 %	
51.39	26.19	5.32	26.73	11.48	51.05	24.88	9.01	26.46	19.9	2.64	3.93	2.81	3.37	2.71	14.31	17000990	(17000_BF)	51	25	7 %	
51.55	24.53	9.71	26.39	21.59	51.7	23.19	13.15	26.66	29.5	2.5	3.7	2.64	3.49	2.7	11.6	17000991	(17000_BF)	52	23	11 %	
50.85	19.93	15.46	25.22	37.8	51.3	18.08	17.76	25.34	44.4	2.18	2.98	2.18	3.51	2.43	8.7	17000992	(17000_BF)	51	19	16 %	
51.11	17.06	20.41	26.6	50.11	50.76	14.72	21.48	26.04	55.5	2.51	2.59	1.84	3.56	2.17	6.59	17000993	(17000_BF)	51	15	20 %	
50.64	13.63	20.72	24.81	56.66	50.74	11.17	22.47	25.1	63.5	3.08	3.01	2.19	4.11	2.67	6.84	17000994	(17000_BF)	51	12	21 %	
50.97	8.49	24.08	25.53	70.57	51.23	6.14	24.99	25.74	76.1	2.61	2.53	1.83	2.77	2.3	6.02	17000995	(17000_BF)	51	7	24 %	
50.97	8.49	24.08	25.53	70.57	51.25	5.84	25.37	26.03	77.0	3.03	2.95	2.12	3.18	2.65	6.95	17000996	(17000_BF)	51	7	24 %	
50.88	1.7	25.0	25.06	86.1	51.2	-1.0	24.54	24.56	92.3	2.78	2.76	2.0	2.54	2.56	6.92	17000997	(17000_BF)	51	0	24 %	
49.89	-6.17	23.26	24.07	104.86	49.91	-9.21	22.1	23.94	112.6	2.49	3.25	2.38	2.63	2.79	6.58	17000998	(17000_BF)	50	-7	22 %	
50.55	-17.61	18.23	25.35	134.0	50.2	-14.34	20.39	24.93	125.1	2.53	3.93	2.85	2.86	2.81	8.84	17000999	(17000_BF)	50	-15	19 %	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
49.79	-20.79	14.78	25.51	144.58	50.38	-22.35	11.74	25.25	152.2	2.15	3.46	2.53	2.48	2.31	11.68	17001000	(17000_BF)	50	-21	13	%
50.96	-23.37	9.55	25.25	157.75	50.59	-24.47	6.31	25.27	165.5	2.32	3.44	2.5	2.51	2.31	12.27	17001001	(17000_BF)	51	-23	7	%
50.53	-25.37	0.18	25.37	179.58	50.94	-25.35	-2.7	25.49	186.1	1.93	2.92	2.13	2.09	2.08	13.76	17001002	(17000_BF)	51	-25	-1	%
50.07	-23.9	-5.39	24.5	192.71	50.41	-22.89	-8.76	24.51	200.9	2.7	3.54	2.6	2.56	2.55	16.19	17001003	(17000_BF)	50	-23	-7	%
50.69	-20.23	-13.83	24.51	214.35	50.36	-18.81	-15.64	24.47	219.7	1.53	2.32	1.71	1.73	1.63	9.9	17001004	(17000_BF)	51	-19	-14	%
50.0	-14.3	-20.11	24.68	234.57	50.52	-11.9	-21.84	24.87	241.4	1.85	3.0	2.21	2.35	2.09	10.29	17001005	(17000_BF)	50	-13	-20	%
50.53	-7.12	-24.38	25.4	253.7	50.86	-4.82	-24.8	25.26	258.9	1.93	2.36	1.72	1.97	1.87	5.91	17001006	(17000_BF)	51	-5	-24	%
50.66	0.18	-24.71	24.71	270.42	51.1	2.77	-25.02	25.18	276.3	2.1	2.65	1.94	2.41	2.3	7.26	17001007	(17000_BF)	51	1	-24	%
49.89	7.48	-23.74	24.89	287.49	49.78	9.8	-22.44	24.48	293.5	2.35	2.66	1.92	2.44	2.63	8.09	17001008	(17000_BF)	50	8	-23	%
49.8	13.32	-20.64	24.57	302.85	49.89	15.53	-19.53	24.95	308.4	2.15	2.47	1.79	2.08	2.09	7.31	17001009	(17000_BF)	50	14	-20	%
49.89	15.53	-19.53	24.96	308.49	50.17	17.59	-17.14	24.56	315.7	2.33	3.17	2.3	2.61	2.51	13.07	17001010	(17000_BF)	50	16	-18	%
50.42	18.42	-15.07	23.8	320.72	50.54	20.12	-12.05	23.46	329.0	2.41	3.46	2.54	2.77	2.41	15.05	17001011	(17000_BF)	50	19	-13	%
50.83	21.64	-14.42	26.0	326.31	50.86	23.86	-11.28	26.39	334.6	2.08	3.84	2.75	2.87	2.52	15.71	17001012	(17000_BF)	51	22	-12	%
50.61	20.7	-10.16	23.06	333.85	51.3	21.6	-6.02	22.42	344.4	2.58	4.29	3.2	3.35	2.79	21.05	17001013	(17000_BF)	51	21	-8	%
50.57	24.3	-7.13	25.33	343.64	50.69	25.91	-3.68	26.17	351.9	1.8	3.8	2.72	2.76	2.35	16.47	17001014	(17000_BF)	51	25	-5	%
50.57	24.3	-7.13	25.33	343.64	50.69	25.64	-3.25	25.84	352.7	2.29	4.1	2.96	3.01	2.54	18.3	17001015	(17000_BF)	51	24	-5	%
43.0	39.8	2.41	39.87	3.46	43.33	39.25	6.55	39.79	9.4	1.72	4.19	2.63	2.76	2.43	17.62	17001016	(17000_BF)	43	39	4	%
42.56	43.24	16.34	46.23	20.7	43.38	41.45	21.08	46.5	26.9	2.17	5.13	3.1	3.69	3.21	15.59	17001017	(17000_BF)	43	42	18	%
49.43	43.16	34.83	55.47	38.9	49.38	46.3	31.95	56.25	34.6	2.06	4.25	2.29	3.21	2.59	7.79	17001018	(17000_BF)	49	44	33	%
50.07	37.86	51.31	63.77	53.57	49.82	34.66	53.94	64.12	57.2	1.47	4.14	2.12	3.98	2.58	7.01	17001019	(17000_BF)	50	36	52	%
69.31	21.82	64.13	67.74	71.2	69.64	18.96	64.9	67.61	73.7	1.67	2.98	1.5	2.12	1.87	5.87	17001020	(17000_BF)	69	20	64	%
69.52	23.55	62.93	67.19	69.47	69.64	18.96	64.9	67.61	73.7	2.33	4.99	2.48	3.59	3.13	8.35	17001021	(17000_BF)	70	21	63	%
68.46	-0.98	71.29	71.3	90.79	68.85	-4.65	71.37	71.52	93.7	2.13	3.69	1.81	2.05	2.2	7.37	17001022	(17000_BF)	69	-2	71	%
68.77	1.13	71.95	71.96	89.09	68.85	-4.65	71.37	71.52	93.7	3.2	5.81	2.79	3.24	3.46	10.6	17001023	(17000_BF)	69	-1	71	%
69.61	-0.04	72.24	72.24	90.03	68.85	-4.65	71.37	71.52	93.7	2.65	4.75	2.35	2.65	2.82	10.56	17001024	(17000_BF)	69	-2	71	%
60.95	-12.33	58.7	59.98	101.86	61.09	-16.64	57.83	60.17	106.0	2.3	4.4	2.31	2.38	2.58	7.2	17001025	(17000_BF)	61	-14	58	%
51.11	-32.33	45.61	55.91	125.33	51.41	-36.58	42.25	55.89	130.8	1.63	5.42	2.96	2.71	2.67	7.61	17001026	(17000_BF)	51	-34	43	%
50.95	-43.63	32.65	54.5	143.19	50.38	-46.7	28.15	54.53	148.9	1.78	5.47	3.05	2.73	2.61	10.69	17001027	(17000_BF)	51	-45	30	%
49.64	-50.05	15.94	52.53	162.33	49.84	-51.5	11.99	52.88	166.8	1.63	4.21	2.35	2.17	2.16	12.46	17001028	(17000_BF)	50	-50	13	%
49.96	-47.94	-0.35	47.94	180.42	49.78	-48.03	-4.38	48.23	185.2	1.92	4.03	2.34	2.11	2.38	18.69	17001029	(17000_BF)	50	-47	-2	%
53.08	-41.53	-8.88	42.47	192.07	53.4	-41.93	-5.95	42.35	188.0	1.56	2.97	1.83	1.65	1.86	13.94	17001030	(17000_BF)	53	-41	-7	%
37.02	-28.41	-15.47	32.35	208.56	37.07	-27.67	-17.69	32.84	212.5	1.42	2.34	1.55	1.47	1.45	11.97	17001031	(17000_BF)	37	-28	-16	%
37.02	-28.41	-15.47	32.35	208.56	36.68	-26.31	-18.47	32.15	215.0	1.95	3.67	2.48	2.37	2.31	17.44	17001032	(17000_BF)	37	-27	-16	%
37.22	-19.66	-23.64	30.75	230.24	37.78	-17.4	-25.63	30.98	235.8	1.25	3.06	2.13	2.16	1.84	12.0	17001033	(17000_BF)	38	-18	-24	%
38.03	-12.44	-26.62	29.39	244.94	38.0	-9.34	-27.9	29.42	251.4	1.41	3.35	2.32	2.5	2.16	9.23	17001034	(17000_BF)	38	-10	-27	%
38.03	-3.92	-27.53	27.81	261.89	38.23	-0.88	-27.84	27.85	268.1	1.87	3.05	2.15	2.54	2.41	7.49	17001035	(17000_BF)	38	-2	-27	%
42.91	8.3	-30.31	31.43	285.32	43.06	11.31	-28.98	31.11	291.3	3.02	3.29	2.23	2.74	2.97	10.06	17001036	(17000_BF)	43	9	-29	%
42.98	17.83	-25.24	30.9	305.24	43.35	19.74	-23.56	30.74	309.9	1.69	2.57	1.77	1.96	2.02	11.05	17001037	(17000_BF)	43	18	-24	%
45.3	32.35	-17.89	36.97	331.05	44.95	35.29	-13.26	37.7	339.4	1.95	5.49	3.52	3.4	3.09	24.16	17001038	(17000_BF)	45	33	-15	%
43.16	37.71	-9.62	38.92	345.68	43.56	37.73	-6.28	38.25	350.5	1.1	3.36	2.11	2.03	1.83	17.6	17001039	(17000_BF)	43	37	-7	%
43.16	37.71	-9.62	38.92	345.68	43.94	38.36	-3.94	38.56	354.1	1.89	5.76	3.68	3.54	3.18	29.94	17001040	(17000_BF)	44	38	-6	%
35.26	45.12	16.36	48.0	19.92	35.72	43.32	21.67	48.44	26.5	2.69	5.63	3.28	3.92	3.4	14.71	17001041	(17000_BF)	35	44	19	%
51.25	59.31	41.34	72.3	34.88	51.47	57.22	45.64	73.19	38.5	2.62	4.77	2.26	3.22	2.61	7.07	17001042	(17000_BF)	51	58	43	%
46.33	59.8	45.45	75.11	37.23	46.79	57.25	49.29	75.55	40.7	2.11	4.63	2.2	3.22	2.57	8.07	17001043	(17000_BF)	47	58	47	%
49.98	37.92	51.3	63.79	53.52	49.71	34.84	54.05	64.31	57.1	1.97	4.14	2.11	3.96	2.57	6.93	17001044	(17000_BF)	50	36	52	%
69.43	23.78	62.84	67.19	69.27	69.45	19.04	64.76	67.5	73.6	2.75	5.11	2.54	3.69	3.21	8.52	17001045	(17000_BF)	69	21	63	%
51.14	-32.43	45.75	56.08	125.32	51.46	-36.61	42.37	56.0	130.8	1.67	5.38	2.93	2.69	2.65	7.64	17001046	(17000_BF)	51	-34	44	%
39.94	-47.96	-2.85	48.04	183.4	39.82	-47.07	-6.13	47.46	187.4	1.91	3.4	1.95	1.77	2.0	16.78	17001047	(17000_BF)	40	-47	-4	%
39.94	-47.96	-2.85	48.04	183.4	39.99	-47.94	-9.24	48.82	190.9	3.57	6.38	3.69	3.31	3.77	32.63	17001048	(17000_BF)	40	-47	-6	%
47.91	-49.55	-6.79	50.02	187.8	47.36	-49.83	-9.64	50.75	190.9	1.88	2.91	1.68	1.53	1.71	15.27	17001049	(17000_BF)	48	-49	-8	%

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*a*b*	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
37.13	-28.34	-15.47	32.29	208.63	37.17	-27.78	-17.77	32.98	212.6	1.61	2.36	1.54	1.47	1.44	12.33	17001050	(17000_BF)	37	-28	-16	%
37.35	-19.92	-23.44	30.76	229.64	37.92	-17.69	-25.36	30.92	235.0	1.44	2.99	2.08	2.11	1.8	11.7	17001051	(17000_BF)	38	-18	-24	%
38.18	-12.78	-26.36	29.3	244.12	38.08	-9.73	-27.68	29.34	250.6	1.71	3.32	2.31	2.47	2.14	9.46	17001052	(17000_BF)	38	-11	-27	%
42.97	7.98	-30.3	31.34	284.75	43.1	11.12	-29.06	31.11	290.9	3.66	3.38	2.29	2.83	3.03	9.93	17001053	(17000_BF)	43	9	-29	%
26.7	16.81	-42.61	45.81	291.53	27.11	19.52	-42.33	46.61	294.7	2.87	2.75	1.61	1.86	1.95	8.16	17001054	(17000_BF)	27	18	-42	%
26.7	16.81	-42.61	45.81	291.53	26.72	19.06	-40.97	45.19	294.9	3.22	2.78	1.62	1.86	2.29	9.51	17001055	(17000_BF)	27	17	-41	%
31.8	39.26	-13.79	41.61	340.63	31.79	36.61	-18.21	40.89	333.5	2.5	5.15	3.15	3.01	2.74	25.01	17001056	(17000_BF)	32	37	-16	%
31.8	39.26	-13.79	41.61	340.63	32.43	37.96	-18.64	42.29	333.8	2.14	5.06	3.13	3.01	2.7	26.82	17001057	(17000_BF)	32	38	-16	%
26.7	37.03	-13.94	39.57	339.35	26.37	38.23	-9.25	39.34	346.3	2.24	4.86	3.05	2.9	2.61	25.76	17001058	(17000_BF)	27	37	-11	%
50.49	-11.72	-21.69	24.65	241.61	50.66	-7.12	-24.23	25.25	253.6	4.16	5.25	3.82	4.22	3.73	15.02	17001059	(17000_BF)	51	-9	-22	%
50.96	-4.73	-24.63	25.08	259.13	50.76	0.18	-24.51	24.51	270.4	4.92	4.91	3.56	4.3	4.36	10.64	17001060	(17000_BF)	51	-2	-24	%
49.95	7.48	-23.55	24.71	287.63	51.12	2.78	-24.82	24.97	276.3	5.05	5.01	3.73	4.84	4.95	16.31	17001061	(17000_BF)	51	5	-24	%
39.3	-21.41	-21.01	30.0	224.46	38.13	-17.86	-25.03	30.75	234.4	2.56	5.49	3.86	3.87	3.34	27.95	17001062	(17000_BF)	39	-19	-23	%
38.12	-17.82	-25.05	30.74	234.57	37.5	-11.33	-27.52	29.76	247.6	3.78	6.96	4.75	4.98	4.31	20.08	17001063	(17000_BF)	38	-14	-26	%
38.3	-9.94	-27.36	29.11	250.02	38.31	-4.1	-27.39	27.7	261.4	4.09	5.84	3.99	4.51	4.34	12.41	17001064	(17000_BF)	38	-7	-27	%
51.5	40.91	50.65	65.11	51.07	51.55	43.5	55.99	70.91	52.1	1.9	5.94	1.61	2.28	1.62	6.98	17001065	(17000_BF)	52	42	53	%
51.5	40.91	50.65	65.11	51.07	50.86	44.71	59.5	74.43	53.0	3.04	9.65	2.74	3.85	2.75	13.19	17001066	(17000_BF)	51	42	55	%
51.5	40.91	50.65	65.11	51.07	50.99	44.41	62.45	76.64	54.5	3.37	12.32	3.69	5.48	3.8	13.61	17001067	(17000_BF)	51	42	56	%
51.5	40.91	50.65	65.11	51.07	51.87	38.41	43.52	58.05	48.5	2.77	7.56	2.28	3.49	2.53	10.68	17001068	(17000_BF)	52	39	47	%
51.5	40.91	50.65	65.11	51.07	52.67	42.7	61.76	75.09	55.3	3.48	11.31	3.84	5.87	4.09	14.72	17001069	(17000_BF)	52	41	56	%
51.5	40.91	50.65	65.11	51.07	51.07	40.14	57.15	69.84	54.9	3.03	6.55	2.62	4.45	3.01	7.71	17001070	(17000_BF)	51	40	53	%
51.5	40.91	50.65	65.11	51.07	50.82	38.37	61.34	72.35	57.9	3.99	11.01	4.62	8.12	5.34	12.54	17001071	(17000_BF)	51	39	55	%
51.5	40.91	50.65	65.11	51.07	51.47	39.03	56.56	68.72	55.3	2.61	6.2	2.71	4.8	3.2	6.59	17001072	(17000_BF)	51	39	53	%
51.5	40.91	50.65	65.11	51.07	51.98	37.7	57.15	68.47	56.5	3.83	7.26	3.39	6.11	4.03	9.98	17001073	(17000_BF)	52	39	53	%
51.5	40.91	50.65	65.11	51.07	51.14	35.88	56.97	67.33	57.7	4.28	8.08	3.98	7.4	4.81	11.68	17001074	(17000_BF)	51	38	53	%
51.5	40.91	50.65	65.11	51.07	52.26	36.28	56.71	67.32	57.3	4.6	7.66	3.81	6.96	4.57	13.32	17001075	(17000_BF)	52	38	53	%
51.5	40.91	50.65	65.11	51.07	51.72	47.51	46.79	66.69	44.5	4.35	7.65	3.81	6.33	4.54	13.04	17001076	(17000_BF)	52	44	48	%
51.5	40.91	50.65	65.11	51.07	51.19	35.94	52.21	63.39	55.4	2.91	5.21	2.54	4.65	3.08	9.86	17001077	(17000_BF)	51	38	51	%
51.5	40.91	50.65	65.11	51.07	51.93	35.06	51.81	62.56	55.9	3.63	5.97	2.83	5.18	3.43	12.46	17001078	(17000_BF)	52	37	51	%
51.5	40.91	50.65	65.11	51.07	51.01	47.04	50.41	68.96	46.9	3.36	6.16	2.65	4.31	3.07	13.04	17001079	(17000_BF)	51	43	50	%
51.5	40.91	50.65	65.11	51.07	51.29	46.55	52.87	70.45	48.6	3.18	6.07	2.0	3.08	2.18	11.28	17001080	(17000_BF)	51	43	51	%
51.5	40.91	50.65	65.11	51.07	51.89	46.82	55.54	72.65	49.8	3.13	7.69	2.08	2.86	2.06	12.09	17001081	(17000_BF)	52	43	53	%
51.5	40.91	50.65	65.11	51.07	51.38	45.83	56.59	72.82	50.9	2.4	7.71	1.96	2.61	1.88	11.02	17001082	(17000_BF)	51	43	53	%
75.21	-3.78	78.63	78.72	92.75	75.07	1.18	87.18	87.19	89.2	3.79	9.88	2.99	3.79	3.38	9.97	17001083	(17000_BF)	75	-1	82	%
75.21	-3.78	78.63	78.72	92.75	74.86	1.82	91.89	91.9	88.8	4.77	14.39	3.94	5.11	4.22	12.42	17001084	(17000_BF)	75	0	85	%
75.21	-3.78	78.63	78.72	92.75	74.89	0.7	88.78	88.78	89.5	4.25	11.1	3.1	4.01	3.37	10.01	17001085	(17000_BF)	75	-1	83	%
75.21	-3.78	78.63	78.72	92.75	74.47	-0.24	89.11	89.11	90.1	3.26	11.08	2.96	3.85	3.08	10.46	17001086	(17000_BF)	75	-2	83	%
75.21	-3.78	78.63	78.72	92.75	74.51	-1.22	88.5	88.51	90.7	2.94	10.22	2.61	3.46	2.65	9.21	17001087	(17000_BF)	75	-2	83	%
75.21	-3.78	78.63	78.72	92.75	75.78	-2.38	91.47	91.5	91.4	2.7	12.92	2.99	4.12	2.87	8.39	17001088	(17000_BF)	76	-3	85	%
75.21	-3.78	78.63	78.72	92.75	75.93	-4.58	70.32	70.47	93.7	2.33	8.38	2.04	2.84	2.1	8.69	17001089	(17000_BF)	76	-4	74	%
75.21	-3.78	78.63	78.72	92.75	75.51	-2.35	70.92	70.96	91.9	2.71	7.84	1.8	2.62	1.9	6.6	17001090	(17000_BF)	75	-3	74	%
75.21	-3.78	78.63	78.72	92.75	74.89	-7.13	71.0	71.35	95.7	2.63	8.34	2.43	3.2	2.82	8.05	17001091	(17000_BF)	75	-5	74	%
75.21	-3.78	78.63	78.72	92.75	74.97	-7.63	83.88	84.23	95.1	3.58	6.51	2.01	2.51	2.27	7.39	17001092	(17000_BF)	75	-5	81	%
75.21	-3.78	78.63	78.72	92.75	75.48	1.12	73.76	73.77	89.1	4.19	6.92	2.48	3.1	3.03	9.44	17001093	(17000_BF)	75	-1	76	%
75.21	-3.78	78.63	78.72	92.75	75.7	0.92	76.51	76.52	89.3	3.67	5.19	2.25	2.66	2.77	9.19	17001094	(17000_BF)	75	-1	77	%
75.21	-3.78	78.63	78.72	92.75	74.73	-8.63	79.1	79.57	96.2	3.75	4.89	2.25	2.54	2.72	8.89	17001095	(17000_BF)	75	-6	78	%
75.21	-3.78	78.63	78.72	92.75	74.67	1.26	78.53	78.54	89.0	3.99	5.07	2.37	2.75	2.93	9.76	17001096	(17000_BF)	75	-1	78	%
75.21	-3.78	78.63	78.72	92.75	74.54	-8.54	75.99	76.47	96.4	3.66	5.48	2.42	2.75	2.89	9.66	17001097	(17000_BF)	75	-6	77	%
75.21	-3.78	78.63	78.72	92.75	74.72	-8.11	74.82	75.26	96.1	3.75	5.79	2.3	2.7	2.76	8.5	17001098	(17000_BF)	75	-5	76	%
75.21	-3.78	78.63	78.72	92.75	74.97	1.55	86.32	86.33	88.9	4.67	9.36	3.01	3.76	3.47	10.49	17001099	(17000_BF)	75	-1	82	%

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
71.28	-7.05	44.77	45.32	98.95	71.4	-2.64	46.11	46.18	93.2	4.26	4.6	2.71	2.97	3.12	7.85	17001100	(17000_BF)	71	-4	45 %	
71.28	-7.05	44.77	45.32	98.95	70.97	-6.65	45.79	46.28	98.2	0.84	1.14	0.55	0.57	0.53	3.16	17001101	(17000_BF)	71	-6	45 %	
71.28	-7.05	44.77	45.32	98.95	71.76	-10.27	45.6	46.74	102.6	2.89	3.35	1.91	2.0	2.08	6.57	17001102	(17000_BF)	72	-8	45 %	
71.28	-7.05	44.77	45.32	98.95	71.18	-8.98	43.83	44.74	101.5	1.21	2.14	1.24	1.33	1.4	3.54	17001103	(17000_BF)	71	-8	44 %	
71.28	-7.05	44.77	45.32	98.95	71.33	-7.72	47.67	48.29	99.2	1.91	2.97	0.98	1.2	0.96	4.1	17001104	(17000_BF)	71	-7	46 %	
71.28	-7.05	44.77	45.32	98.95	70.6	-3.69	47.38	47.52	94.4	3.15	4.3	2.38	2.56	2.63	9.05	17001105	(17000_BF)	71	-5	46 %	
71.28	-7.05	44.77	45.32	98.95	71.67	-6.11	46.19	46.59	97.5	0.89	1.74	0.87	0.93	0.91	3.93	17001106	(17000_BF)	71	-6	45 %	
71.28	-7.05	44.77	45.32	98.95	71.07	-9.83	45.67	46.72	102.1	2.69	2.93	1.61	1.71	1.78	5.16	17001107	(17000_BF)	71	-8	45 %	
71.28	-7.05	44.77	45.32	98.95	70.94	-8.65	46.23	47.03	100.6	1.91	2.19	1.03	1.11	1.08	4.55	17001108	(17000_BF)	71	-7	45 %	
71.28	-7.05	44.77	45.32	98.95	70.69	-10.17	44.31	45.46	102.9	3.18	3.21	1.96	2.03	2.15	7.19	17001109	(17000_BF)	71	-8	44 %	
71.28	-7.05	44.77	45.32	98.95	71.59	-6.2	45.59	46.01	97.7	1.79	1.21	0.68	0.71	0.72	3.07	17001110	(17000_BF)	71	-6	45 %	
71.28	-7.05	44.77	45.32	98.95	70.8	-9.92	42.47	43.62	103.1	2.37	3.71	2.07	2.21	2.29	6.96	17001111	(17000_BF)	71	-8	43 %	
71.28	-7.05	44.77	45.32	98.95	71.14	-7.67	41.45	42.16	100.4	1.3	3.37	1.26	1.52	1.33	5.03	17001112	(17000_BF)	71	-7	43 %	
71.28	-7.05	44.77	45.32	98.95	71.64	-8.13	46.62	47.33	99.8	1.33	2.17	0.87	0.98	0.86	4.12	17001113	(17000_BF)	71	-7	45 %	
65.6	30.51	37.07	48.01	50.54	65.45	35.43	37.11	51.31	46.3	3.53	4.92	2.37	3.75	2.66	8.85	17001114	(17000_BF)	66	32	37 %	
65.6	30.51	37.07	48.01	50.54	65.81	27.04	36.81	45.68	53.7	1.52	3.48	1.68	2.88	1.93	6.61	17001115	(17000_BF)	66	28	36 %	
65.6	30.51	37.07	48.01	50.54	65.12	31.65	38.11	49.54	50.2	0.59	1.61	0.69	0.74	0.63	5.25	17001116	(17000_BF)	65	31	37 %	
65.6	30.51	37.07	48.01	50.54	66.09	34.96	39.35	52.64	48.3	2.18	5.02	1.9	2.61	1.94	9.26	17001117	(17000_BF)	66	32	38 %	
65.6	30.51	37.07	48.01	50.54	66.48	30.5	42.45	52.27	54.3	2.36	5.45	2.5	3.83	2.67	11.01	17001118	(17000_BF)	66	30	39 %	
65.6	30.51	37.07	48.01	50.54	65.94	28.6	37.86	47.45	52.9	1.23	2.08	1.21	2.09	1.39	4.79	17001119	(17000_BF)	66	29	37 %	
65.6	30.51	37.07	48.01	50.54	66.1	29.9	40.4	50.26	53.4	2.27	3.42	1.71	2.78	1.89	6.8	17001120	(17000_BF)	66	30	38 %	
65.6	30.51	37.07	48.01	50.54	65.98	26.94	36.61	45.46	53.6	1.27	3.61	1.72	2.88	1.95	7.48	17001121	(17000_BF)	66	28	36 %	
65.6	30.51	37.07	48.01	50.54	65.81	27.04	36.81	45.68	53.7	2.96	3.48	1.68	2.88	1.93	6.61	17001122	(17000_BF)	66	28	36 %	
65.6	30.51	37.07	48.01	50.54	66.24	30.05	39.28	49.45	52.5	1.68	2.34	1.27	1.93	1.36	6.54	17001123	(17000_BF)	66	30	38 %	
65.6	30.51	37.07	48.01	50.54	65.8	28.46	38.96	48.25	53.8	2.27	2.79	1.62	2.9	1.9	5.09	17001124	(17000_BF)	66	29	38 %	
65.6	30.51	37.07	48.01	50.54	65.88	33.33	40.72	52.62	50.6	1.5	4.62	1.48	1.81	1.43	7.79	17001125	(17000_BF)	66	31	38 %	
65.6	30.51	37.07	48.01	50.54	65.97	28.37	38.76	48.03	53.7	1.93	2.74	1.62	2.85	1.88	5.75	17001126	(17000_BF)	66	29	37 %	
65.6	30.51	37.07	48.01	50.54	65.06	30.65	39.78	50.22	52.3	1.82	2.76	1.26	1.87	1.34	6.74	17001127	(17000_BF)	65	30	38 %	
46.85	9.45	-14.71	17.48	302.73	46.59	12.01	-15.57	19.67	307.6	2.52	2.71	1.77	2.09	2.12	7.89	17001128	(17000_BF)	47	10	-15 %	
46.85	9.45	-14.71	17.48	302.73	47.76	9.14	-13.84	16.59	303.4	0.59	1.29	1.05	1.06	1.04	10.87	17001129	(17000_BF)	47	9	-14 %	
46.85	9.45	-14.71	17.48	302.73	47.07	8.24	-13.08	15.46	302.2	1.15	2.03	1.15	1.36	1.28	9.06	17001130	(17000_BF)	47	8	-13 %	
46.85	9.45	-14.71	17.48	302.73	46.0	11.21	-16.21	19.71	304.6	1.57	2.46	1.58	1.73	1.69	13.09	17001131	(17000_BF)	46	10	-15 %	
46.85	9.45	-14.71	17.48	302.73	47.41	9.76	-14.01	17.08	304.8	0.64	0.94	0.78	0.88	0.85	7.13	17001132	(17000_BF)	47	9	-14 %	
46.85	9.45	-14.71	17.48	302.73	47.82	10.31	-13.99	17.38	306.3	0.95	1.47	1.31	1.45	1.44	11.21	17001133	(17000_BF)	47	9	-14 %	
46.85	9.45	-14.71	17.48	302.73	46.23	10.19	-14.52	17.74	305.0	0.69	0.98	0.85	0.95	0.96	6.8	17001134	(17000_BF)	47	9	-14 %	
46.85	9.45	-14.71	17.48	302.73	47.05	9.66	-15.66	18.4	301.6	0.48	1.0	0.61	0.7	0.63	5.0	17001135	(17000_BF)	47	9	-15 %	
46.85	9.45	-14.71	17.48	302.73	45.79	8.67	-13.37	15.93	302.9	1.17	1.87	1.36	1.44	1.38	12.44	17001136	(17000_BF)	46	9	-14 %	
46.85	9.45	-14.71	17.48	302.73	47.8	7.84	-13.96	16.01	299.3	1.79	2.01	1.48	1.68	1.73	11.59	17001137	(17000_BF)	47	8	-14 %	
46.85	9.45	-14.71	17.48	302.73	47.44	7.42	-14.5	16.29	297.0	1.43	2.12	1.58	1.99	2.05	7.88	17001138	(17000_BF)	47	8	-14 %	
46.85	9.45	-14.71	17.48	302.73	47.58	9.06	-15.61	18.05	300.1	0.95	1.22	1.01	1.13	1.1	8.47	17001139	(17000_BF)	47	9	-15 %	
46.85	9.45	-14.71	17.48	302.73	47.27	8.43	-14.02	16.37	301.0	0.8	1.29	0.85	0.98	0.99	6.29	17001140	(17000_BF)	47	8	-14 %	
46.85	9.45	-14.71	17.48	302.73	47.3	10.88	-14.06	17.78	307.7	1.61	1.63	1.31	1.61	1.6	6.65	17001141	(17000_BF)	47	10	-14 %	
47.24	-4.87	-25.66	26.12	259.25	48.04	-6.22	-26.17	26.9	256.6	0.89	1.65	1.23	1.31	1.38	8.71	17001142	(17000_BF)	48	-5	-25 %	
47.24	-4.87	-25.66	26.12	259.25	47.9	-6.46	-23.92	24.78	254.8	1.11	2.44	1.65	1.87	1.51	12.48	17001143	(17000_BF)	48	-5	-24 %	
47.24	-4.87	-25.66	26.12	259.25	47.37	-4.68	-24.65	25.09	259.2	0.7	1.03	0.49	0.56	0.49	5.52	17001144	(17000_BF)	47	-4	-25 %	
47.24	-4.87	-25.66	26.12	259.25	47.55	-5.24	-24.23	24.79	257.7	1.05	1.5	0.82	0.94	0.67	8.44	17001145	(17000_BF)	47	-5	-24 %	
47.24	-4.87	-25.66	26.12	259.25	47.2	-6.18	-27.03	27.72	257.1	1.31	1.89	1.03	1.17	1.28	7.47	17001146	(17000_BF)	47	-5	-26 %	
47.24	-4.87	-25.66	26.12	259.25	47.59	-6.1	-25.35	26.08	256.4	0.68	1.31	0.97	1.1	1.02	4.93	17001147	(17000_BF)	47	-5	-25 %	
47.24	-4.87	-25.66	26.12	259.25	47.28	-2.5	-27.22	27.33	264.7	1.91	2.83	1.92	2.23	1.77	9.27	17001148	(17000_BF)	47	-3	-26 %	
47.24	-4.87	-25.66	26.12	259.25	47.04	-6.08	-26.32	27.02	256.9	1.12	1.4	0.88	1.0	1.08	5.04	17001149	(17000_BF)	47	-5	-25 %	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
47.24	-4.87	-25.66	26.12	259.25	47.07	-4.81	-23.22	23.71	258.2	1.75	2.44	1.15	1.36	1.04	12.04	17001150	(17000_BF)	47	-4	-24	%
47.24	-4.87	-25.66	26.12	259.25	47.19	-8.76	-23.83	25.39	249.8	2.63	4.3	3.06	3.5	3.08	12.07	17001151	(17000_BF)	47	-6	-24	%
47.24	-4.87	-25.66	26.12	259.25	48.38	-2.04	-26.3	26.38	265.5	1.49	3.11	2.36	2.66	2.52	13.31	17001152	(17000_BF)	48	-3	-25	%
47.24	-4.87	-25.66	26.12	259.25	47.62	-6.31	-24.66	25.46	255.6	1.19	1.79	1.26	1.44	1.21	7.51	17001153	(17000_BF)	47	-5	-25	%
47.24	-4.87	-25.66	26.12	259.25	48.58	-5.81	-23.3	24.01	255.9	1.64	2.87	1.94	2.08	1.74	19.98	17001154	(17000_BF)	48	-5	-24	%
47.24	-4.87	-25.66	26.12	259.25	47.87	-6.13	-23.7	24.48	255.4	1.13	2.41	1.54	1.75	1.34	13.05	17001155	(17000_BF)	48	-5	-24	%
71.22	-18.13	-0.37	18.13	181.19	71.71	-21.13	-0.82	21.14	182.2	2.1	3.07	1.75	1.9	1.87	6.07	17001156	(17000_BF)	71	-19	0	%
71.22	-18.13	-0.37	18.13	181.19	71.23	-16.38	2.14	16.52	172.5	2.06	3.07	2.23	2.47	2.22	9.59	17001157	(17000_BF)	71	-17	0	%
71.22	-18.13	-0.37	18.13	181.19	70.83	-15.73	2.09	15.87	172.4	3.5	3.46	2.42	2.71	2.49	10.22	17001158	(17000_BF)	71	-16	0	%
71.22	-18.13	-0.37	18.13	181.19	71.37	-20.53	1.07	20.56	177.0	1.62	2.81	1.74	1.89	1.8	6.49	17001159	(17000_BF)	71	-19	0	%
71.22	-18.13	-0.37	18.13	181.19	71.22	-14.12	2.66	14.37	169.2	4.88	5.03	3.34	3.89	3.66	12.6	17001160	(17000_BF)	71	-16	1	%
71.22	-18.13	-0.37	18.13	181.19	70.85	-18.9	2.83	19.11	171.4	2.28	3.32	2.56	2.7	2.38	12.14	17001161	(17000_BF)	71	-18	1	%
71.22	-18.13	-0.37	18.13	181.19	71.61	-15.66	1.74	15.76	173.6	3.36	3.28	2.22	2.5	2.33	9.25	17001162	(17000_BF)	71	-16	0	%
71.22	-18.13	-0.37	18.13	181.19	71.0	-22.7	1.04	22.72	177.3	3.48	4.78	2.75	2.96	2.87	8.6	17001163	(17000_BF)	71	-20	0	%
71.22	-18.13	-0.37	18.13	181.19	71.07	-17.56	2.32	17.72	172.4	1.95	2.76	2.16	2.33	2.03	9.99	17001164	(17000_BF)	71	-17	0	%
71.22	-18.13	-0.37	18.13	181.19	71.73	-19.31	1.69	19.38	174.9	1.54	2.44	1.81	1.89	1.71	8.83	17001165	(17000_BF)	71	-18	0	%
71.22	-18.13	-0.37	18.13	181.19	70.87	-17.59	1.52	17.65	175.0	1.6	2.0	1.56	1.67	1.47	7.63	17001166	(17000_BF)	71	-17	0	%
71.22	-18.13	-0.37	18.13	181.19	70.98	-19.18	4.13	19.62	167.8	3.52	4.64	3.55	3.76	3.29	16.4	17001167	(17000_BF)	71	-18	1	%
71.22	-18.13	-0.37	18.13	181.19	71.59	-21.2	0.22	21.2	179.3	1.89	3.15	1.79	1.96	1.93	5.75	17001168	(17000_BF)	71	-19	0	%
71.22	-18.13	-0.37	18.13	181.19	71.09	-16.11	0.81	16.13	177.1	1.67	2.34	1.46	1.67	1.61	5.41	17001169	(17000_BF)	71	-17	0	%
71.22	-18.13	-0.37	18.13	181.19	71.09	-18.22	0.67	18.23	177.8	1.01	1.06	0.83	0.88	0.78	4.04	17001170	(17000_BF)	71	-18	0	%
71.22	-18.13	-0.37	18.13	181.19	71.22	-21.46	-0.69	21.47	181.8	2.06	3.34	1.84	2.04	2.01	4.91	17001171	(17000_BF)	71	-19	0	%
71.22	-18.13	-0.37	18.13	181.19	71.26	-21.18	1.43	21.23	176.1	2.22	3.55	2.18	2.35	2.24	7.99	17001172	(17000_BF)	71	-19	0	%
71.22	-18.13	-0.37	18.13	181.19	71.0	-19.4	1.36	19.45	175.9	1.38	2.17	1.54	1.64	1.5	6.97	17001173	(17000_BF)	71	-18	0	%
71.22	-18.13	-0.37	18.13	181.19	71.54	-21.7	-1.09	21.73	182.8	2.76	3.66	2.06	2.25	2.2	6.26	17001174	(17000_BF)	71	-19	0	%
52.71	-0.51	0.42	0.66	140.38	52.82	-1.7	-1.39	2.2	219.2	2.8	2.17	2.13	3.0	2.4	8.53	17001175	(17000_BF)	53	-1	0	%
52.71	-0.51	0.42	0.66	140.38	52.85	-1.47	0.38	1.52	165.3	1.83	0.97	0.94	1.36	1.35	2.43	17001176	(17000_BF)	53	0	0	%
52.71	-0.51	0.42	0.66	140.38	52.51	-1.11	-1.55	1.91	234.3	2.16	2.07	2.04	2.9	2.09	9.12	17001177	(17000_BF)	53	0	0	%
52.71	-0.51	0.42	0.66	140.38	53.82	-0.3	2.24	2.26	97.6	1.63	2.13	2.1	2.7	2.05	13.31	17001178	(17000_BF)	53	0	1	%
52.71	-0.51	0.42	0.66	140.38	53.49	-1.5	1.55	2.16	134.0	1.54	1.69	1.65	2.18	1.89	9.27	17001179	(17000_BF)	53	-1	0	%
52.71	-0.51	0.42	0.66	140.38	53.01	-0.13	-1.9	1.9	266.0	2.9	2.37	2.33	3.31	2.33	10.75	17001180	(17000_BF)	53	0	0	%
52.71	-0.51	0.42	0.66	140.38	52.67	-2.05	-0.12	2.05	183.3	2.45	1.63	1.59	2.27	2.2	4.09	17001181	(17000_BF)	53	-1	0	%
52.71	-0.51	0.42	0.66	140.38	53.2	-0.06	-0.49	0.49	262.8	0.96	1.12	1.11	1.57	1.21	6.32	17001182	(17000_BF)	53	0	0	%
52.71	-0.51	0.42	0.66	140.38	53.06	0.36	-0.1	0.37	343.2	1.63	1.07	1.06	1.55	1.43	4.59	17001183	(17000_BF)	53	0	0	%
52.71	-0.51	0.42	0.66	140.38	53.53	0.93	-1.51	1.77	301.6	2.27	2.55	2.51	3.48	2.9	12.15	17001184	(17000_BF)	53	0	0	%
52.71	-0.51	0.42	0.66	140.38	53.4	1.48	-1.21	1.91	320.5	3.0	2.67	2.63	3.67	3.32	10.81	17001185	(17000_BF)	53	0	0	%
52.71	-0.51	0.42	0.66	140.38	53.21	-1.04	2.05	2.3	116.9	1.45	1.78	1.73	2.38	1.75	8.54	17001186	(17000_BF)	53	0	1	%
52.71	-0.51	0.42	0.66	140.38	53.26	1.79	-0.07	1.79	357.5	2.36	2.42	2.39	3.36	3.38	7.67	17001187	(17000_BF)	53	0	0	%
52.71	-0.51	0.42	0.66	140.38	52.67	0.2	1.17	1.19	80.3	1.81	1.04	1.02	1.49	1.28	3.65	17001188	(17000_BF)	53	0	0	%
42.62	0.75	-15.66	15.67	272.74	43.16	-0.04	-14.27	14.27	269.8	1.35	1.69	1.16	1.42	1.28	9.97	17001189	(17000_BF)	43	0	-14	%
42.62	0.75	-15.66	15.67	272.74	43.27	-0.55	-15.96	15.97	268.0	1.35	1.48	1.25	1.61	1.71	7.61	17001190	(17000_BF)	43	0	-15	%
42.62	0.75	-15.66	15.67	272.74	42.56	1.59	-15.84	15.92	275.7	0.94	0.86	0.68	0.96	1.0	2.35	17001191	(17000_BF)	43	1	-15	%
42.62	0.75	-15.66	15.67	272.74	42.74	-0.7	-16.22	16.24	267.5	1.64	1.56	1.22	1.66	1.82	4.6	17001192	(17000_BF)	43	0	-15	%
42.62	0.75	-15.66	15.67	272.74	42.85	-0.75	-15.57	15.58	267.2	1.49	1.52	1.24	1.7	1.81	4.38	17001193	(17000_BF)	43	0	-15	%
42.62	0.75	-15.66	15.67	272.74	43.18	0.38	-13.76	13.76	271.5	1.66	2.01	1.27	1.49	1.27	12.12	17001194	(17000_BF)	43	0	-14	%
42.62	0.75	-15.66	15.67	272.74	43.98	1.47	-14.26	14.34	275.9	1.89	2.07	1.7	1.9	1.86	17.19	17001195	(17000_BF)	43	1	-14	%
42.62	0.75	-15.66	15.67	272.74	41.89	-0.17	-12.98	12.98	269.2	1.83	2.92	1.87	2.29	1.97	15.32	17001196	(17000_BF)	42	0	-14	%
42.62	0.75	-15.66	15.67	272.74	42.2	-0.18	-14.79	14.79	269.2	1.12	1.34	1.0	1.28	1.23	6.43	17001197	(17000_BF)	42	0	-15	%
42.62	0.75	-15.66	15.67	272.74	41.92	1.87	-15.96	16.07	276.7	1.27	1.36	1.15	1.46	1.48	8.48	17001198	(17000_BF)	42	1	-15	%
42.62	0.75	-15.66	15.67	272.74	43.52	1.94	-14.95	15.08	277.3	1.56	1.64	1.39	1.75	1.82	11.1	17001199	(17000_BF)	43	1	-15	%

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /.PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation
TUB-Material: Code=rh4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
42.62	0.75	-15.66	15.67	272.74	42.36	1.98	-13.85	13.99	278.1	2.34	2.2	1.52	2.05	2.13	9.89	17001200	(17000_BF)	42	1	-14 %	
42.62	0.75	-15.66	15.67	272.74	43.65	0.74	-13.49	13.51	273.1	1.89	2.39	1.63	1.83	1.62	16.63	17001201	(17000_BF)	43	0	-14 %	
42.62	0.75	-15.66	15.67	272.74	43.07	2.1	-17.23	17.35	276.9	1.35	2.12	1.46	1.82	1.67	9.46	17001202	(17000_BF)	43	1	-16 %	
70.21	-2.14	43.48	43.53	92.81	70.87	-2.85	45.56	45.65	93.5	1.0	2.3	1.03	1.08	0.96	6.18	17001203	(17000_BF)	71	-2	44 %	
70.21	-2.14	43.48	43.53	92.81	71.08	-2.76	42.52	42.61	93.7	0.59	1.43	1.01	0.9	0.88	7.66	17001204	(17000_BF)	71	-2	43 %	
70.21	-2.14	43.48	43.53	92.81	69.26	-0.89	42.83	42.84	91.1	1.45	1.69	1.22	1.16	1.16	8.25	17001205	(17000_BF)	70	-1	43 %	
70.21	-2.14	43.48	43.53	92.81	71.5	-3.58	43.6	43.75	94.6	1.56	1.94	1.56	1.4	1.41	11.13	17001206	(17000_BF)	71	-2	43 %	
70.21	-2.14	43.48	43.53	92.81	68.7	-1.88	43.95	43.99	92.4	0.83	1.59	1.52	1.2	1.19	12.84	17001207	(17000_BF)	69	-2	43 %	
70.21	-2.14	43.48	43.53	92.81	71.48	-3.74	45.16	45.32	94.7	1.97	2.65	1.67	1.58	1.54	11.05	17001208	(17000_BF)	71	-2	44 %	
70.21	-2.14	43.48	43.53	92.81	75.43	-3.85	42.58	42.76	95.1	2.38	5.56	5.33	4.19	4.11	43.11	17001209	(17000_BF)	73	-3	43 %	
70.21	-2.14	43.48	43.53	92.81	68.79	-1.09	44.17	44.18	91.4	1.75	1.89	1.57	1.35	1.35	12.28	17001210	(17000_BF)	70	-1	43 %	
70.21	-2.14	43.48	43.53	92.81	75.22	-2.79	41.82	41.91	93.8	1.77	5.32	5.06	3.93	3.83	41.54	17001211	(17000_BF)	73	-2	42 %	
70.21	-2.14	43.48	43.53	92.81	70.82	-1.39	43.37	43.39	91.8	0.56	0.97	0.75	0.7	0.7	5.33	17001212	(17000_BF)	71	-1	43 %	
70.21	-2.14	43.48	43.53	92.81	71.11	-3.4	44.36	44.49	94.3	1.61	1.78	1.2	1.14	1.13	7.86	17001213	(17000_BF)	71	-2	43 %	
70.21	-2.14	43.48	43.53	92.81	74.22	-2.38	41.41	41.48	93.2	1.74	4.52	4.08	3.21	3.11	33.62	17001214	(17000_BF)	72	-2	42 %	
70.21	-2.14	43.48	43.53	92.81	68.56	-0.46	44.39	44.4	90.6	1.77	2.52	1.96	1.77	1.78	14.49	17001215	(17000_BF)	69	-1	43 %	
70.21	-2.14	43.48	43.53	92.81	68.77	-3.78	43.51	43.67	94.9	2.09	2.18	1.74	1.58	1.61	12.58	17001216	(17000_BF)	69	-2	43 %	
70.21	-2.14	43.48	43.53	92.81	74.51	-3.49	43.67	43.81	94.5	1.93	4.51	4.38	3.43	3.37	35.56	17001217	(17000_BF)	72	-2	43 %	
70.21	-2.14	43.48	43.53	92.81	71.89	-1.73	42.64	42.67	92.3	1.36	1.92	1.72	1.37	1.34	14.25	17001218	(17000_BF)	71	-1	43 %	
70.21	-2.14	43.48	43.53	92.81	72.22	-5.02	45.38	45.65	96.3	2.34	3.99	2.7	2.55	2.54	17.53	17001219	(17000_BF)	71	-3	44 %	
70.21	-2.14	43.48	43.53	92.81	75.17	-3.34	41.1	41.23	94.6	1.9	5.63	5.09	4.03	3.92	41.35	17001220	(17000_BF)	73	-2	42 %	
70.21	-2.14	43.48	43.53	92.81	66.34	-1.23	45.78	45.8	91.5	3.1	4.59	3.98	3.25	3.22	33.63	17001221	(17000_BF)	68	-1	44 %	
70.21	-2.14	43.48	43.53	92.81	74.27	-3.52	42.78	42.93	94.7	1.98	4.35	4.16	3.28	3.23	33.8	17001222	(17000_BF)	72	-2	43 %	
70.21	-2.14	43.48	43.53	92.81	74.71	-1.75	51.51	51.54	91.9	3.2	9.22	5.27	4.73	4.27	37.78	17001223	(17000_BF)	72	-1	47 %	
70.21	-2.14	43.48	43.53	92.81	75.14	-0.78	44.39	44.4	91.0	3.16	5.2	5.01	3.91	3.84	40.58	17001224	(17000_BF)	73	-1	43 %	
70.21	-2.14	43.48	43.53	92.81	74.41	-4.5	42.16	42.4	96.1	2.41	5.0	4.48	3.67	3.63	35.19	17001225	(17000_BF)	72	-3	42 %	
70.21	-2.14	43.48	43.53	92.81	69.21	-4.0	42.73	42.92	95.3	1.7	2.24	1.54	1.53	1.57	9.08	17001226	(17000_BF)	70	-3	43 %	
70.21	-2.14	43.48	43.53	92.81	69.41	-0.92	43.52	43.53	91.2	0.89	1.45	1.08	1.04	1.06	7.1	17001227	(17000_BF)	70	-1	43 %	
70.21	-2.14	43.48	43.53	92.81	69.53	-0.88	44.11	44.12	91.1	1.76	1.56	1.04	1.05	1.06	6.3	17001228	(17000_BF)	70	-1	43 %	
70.21	-2.14	43.48	43.53	92.81	69.24	-1.71	48.14	48.17	92.0	1.97	4.78	1.88	2.07	1.74	10.88	17001229	(17000_BF)	70	-1	45 %	
70.21	-2.14	43.48	43.53	92.81	70.2	-2.14	44.81	44.86	92.7	0.46	1.33	0.45	0.55	0.44	1.91	17001230	(17000_BF)	70	-2	44 %	
65.39	31.44	35.55	47.47	48.51	65.03	30.08	34.98	46.14	49.3	0.22	1.51	0.67	0.88	0.68	3.92	17001231	(17000_BF)	65	30	35 %	
65.39	31.44	35.55	47.47	48.51	64.16	33.67	35.68	49.06	46.6	1.74	2.54	1.6	1.9	1.54	11.92	17001232	(17000_BF)	65	32	35 %	
65.39	31.44	35.55	47.47	48.51	64.46	32.07	36.85	48.86	48.9	0.61	1.71	1.05	1.0	0.92	8.88	17001233	(17000_BF)	65	31	36 %	
65.39	31.44	35.55	47.47	48.51	64.4	31.96	33.92	46.61	46.7	1.46	1.98	1.34	1.68	1.32	9.17	17001234	(17000_BF)	65	31	34 %	
65.39	31.44	35.55	47.47	48.51	65.46	30.06	33.44	44.97	48.0	0.81	2.52	0.82	1.07	0.85	4.59	17001235	(17000_BF)	65	30	34 %	
65.39	31.44	35.55	47.47	48.51	63.94	32.32	33.09	46.25	45.6	2.48	2.99	2.01	2.57	2.01	13.46	17001236	(17000_BF)	65	31	34 %	
65.39	31.44	35.55	47.47	48.51	65.49	34.15	38.24	51.27	48.2	1.59	3.81	1.22	1.51	1.19	6.51	17001237	(17000_BF)	65	32	36 %	
65.39	31.44	35.55	47.47	48.51	64.69	30.39	33.96	45.57	48.1	0.31	2.03	0.94	0.98	0.86	6.76	17001238	(17000_BF)	65	30	34 %	
65.39	31.44	35.55	47.47	48.51	64.99	32.14	35.07	47.58	47.4	0.76	0.93	0.63	0.88	0.66	3.89	17001239	(17000_BF)	65	31	35 %	
65.39	31.44	35.55	47.47	48.51	65.79	33.36	37.89	50.49	48.6	1.44	3.05	1.04	1.23	1.0	5.92	17001240	(17000_BF)	66	32	36 %	
65.39	31.44	35.55	47.47	48.51	61.63	30.35	31.28	43.59	45.8	3.12	5.79	4.14	4.01	3.69	33.95	17001241	(17000_BF)	64	30	33 %	
65.39	31.44	35.55	47.47	48.51	65.56	28.66	34.25	44.66	50.0	1.22	3.07	1.16	1.7	1.26	5.8	17001242	(17000_BF)	65	30	34 %	
65.39	31.44	35.55	47.47	48.51	64.95	32.01	35.75	47.99	48.1	0.31	0.74	0.5	0.5	0.44	4.16	17001243	(17000_BF)	65	31	35 %	
65.39	31.44	35.55	47.47	48.51	65.49	29.36	34.52	45.32	49.6	0.93	2.32	0.86	1.25	0.93	4.28	17001244	(17000_BF)	65	30	35 %	
65.39	31.44	35.55	47.47	48.51	65.19	33.29	35.4	48.6	46.7	1.43	1.85	0.94	1.48	1.06	3.8	17001245	(17000_BF)	65	32	35 %	
65.39	31.44	35.55	47.47	48.51	64.67	31.44	33.96	46.28	47.2	1.22	1.74	1.02	1.28	1.01	6.76	17001246	(17000_BF)	65	31	34 %	
65.39	31.44	35.55	47.47	48.51	65.2	30.5	37.16	48.08	50.6	1.7	1.87	1.06	1.78	1.22	3.66	17001247	(17000_BF)	65	30	36 %	
65.39	31.44	35.55	47.47	48.51	65.45	28.46	33.76	44.16	49.8	1.24	3.48	1.23	1.73	1.31	6.26	17001248	(17000_BF)	65	29	34 %	
65.39	31.44	35.55	47.47	48.51	64.48	34.24	35.25	49.14	45.8	2.32	2.95	1.68	2.36	1.77	9.81	17001249	(17000_BF)	65	32	35 %	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
65.39	31.44	35.55	47.47	48.51	65.71	32.94	37.32	49.78	48.5	1.16	2.33	0.8	0.95	0.77	4.62	17001250	(17000_BF)	66	32	36
65.39	31.44	35.55	47.47	48.51	64.61	30.4	32.92	44.81	47.2	1.29	2.93	1.28	1.58	1.27	8.1	17001251	(17000_BF)	65	30	34
65.39	31.44	35.55	47.47	48.51	64.58	30.52	35.52	46.83	49.3	0.53	1.22	0.92	0.96	0.83	7.24	17001252	(17000_BF)	65	30	35
65.39	31.44	35.55	47.47	48.51	63.33	30.24	36.81	47.64	50.5	1.94	2.69	2.29	2.41	2.08	18.68	17001253	(17000_BF)	64	30	36
65.39	31.44	35.55	47.47	48.51	64.33	32.43	34.48	47.34	46.7	1.6	1.8	1.36	1.65	1.32	9.8	17001254	(17000_BF)	65	31	35
65.39	31.44	35.55	47.47	48.51	65.38	31.89	34.88	47.26	47.5	0.87	0.8	0.46	0.76	0.53	1.41	17001255	(17000_BF)	65	31	35
65.39	31.44	35.55	47.47	48.51	64.53	28.12	35.95	45.65	51.9	2.33	3.45	1.93	3.04	2.13	9.36	17001256	(17000_BF)	65	29	35
65.39	31.44	35.55	47.47	48.51	62.47	33.33	30.12	44.92	42.1	3.95	6.45	4.27	5.52	4.35	27.72	17001257	(17000_BF)	64	32	32
65.39	31.44	35.55	47.47	48.51	64.85	33.63	34.33	48.06	45.5	2.26	2.56	1.53	2.38	1.71	6.64	17001258	(17000_BF)	65	32	34
65.39	31.44	35.55	47.47	48.51	65.12	29.25	34.22	45.02	49.4	0.69	2.58	0.94	1.28	0.98	4.9	17001259	(17000_BF)	65	30	34
46.89	11.66	-14.79	18.83	308.26	47.17	11.1	-14.96	18.63	306.5	0.34	0.65	0.52	0.61	0.6	3.21	17001260	(17000_BF)	47	11	-14
46.89	11.66	-14.79	18.83	308.26	47.39	12.39	-14.61	19.16	310.3	1.08	0.89	0.74	0.82	0.82	5.53	17001261	(17000_BF)	47	12	-14
46.89	11.66	-14.79	18.83	308.26	47.14	11.72	-14.49	18.64	308.9	0.28	0.38	0.32	0.34	0.32	3.12	17001262	(17000_BF)	47	11	-14
46.89	11.66	-14.79	18.83	308.26	45.97	11.86	-16.08	19.98	306.4	0.62	1.59	1.21	1.27	1.2	12.3	17001263	(17000_BF)	46	11	-15
46.89	11.66	-14.79	18.83	308.26	46.94	12.44	-15.02	19.51	309.6	0.98	0.81	0.51	0.6	0.6	2.09	17001264	(17000_BF)	47	12	-14
46.89	11.66	-14.79	18.83	308.26	47.3	9.87	-13.81	16.98	305.5	1.3	2.07	1.26	1.5	1.51	7.92	17001265	(17000_BF)	47	10	-14
46.89	11.66	-14.79	18.83	308.26	47.1	11.2	-14.67	18.46	307.3	0.28	0.52	0.37	0.42	0.42	2.58	17001266	(17000_BF)	47	11	-14
46.89	11.66	-14.79	18.83	308.26	46.01	10.71	-15.87	19.15	304.0	1.44	1.69	1.41	1.61	1.56	11.42	17001267	(17000_BF)	46	11	-15
46.89	11.66	-14.79	18.83	308.26	46.49	11.09	-15.46	19.03	305.6	1.0	0.97	0.79	0.92	0.88	5.77	17001268	(17000_BF)	47	11	-15
46.89	11.66	-14.79	18.83	308.26	46.59	13.95	-15.13	20.58	312.6	1.59	2.33	1.54	1.79	1.79	6.4	17001269	(17000_BF)	47	12	-14
46.89	11.66	-14.79	18.83	308.26	47.01	11.38	-14.18	18.18	308.7	0.33	0.68	0.39	0.45	0.4	3.46	17001270	(17000_BF)	47	11	-14
46.89	11.66	-14.79	18.83	308.26	47.07	12.38	-14.76	19.27	309.9	0.83	0.73	0.53	0.62	0.63	2.45	17001271	(17000_BF)	47	12	-14
46.89	11.66	-14.79	18.83	308.26	46.82	11.87	-15.12	19.23	308.1	0.28	0.4	0.22	0.25	0.23	1.94	17001272	(17000_BF)	47	11	-14
46.89	11.66	-14.79	18.83	308.26	47.99	9.27	-12.69	15.71	306.1	1.56	3.36	2.07	2.36	2.34	17.19	17001273	(17000_BF)	47	10	-13
46.89	11.66	-14.79	18.83	308.26	46.82	13.14	-15.41	20.25	310.4	1.32	1.6	0.96	1.11	1.11	4.62	17001274	(17000_BF)	47	12	-15
46.89	11.66	-14.79	18.83	308.26	47.32	10.54	-14.58	17.99	305.8	0.99	1.21	0.86	1.0	1.02	5.41	17001275	(17000_BF)	47	11	-14
46.89	11.66	-14.79	18.83	308.26	46.59	11.21	-14.18	18.08	308.3	0.38	0.81	0.51	0.55	0.53	4.24	17001276	(17000_BF)	47	11	-14
46.89	11.66	-14.79	18.83	308.26	46.77	12.4	-15.37	19.75	308.9	0.63	0.95	0.53	0.61	0.59	3.68	17001277	(17000_BF)	47	12	-15
46.89	11.66	-14.79	18.83	308.26	46.37	10.31	-15.34	18.49	303.9	1.46	1.55	1.23	1.48	1.47	6.97	17001278	(17000_BF)	47	10	-15
46.89	11.66	-14.79	18.83	308.26	47.23	11.04	-14.48	18.21	307.3	0.54	0.77	0.53	0.58	0.59	4.3	17001279	(17000_BF)	47	11	-14
46.89	11.66	-14.79	18.83	308.26	45.94	12.03	-16.19	20.17	306.6	0.89	1.73	1.27	1.33	1.25	12.94	17001280	(17000_BF)	46	11	-15
46.89	11.66	-14.79	18.83	308.26	46.93	13.35	-14.96	20.05	311.7	1.45	1.69	1.13	1.33	1.33	3.79	17001281	(17000_BF)	47	12	-14
46.89	11.66	-14.79	18.83	308.26	47.26	11.86	-14.35	18.61	309.5	0.44	0.6	0.5	0.55	0.53	4.62	17001282	(17000_BF)	47	11	-14
46.89	11.66	-14.79	18.83	308.26	46.77	12.04	-15.27	19.44	308.2	0.18	0.62	0.35	0.39	0.36	2.95	17001283	(17000_BF)	47	11	-15
46.89	11.66	-14.79	18.83	308.26	47.17	11.07	-14.55	18.29	307.2	0.56	0.69	0.47	0.53	0.54	3.51	17001284	(17000_BF)	47	11	-14
46.89	11.66	-14.79	18.83	308.26	47.18	12.1	-14.7	19.04	309.4	0.62	0.52	0.43	0.48	0.48	3.2	17001285	(17000_BF)	47	11	-14
46.89	11.66	-14.79	18.83	308.26	47.02	11.0	-14.81	18.45	306.5	0.56	0.67	0.48	0.59	0.59	2.04	17001286	(17000_BF)	47	11	-14
46.89	11.66	-14.79	18.83	308.26	47.14	12.32	-14.76	19.23	309.8	0.79	0.7	0.52	0.6	0.61	2.95	17001287	(17000_BF)	47	11	-14
46.98	-5.33	-24.14	24.72	257.53	48.8	-4.01	-25.02	25.35	260.8	1.95	2.41	2.13	2.14	2.09	19.09	17001288	(17000_BF)	48	-4	-24
46.98	-5.33	-24.14	24.72	257.53	48.14	-7.19	-25.26	26.26	254.0	2.17	2.46	1.76	1.86	1.97	12.96	17001289	(17000_BF)	48	-6	-24
46.98	-5.33	-24.14	24.72	257.53	49.05	-2.03	-25.08	25.16	265.3	3.34	4.0	3.23	3.52	3.4	22.56	17001290	(17000_BF)	48	-3	-24
46.98	-5.33	-24.14	24.72	257.53	50.14	-5.43	-23.6	24.22	257.0	1.47	3.2	3.17	2.96	3.14	33.49	17001291	(17000_BF)	49	-5	-23
46.98	-5.33	-24.14	24.72	257.53	49.09	-5.19	-24.53	25.08	258.0	0.91	2.14	2.11	1.99	2.08	21.83	17001292	(17000_BF)	48	-5	-24
46.98	-5.33	-24.14	24.72	257.53	48.78	-2.67	-26.25	26.39	264.1	2.81	3.84	2.91	3.16	2.76	20.69	17001293	(17000_BF)	48	-4	-25
46.98	-5.33	-24.14	24.72	257.53	48.69	-6.24	-24.18	24.98	255.5	1.08	1.93	1.82	1.77	1.84	18.0	17001294	(17000_BF)	48	-5	-24
46.98	-5.33	-24.14	24.72	257.53	49.38	-6.21	-26.09	26.81	256.6	2.31	3.2	2.61	2.53	2.63	25.25	17001295	(17000_BF)	48	-5	-25
46.98	-5.33	-24.14	24.72	257.53	48.74	-4.52	-27.29	27.66	260.5	2.11	3.69	2.46	2.55	2.14	21.96	17001296	(17000_BF)	48	-4	-25
46.98	-5.33	-24.14	24.72	257.53	48.14	-4.46	-28.29	28.64	261.0	2.12	4.39	2.48	2.69	1.94	22.05	17001297	(17000_BF)	48	-4	-26
46.98	-5.33	-24.14	24.72	257.53	48.77	-5.69	-25.6	26.23	257.4	1.28	2.33	1.92	1.86	1.9	18.83	17001298	(17000_BF)	48	-5	-24
46.98	-5.33	-24.14	24.72	257.53	48.71	-4.67	-26.18	26.6	259.8	1.33	2.75	2.08	2.09	1.91	19.13	17001299	(17000_BF)	48	-5	-25

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
46.98	-5.33	-24.14	24.72	257.53	49.43	-6.37	-24.65	25.46	255.4	1.64	2.7	2.55	2.44	2.58	25.35	17001300	(17000_BF)	48	-5	-24	%
46.98	-5.33	-24.14	24.72	257.53	50.09	-5.11	-23.48	24.03	257.7	1.35	3.18	3.12	2.92	3.1	33.18	17001301	(17000_BF)	49	-5	-23	%
46.98	-5.33	-24.14	24.72	257.53	47.99	-6.69	-23.87	24.79	254.3	1.31	1.71	1.42	1.5	1.48	11.24	17001302	(17000_BF)	47	-6	-24	%
46.98	-5.33	-24.14	24.72	257.53	49.1	-5.25	-24.72	25.28	257.9	0.84	2.19	2.13	2.01	2.1	21.88	17001303	(17000_BF)	48	-5	-24	%
46.98	-5.33	-24.14	24.72	257.53	48.28	-4.21	-25.53	25.88	260.6	1.2	2.2	1.72	1.79	1.6	14.37	17001304	(17000_BF)	48	-4	-24	%
46.98	-5.33	-24.14	24.72	257.53	48.82	-5.84	-23.96	24.67	256.2	0.96	1.91	1.87	1.78	1.85	19.45	17001305	(17000_BF)	48	-5	-24	%
46.98	-5.33	-24.14	24.72	257.53	48.88	-5.89	-24.96	25.65	256.7	0.97	2.13	1.96	1.87	1.96	19.6	17001306	(17000_BF)	48	-5	-24	%
46.98	-5.33	-24.14	24.72	257.53	49.1	-2.55	-25.33	25.45	264.2	3.09	3.68	3.02	3.22	3.08	22.77	17001307	(17000_BF)	48	-3	-24	%
46.98	-5.33	-24.14	24.72	257.53	50.09	-4.32	-22.84	23.24	259.2	1.88	3.52	3.23	3.08	3.28	34.23	17001308	(17000_BF)	49	-4	-23	%
46.98	-5.33	-24.14	24.72	257.53	49.03	-2.42	-26.01	26.12	264.6	3.24	4.02	3.15	3.39	3.07	22.69	17001309	(17000_BF)	48	-3	-25	%
46.98	-5.33	-24.14	24.72	257.53	49.45	-6.69	-27.03	27.84	256.0	2.55	4.03	2.91	2.89	2.98	27.25	17001310	(17000_BF)	48	-6	-25	%
46.98	-5.33	-24.14	24.72	257.53	47.89	-7.76	-24.55	25.75	252.4	2.33	2.62	1.93	2.12	2.15	10.53	17001311	(17000_BF)	47	-6	-24	%
46.98	-5.33	-24.14	24.72	257.53	48.05	-7.79	-24.38	25.59	252.2	2.32	2.68	2.03	2.22	2.23	12.11	17001312	(17000_BF)	48	-6	-24	%
46.98	-5.33	-24.14	24.72	257.53	49.14	-2.92	-24.23	24.41	263.1	3.01	3.23	2.77	2.89	2.96	23.15	17001313	(17000_BF)	48	-4	-24	%
46.98	-5.33	-24.14	24.72	257.53	49.09	-3.06	-25.44	25.62	263.1	2.78	3.35	2.79	2.92	2.77	22.44	17001314	(17000_BF)	48	-4	-24	%
46.98	-5.33	-24.14	24.72	257.53	49.7	-6.2	-24.98	25.74	256.0	1.56	2.96	2.79	2.65	2.81	27.96	17001315	(17000_BF)	48	-5	-24	%
46.98	-5.33	-24.14	24.72	257.53	49.53	-6.03	-24.02	24.76	255.8	1.52	2.64	2.59	2.45	2.58	26.76	17001316	(17000_BF)	48	-5	-24	%
71.83	-18.08	-0.95	18.11	183.02	71.73	-18.59	-1.59	18.65	184.8	0.42	0.81	0.56	0.6	0.56	2.61	17001317	(17000_BF)	72	-18	-1	%
71.83	-18.08	-0.95	18.11	183.02	72.05	-17.63	-0.2	17.63	180.6	0.74	0.9	0.67	0.71	0.64	3.41	17001318	(17000_BF)	72	-17	0	%
71.83	-18.08	-0.95	18.11	183.02	72.22	-19.1	0.67	19.11	177.9	1.73	1.96	1.45	1.52	1.39	6.98	17001319	(17000_BF)	72	-18	0	%
71.83	-18.08	-0.95	18.11	183.02	71.91	-16.35	-2.22	16.5	187.7	1.8	2.15	1.43	1.6	1.54	5.43	17001320	(17000_BF)	72	-17	-1	%
71.83	-18.08	-0.95	18.11	183.02	71.94	-19.51	-1.31	19.55	183.8	0.94	1.47	0.83	0.93	0.92	2.6	17001321	(17000_BF)	72	-18	-1	%
71.83	-18.08	-0.95	18.11	183.02	71.89	-17.52	-1.12	17.56	183.6	0.46	0.58	0.34	0.39	0.39	1.19	17001322	(17000_BF)	72	-17	-1	%
71.83	-18.08	-0.95	18.11	183.02	72.0	-16.72	-1.7	16.8	185.8	1.38	1.56	0.99	1.11	1.09	3.72	17001323	(17000_BF)	72	-17	-1	%
71.83	-18.08	-0.95	18.11	183.02	71.14	-19.38	0.84	19.4	177.4	1.73	2.32	1.73	1.77	1.63	9.03	17001324	(17000_BF)	71	-18	0	%
71.83	-18.08	-0.95	18.11	183.02	72.03	-16.68	-0.53	16.69	181.8	0.99	1.47	0.85	0.98	0.98	3.11	17001325	(17000_BF)	72	-17	0	%
71.83	-18.08	-0.95	18.11	183.02	71.93	-17.61	-1.54	17.67	185.0	0.94	0.76	0.55	0.6	0.55	2.47	17001326	(17000_BF)	72	-17	-1	%
71.83	-18.08	-0.95	18.11	183.02	71.67	-19.35	0.39	19.36	178.8	1.45	1.85	1.28	1.37	1.28	5.51	17001327	(17000_BF)	72	-18	0	%
71.83	-18.08	-0.95	18.11	183.02	71.64	-18.93	-1.82	19.02	185.4	0.9	1.22	0.82	0.88	0.82	3.82	17001328	(17000_BF)	72	-18	-1	%
71.83	-18.08	-0.95	18.11	183.02	71.83	-18.09	-0.99	18.12	183.1	0.2	0.04	0.03	0.03	0.03	0.15	17001329	(17000_BF)	72	-18	0	%
71.83	-18.08	-0.95	18.11	183.02	71.4	-20.8	-1.12	20.83	183.1	1.73	2.75	1.55	1.7	1.68	5.4	17001330	(17000_BF)	72	-19	-1	%
71.83	-18.08	-0.95	18.11	183.02	71.77	-17.66	-1.37	17.72	184.4	0.57	0.59	0.41	0.45	0.42	1.76	17001331	(17000_BF)	72	-17	-1	%
71.83	-18.08	-0.95	18.11	183.02	71.89	-17.46	-0.79	17.48	182.6	0.25	0.64	0.36	0.41	0.41	1.23	17001332	(17000_BF)	72	-17	0	%
71.83	-18.08	-0.95	18.11	183.02	71.68	-18.25	-1.6	18.32	185.0	0.63	0.69	0.53	0.56	0.5	2.75	17001333	(17000_BF)	72	-18	-1	%
71.83	-18.08	-0.95	18.11	183.02	70.85	-19.24	1.87	19.33	174.4	2.14	3.2	2.5	2.55	2.3	13.38	17001334	(17000_BF)	71	-18	0	%
71.83	-18.08	-0.95	18.11	183.02	71.66	-19.31	-1.66	19.38	184.9	0.98	1.42	0.87	0.95	0.91	3.51	17001335	(17000_BF)	72	-18	-1	%
71.83	-18.08	-0.95	18.11	183.02	71.92	-17.6	-0.83	17.62	182.7	0.28	0.5	0.29	0.33	0.33	1.16	17001336	(17000_BF)	72	-17	0	%
71.83	-18.08	-0.95	18.11	183.02	71.62	-20.82	-1.0	20.85	182.7	1.61	2.75	1.52	1.69	1.67	4.33	17001337	(17000_BF)	72	-19	0	%
71.83	-18.08	-0.95	18.11	183.02	71.81	-17.72	-1.43	17.78	184.6	0.6	0.59	0.43	0.47	0.43	1.86	17001338	(17000_BF)	72	-17	-1	%
71.83	-18.08	-0.95	18.11	183.02	71.85	-19.41	-0.7	19.42	182.0	0.83	1.34	0.76	0.85	0.85	2.13	17001339	(17000_BF)	72	-18	0	%
71.83	-18.08	-0.95	18.11	183.02	71.41	-19.71	-2.11	19.82	186.1	1.45	2.03	1.3	1.39	1.32	6.07	17001340	(17000_BF)	72	-18	-1	%
71.83	-18.08	-0.95	18.11	183.02	72.04	-16.91	-1.16	16.95	183.9	1.08	1.2	0.7	0.79	0.8	2.59	17001341	(17000_BF)	72	-17	-1	%
71.83	-18.08	-0.95	18.11	183.02	72.4	-18.51	1.46	18.57	175.4	2.03	2.52	2.0	2.08	1.84	10.08	17001342	(17000_BF)	72	-18	0	%
71.83	-18.08	-0.95	18.11	183.02	72.19	-15.34	-1.49	15.41	185.5	1.73	2.81	1.63	1.91	1.94	5.5	17001343	(17000_BF)	72	-16	-1	%
71.83	-18.08	-0.95	18.11	183.02	72.41	-19.5	-1.17	19.54	183.4	0.94	1.54	0.98	1.0	0.99	5.21	17001344	(17000_BF)	72	-18	-1	%
71.83	-18.08	-0.95	18.11	183.02	71.83	-17.77	-1.21	17.81	183.8	0.42	0.4	0.27	0.29	0.28	1.05	17001345	(17000_BF)	72	-17	-1	%
52.97	-0.21	0.15	0.26	143.73	53.6	-1.69	1.09	2.01	147.2	2.51	1.85	1.83	2.52	2.32	8.01	17001346	(17000_BF)	53	0	0	%
52.97	-0.21	0.15	0.26	143.73	52.54	1.13	0.03	1.13	1.6	2.51	1.42	1.41	2.03	2.02	5.19	17001347	(17000_BF)	53	0	0	%
52.97	-0.21	0.15	0.26	143.73	52.12	0.74	-3.35	3.43	282.5	3.38	3.73	3.7	4.91	3.63	18.03	17001348	(17000_BF)	53	0	-1	%
52.97	-0.21	0.15	0.26	143.73	52.31	0.19	-0.26	0.32	306.4	0.97	0.87	0.87	1.07	0.97	6.78	17001349	(17000_BF)	53	0	0	%

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB	data for all		colour	(a)	of experiment,	iimp=2776,	colour difference	pairs	BF_2776=BFD_ALL	%										
52.97	-0.21	0.15	0.26	143.73	52.5	-0.43	0.01	0.43	178.3	0.32	0.53	0.53	0.57	0.57	4.64	17001350	(17000_BF)	53	0	0 %
52.97	-0.21	0.15	0.26	143.73	52.25	-1.11	-1.05	1.53	223.4	1.91	1.66	1.65	2.26	1.86	9.15	17001351	(17000_BF)	53	0	0 %
52.97	-0.21	0.15	0.26	143.73	52.87	-0.63	3.39	3.45	100.5	3.17	3.26	3.22	4.33	3.04	13.71	17001352	(17000_BF)	53	0	1 %
52.97	-0.21	0.15	0.26	143.73	52.97	2.14	-1.58	2.67	323.5	3.7	2.94	2.91	4.04	3.68	9.3	17001353	(17000_BF)	53	0	0 %
52.97	-0.21	0.15	0.26	143.73	53.28	-1.97	-0.92	2.17	205.0	3.18	2.08	2.06	2.89	2.66	6.81	17001354	(17000_BF)	53	-1	0 %
52.97	-0.21	0.15	0.26	143.73	53.38	-1.3	-0.28	1.33	192.4	1.7	1.24	1.23	1.74	1.66	5.08	17001355	(17000_BF)	53	0	0 %
52.97	-0.21	0.15	0.26	143.73	52.68	1.47	-0.96	1.76	326.7	3.09	2.04	2.03	2.91	2.66	6.81	17001356	(17000_BF)	53	0	0 %
52.97	-0.21	0.15	0.26	143.73	53.56	-0.2	1.15	1.16	99.8	1.06	1.15	1.14	1.54	1.12	7.26	17001357	(17000_BF)	53	0	0 %
52.97	-0.21	0.15	0.26	143.73	51.68	-0.52	-2.26	2.32	257.0	2.96	2.75	2.73	3.59	2.66	16.79	17001358	(17000_BF)	52	0	-1 %
52.97	-0.21	0.15	0.26	143.73	52.38	-0.52	-0.41	0.66	218.6	0.88	0.87	0.87	1.1	0.92	6.36	17001359	(17000_BF)	53	0	0 %
52.97	-0.21	0.15	0.26	143.73	52.72	-0.4	0.62	0.74	123.0	0.27	0.55	0.55	0.78	0.58	3.17	17001360	(17000_BF)	53	0	0 %
52.97	-0.21	0.15	0.26	143.73	53.09	1.46	1.13	1.84	37.8	2.88	1.94	1.92	2.76	2.58	5.7	17001361	(17000_BF)	53	0	0 %
52.97	-0.21	0.15	0.26	143.73	53.41	-2.41	0.86	2.56	160.3	3.28	2.35	2.32	3.2	3.11	7.08	17001362	(17000_BF)	53	-1	0 %
52.97	-0.21	0.15	0.26	143.73	53.04	-1.09	0.51	1.21	154.6	1.69	0.95	0.94	1.38	1.3	2.57	17001363	(17000_BF)	53	0	0 %
52.97	-0.21	0.15	0.26	143.73	52.78	0.64	0.02	0.64	2.3	1.6	0.89	0.88	1.31	1.29	2.69	17001364	(17000_BF)	53	0	0 %
52.97	-0.21	0.15	0.26	143.73	52.72	-2.4	2.0	3.13	140.1	3.4	2.87	2.83	3.85	3.42	9.52	17001365	(17000_BF)	53	-1	1 %
52.97	-0.21	0.15	0.26	143.73	52.55	-0.3	2.13	2.15	98.0	2.04	2.01	1.99	2.79	1.92	9.46	17001366	(17000_BF)	53	0	1 %
52.97	-0.21	0.15	0.26	143.73	52.08	1.68	-2.59	3.09	302.9	3.89	3.46	3.43	4.59	3.78	15.76	17001367	(17000_BF)	53	0	-1 %
52.97	-0.21	0.15	0.26	143.73	52.33	0.38	-2.27	2.3	279.5	2.8	2.58	2.56	3.54	2.55	12.69	17001368	(17000_BF)	53	0	-1 %
52.97	-0.21	0.15	0.26	143.73	52.82	0.59	1.05	1.21	60.5	1.81	1.21	1.2	1.77	1.48	4.5	17001369	(17000_BF)	53	0	0 %
52.97	-0.21	0.15	0.26	143.73	52.07	-0.78	-0.14	0.79	190.3	1.25	1.1	1.09	1.24	1.23	9.08	17001370	(17000_BF)	53	0	0 %
52.97	-0.21	0.15	0.26	143.73	53.48	-0.02	-0.99	0.99	268.6	1.47	1.27	1.26	1.78	1.26	7.16	17001371	(17000_BF)	53	0	0 %
52.97	-0.21	0.15	0.26	143.73	52.55	-1.52	1.88	2.42	128.9	2.72	2.2	2.18	3.02	2.46	8.99	17001372	(17000_BF)	53	0	1 %
61.32	0.49	0.32	0.59	33.13	61.39	-0.21	2.07	2.08	95.8	2.07	1.88	1.85	2.63	1.98	7.11	17001373	(17000_BF)	61	0	1 %
61.32	0.49	0.32	0.59	33.13	61.33	-0.02	2.36	2.36	90.6	2.03	2.1	2.06	2.9	2.09	8.14	17001374	(17000_BF)	61	0	1 %
61.32	0.49	0.32	0.59	33.13	61.23	0.5	1.27	1.37	68.3	1.14	0.95	0.93	1.36	0.92	3.89	17001375	(17000_BF)	61	0	0 %
61.32	0.49	0.32	0.59	33.13	61.13	0.5	2.1	2.16	76.4	1.82	1.78	1.74	2.47	1.7	7.29	17001376	(17000_BF)	61	0	1 %
61.32	0.49	0.32	0.59	33.13	61.16	0.97	1.74	1.99	60.9	1.77	1.5	1.46	2.08	1.49	5.92	17001377	(17000_BF)	61	0	1 %
61.32	0.49	0.32	0.59	33.13	61.35	1.27	1.43	1.91	48.5	1.82	1.35	1.31	1.89	1.5	4.72	17001378	(17000_BF)	61	0	0 %
61.32	0.49	0.32	0.59	33.13	61.21	1.22	1.11	1.65	42.4	1.75	1.07	1.04	1.51	1.26	3.64	17001379	(17000_BF)	61	0	0 %
61.32	0.49	0.32	0.59	33.13	61.13	1.49	1.1	1.85	36.3	1.86	1.27	1.24	1.77	1.57	4.1	17001380	(17000_BF)	61	0	0 %
61.32	0.49	0.32	0.59	33.13	61.14	1.55	0.89	1.79	29.8	1.77	1.21	1.18	1.68	1.57	3.55	17001381	(17000_BF)	61	1	0 %
61.32	0.49	0.32	0.59	33.13	61.41	1.58	0.52	1.66	18.3	1.72	1.1	1.07	1.55	1.52	2.44	17001382	(17000_BF)	61	1	0 %
61.32	0.49	0.32	0.59	33.13	61.35	2.2	0.63	2.29	16.0	2.49	1.73	1.69	2.38	2.36	3.64	17001383	(17000_BF)	61	1	0 %
61.32	0.49	0.32	0.59	33.13	61.44	1.74	0.2	1.75	6.5	2.07	1.25	1.22	1.76	1.74	2.77	17001384	(17000_BF)	61	1	0 %
61.32	0.49	0.32	0.59	33.13	61.23	1.35	0.06	1.35	2.6	1.64	0.9	0.88	1.28	1.24	2.17	17001385	(17000_BF)	61	0	0 %
61.32	0.49	0.32	0.59	33.13	61.08	1.68	-0.31	1.71	349.4	2.07	1.37	1.34	1.91	1.78	4.18	17001386	(17000_BF)	61	1	0 %
61.32	0.49	0.32	0.59	33.13	61.13	1.46	-0.58	1.58	338.4	1.84	1.34	1.31	1.89	1.63	4.54	17001387	(17000_BF)	61	0	0 %
61.32	0.49	0.32	0.59	33.13	61.29	1.49	-0.87	1.73	329.5	2.05	1.56	1.53	2.2	1.81	5.33	17001388	(17000_BF)	61	0	0 %
61.32	0.49	0.32	0.59	33.13	61.52	1.15	-0.77	1.38	326.1	1.99	1.29	1.27	1.84	1.42	5.02	17001389	(17000_BF)	61	0	0 %
61.32	0.49	0.32	0.59	33.13	61.25	1.15	-1.45	1.85	308.5	2.01	1.89	1.86	2.66	1.94	7.45	17001390	(17000_BF)	61	0	0 %
61.32	0.49	0.32	0.59	33.13	61.28	0.82	-0.96	1.26	310.7	1.67	1.32	1.31	1.91	1.33	5.33	17001391	(17000_BF)	61	0	0 %
61.32	0.49	0.32	0.59	33.13	61.32	0.65	-1.7	1.82	291.0	2.03	2.03	2.0	2.86	1.97	8.34	17001392	(17000_BF)	61	0	0 %
61.32	0.49	0.32	0.59	33.13	61.2	0.54	-0.98	1.12	299.0	1.34	1.31	1.29	1.9	1.28	5.48	17001393	(17000_BF)	61	0	0 %
61.32	0.49	0.32	0.59	33.13	61.41	0.2	-1.55	1.57	277.4	1.89	1.91	1.88	2.71	1.88	7.79	17001394	(17000_BF)	61	0	0 %
61.32	0.49	0.32	0.59	33.13	64.0	0.51	0.37	0.64	36.0	1.64	2.68	2.68	2.2	2.27	24.16	17001395	(17000_BF)	63	0	0 %
61.32	0.49	0.32	0.59	33.13	64.77	0.45	0.47	0.65	46.2	2.17	3.45	3.45	2.82	2.91	30.93	17001396	(17000_BF)	63	0	0 %
61.32	0.49	0.32	0.59	33.13	64.29	0.56	0.55	0.78	44.3	2.22	2.98	2.98	2.46	2.52	26.76	17001397	(17000_BF)	63	0	0 %
61.32	0.49	0.32	0.59	33.13	63.9	0.88	0.46	0.99	27.9	2.01	2.61	2.61	2.2	2.26	23.31	17001398	(17000_BF)	63	0	0 %
61.32	0.49	0.32	0.59	33.13	63.02	1.03	0.21	1.05	11.4	2.2	1.78	1.78	1.61	1.64	15.46	17001399	(17000_BF)	62	0	0 %

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> /PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
61.32	0.49	0.32	0.59	33.13	63.79	1.09	0.58	1.24	28.0	1.99	2.55	2.55	2.23	2.27	22.33	17001400	(17000_BF)	63	0	0	0 %
61.32	0.49	0.32	0.59	33.13	63.35	1.51	0.41	1.56	15.4	2.58	2.27	2.26	2.2	2.24	18.5	17001401	(17000_BF)	62	1	0	0 %
61.32	0.49	0.32	0.59	33.13	63.01	1.58	0.6	1.69	20.7	2.03	2.02	2.01	2.1	2.11	15.52	17001402	(17000_BF)	62	1	0	0 %
61.32	0.49	0.32	0.59	33.13	62.12	1.14	0.67	1.33	30.4	1.72	1.08	1.07	1.24	1.19	7.52	17001403	(17000_BF)	62	0	0	0 %
61.32	0.49	0.32	0.59	33.13	61.68	1.62	0.57	1.72	19.5	2.09	1.2	1.17	1.65	1.61	4.06	17001404	(17000_BF)	62	1	0	0 %
61.32	0.49	0.32	0.59	33.13	61.24	1.13	0.55	1.25	26.0	1.03	0.67	0.65	0.96	0.92	1.72	17001405	(17000_BF)	61	0	0	0 %
61.32	0.49	0.32	0.59	33.13	61.25	1.44	0.66	1.59	24.6	1.55	1.0	0.98	1.42	1.36	2.43	17001406	(17000_BF)	61	0	0	0 %
61.32	0.49	0.32	0.59	33.13	60.97	1.19	0.57	1.32	25.6	1.22	0.81	0.8	1.09	1.05	3.64	17001407	(17000_BF)	61	0	0	0 %
61.32	0.49	0.32	0.59	33.13	60.06	1.42	0.73	1.6	27.1	1.67	1.62	1.6	1.77	1.74	11.89	17001408	(17000_BF)	61	0	0	0 %
61.32	0.49	0.32	0.59	33.13	59.87	1.41	0.42	1.47	16.7	1.75	1.71	1.7	1.77	1.8	13.42	17001409	(17000_BF)	61	0	0	0 %
61.32	0.49	0.32	0.59	33.13	58.58	1.39	0.64	1.53	24.6	2.2	2.9	2.89	2.66	2.73	25.45	17001410	(17000_BF)	60	0	0	0 %
61.32	0.49	0.32	0.59	33.13	59.3	0.96	0.45	1.06	25.0	1.64	2.07	2.07	1.82	1.89	18.64	17001411	(17000_BF)	60	0	0	0 %
61.32	0.49	0.32	0.59	33.13	58.05	1.18	0.45	1.26	21.0	2.51	3.34	3.33	2.91	3.04	30.32	17001412	(17000_BF)	60	0	0	0 %
61.32	0.49	0.32	0.59	33.13	57.84	0.71	0.5	0.87	35.1	1.97	3.48	3.48	2.95	3.09	32.26	17001413	(17000_BF)	60	0	0	0 %
61.32	0.49	0.32	0.59	33.13	58.59	0.78	0.23	0.81	16.9	1.93	2.74	2.74	2.32	2.43	25.26	17001414	(17000_BF)	60	0	0	0 %
61.32	0.49	0.32	0.59	33.13	57.02	0.73	0.22	0.76	16.8	2.15	4.3	4.3	3.64	3.84	39.98	17001415	(17000_BF)	59	0	0	0 %
61.32	0.49	0.32	0.59	33.13	59.57	0.45	0.34	0.57	37.0	1.52	1.75	1.75	1.46	1.53	16.14	17001416	(17000_BF)	60	0	0	0 %
61.32	0.49	0.32	0.59	33.13	57.13	0.4	0.21	0.45	27.7	2.01	4.19	4.19	3.53	3.73	38.97	17001417	(17000_BF)	59	0	0	0 %
61.32	0.49	0.32	0.59	33.13	63.39	0.69	0.32	0.76	24.8	1.69	2.07	2.07	1.72	1.78	18.69	17001418	(17000_BF)	62	0	0	0 %
61.32	0.49	0.32	0.59	33.13	64.12	0.48	0.36	0.6	37.0	1.89	2.79	2.79	2.29	2.36	25.17	17001419	(17000_BF)	63	0	0	0 %
61.32	0.49	0.32	0.59	33.13	64.32	0.45	0.59	0.74	52.2	1.99	3.0	3.0	2.48	2.55	26.98	17001420	(17000_BF)	63	0	0	0 %
61.32	0.49	0.32	0.59	33.13	63.07	0.16	0.44	0.46	69.9	1.75	1.78	1.78	1.53	1.58	15.89	17001421	(17000_BF)	62	0	0	0 %
61.32	0.49	0.32	0.59	33.13	63.57	0.21	0.85	0.87	75.7	1.84	2.32	2.32	2.04	2.02	20.42	17001422	(17000_BF)	62	0	0	0 %
61.32	0.49	0.32	0.59	33.13	63.54	-0.17	0.9	0.92	100.7	1.82	2.38	2.38	2.23	2.2	20.18	17001423	(17000_BF)	62	0	0	0 %
61.32	0.49	0.32	0.59	33.13	62.5	0.3	0.52	0.6	60.0	1.17	1.21	1.21	1.06	1.07	10.77	17001424	(17000_BF)	62	0	0	0 %
61.32	0.49	0.32	0.59	33.13	63.54	-0.26	1.1	1.13	103.6	2.03	2.47	2.47	2.42	2.33	20.37	17001425	(17000_BF)	62	0	0	0 %
61.32	0.49	0.32	0.59	33.13	62.68	-0.12	1.06	1.07	96.7	1.64	1.66	1.66	1.8	1.65	12.73	17001426	(17000_BF)	62	0	0	0 %
61.32	0.49	0.32	0.59	33.13	61.98	0.0	0.83	0.83	89.7	1.14	0.96	0.96	1.18	1.05	6.38	17001427	(17000_BF)	62	0	0	0 %
61.32	0.49	0.32	0.59	33.13	62.16	-0.67	1.28	1.44	117.6	1.99	1.73	1.71	2.28	2.09	8.86	17001428	(17000_BF)	62	0	0	0 %
61.32	0.49	0.32	0.59	33.13	61.55	-0.5	1.06	1.17	115.3	2.01	1.26	1.25	1.82	1.66	4.13	17001429	(17000_BF)	61	0	0	0 %
61.32	0.49	0.32	0.59	33.13	61.19	-0.33	0.93	0.99	109.8	1.69	1.04	1.02	1.51	1.38	3.2	17001430	(17000_BF)	61	0	0	0 %
61.32	0.49	0.32	0.59	33.13	60.56	-0.66	1.06	1.25	122.0	2.07	1.57	1.56	2.09	1.98	7.98	17001431	(17000_BF)	61	0	0	0 %
61.32	0.49	0.32	0.59	33.13	60.57	0.06	0.73	0.73	84.7	1.27	0.95	0.95	1.07	0.99	7.09	17001432	(17000_BF)	61	0	0	0 %
61.32	0.49	0.32	0.59	33.13	59.82	-0.09	0.96	0.96	95.4	1.75	1.73	1.72	1.78	1.69	14.09	17001433	(17000_BF)	61	0	0	0 %
61.32	0.49	0.32	0.59	33.13	59.01	-0.09	0.95	0.95	95.4	2.09	2.46	2.46	2.31	2.29	21.54	17001434	(17000_BF)	60	0	0	0 %
61.32	0.49	0.32	0.59	33.13	58.96	0.13	0.7	0.71	79.3	2.01	2.41	2.41	2.12	2.17	21.85	17001435	(17000_BF)	60	0	0	0 %
61.32	0.49	0.32	0.59	33.13	58.28	-0.17	0.55	0.57	107.5	2.09	3.12	3.12	2.76	2.87	28.2	17001436	(17000_BF)	60	0	0	0 %
61.32	0.49	0.32	0.59	33.13	58.65	-0.01	0.46	0.46	91.5	2.07	2.71	2.71	2.37	2.46	24.67	17001437	(17000_BF)	60	0	0	0 %
61.32	0.49	0.32	0.59	33.13	59.19	0.45	0.37	0.59	39.8	1.55	2.13	2.13	1.78	1.86	19.63	17001438	(17000_BF)	60	0	0	0 %
61.32	0.49	0.32	0.59	33.13	58.07	0.37	0.31	0.49	39.5	2.07	3.25	3.25	2.73	2.87	30.1	17001439	(17000_BF)	60	0	0	0 %
61.32	0.49	0.32	0.59	33.13	57.78	0.56	0.12	0.58	12.5	1.93	3.54	3.54	2.98	3.13	32.8	17001440	(17000_BF)	60	0	0	0 %
44.81	38.25	23.24	44.76	31.28	44.88	39.69	25.31	47.08	32.5	1.24	2.52	0.97	1.22	0.99	5.41	17001441	(17000_BF)	45	38	24	%
44.81	38.25	23.24	44.76	31.28	44.91	41.46	27.13	49.55	33.2	1.86	5.04	1.85	2.27	1.84	10.51	17001442	(17000_BF)	45	39	25	%
44.81	38.25	23.24	44.76	31.28	44.84	40.67	26.12	48.34	32.7	1.59	3.76	1.37	1.7	1.38	7.97	17001443	(17000_BF)	45	39	24	%
44.81	38.25	23.24	44.76	31.28	44.89	40.04	24.97	47.19	31.9	1.11	2.49	0.87	1.07	0.86	5.23	17001444	(17000_BF)	45	39	24	%
44.81	38.25	23.24	44.76	31.28	44.94	41.86	26.82	49.72	32.6	1.67	5.08	1.78	2.17	1.74	10.51	17001445	(17000_BF)	45	40	25	%
44.81	38.25	23.24	44.76	31.28	44.92	42.01	26.24	49.53	31.9	1.83	4.81	1.62	1.96	1.57	9.86	17001446	(17000_BF)	45	40	24	%
44.81	38.25	23.24	44.76	31.28	44.89	40.83	24.59	47.66	31.0	1.14	2.9	0.97	1.18	0.95	5.89	17001447	(17000_BF)	45	39	23	%
44.81	38.25	23.24	44.76	31.28	44.84	42.88	25.34	49.81	30.5	2.33	5.08	1.7	2.06	1.65	10.23	17001448	(17000_BF)	45	40	24	%
44.81	38.25	23.24	44.76	31.28	44.88	40.59	23.92	47.11	30.5	1.38	2.43	0.86	1.06	0.86	4.83	17001449	(17000_BF)	45	39	23	%

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
44.81	38.25	23.24	44.76	31.28	44.74	42.29	24.05	48.65	29.6	2.2	4.11	1.52	1.87	1.52	8.32	17001450	(17000_BF)	45	40	23 %
44.81	38.25	23.24	44.76	31.28	44.73	40.08	23.4	46.42	30.2	1.36	1.83	0.73	0.91	0.75	3.87	17001451	(17000_BF)	45	39	23 %
44.81	38.25	23.24	44.76	31.28	44.73	41.63	22.71	47.42	28.6	1.77	3.41	1.55	1.96	1.62	6.94	17001452	(17000_BF)	45	39	22 %
44.81	38.25	23.24	44.76	31.28	44.78	39.8	22.94	45.94	29.9	1.31	1.57	0.73	0.94	0.77	3.19	17001453	(17000_BF)	45	39	23 %
44.81	38.25	23.24	44.76	31.28	44.77	39.55	22.38	45.45	29.5	1.25	1.55	0.86	1.11	0.93	3.32	17001454	(17000_BF)	45	38	22 %
44.81	38.25	23.24	44.76	31.28	44.74	40.24	21.56	45.65	28.1	1.94	2.6	1.49	1.91	1.6	5.68	17001455	(17000_BF)	45	39	22 %
44.81	38.25	23.24	44.76	31.28	45.01	39.49	22.16	45.28	29.3	1.25	1.64	0.96	1.23	1.03	4.06	17001456	(17000_BF)	45	38	22 %
44.81	38.25	23.24	44.76	31.28	44.91	39.61	20.84	44.76	27.7	2.0	2.75	1.64	2.12	1.78	6.48	17001457	(17000_BF)	45	38	22 %
44.81	38.25	23.24	44.76	31.28	44.75	38.54	21.49	44.12	29.1	1.14	1.77	1.01	1.31	1.09	4.21	17001458	(17000_BF)	45	38	22 %
44.81	38.25	23.24	44.76	31.28	44.78	38.01	19.54	42.74	27.2	2.72	3.7	1.97	2.55	2.13	9.09	17001459	(17000_BF)	45	38	21 %
44.81	38.25	23.24	44.76	31.28	44.85	37.41	20.75	42.78	29.0	1.25	2.62	1.22	1.58	1.31	6.3	17001460	(17000_BF)	45	37	21 %
44.81	38.25	23.24	44.76	31.28	44.87	36.73	21.24	42.43	30.0	0.9	2.51	0.95	1.22	1.0	5.78	17001461	(17000_BF)	45	37	22 %
44.81	38.25	23.24	44.76	31.28	44.7	34.83	19.05	39.71	28.6	1.97	5.4	2.03	2.62	2.15	12.34	17001462	(17000_BF)	45	36	21 %
44.81	38.25	23.24	44.76	31.28	44.73	36.17	21.38	42.02	30.5	0.93	2.79	0.96	1.21	0.99	6.04	17001463	(17000_BF)	45	37	22 %
44.81	38.25	23.24	44.76	31.28	44.82	34.3	19.66	39.54	29.8	1.86	5.32	1.84	2.36	1.93	11.87	17001464	(17000_BF)	45	36	21 %
44.81	38.25	23.24	44.76	31.28	47.23	39.62	23.85	46.25	31.0	1.24	2.84	2.47	2.4	2.38	25.41	17001465	(17000_BF)	46	38	23 %
44.81	38.25	23.24	44.76	31.28	46.13	38.96	23.65	45.58	31.2	0.88	1.55	1.34	1.32	1.28	13.94	17001466	(17000_BF)	45	38	23 %
44.81	38.25	23.24	44.76	31.28	47.63	40.03	24.32	46.84	31.2	1.7	3.5	2.9	2.83	2.8	29.54	17001467	(17000_BF)	46	39	23 %
44.81	38.25	23.24	44.76	31.28	47.58	40.5	24.74	47.46	31.4	2.09	3.87	2.91	2.87	2.81	29.04	17001468	(17000_BF)	46	39	23 %
44.81	38.25	23.24	44.76	31.28	46.08	39.7	24.13	46.46	31.2	0.89	2.11	1.38	1.4	1.33	13.46	17001469	(17000_BF)	45	38	23 %
44.81	38.25	23.24	44.76	31.28	47.18	41.58	25.54	48.8	31.5	2.02	4.68	2.72	2.8	2.62	25.29	17001470	(17000_BF)	46	39	24 %
44.81	38.25	23.24	44.76	31.28	45.87	40.33	24.69	47.29	31.4	1.28	2.74	1.35	1.45	1.31	11.81	17001471	(17000_BF)	45	39	23 %
44.81	38.25	23.24	44.76	31.28	45.98	42.24	26.13	49.67	31.7	1.93	5.06	2.01	2.28	1.94	14.91	17001472	(17000_BF)	45	40	24 %
44.81	38.25	23.24	44.76	31.28	45.41	40.48	24.97	47.56	31.6	1.2	2.88	1.12	1.29	1.09	8.05	17001473	(17000_BF)	45	39	24 %
44.81	38.25	23.24	44.76	31.28	44.95	42.37	26.55	50.0	32.0	1.9	5.28	1.78	2.15	1.73	10.8	17001474	(17000_BF)	45	40	24 %
44.81	38.25	23.24	44.76	31.28	44.27	40.55	25.17	47.73	31.8	1.1	3.05	1.15	1.35	1.12	9.16	17001475	(17000_BF)	45	39	24 %
44.81	38.25	23.24	44.76	31.28	42.98	40.29	25.23	47.54	32.0	1.84	3.38	2.08	2.17	1.96	21.44	17001476	(17000_BF)	44	39	24 %
44.81	38.25	23.24	44.76	31.28	43.34	39.13	24.33	46.08	31.8	1.19	2.03	1.55	1.58	1.47	16.54	17001477	(17000_BF)	44	38	23 %
44.81	38.25	23.24	44.76	31.28	42.2	38.54	24.04	45.43	31.9	2.13	2.75	2.64	2.64	2.45	28.59	17001478	(17000_BF)	44	38	23 %
44.81	38.25	23.24	44.76	31.28	43.52	38.21	23.61	44.92	31.7	1.32	1.34	1.31	1.3	1.23	14.02	17001479	(17000_BF)	44	38	23 %
44.81	38.25	23.24	44.76	31.28	42.03	37.22	22.86	43.68	31.5	1.63	2.99	2.81	2.8	2.6	29.91	17001480	(17000_BF)	43	37	23 %
44.81	38.25	23.24	44.76	31.28	43.34	37.62	22.81	44.0	31.2	1.04	1.65	1.49	1.48	1.39	15.69	17001481	(17000_BF)	44	37	23 %
44.81	38.25	23.24	44.76	31.28	41.82	36.4	22.16	42.62	31.3	1.61	3.67	3.06	3.09	2.84	32.0	17001482	(17000_BF)	43	37	22 %
44.81	38.25	23.24	44.76	31.28	46.1	38.51	23.92	45.34	31.8	1.24	1.48	1.33	1.32	1.28	13.7	17001483	(17000_BF)	45	38	23 %
44.81	38.25	23.24	44.76	31.28	47.71	39.98	24.32	46.8	31.3	1.83	3.54	2.97	2.89	2.87	30.34	17001484	(17000_BF)	46	39	23 %
44.81	38.25	23.24	44.76	31.28	47.43	39.99	24.17	46.73	31.1	1.46	3.27	2.69	2.63	2.6	27.41	17001485	(17000_BF)	46	39	23 %
44.81	38.25	23.24	44.76	31.28	46.47	39.66	23.68	46.19	30.8	1.48	2.21	1.73	1.72	1.66	17.46	17001486	(17000_BF)	46	38	23 %
44.81	38.25	23.24	44.76	31.28	47.63	41.07	23.42	47.28	29.6	2.27	3.99	3.03	3.05	2.95	29.68	17001487	(17000_BF)	46	39	23 %
44.81	38.25	23.24	44.76	31.28	46.16	39.77	22.99	45.94	30.0	1.19	2.04	1.52	1.58	1.48	14.39	17001488	(17000_BF)	45	39	23 %
44.81	38.25	23.24	44.76	31.28	46.17	40.4	22.56	46.27	29.1	1.72	2.62	1.75	1.93	1.75	14.84	17001489	(17000_BF)	45	39	22 %
44.81	38.25	23.24	44.76	31.28	46.47	41.32	22.32	46.97	28.3	2.43	3.6	2.28	2.55	2.29	18.24	17001490	(17000_BF)	46	39	22 %
44.81	38.25	23.24	44.76	31.28	45.53	39.89	22.63	45.86	29.5	1.31	1.88	1.14	1.33	1.16	8.25	17001491	(17000_BF)	45	39	22 %
44.81	38.25	23.24	44.76	31.28	44.73	40.22	21.69	45.7	28.3	1.79	2.5	1.42	1.83	1.53	5.47	17001492	(17000_BF)	45	39	22 %
44.81	38.25	23.24	44.76	31.28	44.4	39.23	22.09	45.02	29.3	1.43	1.56	0.98	1.22	1.04	5.53	17001493	(17000_BF)	45	38	22 %
44.81	38.25	23.24	44.76	31.28	43.44	39.3	21.13	44.62	28.2	2.11	2.72	1.96	2.26	1.98	15.55	17001494	(17000_BF)	44	38	22 %
44.81	38.25	23.24	44.76	31.28	43.56	38.37	22.0	44.23	29.8	1.69	1.76	1.43	1.52	1.39	13.56	17001495	(17000_BF)	44	38	22 %
44.81	38.25	23.24	44.76	31.28	41.98	37.87	21.19	43.39	29.2	1.9	3.51	3.01	3.12	2.84	30.55	17001496	(17000_BF)	43	38	22 %
44.81	38.25	23.24	44.76	31.28	43.09	37.66	22.28	43.75	30.6	1.25	2.06	1.78	1.79	1.67	18.42	17001497	(17000_BF)	44	37	22 %
44.81	38.25	23.24	44.76	31.28	41.68	36.09	21.98	42.26	31.3	2.03	4.0	3.23	3.27	3.0	33.52	17001498	(17000_BF)	43	37	22 %
44.81	38.25	23.24	44.76	31.28	43.18	37.12	22.76	43.54	31.5	0.97	2.04	1.68	1.69	1.58	17.43	17001499	(17000_BF)	44	37	23 %

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*		
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																						
86.94	-5.77	47.47	47.82	96.93	86.96	-6.08	52.68	53.03	96.5	1.69	5.21	1.66	2.03	1.6	6.76	17001500	(17000_BF)	87	-5	50 %		
86.94	-5.77	47.47	47.82	96.93	87.06	-5.84	50.89	51.22	96.5	1.29	3.41	1.1	1.34	1.07	4.5	17001501	(17000_BF)	87	-5	49 %		
86.94	-5.77	47.47	47.82	96.93	86.87	-5.75	52.23	52.54	96.2	1.5	4.75	1.53	1.87	1.49	6.26	17001502	(17000_BF)	87	-5	49 %		
86.94	-5.77	47.47	47.82	96.93	86.94	-5.3	51.42	51.69	95.8	1.39	3.97	1.33	1.61	1.33	5.22	17001503	(17000_BF)	87	-5	49 %		
86.94	-5.77	47.47	47.82	96.93	87.02	-5.28	50.61	50.89	95.9	1.25	3.17	1.08	1.31	1.1	4.2	17001504	(17000_BF)	87	-5	49 %		
86.94	-5.77	47.47	47.82	96.93	86.98	-4.91	50.21	50.45	95.5	1.14	2.86	1.07	1.26	1.12	3.84	17001505	(17000_BF)	87	-5	48 %		
86.94	-5.77	47.47	47.82	96.93	87.04	-4.32	49.95	50.13	94.9	1.29	2.86	1.23	1.4	1.35	3.96	17001506	(17000_BF)	87	-5	48 %		
86.94	-5.77	47.47	47.82	96.93	87.11	-4.73	49.02	49.25	95.5	1.09	1.87	0.85	0.95	0.93	2.8	17001507	(17000_BF)	87	-5	48 %		
86.94	-5.77	47.47	47.82	96.93	86.9	-3.66	49.4	49.54	94.2	1.23	2.86	1.44	1.6	1.63	4.12	17001508	(17000_BF)	87	-4	48 %		
86.94	-5.77	47.47	47.82	96.93	87.09	-3.82	48.47	48.62	94.5	1.28	2.19	1.22	1.34	1.4	3.38	17001509	(17000_BF)	87	-4	47 %		
86.94	-5.77	47.47	47.82	96.93	87.03	-3.92	47.81	47.97	94.6	1.29	1.88	1.09	1.2	1.27	2.89	17001510	(17000_BF)	87	-4	47 %		
86.94	-5.77	47.47	47.82	96.93	86.85	-4.27	46.99	47.18	95.2	1.29	1.57	0.86	0.95	0.99	2.41	17001511	(17000_BF)	87	-5	47 %		
86.94	-5.77	47.47	47.82	96.93	86.92	-3.47	46.52	46.65	94.2	1.45	2.48	1.33	1.49	1.54	3.71	17001512	(17000_BF)	87	-4	47 %		
86.94	-5.77	47.47	47.82	96.93	86.97	-3.4	45.75	45.88	94.2	1.64	2.92	1.41	1.61	1.62	4.32	17001513	(17000_BF)	87	-4	46 %		
86.94	-5.77	47.47	47.82	96.93	86.85	-3.88	45.39	45.55	94.8	1.34	2.81	1.2	1.4	1.34	4.07	17001514	(17000_BF)	87	-4	46 %		
86.94	-5.77	47.47	47.82	96.93	87.0	-4.98	46.1	46.37	96.1	1.14	1.58	0.58	0.7	0.63	2.29	17001515	(17000_BF)	87	-5	46 %		
86.94	-5.77	47.47	47.82	96.93	86.88	-4.39	44.87	45.08	95.5	1.48	2.95	1.07	1.31	1.15	4.18	17001516	(17000_BF)	87	-5	46 %		
86.94	-5.77	47.47	47.82	96.93	86.79	-4.65	44.6	44.85	95.9	1.31	3.08	1.06	1.3	1.11	4.4	17001517	(17000_BF)	87	-5	46 %		
86.94	-5.77	47.47	47.82	96.93	86.73	-5.26	43.38	43.7	96.9	1.29	4.12	1.32	1.67	1.35	5.9	17001518	(17000_BF)	87	-5	45 %		
86.94	-5.77	47.47	47.82	96.93	86.97	-5.45	44.8	45.13	96.9	1.14	2.69	0.85	1.08	0.87	3.78	17001519	(17000_BF)	87	-5	46 %		
86.94	-5.77	47.47	47.82	96.93	87.0	-5.83	44.69	45.07	97.4	1.06	2.78	0.9	1.13	0.93	3.93	17001520	(17000_BF)	87	-5	46 %		
86.94	-5.77	47.47	47.82	96.93	86.84	-6.15	42.79	43.23	98.1	1.47	4.69	1.56	1.97	1.65	6.66	17001521	(17000_BF)	87	-5	45 %		
86.94	-5.77	47.47	47.82	96.93	91.16	-7.91	48.38	49.03	99.2	1.51	4.81	4.38	3.25	2.99	30.06	17001522	(17000_BF)	89	-6	47 %		
86.94	-5.77	47.47	47.82	96.93	90.23	-7.15	48.29	48.82	98.4	1.35	3.66	3.38	2.48	2.27	23.54	17001523	(17000_BF)	89	-6	47 %		
86.94	-5.77	47.47	47.82	96.93	90.85	-7.07	48.64	49.16	98.2	1.35	4.28	3.98	2.89	2.62	27.84	17001524	(17000_BF)	89	-6	48 %		
86.94	-5.77	47.47	47.82	96.93	90.02	-6.53	48.28	48.72	97.7	1.37	3.26	3.11	2.23	2.02	21.96	17001525	(17000_BF)	88	-6	47 %		
86.94	-5.77	47.47	47.82	96.93	90.8	-6.23	48.92	49.32	97.2	1.59	4.14	3.89	2.79	2.49	27.44	17001526	(17000_BF)	89	-6	48 %		
86.94	-5.77	47.47	47.82	96.93	89.93	-6.04	48.9	49.27	97.0	1.37	3.31	3.02	2.18	1.95	21.31	17001527	(17000_BF)	88	-5	48 %		
86.94	-5.77	47.47	47.82	96.93	89.95	-5.27	48.95	49.23	96.1	1.7	3.38	3.06	2.23	2.01	21.5	17001528	(17000_BF)	88	-5	48 %		
86.94	-5.77	47.47	47.82	96.93	89.5	-5.25	49.25	49.53	96.0	1.34	3.15	2.64	1.97	1.77	18.3	17001529	(17000_BF)	88	-5	48 %		
86.94	-5.77	47.47	47.82	96.93	89.89	-4.38	49.49	49.68	95.0	1.47	3.83	3.14	2.42	2.23	21.19	17001530	(17000_BF)	88	-5	48 %		
86.94	-5.77	47.47	47.82	96.93	88.69	-4.69	49.16	49.38	95.4	0.97	2.66	1.96	1.59	1.48	12.75	17001531	(17000_BF)	88	-5	48 %		
86.94	-5.77	47.47	47.82	96.93	88.3	-3.91	49.59	49.75	94.5	1.47	3.12	1.91	1.79	1.74	10.39	17001532	(17000_BF)	88	-4	48 %		
86.94	-5.77	47.47	47.82	96.93	87.79	-4.38	48.96	49.16	95.1	1.16	2.2	1.3	1.26	1.24	6.6	17001533	(17000_BF)	87	-5	48 %		
86.94	-5.77	47.47	47.82	96.93	87.14	-4.21	48.7	48.88	94.9	1.09	1.99	1.05	1.15	1.18	3.16	17001534	(17000_BF)	87	-4	48 %		
86.94	-5.77	47.47	47.82	96.93	86.16	-3.68	48.79	48.92	94.3	1.31	2.58	1.54	1.57	1.61	6.85	17001535	(17000_BF)	87	-4	48 %		
86.94	-5.77	47.47	47.82	96.93	86.23	-4.31	48.23	48.42	95.1	1.09	1.78	1.15	1.12	1.14	5.81	17001536	(17000_BF)	87	-5	47 %		
86.94	-5.77	47.47	47.82	96.93	84.95	-3.79	47.93	48.08	94.5	1.15	2.85	2.31	1.92	1.88	14.97	17001537	(17000_BF)	86	-4	47 %		
86.94	-5.77	47.47	47.82	96.93	84.63	-4.43	47.3	47.51	95.3	1.02	2.67	2.43	1.85	1.75	17.01	17001538	(17000_BF)	86	-5	47 %		
86.94	-5.77	47.47	47.82	96.93	83.62	-4.06	47.04	47.21	94.9	1.25	3.75	3.46	2.61	2.45	24.51	17001539	(17000_BF)	85	-4	47 %		
86.94	-5.77	47.47	47.82	96.93	82.22	-3.9	46.44	46.61	94.8	1.43	5.18	4.84	3.61	3.36	34.96	17001540	(17000_BF)	85	-4	46 %		
86.94	-5.77	47.47	47.82	96.93	83.43	-4.19	46.37	46.56	95.1	1.21	4.0	3.63	2.73	2.53	25.86	17001541	(17000_BF)	85	-4	46 %		
86.94	-5.77	47.47	47.82	96.93	91.41	-7.5	51.09	51.64	98.3	1.33	6.0	4.68	3.56	3.16	31.8	17001542	(17000_BF)	89	-6	49 %		
86.94	-5.77	47.47	47.82	96.93	89.9	-6.9	49.94	50.41	97.8	1.12	4.01	3.1	2.37	2.11	21.18	17001543	(17000_BF)	88	-6	48 %		
86.94	-5.77	47.47	47.82	96.93	90.67	-7.54	51.09	51.64	98.3	1.29	5.48	3.98	3.12	2.76	26.72	17001544	(17000_BF)	89	-6	49 %		
86.94	-5.77	47.47	47.82	96.93	89.79	-7.22	50.09	50.6	98.2	1.0	4.12	3.05	2.39	2.13	20.52	17001545	(17000_BF)	88	-6	48 %		
86.94	-5.77	47.47	47.82	96.93	89.43	-7.56	50.42	50.99	98.5	1.12	4.25	2.8	2.31	2.07	18.14	17001546	(17000_BF)	88	-6	48 %		
86.94	-5.77	47.47	47.82	96.93	87.93	-6.99	49.1	49.59	98.1	1.2	2.25	1.27	1.16	1.07	7.47	17001547	(17000_BF)	87	-6	48 %		
86.94	-5.77	47.47	47.82	96.93	87.88	-7.83	49.88	50.49	98.9	1.35	3.3	1.61	1.63	1.53	7.83	17001548	(17000_BF)	87	-6	48 %		
86.94	-5.77	47.47	47.82	96.93	87.14	-7.26	49.25	49.78	98.3	1.2	2.32	0.97	1.1	1.03	3.45	17001549	(17000_BF)	87	-6	48 %		

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					%
86.94	-5.77	47.47	47.82	96.93	86.67	-7.05	48.47	48.98	98.2	1.09	1.64	0.8	0.86	0.85	3.13	17001550	(17000_BF)	87	-6	47 %	
86.94	-5.77	47.47	47.82	96.93	85.76	-7.1	48.46	48.98	98.3	1.47	2.03	1.41	1.21	1.16	9.08	17001551	(17000_BF)	86	-6	47 %	
86.94	-5.77	47.47	47.82	96.93	85.34	-6.53	47.89	48.34	97.7	1.09	1.82	1.65	1.24	1.15	11.83	17001552	(17000_BF)	86	-6	47 %	
86.94	-5.77	47.47	47.82	96.93	83.99	-7.07	47.77	48.29	98.4	1.5	3.24	3.04	2.26	2.11	21.88	17001553	(17000_BF)	85	-6	47 %	
86.94	-5.77	47.47	47.82	96.93	84.22	-6.19	47.15	47.56	97.4	1.62	2.77	2.73	1.97	1.8	19.97	17001554	(17000_BF)	86	-5	47 %	
86.94	-5.77	47.47	47.82	96.93	84.73	-5.73	46.78	47.13	96.9	0.81	2.31	2.22	1.6	1.45	16.15	17001555	(17000_BF)	86	-5	47 %	
86.94	-5.77	47.47	47.82	96.93	84.02	-5.47	46.05	46.37	96.7	1.26	3.26	2.95	2.17	1.96	21.37	17001556	(17000_BF)	85	-5	46 %	
86.94	-5.77	47.47	47.82	96.93	82.84	-4.95	45.05	45.32	96.2	1.42	4.83	4.19	3.13	2.84	30.2	17001557	(17000_BF)	85	-5	46 %	
86.94	-5.77	47.47	47.82	96.93	83.73	-4.78	45.37	45.62	96.0	1.14	3.96	3.31	2.51	2.27	23.59	17001558	(17000_BF)	85	-5	46 %	
86.94	-5.77	47.47	47.82	96.93	82.33	-4.39	44.29	44.51	95.6	1.26	5.77	4.77	3.64	3.3	34.1	17001559	(17000_BF)	85	-5	45 %	
86.94	-5.77	47.47	47.82	96.93	83.25	-4.4	44.67	44.89	95.6	1.08	4.83	3.85	2.98	2.7	27.24	17001560	(17000_BF)	85	-5	46 %	
86.94	-5.77	47.47	47.82	96.93	82.05	-3.95	43.86	44.03	95.1	1.29	6.35	5.1	3.95	3.59	36.22	17001561	(17000_BF)	85	-4	45 %	
56.26	-31.83	0.2	31.84	179.63	56.01	-36.75	-0.64	36.75	181.0	1.98	4.99	2.11	2.35	2.03	7.8	17001562	(17000_BF)	56	-34	0 %	
56.26	-31.83	0.2	31.84	179.63	56.01	-37.68	-0.36	37.68	180.5	2.16	5.87	2.44	2.73	2.34	8.34	17001563	(17000_BF)	56	-34	0 %	
56.26	-31.83	0.2	31.84	179.63	56.49	-34.7	-0.05	34.7	180.0	1.16	2.88	1.21	1.37	1.19	4.34	17001564	(17000_BF)	56	-33	0 %	
56.26	-31.83	0.2	31.84	179.63	56.11	-35.57	-0.14	35.57	180.2	1.57	3.75	1.56	1.77	1.52	5.33	17001565	(17000_BF)	56	-33	0 %	
56.26	-31.83	0.2	31.84	179.63	56.17	-37.62	0.3	37.62	179.5	1.89	5.78	2.37	2.67	2.27	7.5	17001566	(17000_BF)	56	-34	0 %	
56.26	-31.83	0.2	31.84	179.63	56.06	-34.58	0.67	34.59	178.8	1.26	2.79	1.18	1.34	1.16	4.63	17001567	(17000_BF)	56	-33	0 %	
56.26	-31.83	0.2	31.84	179.63	56.08	-36.14	1.73	36.19	177.2	1.91	4.57	2.03	2.21	1.97	8.73	17001568	(17000_BF)	56	-33	0 %	
56.26	-31.83	0.2	31.84	179.63	56.37	-34.63	1.63	34.67	177.2	1.61	3.14	1.48	1.58	1.46	7.06	17001569	(17000_BF)	56	-33	0 %	
56.26	-31.83	0.2	31.84	179.63	56.08	-34.95	2.67	35.05	175.6	2.07	3.97	2.07	2.11	2.02	11.19	17001570	(17000_BF)	56	-33	1 %	
56.26	-31.83	0.2	31.84	179.63	56.27	-33.08	1.66	33.12	177.1	1.26	1.91	1.09	1.09	1.08	6.32	17001571	(17000_BF)	56	-32	0 %	
56.26	-31.83	0.2	31.84	179.63	56.16	-32.89	2.56	32.99	175.5	1.71	2.59	1.64	1.57	1.61	9.96	17001572	(17000_BF)	56	-32	1 %	
56.26	-31.83	0.2	31.84	179.63	56.14	-32.04	1.79	32.09	176.7	1.32	1.61	1.08	1.02	1.07	6.78	17001573	(17000_BF)	56	-31	0 %	
56.26	-31.83	0.2	31.84	179.63	56.28	-30.99	2.83	31.12	174.7	1.83	2.76	1.83	1.75	1.81	10.92	17001574	(17000_BF)	56	-31	1 %	
56.26	-31.83	0.2	31.84	179.63	56.27	-30.76	1.75	30.81	176.7	1.32	1.88	1.15	1.13	1.14	6.64	17001575	(17000_BF)	56	-31	0 %	
56.26	-31.83	0.2	31.84	179.63	56.17	-28.77	2.39	28.87	175.2	2.07	3.76	1.99	2.11	2.02	10.01	17001576	(17000_BF)	56	-30	1 %	
56.26	-31.83	0.2	31.84	179.63	56.29	-29.42	1.43	29.46	177.1	1.34	2.71	1.31	1.44	1.34	6.14	17001577	(17000_BF)	56	-30	0 %	
56.26	-31.83	0.2	31.84	179.63	56.25	-27.65	1.48	27.69	176.9	1.82	4.38	1.95	2.26	2.05	7.86	17001578	(17000_BF)	56	-29	0 %	
56.26	-31.83	0.2	31.84	179.63	56.1	-28.49	0.91	28.51	178.1	1.39	3.42	1.47	1.73	1.54	5.59	17001579	(17000_BF)	56	-30	0 %	
56.26	-31.83	0.2	31.84	179.63	56.28	-26.39	0.99	26.41	177.8	1.85	5.5	2.31	2.8	2.49	8.23	17001580	(17000_BF)	56	-29	0 %	
56.26	-31.83	0.2	31.84	179.63	56.17	-28.6	0.56	28.61	178.8	1.34	3.25	1.35	1.62	1.42	4.68	17001581	(17000_BF)	56	-30	0 %	
56.26	-31.83	0.2	31.84	179.63	60.2	-34.11	0.0	34.11	180.0	2.43	4.55	4.04	3.51	3.67	36.96	17001582	(17000_BF)	58	-32	0 %	
56.26	-31.83	0.2	31.84	179.63	58.43	-32.96	0.12	32.96	179.7	1.36	2.44	2.21	1.93	2.03	20.53	17001583	(17000_BF)	57	-32	0 %	
56.26	-31.83	0.2	31.84	179.63	60.22	-33.13	0.37	33.14	179.3	2.22	4.16	3.99	3.41	3.6	37.12	17001584	(17000_BF)	58	-32	0 %	
56.26	-31.83	0.2	31.84	179.63	58.56	-32.22	0.41	32.22	179.2	1.28	2.33	2.3	1.97	2.1	21.78	17001585	(17000_BF)	57	-32	0 %	
56.26	-31.83	0.2	31.84	179.63	59.7	-31.05	0.9	31.06	178.3	2.19	3.59	3.48	2.98	3.16	32.64	17001586	(17000_BF)	58	-31	0 %	
56.26	-31.83	0.2	31.84	179.63	58.21	-31.09	0.75	31.1	178.6	1.28	2.15	2.0	1.74	1.85	18.75	17001587	(17000_BF)	57	-31	0 %	
56.26	-31.83	0.2	31.84	179.63	59.04	-29.52	1.05	29.54	177.9	2.24	3.71	2.99	2.69	2.78	26.9	17001588	(17000_BF)	58	-30	0 %	
56.26	-31.83	0.2	31.84	179.63	57.59	-30.44	0.8	30.45	178.4	1.09	2.01	1.5	1.38	1.42	13.17	17001589	(17000_BF)	57	-31	0 %	
56.26	-31.83	0.2	31.84	179.63	57.86	-28.56	1.43	28.6	177.1	2.26	3.84	2.26	2.28	2.22	16.87	17001590	(17000_BF)	57	-30	0 %	
56.26	-31.83	0.2	31.84	179.63	56.88	-29.33	1.03	29.35	177.9	1.26	2.7	1.33	1.45	1.35	7.84	17001591	(17000_BF)	57	-30	0 %	
56.26	-31.83	0.2	31.84	179.63	56.53	-26.96	1.82	27.02	176.1	2.19	5.14	2.33	2.7	2.46	9.94	17001592	(17000_BF)	56	-29	1 %	
56.26	-31.83	0.2	31.84	179.63	56.17	-29.38	0.81	29.39	178.4	1.01	2.52	1.09	1.27	1.14	4.24	17001593	(17000_BF)	56	-30	0 %	
56.26	-31.83	0.2	31.84	179.63	55.55	-27.15	1.48	27.19	176.8	2.05	4.91	2.25	2.58	2.36	10.63	17001594	(17000_BF)	56	-29	0 %	
56.26	-31.83	0.2	31.84	179.63	55.67	-29.45	0.78	29.46	178.4	1.32	2.52	1.21	1.33	1.23	6.85	17001595	(17000_BF)	56	-30	0 %	
56.26	-31.83	0.2	31.84	179.63	54.5	-28.09	1.08	28.11	177.7	1.89	4.23	2.42	2.49	2.41	17.95	17001596	(17000_BF)	55	-29	0 %	
56.26	-31.83	0.2	31.84	179.63	54.8	-29.12	0.88	29.13	178.2	1.26	3.15	1.9	1.9	1.86	14.69	17001597	(17000_BF)	56	-30	0 %	
56.26	-31.83	0.2	31.84	179.63	52.92	-27.72	0.84	27.73	178.2	2.46	5.34	3.77	3.6	3.68	32.79	17001598	(17000_BF)	55	-29	0 %	
56.26	-31.83	0.2	31.84	179.63	54.42	-30.08	0.63	30.09	178.7	1.11	2.57	1.99	1.84	1.91	17.91	17001599	(17000_BF)	55	-30	0 %	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
56.26	-31.83	0.2	31.84	179.63	51.83	-29.22	0.46	29.22	179.0	2.46	5.15	4.56	4.11	4.4	43.24	17001600	(17000_BF)	54	-30	0 %	
56.26	-31.83	0.2	31.84	179.63	54.31	-31.0	0.3	31.0	179.4	1.15	2.12	1.98	1.75	1.87	18.89	17001601	(17000_BF)	55	-31	0 %	
56.26	-31.83	0.2	31.84	179.63	51.54	-30.0	0.28	30.0	179.4	2.65	5.07	4.78	4.27	4.61	46.15	17001602	(17000_BF)	54	-30	0 %	
56.26	-31.83	0.2	31.84	179.63	58.45	-32.62	-0.07	32.62	180.1	1.18	2.33	2.21	1.91	2.03	20.73	17001603	(17000_BF)	57	-32	0 %	
56.26	-31.83	0.2	31.84	179.63	60.23	-33.82	0.23	33.82	179.5	2.19	4.43	4.04	3.49	3.66	37.19	17001604	(17000_BF)	58	-32	0 %	
56.26	-31.83	0.2	31.84	179.63	58.42	-33.13	0.5	33.13	179.1	1.42	2.53	2.23	1.95	2.05	20.48	17001605	(17000_BF)	57	-32	0 %	
56.26	-31.83	0.2	31.84	179.63	59.79	-34.57	1.31	34.59	177.8	2.01	4.6	3.77	3.34	3.45	33.55	17001606	(17000_BF)	58	-33	0 %	
56.26	-31.83	0.2	31.84	179.63	58.1	-33.56	0.99	33.57	178.2	1.03	2.64	2.03	1.84	1.89	17.77	17001607	(17000_BF)	57	-32	0 %	
56.26	-31.83	0.2	31.84	179.63	58.72	-35.14	1.86	35.19	176.9	1.75	4.43	3.0	2.8	2.81	24.36	17001608	(17000_BF)	57	-33	1 %	
56.26	-31.83	0.2	31.84	179.63	57.47	-33.77	1.37	33.8	177.6	1.23	2.56	1.64	1.56	1.56	12.6	17001609	(17000_BF)	57	-32	0 %	
56.26	-31.83	0.2	31.84	179.63	57.69	-34.57	2.24	34.64	176.2	1.51	3.69	2.25	2.17	2.15	16.16	17001610	(17000_BF)	57	-33	1 %	
56.26	-31.83	0.2	31.84	179.63	56.79	-33.35	1.48	33.38	177.4	1.32	2.05	1.17	1.17	1.15	7.52	17001611	(17000_BF)	57	-32	0 %	
56.26	-31.83	0.2	31.84	179.63	56.49	-34.83	2.55	34.93	175.8	2.05	3.81	1.98	2.02	1.93	10.63	17001612	(17000_BF)	56	-33	1 %	
56.26	-31.83	0.2	31.84	179.63	56.08	-33.34	1.52	33.37	177.3	1.41	2.01	1.09	1.1	1.07	6.19	17001613	(17000_BF)	56	-32	0 %	
56.26	-31.83	0.2	31.84	179.63	55.47	-34.01	2.26	34.09	176.1	1.87	3.1	1.81	1.78	1.76	12.03	17001614	(17000_BF)	56	-32	1 %	
56.26	-31.83	0.2	31.84	179.63	55.46	-32.74	1.45	32.77	177.4	1.18	1.74	1.22	1.14	1.18	9.55	17001615	(17000_BF)	56	-32	0 %	
56.26	-31.83	0.2	31.84	179.63	53.87	-33.05	2.08	33.11	176.3	2.44	3.27	2.74	2.46	2.62	24.68	17001616	(17000_BF)	55	-32	1 %	
56.26	-31.83	0.2	31.84	179.63	54.61	-32.27	1.2	32.3	177.8	1.34	1.98	1.79	1.58	1.7	16.59	17001617	(17000_BF)	55	-32	0 %	
56.26	-31.83	0.2	31.84	179.63	52.94	-31.48	1.18	31.5	177.8	2.39	3.48	3.38	2.98	3.23	32.56	17001618	(17000_BF)	55	-31	0 %	
56.26	-31.83	0.2	31.84	179.63	54.12	-31.49	0.5	31.5	179.0	1.42	2.19	2.15	1.89	2.04	20.8	17001619	(17000_BF)	55	-31	0 %	
56.26	-31.83	0.2	31.84	179.63	52.25	-30.36	0.6	30.36	178.8	2.48	4.29	4.07	3.61	3.9	39.15	17001620	(17000_BF)	54	-31	0 %	
56.26	-31.83	0.2	31.84	179.63	51.68	-29.71	0.21	29.71	179.5	2.54	5.04	4.66	4.17	4.49	44.68	17001621	(17000_BF)	54	-30	0 %	
56.26	-31.83	0.2	31.84	179.63	54.22	-30.91	0.0	30.91	179.9	1.18	2.24	2.07	1.84	1.96	19.73	17001622	(17000_BF)	55	-31	0 %	
35.88	5.51	-31.11	31.59	280.06	36.15	3.56	-27.26	27.49	277.4	1.16	4.31	1.93	2.38	1.21	22.18	17001623	(17000_BF)	36	4	-29 %	
35.88	5.51	-31.11	31.59	280.06	35.96	3.78	-26.61	26.88	278.1	1.3	4.81	2.06	2.53	1.52	24.75	17001624	(17000_BF)	36	4	-28 %	
35.88	5.51	-31.11	31.59	280.06	35.94	4.45	-27.24	27.6	279.2	1.23	4.01	1.67	2.02	1.47	21.1	17001625	(17000_BF)	36	4	-29 %	
35.88	5.51	-31.11	31.59	280.06	36.04	5.07	-28.33	28.78	280.1	1.23	2.81	1.16	1.4	1.22	15.47	17001626	(17000_BF)	36	5	-29 %	
35.88	5.51	-31.11	31.59	280.06	35.96	5.78	-28.97	29.54	281.2	1.19	2.15	0.95	1.16	1.34	11.71	17001627	(17000_BF)	36	5	-30 %	
35.88	5.51	-31.11	31.59	280.06	35.92	6.38	-29.64	30.32	282.1	1.37	1.7	0.92	1.16	1.41	8.25	17001628	(17000_BF)	36	5	-30 %	
35.88	5.51	-31.11	31.59	280.06	35.73	6.34	-30.05	30.71	281.9	1.07	1.34	0.78	0.98	1.17	5.8	17001629	(17000_BF)	36	5	-30 %	
35.88	5.51	-31.11	31.59	280.06	36.11	6.8	-31.12	31.85	282.3	1.26	1.3	0.88	1.11	1.01	4.04	17001630	(17000_BF)	36	6	-31 %	
35.88	5.51	-31.11	31.59	280.06	35.63	6.87	-30.9	31.66	282.5	1.29	1.39	0.96	1.21	1.17	4.41	17001631	(17000_BF)	36	6	-31 %	
35.88	5.51	-31.11	31.59	280.06	35.79	7.36	-31.43	32.28	283.1	1.27	1.88	1.22	1.53	1.29	5.06	17001632	(17000_BF)	36	6	-31 %	
35.88	5.51	-31.11	31.59	280.06	35.81	7.75	-32.1	33.03	283.5	1.2	2.44	1.47	1.83	1.31	7.82	17001633	(17000_BF)	36	6	-31 %	
35.88	5.51	-31.11	31.59	280.06	35.96	7.15	-31.68	32.48	282.7	1.22	1.73	1.07	1.34	1.02	4.92	17001634	(17000_BF)	36	6	-31 %	
35.88	5.51	-31.11	31.59	280.06	35.73	7.41	-31.88	32.74	283.0	1.2	2.05	1.25	1.56	1.15	6.8	17001635	(17000_BF)	36	6	-31 %	
35.88	5.51	-31.11	31.59	280.06	35.86	7.88	-32.49	33.43	283.6	1.14	2.74	1.57	1.94	1.26	9.37	17001636	(17000_BF)	36	6	-31 %	
35.88	5.51	-31.11	31.59	280.06	35.98	7.97	-33.09	34.04	283.5	1.45	3.15	1.69	2.05	1.13	11.87	17001637	(17000_BF)	36	6	-32 %	
35.88	5.51	-31.11	31.59	280.06	35.57	8.2	-33.63	34.62	283.7	1.22	3.69	1.92	2.3	1.18	16.26	17001638	(17000_BF)	36	6	-32 %	
35.88	5.51	-31.11	31.59	280.06	35.79	8.63	-34.42	35.49	284.0	1.36	4.55	2.26	2.69	1.27	19.46	17001639	(17000_BF)	36	7	-32 %	
35.88	5.51	-31.11	31.59	280.06	35.67	8.88	-35.06	36.17	284.2	1.19	5.19	2.52	2.97	1.34	23.29	17001640	(17000_BF)	36	7	-33 %	
35.88	5.51	-31.11	31.59	280.06	35.94	8.75	-35.88	36.93	283.7	1.22	5.76	2.65	3.07	1.33	26.25	17001641	(17000_BF)	36	7	-33 %	
35.88	5.51	-31.11	31.59	280.06	35.73	7.84	-35.2	36.06	282.5	1.02	4.7	2.1	2.43	1.12	22.99	17001642	(17000_BF)	36	6	-33 %	
35.88	5.51	-31.11	31.59	280.06	35.79	6.9	-34.62	35.3	281.2	1.12	3.78	1.6	1.84	1.08	19.3	17001643	(17000_BF)	36	6	-32 %	
35.88	5.51	-31.11	31.59	280.06	38.18	5.5	-32.47	32.93	279.6	1.49	2.66	2.36	2.58	2.06	25.68	17001644	(17000_BF)	37	5	-31 %	
35.88	5.51	-31.11	31.59	280.06	33.15	5.37	-29.87	30.35	280.1	1.19	2.99	2.77	3.16	2.3	31.02	17001645	(17000_BF)	35	5	-30 %	
35.88	5.51	-31.11	31.59	280.06	38.18	5.79	-32.07	32.58	280.2	1.39	2.5	2.33	2.54	1.96	25.76	17001646	(17000_BF)	37	5	-31 %	
35.88	5.51	-31.11	31.59	280.06	38.21	6.38	-32.48	33.1	281.1	1.4	2.84	2.44	2.68	2.0	26.1	17001647	(17000_BF)	37	5	-31 %	
35.88	5.51	-31.11	31.59	280.06	37.93	6.53	-32.24	32.89	281.4	1.34	2.54	2.17	2.41	1.77	22.98	17001648	(17000_BF)	37	6	-31 %	
35.88	5.51	-31.11	31.59	280.06	37.82	6.62	-32.15	32.83	281.6	1.42	2.46	2.09	2.32	1.7	21.81	17001649	(17000_BF)	37	6	-31 %	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
35.88	5.51	-31.11	31.59	280.06	37.46	6.98	-32.23	32.98	282.2	1.4	2.42	1.87	2.12	1.5	17.96	17001650	(17000_BF)	37	6	-31 %	
35.88	5.51	-31.11	31.59	280.06	36.64	7.07	-31.39	32.18	282.7	1.38	1.75	1.27	1.54	1.26	9.31	17001651	(17000_BF)	36	6	-31 %	
35.88	5.51	-31.11	31.59	280.06	36.13	6.93	-30.9	31.67	282.6	1.34	1.44	0.99	1.25	1.21	4.75	17001652	(17000_BF)	36	6	-31 %	
35.88	5.51	-31.11	31.59	280.06	35.47	6.63	-30.49	31.2	282.2	1.18	1.34	0.93	1.16	1.22	5.76	17001653	(17000_BF)	36	6	-30 %	
35.88	5.51	-31.11	31.59	280.06	35.02	6.65	-30.33	31.05	282.3	1.25	1.62	1.23	1.48	1.45	10.3	17001654	(17000_BF)	35	6	-30 %	
35.88	5.51	-31.11	31.59	280.06	34.62	6.53	-30.14	30.84	282.2	1.52	1.88	1.53	1.78	1.64	14.64	17001655	(17000_BF)	35	6	-30 %	
35.88	5.51	-31.11	31.59	280.06	34.02	5.91	-29.74	30.32	281.2	1.22	2.34	1.98	2.26	1.84	21.18	17001656	(17000_BF)	35	5	-30 %	
35.88	5.51	-31.11	31.59	280.06	33.49	6.16	-29.74	30.37	281.7	1.22	2.82	2.51	2.88	2.29	27.14	17001657	(17000_BF)	35	5	-30 %	
35.88	5.51	-31.11	31.59	280.06	33.11	5.45	-29.24	29.74	280.5	1.37	3.34	2.88	3.29	2.46	31.45	17001658	(17000_BF)	35	5	-30 %	
35.88	5.51	-31.11	31.59	280.06	33.17	5.49	-29.55	30.05	280.5	1.47	3.12	2.78	3.18	2.36	30.7	17001659	(17000_BF)	35	5	-30 %	
35.88	5.51	-31.11	31.59	280.06	37.87	5.95	-32.5	33.04	280.3	1.27	2.46	2.08	2.28	1.74	22.33	17001660	(17000_BF)	37	5	-31 %	
35.88	5.51	-31.11	31.59	280.06	37.29	5.77	-31.9	32.42	280.2	1.04	1.63	1.45	1.6	1.21	15.84	17001661	(17000_BF)	37	5	-31 %	
35.88	5.51	-31.11	31.59	280.06	36.91	6.4	-31.53	32.17	281.4	0.89	1.41	1.18	1.34	1.0	11.69	17001662	(17000_BF)	36	5	-31 %	
35.88	5.51	-31.11	31.59	280.06	35.94	6.43	-31.05	31.71	281.6	0.75	0.91	0.61	0.78	0.73	2.33	17001663	(17000_BF)	36	5	-31 %	
35.88	5.51	-31.11	31.59	280.06	34.33	5.85	-30.04	30.6	281.0	0.72	1.91	1.64	1.87	1.51	17.62	17001664	(17000_BF)	35	5	-30 %	
35.88	5.51	-31.11	31.59	280.06	34.19	5.43	-30.06	30.55	280.2	0.91	1.99	1.75	1.98	1.48	19.2	17001665	(17000_BF)	35	5	-30 %	
35.88	5.51	-31.11	31.59	280.06	34.08	5.05	-29.89	30.31	279.5	0.96	2.22	1.88	2.13	1.53	20.4	17001666	(17000_BF)	35	5	-30 %	
35.88	5.51	-31.11	31.59	280.06	35.92	7.96	-33.02	33.97	283.5	1.22	3.1	1.67	2.03	1.14	11.66	17001667	(17000_BF)	36	6	-32 %	
35.88	5.51	-31.11	31.59	280.06	36.3	8.09	-33.29	34.26	283.6	1.42	3.39	1.83	2.21	1.21	12.78	17001668	(17000_BF)	36	6	-32 %	
35.88	5.51	-31.11	31.59	280.06	36.63	8.16	-33.21	34.2	283.8	1.44	3.45	1.95	2.34	1.37	13.56	17001669	(17000_BF)	36	6	-32 %	
35.88	5.51	-31.11	31.59	280.06	36.96	7.92	-33.45	34.37	283.3	1.39	3.52	2.02	2.38	1.36	15.99	17001670	(17000_BF)	36	6	-32 %	
35.88	5.51	-31.11	31.59	280.06	37.62	6.96	-32.99	33.72	281.9	1.3	2.94	2.07	2.33	1.57	20.21	17001671	(17000_BF)	37	6	-32 %	
35.88	5.51	-31.11	31.59	280.06	38.0	6.78	-33.06	33.75	281.5	1.36	3.14	2.37	2.63	1.87	24.09	17001672	(17000_BF)	37	6	-32 %	
35.88	5.51	-31.11	31.59	280.06	37.87	5.5	-32.04	32.51	279.7	1.23	2.19	2.02	2.22	1.74	22.35	17001673	(17000_BF)	37	5	-31 %	
35.88	5.51	-31.11	31.59	280.06	37.48	4.63	-31.16	31.51	278.4	1.22	1.82	1.7	1.9	1.52	18.65	17001674	(17000_BF)	37	5	-31 %	
35.88	5.51	-31.11	31.59	280.06	37.42	3.92	-30.88	31.13	277.2	1.31	2.23	1.87	2.15	1.74	18.77	17001675	(17000_BF)	37	4	-30 %	
35.88	5.51	-31.11	31.59	280.06	37.13	3.61	-30.5	30.72	276.7	1.47	2.35	1.77	2.09	1.63	16.44	17001676	(17000_BF)	37	4	-30 %	
35.88	5.51	-31.11	31.59	280.06	36.85	3.45	-30.11	30.31	276.5	1.12	2.48	1.69	2.03	1.48	14.66	17001677	(17000_BF)	36	4	-30 %	
35.88	5.51	-31.11	31.59	280.06	36.42	3.01	-29.59	29.75	275.8	1.27	2.97	1.79	2.22	1.49	13.04	17001678	(17000_BF)	36	4	-30 %	
35.88	5.51	-31.11	31.59	280.06	36.15	3.0	-29.25	29.4	275.8	1.19	3.13	1.78	2.21	1.35	12.78	17001679	(17000_BF)	36	4	-30 %	
35.88	5.51	-31.11	31.59	280.06	35.84	7.06	-32.4	33.16	282.3	0.86	2.02	1.07	1.31	0.71	7.99	17001680	(17000_BF)	36	6	-31 %	
35.88	5.51	-31.11	31.59	280.06	36.15	7.06	-32.4	33.16	282.3	0.94	2.03	1.11	1.34	0.75	7.67	17001681	(17000_BF)	36	6	-31 %	
35.88	5.51	-31.11	31.59	280.06	37.15	7.09	-33.04	33.8	282.1	1.08	2.79	1.74	2.0	1.24	15.85	17001682	(17000_BF)	37	6	-32 %	
35.88	5.51	-31.11	31.59	280.06	36.94	6.61	-32.32	32.99	281.5	0.91	1.95	1.33	1.52	1.0	12.52	17001683	(17000_BF)	36	6	-31 %	
35.88	5.51	-31.11	31.59	280.06	37.62	5.19	-31.58	32.0	279.3	1.33	1.83	1.76	1.94	1.54	19.76	17001684	(17000_BF)	37	5	-31 %	
35.88	5.51	-31.11	31.59	280.06	36.87	5.26	-31.47	31.91	279.4	0.47	1.08	1.01	1.12	0.9	11.18	17001685	(17000_BF)	36	5	-31 %	
35.88	5.51	-31.11	31.59	280.06	36.76	4.64	-30.86	31.21	278.5	0.98	1.25	1.04	1.2	0.93	10.89	17001686	(17000_BF)	36	5	-30 %	
35.88	5.51	-31.11	31.59	280.06	36.38	3.91	-30.16	30.42	277.3	1.33	1.92	1.2	1.46	0.99	9.54	17001687	(17000_BF)	36	4	-30 %	
35.88	5.51	-31.11	31.59	280.06	36.04	3.37	-29.62	29.81	276.4	1.34	2.61	1.49	1.86	1.16	10.09	17001688	(17000_BF)	36	4	-30 %	
35.88	5.51	-31.11	31.59	280.06	35.71	4.0	-29.97	30.24	277.6	1.12	1.9	1.07	1.32	0.8	6.9	17001689	(17000_BF)	36	4	-30 %	
44.57	-31.29	-32.76	45.31	226.31	46.86	-32.42	-32.91	46.2	225.4	2.12	2.56	2.35	2.27	2.24	24.72	17001690	(17000_BF)	46	-31	-32 %	
44.57	-31.29	-32.76	45.31	226.31	49.1	-32.87	-37.23	49.66	228.5	3.3	6.55	4.88	4.76	4.7	48.11	17001691	(17000_BF)	47	-32	-35 %	
44.57	-31.29	-32.76	45.31	226.31	43.59	-30.89	-32.71	44.99	226.6	0.66	1.05	0.99	0.98	0.92	10.71	17001692	(17000_BF)	44	-31	-32 %	
44.57	-31.29	-32.76	45.31	226.31	45.19	-30.42	-30.57	43.13	225.1	1.79	2.43	1.09	1.19	1.03	14.25	17001693	(17000_BF)	45	-30	-31 %	
44.57	-31.29	-32.76	45.31	226.31	39.2	-28.39	-35.93	45.79	231.6	2.92	6.87	5.94	5.95	5.27	66.35	17001694	(17000_BF)	42	-29	-34 %	
44.57	-31.29	-32.76	45.31	226.31	43.75	-30.44	-37.93	48.63	231.2	1.81	5.29	2.76	2.73	2.3	29.38	17001695	(17000_BF)	44	-30	-35 %	
44.57	-31.29	-32.76	45.31	226.31	46.54	-30.75	-35.0	46.6	228.6	2.46	3.03	2.31	2.24	2.13	21.65	17001696	(17000_BF)	46	-31	-33 %	
44.57	-31.29	-32.76	45.31	226.31	39.29	-27.51	-35.7	45.07	232.3	2.9	7.11	5.99	5.99	5.31	64.72	17001697	(17000_BF)	42	-29	-34 %	
44.57	-31.29	-32.76	45.31	226.31	44.09	-28.13	-37.5	46.88	233.1	2.03	5.71	3.33	3.17	2.7	25.74	17001698	(17000_BF)	44	-29	-35 %	
44.57	-31.29	-32.76	45.31	226.31	53.79	-30.58	-31.4	43.83	225.7	4.21	9.35	9.24	8.57	9.22	97.82	17001699	(17000_BF)	49	-30	-32 %	

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /.PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation
TUB-Material: Code=rha4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> /PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*a*b*	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB	data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL										%BF_2776=BFD_ALL									
44.57	-31.29	-32.76	45.31	226.31	46.99	-33.11	-37.32	49.9	228.4	2.68	5.47	3.04	3.12	2.85	29.94	17001700	(17000_BF)	46	-32	-35
44.57	-31.29	-32.76	45.31	226.31	41.49	-29.0	-34.48	45.05	229.9	1.89	4.2	3.51	3.47	3.15	37.4	17001701	(17000_BF)	43	-30	-33
44.57	-31.29	-32.76	45.31	226.31	46.83	-31.77	-33.68	46.3	226.6	1.25	2.48	2.29	2.22	2.19	23.84	17001702	(17000_BF)	46	-31	-33
44.57	-31.29	-32.76	45.31	226.31	50.71	-31.38	-35.82	47.63	228.7	3.45	6.86	6.3	5.97	6.16	63.43	17001703	(17000_BF)	48	-31	-34
44.57	-31.29	-32.76	45.31	226.31	41.39	-28.83	-38.73	48.29	233.3	2.02	7.19	4.76	4.66	4.08	52.26	17001704	(17000_BF)	43	-30	-35
44.57	-31.29	-32.76	45.31	226.31	44.67	-31.45	-32.77	45.42	226.1	0.13	0.19	0.12	0.12	0.11	1.1	17001705	(17000_BF)	45	-31	-32
44.57	-31.29	-32.76	45.31	226.31	44.45	-31.67	-33.58	46.16	226.6	0.41	0.9	0.34	0.39	0.32	4.61	17001706	(17000_BF)	45	-31	-33
44.57	-31.29	-32.76	45.31	226.31	45.91	-30.96	-38.6	49.49	231.2	2.69	6.0	3.1	3.1	2.65	28.73	17001707	(17000_BF)	45	-31	-35
44.57	-31.29	-32.76	45.31	226.31	46.87	-29.76	-36.56	47.15	230.8	2.76	4.69	3.22	3.11	2.87	27.43	17001708	(17000_BF)	46	-30	-34
44.57	-31.29	-32.76	45.31	226.31	42.06	-29.0	-38.64	48.31	233.1	2.51	6.78	4.25	4.15	3.62	45.64	17001709	(17000_BF)	43	-30	-35
44.57	-31.29	-32.76	45.31	226.31	36.37	-29.22	-27.59	40.19	223.3	4.15	9.91	8.46	8.83	7.54	89.03	17001710	(17000_BF)	40	-30	-30
44.57	-31.29	-32.76	45.31	226.31	38.72	-27.18	-37.01	45.92	233.7	2.86	8.31	6.81	6.81	5.98	74.54	17001711	(17000_BF)	42	-29	-34
44.57	-31.29	-32.76	45.31	226.31	42.62	-33.16	-36.94	49.64	228.0	1.51	4.96	2.56	2.71	2.36	33.96	17001712	(17000_BF)	44	-32	-34
44.57	-31.29	-32.76	45.31	226.31	43.74	-34.03	-36.14	49.65	226.7	1.84	4.43	1.66	1.92	1.59	21.57	17001713	(17000_BF)	44	-32	-34
44.57	-31.29	-32.76	45.31	226.31	45.01	-28.8	-38.08	47.74	232.8	2.18	5.88	3.3	3.18	2.68	25.74	17001714	(17000_BF)	45	-30	-35
44.57	-31.29	-32.76	45.31	226.31	45.04	-31.28	-33.67	45.96	227.1	1.15	1.02	0.63	0.63	0.57	5.97	17001715	(17000_BF)	45	-31	-33
44.57	-31.29	-32.76	45.31	226.31	48.99	-28.73	-29.35	41.07	225.6	3.75	6.14	4.64	4.57	4.53	54.04	17001716	(17000_BF)	47	-30	-31
44.57	-31.29	-32.76	45.31	226.31	41.01	-29.78	-30.69	42.77	225.8	2.75	4.38	3.65	3.71	3.36	38.24	17001717	(17000_BF)	43	-30	-31
44.57	-31.29	-32.76	45.31	226.31	47.83	-32.3	-35.41	47.93	227.6	2.9	4.32	3.43	3.35	3.29	34.43	17001718	(17000_BF)	46	-31	-34
44.57	-31.29	-32.76	45.31	226.31	39.59	-27.69	-38.4	47.34	234.2	2.6	8.33	6.29	6.23	5.47	69.37	17001719	(17000_BF)	42	-29	-35
37.95	-26.39	22.5	34.68	139.54	38.77	-27.03	24.95	36.79	137.2	1.45	2.65	1.48	1.54	1.34	10.14	17001720	(17000_BF)	38	-26	23
37.95	-26.39	22.5	34.68	139.54	38.86	-27.63	25.04	37.28	137.8	0.8	2.95	1.53	1.65	1.4	11.1	17001721	(17000_BF)	38	-27	23
37.95	-26.39	22.5	34.68	139.54	38.13	-28.05	24.73	37.4	138.5	0.73	2.78	1.14	1.29	1.1	5.5	17001722	(17000_BF)	38	-27	23
37.95	-26.39	22.5	34.68	139.54	38.81	-28.14	25.44	37.94	137.8	0.97	3.52	1.68	1.84	1.55	11.09	17001723	(17000_BF)	38	-27	23
37.95	-26.39	22.5	34.68	139.54	37.8	-29.5	24.6	38.41	140.1	1.31	3.75	1.48	1.7	1.44	6.72	17001724	(17000_BF)	38	-27	23
37.95	-26.39	22.5	34.68	139.54	38.65	-28.05	24.31	37.12	139.0	1.12	2.54	1.19	1.34	1.11	8.58	17001725	(17000_BF)	38	-27	23
37.95	-26.39	22.5	34.68	139.54	39.88	-27.97	25.28	37.7	137.9	1.67	3.72	2.35	2.53	2.11	21.74	17001726	(17000_BF)	39	-27	23
37.95	-26.39	22.5	34.68	139.54	38.15	-30.43	24.7	39.2	140.9	1.94	4.6	1.86	2.1	1.78	7.5	17001727	(17000_BF)	38	-28	23
37.95	-26.39	22.5	34.68	139.54	39.79	-28.9	26.91	39.49	137.0	2.07	5.39	2.83	3.05	2.57	21.79	17001728	(17000_BF)	39	-27	24
37.95	-26.39	22.5	34.68	139.54	39.76	-31.88	24.39	40.14	142.5	2.31	6.08	3.08	3.3	2.8	21.08	17001729	(17000_BF)	39	-29	23
37.95	-26.39	22.5	34.68	139.54	38.02	-28.22	24.15	37.14	139.4	1.02	2.46	0.96	1.12	0.94	4.41	17001730	(17000_BF)	38	-27	23
37.95	-26.39	22.5	34.68	139.54	35.36	-34.28	20.26	39.82	149.4	3.19	8.6	5.33	5.25	4.64	31.91	17001731	(17000_BF)	37	-30	21
37.95	-26.39	22.5	34.68	139.54	36.34	-30.42	22.43	37.8	143.5	2.26	4.34	2.62	2.72	2.33	19.38	17001732	(17000_BF)	37	-28	22
37.95	-26.39	22.5	34.68	139.54	40.05	-31.57	23.82	39.55	142.9	2.12	5.74	3.18	3.37	2.87	23.9	17001733	(17000_BF)	39	-28	23
37.95	-26.39	22.5	34.68	139.54	36.06	-27.71	23.23	36.16	140.0	1.6	2.41	1.98	2.17	1.7	21.68	17001734	(17000_BF)	37	-27	22
37.95	-26.39	22.5	34.68	139.54	36.26	-27.23	20.98	34.38	142.3	1.85	2.42	2.03	2.12	1.75	19.18	17001735	(17000_BF)	37	-26	21
37.95	-26.39	22.5	34.68	139.54	37.64	-27.82	25.01	37.41	138.0	0.93	2.89	1.27	1.4	1.2	7.03	17001736	(17000_BF)	38	-27	23
37.95	-26.39	22.5	34.68	139.54	36.94	-27.34	21.08	34.52	142.3	1.71	1.98	1.51	1.51	1.31	11.77	17001737	(17000_BF)	37	-26	21
37.95	-26.39	22.5	34.68	139.54	37.65	-27.17	20.72	34.17	142.6	1.65	1.97	1.28	1.21	1.14	5.27	17001738	(17000_BF)	38	-26	21
37.95	-26.39	22.5	34.68	139.54	38.32	-25.98	22.16	34.15	139.5	0.1	0.64	0.42	0.46	0.38	4.34	17001739	(17000_BF)	38	-26	22
37.95	-26.39	22.5	34.68	139.54	35.13	-23.41	19.06	30.19	140.8	2.35	5.35	3.35	3.8	3.02	32.24	17001740	(17000_BF)	37	-24	20
37.95	-26.39	22.5	34.68	139.54	38.23	-28.72	16.95	33.35	149.4	2.9	6.02	3.9	3.67	3.48	14.59	17001741	(17000_BF)	38	-27	19
37.95	-26.39	22.5	34.68	139.54	33.61	-30.9	19.3	36.43	148.0	2.92	7.03	5.59	5.82	4.76	49.88	17001742	(17000_BF)	36	-28	20
37.95	-26.39	22.5	34.68	139.54	38.34	-32.75	24.63	40.98	143.0	2.36	6.71	2.91	3.13	2.7	10.46	17001743	(17000_BF)	38	-29	23
37.95	-26.39	22.5	34.68	139.54	40.69	-33.15	25.95	42.1	141.9	2.43	8.06	4.12	4.45	3.73	31.45	17001744	(17000_BF)	39	-29	24
37.95	-26.39	22.5	34.68	139.54	33.81	-23.24	19.78	30.52	139.5	2.81	5.87	4.45	5.01	3.84	46.68	17001745	(17000_BF)	36	-24	21
37.95	-26.39	22.5	34.68	139.54	32.57	-24.57	18.54	30.78	142.9	3.06	6.93	5.74	6.44	4.85	60.71	17001746	(17000_BF)	35	-25	20
37.95	-26.39	22.5	34.68	139.54	38.59	-24.44	24.9	34.89	134.4	2.03	3.15	2.12	2.0	1.89	9.01	17001747	(17000_BF)	38	-25	23
37.95	-26.39	22.5	34.68	139.54	34.95	-31.69	20.49	37.74	147.1	2.94	6.42	4.51	4.58	3.9	35.16	17001748	(17000_BF)	36	-29	21
29.68	-17.75	-15.57	23.62	221.26	30.36	-19.26	-16.17	25.15	220.0	2.27	1.75	1.07	1.25	1.02	8.23	17001749	(17000_BF)	30	-18	-15

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation
TUB-Material: Code=rha4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
29.68	-17.75	-15.57	23.62	221.26	28.05	-18.71	-15.61	24.37	219.8	0.94	1.89	1.72	2.17	1.37	19.23	17001750	(17000_BF)	29	-18	-15 %
29.68	-17.75	-15.57	23.62	221.26	27.07	-18.1	-15.37	23.74	220.3	2.12	2.64	2.63	3.38	2.0	30.32	17001751	(17000_BF)	28	-17	-15 %
29.68	-17.75	-15.57	23.62	221.26	26.9	-17.55	-14.52	22.78	219.6	3.64	2.97	2.85	3.66	2.19	31.93	17001752	(17000_BF)	28	-17	-15 %
29.68	-17.75	-15.57	23.62	221.26	30.48	-23.98	-13.4	27.47	209.1	5.03	6.64	4.44	4.5	4.28	18.48	17001753	(17000_BF)	30	-20	-14 %
29.68	-17.75	-15.57	23.62	221.26	31.18	-24.16	-13.37	27.61	208.9	5.23	6.93	4.72	4.85	4.48	24.15	17001754	(17000_BF)	30	-20	-14 %
29.68	-17.75	-15.57	23.62	221.26	29.69	-26.23	-11.74	28.73	204.1	6.32	9.3	6.24	6.15	5.97	24.44	17001755	(17000_BF)	30	-21	-13 %
29.68	-17.75	-15.57	23.62	221.26	30.47	-23.15	-14.86	27.51	212.6	4.56	5.49	3.47	3.59	3.37	13.15	17001756	(17000_BF)	30	-20	-15 %
29.68	-17.75	-15.57	23.62	221.26	33.64	-28.78	-14.6	32.27	206.9	6.44	11.75	7.69	8.07	6.9	48.82	17001757	(17000_BF)	32	-23	-15 %
29.68	-17.75	-15.57	23.62	221.26	31.09	-22.09	-15.77	27.14	215.5	3.96	4.56	2.89	3.17	2.75	17.31	17001758	(17000_BF)	30	-19	-15 %
29.68	-17.75	-15.57	23.62	221.26	30.4	-21.41	-15.95	26.7	216.6	3.35	3.74	2.22	2.39	2.19	9.87	17001759	(17000_BF)	30	-19	-15 %
29.68	-17.75	-15.57	23.62	221.26	27.29	-16.79	-19.35	25.61	229.0	4.07	4.57	3.57	4.12	3.0	37.58	17001760	(17000_BF)	28	-17	-17 %
29.68	-17.75	-15.57	23.62	221.26	28.09	-14.34	-21.43	25.79	236.2	5.43	6.96	5.11	5.41	4.54	40.15	17001761	(17000_BF)	29	-16	-18 %
29.68	-17.75	-15.57	23.62	221.26	27.77	-13.47	-20.27	24.33	236.3	5.37	6.63	5.05	5.45	4.59	37.42	17001762	(17000_BF)	29	-15	-17 %
29.68	-17.75	-15.57	23.62	221.26	30.93	-15.65	-19.24	24.8	230.8	4.99	4.4	3.29	3.5	2.95	22.89	17001763	(17000_BF)	30	-16	-17 %
29.68	-17.75	-15.57	23.62	221.26	31.15	-16.29	-19.09	25.1	229.5	4.99	4.08	3.06	3.31	2.69	23.5	17001764	(17000_BF)	30	-17	-17 %
29.68	-17.75	-15.57	23.62	221.26	29.24	-17.88	-19.32	26.32	227.2	3.87	3.77	2.36	2.49	2.11	21.86	17001765	(17000_BF)	29	-17	-17 %
29.68	-17.75	-15.57	23.62	221.26	28.42	-16.62	-19.03	25.26	228.8	3.96	3.84	2.82	3.06	2.47	25.85	17001766	(17000_BF)	29	-17	-17 %
29.68	-17.75	-15.57	23.62	221.26	29.41	-16.87	-18.89	25.33	228.2	4.01	3.44	2.36	2.45	2.12	18.86	17001767	(17000_BF)	30	-17	-17 %
29.68	-17.75	-15.57	23.62	221.26	28.96	-20.78	-25.28	32.72	230.5	6.2	10.18	5.57	5.72	4.84	55.22	17001768	(17000_BF)	29	-19	-20 %
29.68	-17.75	-15.57	23.62	221.26	27.31	-17.83	-22.88	29.01	232.0	5.41	7.68	5.07	5.52	4.31	52.88	17001769	(17000_BF)	28	-17	-19 %
29.68	-17.75	-15.57	23.62	221.26	28.31	-17.97	-22.27	28.62	231.0	5.37	6.83	4.3	4.55	3.74	42.51	17001770	(17000_BF)	29	-17	-18 %
29.68	-17.75	-15.57	23.62	221.26	28.44	-18.76	-22.21	29.08	229.8	5.22	6.82	4.1	4.35	3.59	41.47	17001771	(17000_BF)	29	-18	-18 %
29.68	-17.75	-15.57	23.62	221.26	31.95	-21.56	-21.14	30.2	224.4	6.15	7.11	4.06	4.55	3.59	36.61	17001772	(17000_BF)	31	-19	-18 %
29.68	-17.75	-15.57	23.62	221.26	30.48	-18.01	-23.69	29.76	232.7	6.39	8.15	4.98	5.12	4.32	43.1	17001773	(17000_BF)	30	-17	-19 %
29.68	-17.75	-15.57	23.62	221.26	28.67	-15.82	-22.4	27.43	234.7	5.76	7.16	4.89	5.07	4.28	41.1	17001774	(17000_BF)	29	-16	-18 %
29.68	-17.75	-15.57	23.62	221.26	28.88	-16.44	-22.0	27.47	233.2	5.78	6.6	4.41	4.57	3.87	37.84	17001775	(17000_BF)	29	-17	-18 %
29.68	-17.75	-15.57	23.62	221.26	30.08	-16.62	-20.89	26.7	231.5	5.35	5.45	3.65	3.77	3.24	28.44	17001776	(17000_BF)	30	-17	-18 %
29.68	-17.75	-15.57	23.62	221.26	30.73	-17.47	-20.16	26.68	229.0	5.25	4.7	3.11	3.3	2.73	25.65	17001777	(17000_BF)	30	-17	-17 %
76.59	-3.39	88.32	88.38	92.2	76.55	-8.46	86.62	87.04	95.5	2.38	5.35	2.24	2.64	2.8	8.27	17001778	(17000_BF)	77	-5	87 %
76.59	-3.39	88.32	88.38	92.2	76.81	-2.35	94.29	94.32	91.4	1.24	6.06	1.32	1.91	1.34	3.58	17001779	(17000_BF)	77	-2	91 %
76.59	-3.39	88.32	88.38	92.2	77.04	-6.36	91.87	92.09	93.9	1.96	4.64	1.47	1.82	1.68	6.16	17001780	(17000_BF)	77	-4	90 %
76.59	-3.39	88.32	88.38	92.2	76.49	-7.17	91.33	91.61	94.4	2.1	4.83	1.67	2.05	2.02	6.39	17001781	(17000_BF)	77	-5	89 %
76.59	-3.39	88.32	88.38	92.2	76.98	-6.56	92.18	92.41	94.0	2.13	5.01	1.55	1.95	1.79	6.23	17001782	(17000_BF)	77	-4	90 %
76.59	-3.39	88.32	88.38	92.2	76.92	-2.86	86.52	86.57	91.8	0.98	1.9	0.53	0.65	0.5	3.0	17001783	(17000_BF)	77	-3	87 %
76.59	-3.39	88.32	88.38	92.2	77.27	-2.08	88.64	88.66	91.3	0.82	1.51	0.89	0.85	0.87	5.84	17001784	(17000_BF)	77	-2	88 %
76.59	-3.39	88.32	88.38	92.2	76.81	-3.99	85.7	85.79	92.6	1.44	2.69	0.64	0.89	0.67	2.48	17001785	(17000_BF)	77	-3	87 %
76.59	-3.39	88.32	88.38	92.2	76.25	-5.94	86.84	87.04	93.9	1.71	2.97	1.21	1.42	1.47	5.05	17001786	(17000_BF)	76	-4	87 %
76.59	-3.39	88.32	88.38	92.2	76.49	-7.3	82.82	83.15	95.0	2.18	6.74	2.11	2.71	2.56	7.04	17001787	(17000_BF)	77	-5	85 %
76.59	-3.39	88.32	88.38	92.2	76.31	-0.78	91.21	91.22	90.4	1.58	3.9	1.31	1.63	1.56	5.16	17001788	(17000_BF)	76	-2	89 %
76.59	-3.39	88.32	88.38	92.2	76.32	-2.54	90.16	90.19	91.6	0.69	2.04	0.59	0.75	0.64	2.71	17001789	(17000_BF)	76	-2	89 %
76.59	-3.39	88.32	88.38	92.2	76.63	-0.46	87.35	87.36	90.3	1.61	3.08	1.26	1.53	1.6	5.02	17001790	(17000_BF)	77	-1	87 %
76.59	-3.39	88.32	88.38	92.2	76.76	-3.57	83.1	83.18	92.4	1.16	5.22	1.07	1.63	1.09	3.14	17001791	(17000_BF)	77	-3	85 %
76.59	-3.39	88.32	88.38	92.2	77.04	-4.65	82.45	82.59	93.2	1.48	6.01	1.41	1.99	1.49	5.3	17001792	(17000_BF)	77	-4	85 %
76.59	-3.39	88.32	88.38	92.2	76.54	-3.08	89.79	89.84	91.9	0.82	1.5	0.33	0.48	0.35	0.96	17001793	(17000_BF)	77	-3	89 %
76.59	-3.39	88.32	88.38	92.2	75.97	0.45	90.36	90.37	89.7	1.92	4.39	1.82	2.13	2.19	8.31	17001794	(17000_BF)	76	-1	89 %
76.59	-3.39	88.32	88.38	92.2	75.79	0.7	90.94	90.94	89.5	1.79	4.92	2.01	2.34	2.37	9.56	17001795	(17000_BF)	76	-1	89 %
76.59	-3.39	88.32	88.38	92.2	76.1	-2.94	83.47	83.52	92.0	0.82	4.89	1.09	1.56	1.06	4.53	17001796	(17000_BF)	76	-3	85 %
76.59	-3.39	88.32	88.38	92.2	76.55	-1.71	89.01	89.03	91.1	0.76	1.81	0.74	0.89	0.93	2.87	17001797	(17000_BF)	77	-2	88 %
76.59	-3.39	88.32	88.38	92.2	76.45	-3.12	87.73	87.79	92.0	0.7	0.66	0.21	0.24	0.2	1.21	17001798	(17000_BF)	77	-3	88 %
76.59	-3.39	88.32	88.38	92.2	75.59	-1.96	88.44	88.47	91.2	0.75	1.74	1.17	1.04	1.06	8.29	17001799	(17000_BF)	76	-2	88 %

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /.PS TUB-Material: Code=rh4ta
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
76.59	-3.39	88.32	88.38	92.2	76.45	3.51	94.09	94.15	87.8	2.45	8.99	3.18	3.96	3.9	12.21	17001800	(17000_BF)	77	0	91 %
76.59	-3.39	88.32	88.38	92.2	76.99	-0.53	84.84	84.85	90.3	1.45	4.51	1.44	1.83	1.71	6.13	17001801	(17000_BF)	77	-1	86 %
76.59	-3.39	88.32	88.38	92.2	75.95	-2.24	88.93	88.95	91.4	0.45	1.44	0.81	0.78	0.79	5.44	17001802	(17000_BF)	76	-2	88 %
76.59	-3.39	88.32	88.38	92.2	76.77	-3.82	87.94	88.02	92.4	1.07	0.6	0.27	0.28	0.28	1.63	17001803	(17000_BF)	77	-3	88 %
76.59	-3.39	88.32	88.38	92.2	76.57	-2.01	89.56	89.58	91.2	0.92	1.85	0.65	0.81	0.8	2.4	17001804	(17000_BF)	77	-2	88 %
76.59	-3.39	88.32	88.38	92.2	76.66	-2.97	88.84	88.89	91.9	0.74	0.67	0.22	0.28	0.26	0.95	17001805	(17000_BF)	77	-3	88 %
76.59	-3.39	88.32	88.38	92.2	75.28	-1.99	89.03	89.06	91.2	0.85	2.04	1.45	1.24	1.22	10.73	17001806	(17000_BF)	76	-2	88 %
76.59	-3.39	88.32	88.38	92.2	76.68	-3.37	86.6	86.67	92.2	0.77	1.72	0.35	0.53	0.35	1.15	17001807	(17000_BF)	77	-3	87 %
47.87	-38.09	-21.61	43.8	209.56	49.02	-34.01	-26.29	42.99	217.7	4.92	6.32	3.9	3.62	3.55	24.59	17001808	(17000_BF)	48	-36	-23 %
47.87	-38.09	-21.61	43.8	209.56	50.31	-40.42	-22.51	46.26	209.1	3.83	3.48	2.58	2.48	2.57	24.97	17001809	(17000_BF)	49	-39	-22 %
47.87	-38.09	-21.61	43.8	209.56	48.06	-45.06	-18.53	48.72	202.3	4.89	7.62	3.88	3.69	3.63	17.33	17001810	(17000_BF)	48	-41	-20 %
47.87	-38.09	-21.61	43.8	209.56	53.41	-47.72	-15.8	50.27	198.3	6.82	12.53	8.14	7.49	7.86	66.13	17001811	(17000_BF)	51	-42	-18 %
47.87	-38.09	-21.61	43.8	209.56	49.64	-47.42	-12.54	49.05	194.8	7.2	13.12	7.6	6.88	7.26	50.1	17001812	(17000_BF)	49	-42	-17 %
47.87	-38.09	-21.61	43.8	209.56	48.39	-30.92	-30.99	43.78	225.0	5.87	11.82	7.14	6.62	6.24	45.99	17001813	(17000_BF)	48	-34	-26 %
47.87	-38.09	-21.61	43.8	209.56	48.03	-38.72	-24.48	45.81	212.3	3.56	2.94	1.47	1.44	1.35	13.85	17001814	(17000_BF)	48	-38	-23 %
47.87	-38.09	-21.61	43.8	209.56	46.65	-36.49	-27.12	45.46	216.6	5.24	5.86	3.57	3.3	3.23	31.95	17001815	(17000_BF)	47	-37	-24 %
47.87	-38.09	-21.61	43.8	209.56	45.18	-34.05	-29.49	45.05	220.8	5.81	9.25	5.94	5.51	5.35	52.6	17001816	(17000_BF)	47	-36	-25 %
47.87	-38.09	-21.61	43.8	209.56	43.25	-31.76	-31.66	44.85	224.9	6.49	12.74	8.51	7.96	7.61	77.34	17001817	(17000_BF)	46	-34	-26 %
47.87	-38.09	-21.61	43.8	209.56	43.2	-33.91	-30.62	45.69	222.0	5.94	10.97	7.53	7.06	6.83	73.61	17001818	(17000_BF)	46	-36	-26 %
47.87	-38.09	-21.61	43.8	209.56	40.89	-37.65	-24.96	45.17	213.5	5.45	7.75	7.23	7.07	6.77	79.94	17001819	(17000_BF)	44	-37	-23 %
47.87	-38.09	-21.61	43.8	209.56	48.93	-34.86	-27.31	44.28	218.0	5.58	6.63	4.08	3.76	3.68	28.38	17001820	(17000_BF)	48	-36	-24 %
47.87	-38.09	-21.61	43.8	209.56	52.6	-33.73	-27.47	43.51	219.1	6.4	8.7	6.47	5.95	6.16	52.45	17001821	(17000_BF)	50	-35	-24 %
47.87	-38.09	-21.61	43.8	209.56	49.97	-34.45	-27.44	44.05	218.5	5.91	7.19	4.65	4.28	4.25	33.08	17001822	(17000_BF)	49	-36	-24 %
47.87	-38.09	-21.61	43.8	209.56	46.85	-39.79	-22.33	45.63	209.3	1.45	2.1	1.19	1.22	1.17	12.09	17001823	(17000_BF)	47	-38	-21 %
47.87	-38.09	-21.61	43.8	209.56	45.55	-32.01	-19.55	37.51	211.4	4.14	6.82	3.23	3.56	3.25	25.74	17001824	(17000_BF)	47	-35	-20 %
47.87	-38.09	-21.61	43.8	209.56	48.01	-30.84	-20.3	36.92	213.3	4.31	7.37	2.82	3.33	2.89	11.69	17001825	(17000_BF)	48	-34	-20 %
47.87	-38.09	-21.61	43.8	209.56	45.97	-29.5	-23.64	37.81	218.6	5.31	9.02	4.79	4.86	4.58	25.81	17001826	(17000_BF)	47	-33	-22 %
47.87	-38.09	-21.61	43.8	209.56	44.53	-32.86	-20.34	38.65	211.7	3.46	6.33	3.87	3.98	3.79	35.18	17001827	(17000_BF)	46	-35	-20 %
47.87	-38.09	-21.61	43.8	209.56	42.56	-31.89	-22.33	38.93	215.0	4.84	8.19	6.03	5.98	5.76	57.54	17001828	(17000_BF)	45	-34	-21 %
47.87	-38.09	-21.61	43.8	209.56	47.63	-41.02	-20.76	45.98	206.8	3.15	3.05	1.49	1.48	1.41	5.8	17001829	(17000_BF)	48	-39	-21 %
47.87	-38.09	-21.61	43.8	209.56	50.51	-39.55	-21.54	45.04	208.5	3.76	3.02	2.71	2.54	2.7	27.39	17001830	(17000_BF)	49	-38	-21 %
47.87	-38.09	-21.61	43.8	209.56	47.97	-44.67	-16.5	47.62	200.2	6.24	8.32	4.64	4.27	4.38	26.07	17001831	(17000_BF)	48	-41	-19 %
47.87	-38.09	-21.61	43.8	209.56	51.27	-42.64	-17.12	45.95	201.8	6.19	7.24	5.02	4.61	4.87	43.57	17001832	(17000_BF)	50	-40	-19 %
47.87	-38.09	-21.61	43.8	209.56	46.52	-43.5	-16.64	46.58	200.9	6.12	7.46	4.41	4.05	4.18	27.3	17001833	(17000_BF)	47	-40	-19 %
47.87	-38.09	-21.61	43.8	209.56	50.31	-45.58	-17.13	48.69	200.6	5.96	9.05	5.25	4.89	5.0	36.0	17001834	(17000_BF)	49	-41	-19 %
47.87	-38.09	-21.61	43.8	209.56	50.09	-41.39	-15.66	44.26	200.7	6.16	7.14	4.65	4.25	4.48	39.01	17001835	(17000_BF)	49	-39	-18 %
47.87	-38.09	-21.61	43.8	209.56	55.55	-32.41	-24.23	40.47	216.7	6.5	9.91	8.4	7.68	8.24	77.24	17001836	(17000_BF)	52	-35	-22 %
29.43	8.75	-38.9	39.87	282.67	26.91	13.3	-43.45	45.44	287.0	2.56	6.91	3.79	4.66	2.52	46.24	17001837	(17000_BF)	28	11	-41 %
29.43	8.75	-38.9	39.87	282.67	28.32	9.88	-39.93	41.13	283.9	2.04	1.88	1.3	1.64	0.95	16.46	17001838	(17000_BF)	29	9	-39 %
29.43	8.75	-38.9	39.87	282.67	28.58	11.59	-42.48	44.03	285.2	2.11	4.64	2.08	2.49	1.17	24.74	17001839	(17000_BF)	29	10	-40 %
29.43	8.75	-38.9	39.87	282.67	28.29	14.95	-46.15	48.52	287.9	2.38	9.61	4.15	4.83	2.29	45.4	17001840	(17000_BF)	29	11	-42 %
29.43	8.75	-38.9	39.87	282.67	28.84	8.52	-38.76	39.69	282.4	2.05	0.64	0.6	0.76	0.46	6.97	17001841	(17000_BF)	29	8	-38 %
29.43	8.75	-38.9	39.87	282.67	29.52	10.75	-42.51	43.85	284.1	1.94	4.13	1.58	1.88	0.86	18.21	17001842	(17000_BF)	29	9	-40 %
29.43	8.75	-38.9	39.87	282.67	27.7	4.26	-34.49	34.75	277.0	1.87	6.52	3.4	4.29	2.19	27.01	17001843	(17000_BF)	29	6	-36 %
29.43	8.75	-38.9	39.87	282.67	27.47	7.63	-38.93	39.67	281.0	1.47	2.24	2.07	2.65	1.69	24.13	17001844	(17000_BF)	28	8	-38 %
29.43	8.75	-38.9	39.87	282.67	28.37	4.25	-35.03	35.28	276.9	1.85	6.02	3.05	3.83	2.05	22.2	17001845	(17000_BF)	29	6	-36 %
29.43	8.75	-38.9	39.87	282.67	28.62	7.2	-36.67	37.38	281.1	1.98	2.82	1.37	1.71	0.83	12.6	17001846	(17000_BF)	29	7	-37 %
29.43	8.75	-38.9	39.87	282.67	28.38	12.64	-43.82	45.61	286.0	2.3	6.36	2.8	3.32	1.55	32.95	17001847	(17000_BF)	29	10	-41 %
29.43	8.75	-38.9	39.87	282.67	28.26	10.56	-41.61	42.93	284.2	2.11	3.45	1.74	2.14	1.1	23.48	17001848	(17000_BF)	29	9	-40 %
29.43	8.75	-38.9	39.87	282.67	28.28	11.49	-41.76	43.31	285.3	2.44	4.12	2.08	2.53	1.32	24.46	17001849	(17000_BF)	29	10	-40 %

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /.PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation
TUB-Material: Code=rh4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
29.43	8.75	-38.9	39.87	282.67	28.85	3.31	-34.76	34.92	275.4	1.74	6.85	3.48	4.35	2.5	23.8	17001850	(17000_BF)	29	6	-36 %
29.43	8.75	-38.9	39.87	282.67	29.5	12.95	-45.13	46.95	286.0	2.36	7.51	2.98	3.47	1.5	31.95	17001851	(17000_BF)	29	10	-42 %
29.43	8.75	-38.9	39.87	282.67	29.96	9.46	-41.32	42.39	282.8	2.12	2.58	1.05	1.27	0.88	11.61	17001852	(17000_BF)	30	9	-40 %
29.43	8.75	-38.9	39.87	282.67	30.47	13.01	-46.81	48.59	285.5	2.69	9.05	3.56	4.14	2.05	37.34	17001853	(17000_BF)	30	10	-42 %
29.43	8.75	-38.9	39.87	282.67	34.2	6.3	-38.35	38.86	279.3	2.63	5.39	5.0	6.0	4.08	59.5	17001854	(17000_BF)	32	7	-38 %
29.43	8.75	-38.9	39.87	282.67	31.07	9.63	-42.49	43.56	282.7	2.38	4.04	2.11	2.56	1.77	21.73	17001855	(17000_BF)	30	9	-40 %
29.43	8.75	-38.9	39.87	282.67	31.11	9.38	-40.51	41.59	283.0	2.02	2.42	1.8	2.22	1.38	19.4	17001856	(17000_BF)	30	9	-39 %
29.43	8.75	-38.9	39.87	282.67	32.64	4.65	-34.3	34.62	277.7	2.46	6.94	4.23	5.22	2.93	53.07	17001857	(17000_BF)	31	6	-36 %
29.43	8.75	-38.9	39.87	282.67	27.88	9.7	-38.78	39.97	284.0	2.19	1.82	1.65	2.11	1.39	19.02	17001858	(17000_BF)	29	9	-38 %
29.43	8.75	-38.9	39.87	282.67	29.21	7.38	-32.36	33.2	282.8	3.57	6.68	2.39	3.02	2.6	32.95	17001859	(17000_BF)	29	8	-35 %
29.43	8.75	-38.9	39.87	282.67	27.95	8.81	-34.55	35.66	284.3	3.27	4.59	2.21	2.79	2.57	23.28	17001860	(17000_BF)	29	8	-36 %
29.43	8.75	-38.9	39.87	282.67	27.72	14.48	-42.79	45.17	288.7	2.82	7.13	3.78	4.52	2.84	36.42	17001861	(17000_BF)	29	11	-40 %
29.43	8.75	-38.9	39.87	282.67	29.35	8.88	-39.37	40.36	282.7	1.88	0.49	0.18	0.23	0.16	2.82	17001862	(17000_BF)	29	8	-39 %
29.43	8.75	-38.9	39.87	282.67	26.08	9.32	-35.1	36.32	284.8	3.86	5.09	3.69	4.79	3.45	38.72	17001863	(17000_BF)	28	9	-37 %
29.43	8.75	-38.9	39.87	282.67	25.65	4.66	-29.0	29.37	279.1	3.65	11.36	5.49	7.17	4.07	56.83	17001864	(17000_BF)	28	6	-33 %
29.43	8.75	-38.9	39.87	282.67	28.61	9.25	-41.33	42.36	282.6	2.09	2.61	1.2	1.48	1.09	18.42	17001865	(17000_BF)	29	9	-40 %
29.43	8.75	-38.9	39.87	282.67	28.27	8.64	-41.9	42.78	281.6	1.71	3.21	1.62	2.0	1.76	24.07	17001866	(17000_BF)	29	8	-40 %
32.95	59.42	-0.02	59.42	359.97	32.76	60.08	3.05	60.16	2.9	1.71	3.16	1.64	1.5	1.66	14.71	17001867	(17000_BF)	33	59	1 %
32.95	59.42	-0.02	59.42	359.97	34.05	59.81	2.76	59.87	2.6	2.18	3.02	1.84	1.84	1.74	18.11	17001868	(17000_BF)	34	59	1 %
32.95	59.42	-0.02	59.42	359.97	33.55	61.74	-1.68	61.76	358.4	1.85	2.9	1.22	1.37	1.07	10.99	17001869	(17000_BF)	33	60	0 %
32.95	59.42	-0.02	59.42	359.97	35.11	62.82	-3.24	62.91	357.0	2.88	5.14	2.87	3.19	2.42	29.12	17001870	(17000_BF)	34	61	-1 %
32.95	59.42	-0.02	59.42	359.97	32.46	60.58	0.19	60.58	0.1	0.35	1.27	0.59	0.71	0.51	6.48	17001871	(17000_BF)	33	60	0 %
32.95	59.42	-0.02	59.42	359.97	33.46	66.63	-4.1	66.76	356.4	3.12	8.29	2.89	3.28	2.58	24.06	17001872	(17000_BF)	33	63	-2 %
32.95	59.42	-0.02	59.42	359.97	34.58	63.93	5.52	64.17	4.9	3.35	7.33	3.51	3.55	3.36	30.98	17001873	(17000_BF)	34	61	2 %
32.95	59.42	-0.02	59.42	359.97	35.1	62.38	1.56	62.4	1.4	2.63	3.99	2.44	2.78	2.08	25.55	17001874	(17000_BF)	34	60	0 %
32.95	59.42	-0.02	59.42	359.97	32.84	59.52	1.88	59.55	1.8	0.97	1.91	1.01	0.92	1.02	9.25	17001875	(17000_BF)	33	59	0 %
32.95	59.42	-0.02	59.42	359.97	31.79	61.04	-1.0	61.05	359.0	1.67	2.21	1.34	1.57	1.11	15.14	17001876	(17000_BF)	32	60	0 %
32.95	59.42	-0.02	59.42	359.97	31.61	51.47	3.53	51.59	3.9	3.45	8.82	3.23	3.81	3.26	25.55	17001877	(17000_BF)	32	55	1 %
32.95	59.42	-0.02	59.42	359.97	33.78	65.76	-3.93	65.87	356.5	3.24	7.48	2.75	3.1	2.44	23.5	17001878	(17000_BF)	33	62	-1 %
32.95	59.42	-0.02	59.42	359.97	31.83	52.53	-0.33	52.53	359.6	3.23	6.99	2.19	2.88	2.16	16.44	17001879	(17000_BF)	32	55	0 %
32.95	59.42	-0.02	59.42	359.97	32.28	52.12	4.37	52.31	4.7	3.29	8.54	3.21	3.58	3.33	24.67	17001880	(17000_BF)	33	55	2 %
32.95	59.42	-0.02	59.42	359.97	34.32	68.66	-7.5	69.06	353.7	4.04	11.96	4.71	5.08	4.04	42.59	17001881	(17000_BF)	34	64	-3 %
32.95	59.42	-0.02	59.42	359.97	34.21	63.06	-2.42	63.11	357.7	2.71	4.53	2.02	2.29	1.75	18.94	17001882	(17000_BF)	34	61	-1 %
32.95	59.42	-0.02	59.42	359.97	32.05	59.32	0.18	59.32	0.1	1.04	0.93	0.91	1.07	0.73	10.56	17001883	(17000_BF)	33	59	0 %
32.95	59.42	-0.02	59.42	359.97	31.65	53.24	-5.0	53.47	354.6	4.0	8.04	3.47	3.86	3.14	30.79	17001884	(17000_BF)	32	56	-2 %
32.95	59.42	-0.02	59.42	359.97	31.24	51.41	2.7	51.48	3.0	3.54	8.64	3.16	3.86	3.1	25.97	17001885	(17000_BF)	32	55	1 %
32.95	59.42	-0.02	59.42	359.97	31.04	56.02	1.18	56.04	1.2	2.81	4.08	2.22	2.66	1.9	22.78	17001886	(17000_BF)	32	57	0 %
32.95	59.42	-0.02	59.42	359.97	35.23	63.0	-0.93	63.01	359.1	2.73	4.33	2.51	2.94	2.11	26.24	17001887	(17000_BF)	34	61	0 %
32.95	59.42	-0.02	59.42	359.97	34.69	61.4	-2.82	61.47	357.3	2.88	3.84	2.33	2.56	1.95	24.09	17001888	(17000_BF)	34	60	-1 %
32.95	59.42	-0.02	59.42	359.97	33.45	61.87	1.55	61.89	1.4	1.89	2.95	1.17	1.28	1.12	9.99	17001889	(17000_BF)	33	60	0 %
32.95	59.42	-0.02	59.42	359.97	32.31	58.71	-3.64	58.82	356.4	2.94	3.74	2.03	2.05	1.74	19.77	17001890	(17000_BF)	33	59	-1 %
32.95	59.42	-0.02	59.42	359.97	32.39	63.38	0.12	63.38	0.1	1.92	3.99	1.21	1.55	1.14	10.41	17001891	(17000_BF)	33	61	0 %
32.95	59.42	-0.02	59.42	359.97	34.29	62.48	-0.22	62.48	359.7	2.13	3.34	1.57	1.89	1.35	15.47	17001892	(17000_BF)	34	60	0 %
32.95	59.42	-0.02	59.42	359.97	32.66	58.97	-1.34	58.98	358.6	1.98	1.42	0.76	0.79	0.66	7.4	17001893	(17000_BF)	33	59	0 %
32.95	59.42	-0.02	59.42	359.97	33.6	65.02	-2.96	65.09	357.3	2.93	6.35	2.23	2.57	2.01	18.38	17001894	(17000_BF)	33	62	-1 %
32.95	59.42	-0.02	59.42	359.97	34.1	60.95	1.4	60.97	1.3	1.97	2.39	1.43	1.59	1.26	14.75	17001895	(17000_BF)	34	60	0 %
32.95	59.42	-0.02	59.42	359.97	32.4	59.77	4.29	59.93	4.1	1.9	4.36	2.34	2.15	2.35	20.91	17001896	(17000_BF)	33	59	2 %
31.99	8.01	30.19	31.24	75.14	30.67	10.56	30.23	32.02	70.7	2.49	2.87	2.14	2.93	2.25	16.57	17001897	(17000_BF)	31	9	30 %
31.99	8.01	30.19	31.24	75.14	32.06	8.22	30.44	31.53	74.8	0.15	0.33	0.17	0.21	0.17	0.98	17001898	(17000_BF)	32	8	30 %
31.99	8.01	30.19	31.24	75.14	30.48	7.16	29.18	30.05	76.1	0.91	2.0	1.63	1.99	1.36	17.32	17001899	(17000_BF)	31	7	29 %

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
31.99	8.01	30.19	31.24	75.14	30.06	6.9	29.63	30.43	76.8	2.5	2.29	2.06	2.55	1.73	22.21	17001900	(17000_BF)	31	7	29 %
31.99	8.01	30.19	31.24	75.14	30.41	15.83	27.02	31.32	59.6	4.43	8.58	5.95	9.39	6.94	26.84	17001901	(17000_BF)	31	11	28 %
31.99	8.01	30.19	31.24	75.14	30.69	14.26	28.86	32.19	63.6	4.35	6.52	4.51	6.84	5.23	21.63	17001902	(17000_BF)	31	11	29 %
31.99	8.01	30.19	31.24	75.14	31.4	9.82	32.0	33.47	72.9	1.95	2.62	1.38	1.76	1.43	8.74	17001903	(17000_BF)	32	8	31 %
31.99	8.01	30.19	31.24	75.14	29.92	9.44	30.88	32.29	72.9	1.67	2.6	2.25	2.81	1.93	24.21	17001904	(17000_BF)	31	8	30 %
31.99	8.01	30.19	31.24	75.14	30.52	14.09	27.0	30.46	62.4	4.06	7.02	4.88	7.56	5.7	23.1	17001905	(17000_BF)	31	11	28 %
31.99	8.01	30.19	31.24	75.14	29.87	5.83	29.81	30.37	78.9	3.12	3.06	2.55	3.26	2.38	24.69	17001906	(17000_BF)	31	6	30 %
31.99	8.01	30.19	31.24	75.14	29.72	5.4	28.1	28.61	79.1	2.8	4.04	2.88	3.66	2.73	26.62	17001907	(17000_BF)	31	6	29 %
31.99	8.01	30.19	31.24	75.14	29.45	5.07	28.92	29.36	80.0	2.9	4.08	3.18	4.08	3.03	29.71	17001908	(17000_BF)	31	6	29 %
31.99	8.01	30.19	31.24	75.14	29.5	5.22	28.59	29.06	79.6	3.13	4.06	3.09	3.95	2.92	29.07	17001909	(17000_BF)	31	6	29 %
31.99	8.01	30.19	31.24	75.14	29.4	5.37	29.17	29.66	79.5	2.79	3.83	3.1	3.96	2.88	30.1	17001910	(17000_BF)	31	6	29 %
31.99	8.01	30.19	31.24	75.14	29.62	8.14	28.43	29.57	74.0	2.37	2.95	2.49	3.06	2.03	27.13	17001911	(17000_BF)	31	8	29 %
31.99	8.01	30.19	31.24	75.14	33.65	10.69	34.34	35.96	72.7	2.83	5.21	2.75	3.26	2.57	20.31	17001912	(17000_BF)	33	9	32 %
31.99	8.01	30.19	31.24	75.14	32.19	7.0	29.16	29.99	76.4	1.33	1.45	0.74	0.96	0.81	3.89	17001913	(17000_BF)	32	7	29 %
31.99	8.01	30.19	31.24	75.14	31.72	6.74	28.73	29.51	76.7	1.33	1.95	0.97	1.25	1.05	4.74	17001914	(17000_BF)	32	7	29 %
31.99	8.01	30.19	31.24	75.14	29.83	5.54	28.34	28.88	78.9	2.81	3.76	2.73	3.47	2.58	25.3	17001915	(17000_BF)	31	6	29 %
31.99	8.01	30.19	31.24	75.14	30.17	5.86	28.16	28.77	78.2	2.54	3.46	2.36	2.98	2.23	21.38	17001916	(17000_BF)	31	6	29 %
31.99	8.01	30.19	31.24	75.14	29.18	7.64	28.65	29.65	75.0	2.28	3.22	2.87	3.52	2.28	32.1	17001917	(17000_BF)	31	7	29 %
31.99	8.01	30.19	31.24	75.14	28.67	7.12	27.61	28.51	75.5	2.61	4.29	3.5	4.32	2.83	38.01	17001918	(17000_BF)	30	7	28 %
31.99	8.01	30.19	31.24	75.14	28.77	7.45	28.43	29.39	75.3	2.39	3.7	3.3	4.07	2.61	36.84	17001919	(17000_BF)	30	7	29 %
31.99	8.01	30.19	31.24	75.14	30.45	11.1	30.96	32.89	70.2	2.95	3.53	2.5	3.39	2.6	19.6	17001920	(17000_BF)	31	9	30 %
31.99	8.01	30.19	31.24	75.14	29.54	8.7	29.47	30.72	73.5	1.94	2.64	2.52	3.12	2.04	28.21	17001921	(17000_BF)	31	8	29 %
31.99	8.01	30.19	31.24	75.14	29.97	10.38	30.03	31.78	70.9	2.65	3.11	2.56	3.38	2.46	24.07	17001922	(17000_BF)	31	9	30 %
31.99	8.01	30.19	31.24	75.14	29.22	9.36	27.58	29.12	71.2	2.71	4.04	3.22	4.12	2.88	32.07	17001923	(17000_BF)	31	8	28 %
31.99	8.01	30.19	31.24	75.14	31.32	12.43	32.67	34.95	69.1	3.31	5.11	2.88	3.92	3.18	13.99	17001924	(17000_BF)	32	10	31 %
31.99	8.01	30.19	31.24	75.14	31.26	11.55	30.3	32.42	69.1	2.94	3.61	2.43	3.52	2.8	12.16	17001925	(17000_BF)	32	9	30 %
39.21	-23.28	-22.61	32.45	224.16	35.46	-37.45	-18.4	41.73	206.1	5.77	15.25	9.39	9.05	8.18	49.61	17001926	(17000_BF)	37	-30	-20 %
39.21	-23.28	-22.61	32.45	224.16	39.06	-33.33	-23.13	40.57	214.7	4.14	10.07	5.19	5.17	4.61	14.86	17001927	(17000_BF)	39	-28	-22 %
39.21	-23.28	-22.61	32.45	224.16	34.94	-32.96	-22.49	39.9	214.3	4.12	10.58	6.68	6.89	5.82	51.38	17001928	(17000_BF)	37	-28	-22 %
39.21	-23.28	-22.61	32.45	224.16	41.21	-35.1	-23.32	42.14	213.6	5.58	12.01	6.36	6.33	5.6	26.76	17001929	(17000_BF)	40	-29	-22 %
39.21	-23.28	-22.61	32.45	224.16	35.24	-25.29	-27.1	37.06	226.9	4.2	6.31	4.53	4.93	3.92	55.89	17001930	(17000_BF)	37	-24	-24 %
39.21	-23.28	-22.61	32.45	224.16	33.99	-33.23	-25.26	41.74	217.2	4.51	11.54	7.1	7.58	6.15	66.69	17001931	(17000_BF)	37	-28	-23 %
39.21	-23.28	-22.61	32.45	224.16	37.18	-30.28	-19.24	35.87	212.4	4.96	8.02	5.29	5.15	4.68	28.82	17001932	(17000_BF)	38	-26	-20 %
39.21	-23.28	-22.61	32.45	224.16	33.17	-25.65	-27.67	37.73	227.1	5.16	8.22	6.52	7.19	5.52	80.17	17001933	(17000_BF)	36	-24	-25 %
39.21	-23.28	-22.61	32.45	224.16	39.39	-22.8	-23.41	32.68	225.7	2.2	0.95	0.64	0.63	0.55	4.41	17001934	(17000_BF)	39	-23	-23 %
39.21	-23.28	-22.61	32.45	224.16	41.06	-26.04	-24.8	35.96	223.5	4.0	3.98	2.34	2.53	2.15	21.81	17001935	(17000_BF)	40	-24	-23 %
39.21	-23.28	-22.61	32.45	224.16	41.07	-24.47	-25.29	35.19	225.9	4.48	3.47	2.28	2.42	2.05	22.69	17001936	(17000_BF)	40	-23	-23 %
39.21	-23.28	-22.61	32.45	224.16	34.24	-32.47	-21.89	39.16	213.9	5.77	10.47	7.08	7.36	6.13	58.47	17001937	(17000_BF)	37	-27	-22 %
39.21	-23.28	-22.61	32.45	224.16	34.9	-20.35	-29.06	35.48	234.9	6.42	8.28	6.21	6.43	5.22	66.02	17001938	(17000_BF)	37	-21	-25 %
39.21	-23.28	-22.61	32.45	224.16	38.25	-27.88	-27.88	39.43	225.0	5.09	7.06	3.01	3.35	2.8	32.65	17001939	(17000_BF)	39	-25	-25 %
39.21	-23.28	-22.61	32.45	224.16	33.82	-26.85	-27.23	38.24	225.4	4.58	7.94	5.89	6.5	5.05	71.88	17001940	(17000_BF)	37	-25	-24 %
39.21	-23.28	-22.61	32.45	224.16	34.27	-29.36	-26.16	39.33	221.7	3.88	8.6	5.76	6.32	5.01	64.57	17001941	(17000_BF)	37	-26	-24 %
39.21	-23.28	-22.61	32.45	224.16	40.33	-33.01	-22.76	40.1	214.5	5.57	9.79	5.22	5.2	4.64	18.13	17001942	(17000_BF)	40	-28	-22 %
39.21	-23.28	-22.61	32.45	224.16	37.68	-27.53	-20.57	34.37	216.7	3.77	4.95	3.36	3.32	2.97	19.96	17001943	(17000_BF)	38	-25	-21 %
39.21	-23.28	-22.61	32.45	224.16	41.35	-31.89	-25.78	41.01	218.9	5.89	9.42	4.65	4.89	4.21	28.47	17001944	(17000_BF)	40	-27	-24 %
39.21	-23.28	-22.61	32.45	224.16	39.17	-23.48	-23.85	33.47	225.4	3.08	1.25	0.64	0.68	0.58	6.56	17001945	(17000_BF)	39	-23	-23 %
39.21	-23.28	-22.61	32.45	224.16	38.05	-36.8	-22.16	42.96	211.0	5.95	13.58	7.24	7.04	6.31	23.44	17001946	(17000_BF)	39	-30	-22 %
39.21	-23.28	-22.61	32.45	224.16	41.64	-33.79	-22.37	40.53	213.5	6.2	10.79	6.1	6.05	5.39	30.46	17001947	(17000_BF)	40	-28	-22 %
39.21	-23.28	-22.61	32.45	224.16	40.36	-33.27	-24.37	41.24	216.2	5.22	10.21	5.07	5.16	4.52	19.68	17001948	(17000_BF)	40	-28	-23 %
39.21	-23.28	-22.61	32.45	224.16	37.46	-28.96	-20.45	35.45	215.2	4.23	6.31	4.14	4.08	3.66	23.01	17001949	(17000_BF)	38	-26	-21 %

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /.PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation
TUB-Material: Code=rh4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL																					
39.21	-23.28	-22.61	32.45	224.16	39.76	-36.91	-23.37	43.69	212.3	6.33	13.66	6.95	6.82	6.06	19.67	17001950	(17000_BF)	39	-30	-22 %	
39.21	-23.28	-22.61	32.45	224.16	39.78	-41.0	-21.67	46.37	207.8	6.68	17.75	9.33	8.87	7.99	24.91	17001951	(17000_BF)	39	-32	-22 %	
39.21	-23.28	-22.61	32.45	224.16	37.64	-21.13	-25.35	33.0	230.1	4.97	3.82	2.8	2.82	2.4	25.15	17001952	(17000_BF)	38	-22	-23 %	
39.21	-23.28	-22.61	32.45	224.16	39.13	-21.37	-22.67	31.16	226.6	3.89	1.9	1.07	1.12	1.0	3.11	17001953	(17000_BF)	39	-22	-22 %	
39.21	-23.28	-22.61	32.45	224.16	36.7	-19.93	-26.08	32.82	232.6	5.02	5.43	4.09	4.16	3.5	37.11	17001954	(17000_BF)	38	-21	-24 %	
39.21	-23.28	-22.61	32.45	224.16	36.28	-20.21	-27.45	34.08	233.6	5.27	6.43	4.75	4.84	4.03	46.24	17001955	(17000_BF)	38	-21	-25 %	
42.52	-36.06	28.04	45.68	142.13	42.6	-35.64	27.73	45.16	142.1	0.13	0.52	0.18	0.22	0.18	1.21	17001956	(17000_BF)	43	-35	27 %	
42.52	-36.06	28.04	45.68	142.13	43.02	-25.81	27.29	37.57	133.4	3.9	10.28	4.61	4.95	4.46	15.53	17001957	(17000_BF)	43	-30	27 %	
42.52	-36.06	28.04	45.68	142.13	42.22	-37.33	27.31	46.25	143.8	1.12	1.49	0.87	0.81	0.76	3.85	17001958	(17000_BF)	42	-36	27 %	
42.52	-36.06	28.04	45.68	142.13	43.7	-37.73	29.02	47.61	142.4	1.55	2.27	1.34	1.41	1.26	12.81	17001959	(17000_BF)	43	-36	28 %	
42.52	-36.06	28.04	45.68	142.13	40.5	-36.37	20.27	41.64	150.8	3.71	8.03	4.62	4.49	4.15	26.7	17001960	(17000_BF)	42	-36	24 %	
42.52	-36.06	28.04	45.68	142.13	38.14	-37.62	18.64	41.98	153.6	3.84	10.48	6.91	6.76	6.13	51.04	17001961	(17000_BF)	40	-36	23 %	
42.52	-36.06	28.04	45.68	142.13	37.95	-29.85	24.65	38.71	140.4	3.51	8.42	5.16	5.62	4.74	50.3	17001962	(17000_BF)	40	-32	26 %	
42.52	-36.06	28.04	45.68	142.13	41.7	-34.19	32.27	47.02	136.6	2.49	4.69	2.78	2.55	2.42	12.25	17001963	(17000_BF)	42	-35	30 %	
42.52	-36.06	28.04	45.68	142.13	42.73	-39.56	26.13	47.41	146.5	2.36	3.99	2.21	2.03	1.91	6.17	17001964	(17000_BF)	43	-37	27 %	
42.52	-36.06	28.04	45.68	142.13	41.62	-40.25	26.96	48.45	146.1	2.47	4.42	2.35	2.26	2.07	11.46	17001965	(17000_BF)	42	-38	27 %	
42.52	-36.06	28.04	45.68	142.13	40.05	-36.9	29.78	47.42	141.0	1.76	3.13	2.58	2.65	2.32	27.59	17001966	(17000_BF)	41	-36	28 %	
42.52	-36.06	28.04	45.68	142.13	42.81	-40.11	28.35	49.12	144.7	1.77	4.07	1.73	1.8	1.56	5.66	17001967	(17000_BF)	43	-38	28 %	
42.52	-36.06	28.04	45.68	142.13	41.43	-36.4	31.25	47.97	139.3	1.88	3.4	1.89	1.87	1.68	13.72	17001968	(17000_BF)	42	-36	29 %	
42.52	-36.06	28.04	45.68	142.13	40.97	-34.0	31.16	46.12	137.4	2.33	4.04	2.69	2.53	2.36	18.28	17001969	(17000_BF)	42	-35	29 %	
42.52	-36.06	28.04	45.68	142.13	41.2	-34.02	23.71	41.48	145.1	2.31	4.96	2.33	2.52	2.2	16.32	17001970	(17000_BF)	42	-35	25 %	
42.52	-36.06	28.04	45.68	142.13	41.12	-32.57	23.62	40.23	144.0	2.35	5.8	2.41	2.79	2.36	17.39	17001971	(17000_BF)	42	-34	25 %	
42.52	-36.06	28.04	45.68	142.13	42.34	-36.43	30.79	47.7	139.7	1.58	2.78	1.32	1.3	1.17	5.57	17001972	(17000_BF)	42	-36	29 %	
42.52	-36.06	28.04	45.68	142.13	42.2	-36.61	31.45	48.27	139.3	1.89	3.46	1.63	1.62	1.45	7.36	17001973	(17000_BF)	42	-36	29 %	
42.52	-36.06	28.04	45.68	142.13	41.27	-38.35	28.23	47.62	143.6	1.27	2.61	1.57	1.62	1.43	14.12	17001974	(17000_BF)	42	-37	28 %	
42.52	-36.06	28.04	45.68	142.13	39.86	-38.27	28.0	47.43	143.8	2.19	3.45	2.83	2.89	2.54	29.45	17001975	(17000_BF)	41	-37	28 %	
42.52	-36.06	28.04	45.68	142.13	41.13	-36.78	30.81	47.98	140.0	1.61	3.18	1.87	1.91	1.69	16.5	17001976	(17000_BF)	42	-36	29 %	
42.52	-36.06	28.04	45.68	142.13	38.55	-27.65	26.36	38.2	136.3	3.39	9.45	5.28	5.68	4.92	44.18	17001977	(17000_BF)	41	-31	27 %	
42.52	-36.06	28.04	45.68	142.13	39.3	-27.75	26.17	38.14	136.6	3.26	9.1	4.68	5.09	4.43	36.19	17001978	(17000_BF)	41	-31	27 %	
42.52	-36.06	28.04	45.68	142.13	39.96	-35.31	26.04	43.88	143.5	1.99	3.33	2.71	2.78	2.44	27.95	17001979	(17000_BF)	41	-35	27 %	
42.52	-36.06	28.04	45.68	142.13	41.17	-38.5	30.8	49.31	141.3	1.22	3.92	1.84	2.02	1.71	16.47	17001980	(17000_BF)	42	-37	29 %	
42.52	-36.06	28.04	45.68	142.13	38.73	-36.63	27.58	45.85	143.0	2.83	3.86	3.81	3.93	3.38	41.68	17001981	(17000_BF)	41	-36	27 %	
42.52	-36.06	28.04	45.68	142.13	37.72	-30.62	26.65	40.6	138.9	3.4	7.38	5.26	5.57	4.73	52.66	17001982	(17000_BF)	40	-33	27 %	
42.52	-36.06	28.04	45.68	142.13	43.14	-42.43	28.82	51.29	145.8	2.83	6.44	2.67	2.81	2.41	9.82	17001983	(17000_BF)	43	-39	28 %	
42.52	-36.06	28.04	45.68	142.13	43.85	-35.27	33.62	48.73	136.3	2.85	5.78	3.26	3.08	2.86	16.8	17001984	(17000_BF)	43	-35	30 %	
42.52	-36.06	28.04	45.68	142.13	41.97	-35.06	32.86	48.05	136.8	2.23	4.95	2.73	2.53	2.37	10.8	17001985	(17000_BF)	42	-35	30 %	
51.28	4.97	-43.46	43.75	276.53	49.49	6.8	-43.84	44.37	278.8	1.62	2.58	2.08	2.08	2.12	19.92	17001986	(17000_BF)	50	5	-43 %	
51.28	4.97	-43.46	43.75	276.53	47.62	4.83	-43.02	43.29	276.4	2.01	3.68	3.66	3.38	3.65	38.37	17001987	(17000_BF)	49	4	-43 %	
51.28	4.97	-43.46	43.75	276.53	51.39	5.86	-43.49	43.88	277.6	0.79	0.89	0.54	0.64	0.62	2.22	17001988	(17000_BF)	51	5	-43 %	
51.28	4.97	-43.46	43.75	276.53	49.84	6.73	-45.81	46.3	278.3	1.61	3.26	1.88	1.96	1.54	21.51	17001989	(17000_BF)	51	5	-44 %	
51.28	4.97	-43.46	43.75	276.53	48.15	5.67	-42.08	42.47	277.6	1.67	3.49	3.2	3.0	3.3	32.03	17001990	(17000_BF)	50	5	-42 %	
51.28	4.97	-43.46	43.75	276.53	51.37	5.68	-44.79	45.15	277.2	0.87	1.5	0.58	0.69	0.25	6.1	17001991	(17000_BF)	51	5	-44 %	
51.28	4.97	-43.46	43.75	276.53	52.6	4.52	-42.72	42.95	276.0	1.47	1.58	1.36	1.26	1.31	15.12	17001992	(17000_BF)	52	4	-43 %	
51.28	4.97	-43.46	43.75	276.53	48.68	7.04	-43.53	44.1	279.1	1.77	3.32	2.88	2.8	2.97	28.14	17001993	(17000_BF)	50	6	-43 %	
51.28	4.97	-43.46	43.75	276.53	50.09	2.79	-45.9	45.99	273.4	2.56	3.48	2.01	2.19	2.67	19.74	17001994	(17000_BF)	51	3	-44 %	
51.28	4.97	-43.46	43.75	276.53	50.27	3.58	-44.92	45.06	274.5	2.1	2.25	1.43	1.51	1.81	14.48	17001995	(17000_BF)	51	4	-44 %	
51.28	4.97	-43.46	43.75	276.53	48.71	10.66	-46.12	47.34	283.0	2.74	6.78	4.2	4.61	3.94	35.61	17001996	(17000_BF)	50	7	-44 %	
51.28	4.97	-43.46	43.75	276.53	52.78	9.64	-42.12	43.21	282.9	3.04	5.08	3.28	3.79	4.14	20.67	17001997	(17000_BF)	52	7	-42 %	
51.28	4.97	-43.46	43.75	276.53	51.23	10.37	-43.03	44.26	283.5	2.89	5.41	3.26	3.93	4.01	11.79	17001998	(17000_BF)	51	7	-43 %	
51.28	4.97	-43.46	43.75	276.53	49.94	2.62	-46.57	46.64	273.2	2.81	4.11	2.28	2.49	3.05	23.56	17001999	(17000_BF)	51	3	-45 %	

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /.PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation
TUB-Material: Code=rha4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97LONP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
51.28	4.97	-43.46	43.75	276.53	47.61	6.0	-43.84	44.24	277.7	1.75	3.83	3.72	3.47	3.71	39.78	17002000	(17000_BF)	49	5	-43 %	
51.28	4.97	-43.46	43.75	276.53	47.09	8.39	-47.9	48.63	279.9	2.64	6.99	4.79	4.76	4.31	55.52	17002001	(17000_BF)	49	6	-45 %	
51.28	4.97	-43.46	43.75	276.53	47.81	9.81	-46.85	47.87	281.8	2.48	6.85	4.52	4.7	4.09	45.9	17002002	(17000_BF)	50	7	-45 %	
51.28	4.97	-43.46	43.75	276.53	50.77	-2.78	-41.29	41.38	266.1	3.17	8.07	4.74	5.52	4.77	19.65	17002003	(17000_BF)	51	1	-42 %	
51.28	4.97	-43.46	43.75	276.53	49.24	12.07	-44.98	46.57	285.0	3.14	7.53	4.62	5.31	4.85	29.35	17002004	(17000_BF)	50	8	-44 %	
51.28	4.97	-43.46	43.75	276.53	49.55	-2.92	-41.62	41.72	265.9	3.11	8.29	5.09	5.79	5.22	24.81	17002005	(17000_BF)	50	1	-42 %	
51.28	4.97	-43.46	43.75	276.53	52.29	-4.43	-39.08	39.33	263.5	3.3	10.43	5.95	6.95	5.41	32.36	17002006	(17000_BF)	52	0	-41 %	
51.28	4.97	-43.46	43.75	276.53	49.46	12.85	-46.93	48.66	285.3	2.72	8.79	4.92	5.68	4.57	33.53	17002007	(17000_BF)	50	8	-45 %	
51.28	4.97	-43.46	43.75	276.53	47.23	14.08	-48.14	50.16	286.3	3.24	11.01	6.65	7.29	6.1	58.23	17002008	(17000_BF)	49	9	-45 %	
51.28	4.97	-43.46	43.75	276.53	49.79	-3.7	-41.68	41.84	264.9	3.32	8.98	5.47	6.25	5.67	24.43	17002009	(17000_BF)	51	0	-42 %	
51.28	4.97	-43.46	43.75	276.53	50.6	-11.12	-38.96	40.51	254.0	4.01	16.73	9.98	11.3	9.8	39.09	17002010	(17000_BF)	51	-3	-41 %	
51.28	4.97	-43.46	43.75	276.53	52.22	-12.26	-37.69	39.63	251.9	3.95	18.2	10.82	12.24	10.35	46.81	17002011	(17000_BF)	52	-3	-40 %	
51.28	4.97	-43.46	43.75	276.53	50.19	-4.95	-40.91	41.2	263.0	3.32	10.31	6.15	7.08	6.21	25.62	17002012	(17000_BF)	51	0	-42 %	
51.28	4.97	-43.46	43.75	276.53	48.69	-5.82	-39.61	40.04	261.6	3.6	11.75	7.15	8.1	6.91	36.71	17002013	(17000_BF)	50	0	-41 %	
51.28	4.97	-43.46	43.75	276.53	47.12	16.5	-41.56	44.72	291.6	4.43	12.4	8.17	9.3	9.9	50.15	17002014	(17000_BF)	49	10	-42 %	
51.28	4.97	-43.46	43.75	276.53	51.44	4.99	-43.39	43.68	276.5	0.7	0.17	0.16	0.14	0.16	1.78	17002015	(17000_BF)	51	4	-43 %	
39.4	53.18	48.11	71.71	42.13	41.28	56.83	49.41	75.31	41.0	1.74	4.31	2.18	2.51	2.03	20.9	17002016	(17000_BF)	40	55	48 %	
39.4	53.18	48.11	71.71	42.13	40.22	52.24	45.67	69.39	41.1	0.9	2.73	1.14	1.45	1.13	9.95	17002017	(17000_BF)	40	52	46 %	
39.4	53.18	48.11	71.71	42.13	38.16	47.68	43.67	64.66	42.4	2.16	7.16	2.08	2.75	2.05	16.36	17002018	(17000_BF)	39	50	45 %	
39.4	53.18	48.11	71.71	42.13	41.32	46.03	45.33	64.61	44.5	3.04	7.89	2.9	3.84	2.96	27.26	17002019	(17000_BF)	40	49	46 %	
39.4	53.18	48.11	71.71	42.13	39.19	51.78	45.07	68.65	41.0	0.7	3.34	0.99	1.45	1.08	4.14	17002020	(17000_BF)	39	52	46 %	
39.4	53.18	48.11	71.71	42.13	39.64	52.35	45.73	69.51	41.1	0.98	2.53	0.82	1.19	0.9	4.0	17002021	(17000_BF)	40	52	46 %	
39.4	53.18	48.11	71.71	42.13	39.91	49.0	36.91	61.35	36.9	2.42	11.96	3.8	5.68	4.36	16.35	17002022	(17000_BF)	40	51	42 %	
39.4	53.18	48.11	71.71	42.13	37.43	49.66	42.83	65.58	40.7	2.08	6.64	2.56	3.19	2.45	22.32	17002023	(17000_BF)	38	51	45 %	
39.4	53.18	48.11	71.71	42.13	39.77	49.5	46.8	68.12	43.3	2.02	3.91	1.18	1.72	1.28	8.72	17002024	(17000_BF)	40	51	47 %	
39.4	53.18	48.11	71.71	42.13	39.9	51.43	44.17	67.79	40.6	1.28	4.34	1.36	1.95	1.47	8.02	17002025	(17000_BF)	40	52	46 %	
39.4	53.18	48.11	71.71	42.13	42.19	56.01	47.42	73.39	40.2	1.94	4.03	3.03	3.39	2.85	30.56	17002026	(17000_BF)	41	54	47 %	
39.4	53.18	48.11	71.71	42.13	38.49	51.36	42.45	66.63	39.5	1.27	6.01	2.11	3.01	2.31	11.21	17002027	(17000_BF)	39	52	45 %	
39.4	53.18	48.11	71.71	42.13	42.5	58.86	50.42	77.51	40.5	2.27	6.87	3.52	3.98	3.26	34.15	17002028	(17000_BF)	41	56	49 %	
39.4	53.18	48.11	71.71	42.13	40.0	56.36	44.03	71.52	37.9	2.38	5.21	2.56	3.78	2.98	9.25	17002029	(17000_BF)	40	54	46 %	
39.4	53.18	48.11	71.71	42.13	39.23	47.31	36.15	59.54	37.3	2.5	13.32	3.89	5.83	4.43	17.03	17002030	(17000_BF)	39	50	42 %	
39.4	53.18	48.11	71.71	42.13	41.28	55.43	44.31	70.96	38.6	2.03	4.8	2.82	3.72	2.99	21.25	17002031	(17000_BF)	40	54	46 %	
39.4	53.18	48.11	71.71	42.13	40.9	55.08	45.48	71.43	39.5	1.79	3.57	2.16	2.82	2.26	16.85	17002032	(17000_BF)	40	54	46 %	
39.4	53.18	48.11	71.71	42.13	42.51	57.22	50.79	76.51	41.5	2.25	5.75	3.32	3.59	3.0	33.91	17002033	(17000_BF)	41	55	49 %	
39.4	53.18	48.11	71.71	42.13	39.52	54.56	45.51	71.05	39.8	1.48	2.94	1.39	2.11	1.64	3.61	17002034	(17000_BF)	39	53	46 %	
39.4	53.18	48.11	71.71	42.13	39.47	48.75	44.81	66.21	42.5	2.06	5.52	1.32	1.91	1.37	9.08	17002035	(17000_BF)	39	50	46 %	
39.4	53.18	48.11	71.71	42.13	41.64	57.28	42.85	71.54	36.8	2.8	7.03	3.91	5.29	4.25	25.66	17002036	(17000_BF)	41	55	45 %	
39.4	53.18	48.11	71.71	42.13	39.24	53.27	47.9	71.64	41.9	0.44	0.27	0.19	0.23	0.18	1.84	17002037	(17000_BF)	39	53	48 %	
45.52	64.94	46.94	80.13	35.86	43.72	64.34	52.53	83.06	39.2	1.97	5.9	2.89	3.73	3.1	20.22	17002038	(17000_BF)	45	64	49 %	
45.52	64.94	46.94	80.13	35.86	44.01	64.16	52.25	82.74	39.1	1.89	5.56	2.66	3.52	2.9	17.1	17002039	(17000_BF)	45	64	49 %	
45.52	64.94	46.94	80.13	35.86	45.72	62.33	44.22	76.42	35.3	0.68	3.77	0.88	1.29	0.92	6.22	17002040	(17000_BF)	46	63	45 %	
45.52	64.94	46.94	80.13	35.86	47.16	63.67	47.42	79.39	36.6	2.15	2.12	1.72	1.75	1.7	17.94	17002041	(17000_BF)	46	64	47 %	
45.52	64.94	46.94	80.13	35.86	42.69	67.51	49.14	83.5	36.0	2.47	4.41	2.92	2.98	2.74	32.01	17002042	(17000_BF)	44	66	48 %	
45.52	64.94	46.94	80.13	35.86	43.42	66.11	45.83	80.45	34.7	1.96	2.64	2.22	2.29	2.14	23.11	17002043	(17000_BF)	44	65	46 %	
45.52	64.94	46.94	80.13	35.86	46.72	64.35	59.2	87.44	42.6	3.32	12.33	4.9	7.08	5.53	16.06	17002044	(17000_BF)	46	64	53 %	
45.52	64.94	46.94	80.13	35.86	43.49	68.14	45.21	81.78	33.5	2.41	4.16	2.53	2.91	2.57	23.5	17002045	(17000_BF)	45	66	46 %	
45.52	64.94	46.94	80.13	35.86	43.71	67.64	41.56	79.39	31.5	2.63	6.28	3.26	4.17	3.55	21.27	17002046	(17000_BF)	45	66	44 %	
45.52	64.94	46.94	80.13	35.86	44.68	65.55	50.95	83.02	37.8	1.48	4.13	1.66	2.22	1.8	10.25	17002047	(17000_BF)	45	65	48 %	
45.52	64.94	46.94	80.13	35.86	48.41	60.68	51.28	79.45	40.1	3.03	6.72	3.98	4.89	4.28	32.6	17002048	(17000_BF)	47	62	49 %	
45.52	64.94	46.94	80.13	35.86	46.89	55.84	31.29	64.01	29.2	3.53	18.15	5.3	7.69	6.01	32.75	17002049	(17000_BF)	46	60	39 %	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB	data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																			
45.52	64.94	46.94	80.13	35.86	45.88	66.26	54.35	85.7	39.3	1.91	7.53	2.62	3.77	2.92	7.67	17002050	(17000_BF)	46	65	50 %
45.52	64.94	46.94	80.13	35.86	43.95	67.97	55.72	87.9	39.3	1.65	9.42	3.26	4.4	3.44	20.44	17002051	(17000_BF)	45	66	51 %
45.52	64.94	46.94	80.13	35.86	44.54	67.41	50.38	84.16	36.7	1.04	4.34	1.43	1.79	1.43	12.67	17002052	(17000_BF)	45	66	48 %
45.52	64.94	46.94	80.13	35.86	45.69	66.51	59.04	88.94	41.5	2.59	12.2	4.28	6.23	4.78	10.33	17002053	(17000_BF)	46	65	52 %
45.52	64.94	46.94	80.13	35.86	41.4	59.48	33.46	68.24	29.3	3.91	15.11	6.17	7.81	6.49	46.2	17002054	(17000_BF)	43	62	40 %
45.52	64.94	46.94	80.13	35.86	41.06	63.6	38.24	74.21	31.0	3.69	9.86	5.49	6.37	5.52	48.47	17002055	(17000_BF)	43	64	42 %
45.52	64.94	46.94	80.13	35.86	44.09	62.15	41.18	74.56	33.5	2.09	6.55	2.34	3.05	2.48	16.17	17002056	(17000_BF)	45	63	44 %
45.52	64.94	46.94	80.13	35.86	44.57	61.97	41.15	74.39	33.5	2.19	6.57	2.09	2.87	2.26	12.06	17002057	(17000_BF)	45	63	44 %
45.52	64.94	46.94	80.13	35.86	43.45	61.54	40.09	73.44	33.0	2.89	7.92	3.03	3.82	3.15	22.93	17002058	(17000_BF)	44	63	43 %
45.52	64.94	46.94	80.13	35.86	46.37	65.8	56.66	86.83	40.7	2.53	9.79	3.63	5.2	4.05	11.93	17002059	(17000_BF)	46	65	51 %
45.52	64.94	46.94	80.13	35.86	45.04	66.39	48.13	82.01	35.9	0.99	1.94	0.63	0.76	0.61	6.3	17002060	(17000_BF)	45	65	47 %
45.52	64.94	46.94	80.13	35.86	43.3	66.0	42.61	78.56	32.8	2.64	4.98	2.93	3.48	3.04	24.53	17002061	(17000_BF)	44	65	44 %
45.52	64.94	46.94	80.13	35.86	43.49	66.16	53.91	85.34	39.1	1.86	7.36	3.18	4.06	3.34	23.66	17002062	(17000_BF)	45	65	50 %
45.52	64.94	46.94	80.13	35.86	42.94	68.23	52.17	85.89	37.4	1.97	6.69	3.04	3.43	2.94	30.18	17002063	(17000_BF)	44	66	49 %
45.52	64.94	46.94	80.13	35.86	43.93	67.45	48.59	83.13	35.7	1.6	3.4	1.71	1.82	1.62	18.56	17002064	(17000_BF)	45	66	47 %
45.52	64.94	46.94	80.13	35.86	44.69	66.85	43.92	79.99	33.3	1.58	3.66	1.82	2.41	2.02	10.36	17002065	(17000_BF)	45	65	45 %
45.52	64.94	46.94	80.13	35.86	45.87	65.56	39.68	76.64	31.1	2.08	7.29	3.02	4.23	3.46	9.65	17002066	(17000_BF)	46	65	43 %
45.52	64.94	46.94	80.13	35.86	45.01	66.06	38.46	76.44	30.2	2.67	8.57	3.63	5.05	4.15	11.55	17002067	(17000_BF)	45	65	42 %
52.5	42.09	56.57	70.51	53.34	51.66	42.38	57.51	71.44	53.6	1.34	1.29	0.88	0.87	0.88	8.62	17002068	(17000_BF)	52	42	57 %
52.5	42.09	56.57	70.51	53.34	52.02	47.85	55.37	73.18	49.1	3.13	5.9	2.67	4.63	3.18	12.24	17002069	(17000_BF)	52	44	55 %
52.5	42.09	56.57	70.51	53.34	52.51	46.39	59.93	75.79	52.2	2.01	5.45	1.43	2.13	1.47	8.39	17002070	(17000_BF)	53	44	58 %
52.5	42.09	56.57	70.51	53.34	52.91	45.17	56.3	72.18	51.2	1.9	3.11	1.38	2.38	1.63	6.65	17002071	(17000_BF)	53	43	56 %
52.5	42.09	56.57	70.51	53.34	53.34	44.52	58.91	73.84	52.9	1.36	3.47	1.18	1.42	1.17	9.09	17002072	(17000_BF)	53	43	57 %
52.5	42.09	56.57	70.51	53.34	53.59	43.32	60.12	74.1	54.2	1.62	3.91	1.48	1.83	1.5	10.96	17002073	(17000_BF)	53	42	58 %
52.5	42.09	56.57	70.51	53.34	54.89	36.41	61.25	71.25	59.2	4.06	7.74	4.29	6.98	4.97	27.0	17002074	(17000_BF)	54	39	58 %
52.5	42.09	56.57	70.51	53.34	51.19	48.29	54.17	72.57	48.2	3.49	6.77	3.37	5.59	3.97	18.56	17002075	(17000_BF)	52	45	55 %
52.5	42.09	56.57	70.51	53.34	50.39	48.89	54.21	73.0	47.9	4.06	7.49	3.94	6.13	4.53	26.07	17002076	(17000_BF)	51	45	55 %
52.5	42.09	56.57	70.51	53.34	50.09	49.13	53.58	72.7	47.4	4.06	8.01	4.33	6.65	4.96	29.04	17002077	(17000_BF)	51	45	55 %
52.5	42.09	56.57	70.51	53.34	51.2	37.23	55.73	67.02	56.2	3.93	5.1	2.29	3.68	2.61	15.15	17002078	(17000_BF)	52	39	56 %
52.5	42.09	56.57	70.51	53.34	52.43	46.91	57.14	73.94	50.6	2.71	4.85	1.86	3.21	2.18	9.07	17002079	(17000_BF)	52	44	56 %
52.5	42.09	56.57	70.51	53.34	52.54	45.6	55.06	71.5	50.3	2.18	3.82	1.8	3.25	2.2	6.61	17002080	(17000_BF)	53	43	55 %
52.5	42.09	56.57	70.51	53.34	52.82	36.04	55.41	66.1	56.9	3.67	6.17	2.36	4.33	2.84	12.28	17002081	(17000_BF)	53	39	55 %
52.5	42.09	56.57	70.51	53.34	51.99	36.84	53.94	65.32	55.6	3.54	5.89	1.89	3.15	2.16	10.84	17002082	(17000_BF)	52	39	55 %
52.5	42.09	56.57	70.51	53.34	49.76	49.08	53.1	72.32	47.2	4.44	8.26	4.61	6.94	5.25	32.07	17002083	(17000_BF)	51	45	54 %
52.5	42.09	56.57	70.51	53.34	47.15	33.4	50.08	60.19	56.2	5.23	12.09	6.11	6.88	6.3	55.33	17002084	(17000_BF)	50	37	53 %
52.5	42.09	56.57	70.51	53.34	51.86	40.47	54.48	67.87	53.3	2.36	2.71	0.9	1.06	0.9	6.91	17002085	(17000_BF)	52	41	55 %
52.5	42.09	56.57	70.51	53.34	51.91	44.42	51.34	67.89	49.1	2.57	5.74	2.61	4.57	3.16	8.88	17002086	(17000_BF)	52	43	53 %
52.5	42.09	56.57	70.51	53.34	51.82	37.96	52.71	64.96	54.2	3.55	5.69	1.57	2.21	1.65	10.21	17002087	(17000_BF)	52	40	54 %
52.5	42.09	56.57	70.51	53.34	51.03	40.19	52.99	66.51	52.8	3.1	4.3	1.77	1.98	1.79	14.92	17002088	(17000_BF)	52	41	54 %
52.5	42.09	56.57	70.51	53.34	51.07	45.31	55.62	71.74	50.8	2.6	3.64	2.1	3.05	2.34	16.2	17002089	(17000_BF)	52	43	56 %
52.5	42.09	56.57	70.51	53.34	50.96	43.55	50.82	66.93	49.4	2.65	6.13	2.89	4.55	3.34	16.61	17002090	(17000_BF)	52	42	53 %
52.5	42.09	56.57	70.51	53.34	51.51	45.81	54.69	71.34	50.0	2.54	4.28	2.22	3.69	2.61	12.8	17002091	(17000_BF)	52	43	55 %
52.5	42.09	56.57	70.51	53.34	50.97	42.96	54.08	69.07	51.5	2.0	3.04	1.9	2.45	2.03	15.71	17002092	(17000_BF)	52	42	55 %
52.5	42.09	56.57	70.51	53.34	52.18	45.88	57.27	73.38	51.3	2.18	3.86	1.45	2.46	1.68	8.09	17002093	(17000_BF)	52	43	56 %
52.5	42.09	56.57	70.51	53.34	51.1	47.68	56.05	73.59	49.6	2.99	5.78	2.77	4.37	3.17	18.5	17002094	(17000_BF)	52	44	56 %
52.5	42.09	56.57	70.51	53.34	50.3	36.98	48.55	61.03	52.7	2.1	9.76	3.18	3.89	3.27	23.98	17002095	(17000_BF)	51	39	52 %
61.06	-45.72	42.31	62.29	137.21	57.97	-41.86	40.64	58.34	135.8	1.52	5.21	3.34	3.03	3.0	28.76	17002096	(17000_BF)	60	-43	41 %
61.06	-45.72	42.31	62.29	137.21	61.31	-49.3	45.92	67.38	137.0	1.2	5.09	1.36	1.78	1.31	6.38	17002097	(17000_BF)	61	-47	44 %
61.06	-45.72	42.31	62.29	137.21	59.99	-46.36	40.95	61.86	138.5	1.38	1.84	1.3	1.12	1.13	10.01	17002098	(17000_BF)	61	-46	41 %
61.06	-45.72	42.31	62.29	137.21	60.13	-43.65	41.16	59.99	136.6	1.48	2.54	1.14	1.15	1.04	8.74	17002099	(17000_BF)	61	-44	41 %

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB	data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																			
61.06	-45.72	42.31	62.29	137.21	61.23	-43.46	40.67	59.52	136.8	1.15	2.79	0.76	1.01	0.77	3.92	17002100	(17000_BF)	61	-44	41 %
61.06	-45.72	42.31	62.29	137.21	61.51	-37.94	42.48	56.96	131.7	2.1	7.78	3.27	3.34	2.98	10.06	17002101	(17000_BF)	61	-41	42 %
61.06	-45.72	42.31	62.29	137.21	60.27	-45.92	44.12	63.68	136.1	0.82	1.98	1.06	0.98	0.93	7.94	17002102	(17000_BF)	61	-45	43 %
61.06	-45.72	42.31	62.29	137.21	60.0	-47.05	43.54	64.1	137.2	1.01	2.09	1.15	1.08	1.03	10.24	17002103	(17000_BF)	61	-46	42 %
61.06	-45.72	42.31	62.29	137.21	61.1	-44.08	42.31	61.1	136.1	0.59	1.63	0.66	0.67	0.59	1.87	17002104	(17000_BF)	61	-44	42 %
61.06	-45.72	42.31	62.29	137.21	60.32	-50.94	43.63	67.08	139.4	1.38	5.44	1.94	2.11	1.74	9.36	17002105	(17000_BF)	61	-48	42 %
61.06	-45.72	42.31	62.29	137.21	60.39	-48.57	45.42	66.5	136.9	1.17	4.27	1.3	1.57	1.23	8.52	17002106	(17000_BF)	61	-47	43 %
61.06	-45.72	42.31	62.29	137.21	61.21	-47.64	47.11	67.0	135.3	1.51	5.17	1.66	1.91	1.52	6.71	17002107	(17000_BF)	61	-46	44 %
61.06	-45.72	42.31	62.29	137.21	60.42	-40.19	42.78	58.7	133.2	1.8	5.58	2.46	2.44	2.2	8.36	17002108	(17000_BF)	61	-42	42 %
61.06	-45.72	42.31	62.29	137.21	60.25	-35.95	39.73	53.59	132.1	2.16	10.13	3.59	4.08	3.45	13.55	17002109	(17000_BF)	61	-40	41 %
61.06	-45.72	42.31	62.29	137.21	61.86	-45.64	43.71	63.19	136.2	1.08	1.6	1.0	0.88	0.86	7.43	17002110	(17000_BF)	61	-45	43 %
61.06	-45.72	42.31	62.29	137.21	59.95	-41.41	40.69	58.06	135.5	1.62	4.73	1.82	1.97	1.7	11.13	17002111	(17000_BF)	61	-43	41 %
61.06	-45.72	42.31	62.29	137.21	60.24	-41.53	42.51	59.43	134.3	1.57	4.27	1.93	1.9	1.72	8.67	17002112	(17000_BF)	61	-43	42 %
61.06	-45.72	42.31	62.29	137.21	60.71	-42.25	43.13	60.38	134.4	1.42	3.58	1.66	1.59	1.46	5.04	17002113	(17000_BF)	61	-43	42 %
61.06	-45.72	42.31	62.29	137.21	61.78	-41.38	41.51	58.61	134.9	1.6	4.47	1.74	1.85	1.6	8.61	17002114	(17000_BF)	61	-43	41 %
61.06	-45.72	42.31	62.29	137.21	60.6	-37.04	36.09	51.72	135.7	2.25	10.68	2.91	3.96	3.06	14.01	17002115	(17000_BF)	61	-41	39 %
61.06	-45.72	42.31	62.29	137.21	60.2	-36.19	35.82	50.92	135.2	2.42	11.55	3.26	4.35	3.4	16.13	17002116	(17000_BF)	61	-40	39 %
61.06	-45.72	42.31	62.29	137.21	60.86	-35.91	33.63	49.2	136.8	2.37	13.1	3.45	4.86	3.73	17.76	17002117	(17000_BF)	61	-40	37 %
61.06	-45.72	42.31	62.29	137.21	60.76	-46.24	42.93	63.1	137.1	0.13	0.86	0.37	0.38	0.34	3.09	17002118	(17000_BF)	61	-45	42 %
61.06	-45.72	42.31	62.29	137.21	61.88	-45.4	42.6	62.26	136.8	0.73	0.92	0.84	0.7	0.72	7.5	17002119	(17000_BF)	61	-45	42 %
61.06	-45.72	42.31	62.29	137.21	60.06	-43.84	44.51	62.48	134.5	1.36	3.05	1.79	1.58	1.54	10.05	17002120	(17000_BF)	61	-44	43 %
61.06	-45.72	42.31	62.29	137.21	60.68	-44.07	45.81	63.57	133.8	1.43	3.88	1.95	1.79	1.67	6.29	17002121	(17000_BF)	61	-44	44 %
61.06	-45.72	42.31	62.29	137.21	60.3	-47.24	44.53	64.92	136.6	0.97	2.79	1.06	1.14	0.98	8.14	17002122	(17000_BF)	61	-46	43 %
61.06	-45.72	42.31	62.29	137.21	60.57	-41.52	40.96	58.32	135.3	1.48	4.43	1.51	1.73	1.43	6.45	17002123	(17000_BF)	61	-43	41 %
61.06	-45.72	42.31	62.29	137.21	61.17	-50.51	44.98	67.64	138.3	1.42	5.48	1.55	1.94	1.46	6.23	17002124	(17000_BF)	61	-48	43 %
61.06	-45.72	42.31	62.29	137.21	61.38	-49.51	45.3	67.11	137.5	1.23	4.84	1.32	1.7	1.27	6.15	17002125	(17000_BF)	61	-47	43 %
40.74	-44.29	36.66	57.49	140.38	42.79	-47.38	30.43	56.31	147.2	3.52	7.25	4.22	3.94	3.65	25.21	17002126	(17000_BF)	42	-45	33 %
40.74	-44.29	36.66	57.49	140.38	40.72	-44.35	36.87	57.68	140.2	0.35	0.22	0.08	0.09	0.07	0.39	17002127	(17000_BF)	41	-44	36 %
40.74	-44.29	36.66	57.49	140.38	40.27	-41.03	32.35	52.25	141.7	2.3	5.42	1.68	2.11	1.68	8.57	17002128	(17000_BF)	41	-42	34 %
40.74	-44.29	36.66	57.49	140.38	40.43	-44.56	36.66	57.7	140.5	1.0	0.41	0.33	0.34	0.29	3.51	17002129	(17000_BF)	41	-44	36 %
40.74	-44.29	36.66	57.49	140.38	42.01	-45.99	35.89	58.34	142.0	2.02	2.26	1.57	1.55	1.38	14.05	17002130	(17000_BF)	41	-45	36 %
40.74	-44.29	36.66	57.49	140.38	42.82	-42.79	36.07	55.97	139.8	1.78	2.62	2.13	2.19	1.93	22.94	17002131	(17000_BF)	42	-43	36 %
40.74	-44.29	36.66	57.49	140.38	39.81	-50.61	35.43	61.78	144.9	3.22	6.5	2.99	2.91	2.57	12.62	17002132	(17000_BF)	40	-47	36 %
40.74	-44.29	36.66	57.49	140.38	42.52	-50.37	40.6	64.7	141.1	2.53	7.46	2.71	3.16	2.52	20.26	17002133	(17000_BF)	42	-47	38 %
40.74	-44.29	36.66	57.49	140.38	39.31	-41.66	36.01	55.07	139.1	2.06	3.06	1.71	1.83	1.54	15.87	17002134	(17000_BF)	40	-42	36 %
40.74	-44.29	36.66	57.49	140.38	42.75	-43.43	38.61	58.11	138.3	1.88	2.92	2.29	2.27	2.04	21.93	17002135	(17000_BF)	42	-43	37 %
40.74	-44.29	36.66	57.49	140.38	38.93	-41.42	35.88	54.8	139.0	2.64	3.48	2.07	2.22	1.85	20.03	17002136	(17000_BF)	40	-42	36 %
40.74	-44.29	36.66	57.49	140.38	42.23	-39.21	34.16	52.0	138.9	1.87	5.84	2.25	2.63	2.16	18.32	17002137	(17000_BF)	41	-41	35 %
40.74	-44.29	36.66	57.49	140.38	40.23	-49.76	38.8	63.1	142.0	2.42	5.89	1.89	2.23	1.75	8.94	17002138	(17000_BF)	40	-47	37 %
40.74	-44.29	36.66	57.49	140.38	42.03	-28.25	35.01	44.99	128.8	4.04	16.17	6.6	7.21	6.4	25.63	17002139	(17000_BF)	41	-36	35 %
40.74	-44.29	36.66	57.49	140.38	43.35	-47.59	36.61	60.05	142.4	1.93	4.21	2.93	2.97	2.64	28.41	17002140	(17000_BF)	42	-45	36 %
40.74	-44.29	36.66	57.49	140.38	39.58	-39.51	22.8	45.62	150.0	4.43	14.69	5.79	6.41	5.56	27.18	17002141	(17000_BF)	40	-41	29 %
40.74	-44.29	36.66	57.49	140.38	42.08	-50.06	33.95	60.48	145.8	3.12	6.51	3.41	3.2	2.91	16.26	17002142	(17000_BF)	41	-47	35 %
40.74	-44.29	36.66	57.49	140.38	40.11	-43.58	36.69	56.97	139.9	2.0	0.94	0.69	0.71	0.61	6.91	17002143	(17000_BF)	40	-43	36 %
40.74	-44.29	36.66	57.49	140.38	40.86	-44.52	36.52	57.59	140.6	1.43	0.29	0.18	0.17	0.15	1.31	17002144	(17000_BF)	41	-44	36 %
40.74	-44.29	36.66	57.49	140.38	40.49	-42.74	37.35	56.76	138.8	1.8	1.71	0.88	0.83	0.76	3.39	17002145	(17000_BF)	41	-43	37 %
40.74	-44.29	36.66	57.49	140.38	40.09	-43.81	36.09	56.77	140.5	2.25	0.98	0.68	0.72	0.61	7.1	17002146	(17000_BF)	40	-44	36 %
40.74	-44.29	36.66	57.49	140.38	38.94	-38.59	34.46	51.74	138.2	2.59	6.36	2.65	3.03	2.49	20.53	17002147	(17000_BF)	40	-41	35 %
40.74	-44.29	36.66	57.49	140.38	39.66	-32.94	28.41	43.5	139.2	3.56	14.06	4.08	5.56	4.4	21.27	17002148	(17000_BF)	40	-38	32 %
40.74	-44.29	36.66	57.49	140.38	39.04	-43.1	36.05	56.19	140.0	2.3	2.16	1.74	1.84	1.54	18.73	17002149	(17000_BF)	40	-43	36 %

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
40.74	-44.29	36.66	57.49	140.38	39.47	-43.34	34.73	55.54	141.2	2.63	2.5	1.46	1.57	1.31	14.1	17002150	(17000_BF)	40	-43	35 %
40.74	-44.29	36.66	57.49	140.38	41.87	-44.18	38.13	58.36	139.2	0.7	1.85	1.32	1.32	1.17	12.4	17002151	(17000_BF)	41	-44	37 %
40.74	-44.29	36.66	57.49	140.38	40.32	-43.66	36.52	56.92	140.0	0.35	0.76	0.47	0.5	0.42	4.65	17002152	(17000_BF)	41	-43	36 %
40.74	-44.29	36.66	57.49	140.38	39.37	-49.83	34.34	60.52	145.4	3.12	6.16	3.22	3.06	2.75	16.76	17002153	(17000_BF)	40	-47	35 %
40.74	-44.29	36.66	57.49	140.38	38.82	-47.87	30.0	56.5	147.9	3.64	7.8	4.46	4.15	3.82	23.41	17002154	(17000_BF)	40	-46	33 %
40.74	-44.29	36.66	57.49	140.38	40.65	-45.89	28.58	54.06	148.0	3.56	8.23	4.13	3.87	3.6	13.08	17002155	(17000_BF)	41	-45	32 %
66.63	-1.53	3.44	3.77	114.03	66.58	-1.7	4.31	4.63	111.5	0.84	0.87	0.75	0.98	0.75	3.04	17002156	(17000_BF)	67	-1	3 %
66.63	-1.53	3.44	3.77	114.03	67.12	-0.84	2.43	2.57	109.1	1.88	1.32	1.16	1.53	1.32	5.73	17002157	(17000_BF)	67	-1	2 %
66.63	-1.53	3.44	3.77	114.03	66.42	-2.2	4.79	5.27	114.6	1.87	1.51	1.29	1.65	1.37	5.14	17002158	(17000_BF)	67	-1	4 %
66.63	-1.53	3.44	3.77	114.03	66.17	-3.15	3.69	4.85	130.4	2.57	1.69	1.55	1.97	2.11	5.09	17002159	(17000_BF)	66	-2	3 %
66.63	-1.53	3.44	3.77	114.03	66.24	-1.74	3.39	3.81	117.2	1.33	0.44	0.44	0.41	0.43	3.43	17002160	(17000_BF)	66	-1	3 %
66.63	-1.53	3.44	3.77	114.03	66.2	0.25	0.38	0.46	56.2	3.54	3.57	3.1	4.65	3.77	12.15	17002161	(17000_BF)	66	0	1 %
66.63	-1.53	3.44	3.77	114.03	66.1	-1.08	1.78	2.09	121.2	2.49	1.8	1.57	2.15	1.63	7.52	17002162	(17000_BF)	66	-1	2 %
66.63	-1.53	3.44	3.77	114.03	66.62	-1.78	3.59	4.01	116.3	0.91	0.28	0.25	0.33	0.33	0.69	17002163	(17000_BF)	67	-1	3 %
66.63	-1.53	3.44	3.77	114.03	67.07	-1.27	3.16	3.41	111.9	2.16	0.58	0.55	0.57	0.54	3.96	17002164	(17000_BF)	67	-1	3 %
66.63	-1.53	3.44	3.77	114.03	66.67	-2.81	6.81	7.37	112.4	3.22	3.6	3.08	3.71	3.04	11.55	17002165	(17000_BF)	67	-2	5 %
66.63	-1.53	3.44	3.77	114.03	66.43	-1.95	4.2	4.63	114.8	1.17	0.88	0.76	0.98	0.82	3.27	17002166	(17000_BF)	67	-1	3 %
66.63	-1.53	3.44	3.77	114.03	66.71	-1.53	3.61	3.92	112.9	1.71	0.18	0.16	0.2	0.16	0.9	17002167	(17000_BF)	67	-1	3 %
66.63	-1.53	3.44	3.77	114.03	65.6	-0.86	2.45	2.6	109.3	2.56	1.58	1.45	1.66	1.49	9.68	17002168	(17000_BF)	66	-1	2 %
66.63	-1.53	3.44	3.77	114.03	66.77	-0.88	2.2	2.37	111.9	2.64	1.41	1.21	1.7	1.37	4.74	17002169	(17000_BF)	67	-1	2 %
66.63	-1.53	3.44	3.77	114.03	67.03	-1.38	3.2	3.48	113.3	1.71	0.49	0.47	0.46	0.43	3.6	17002170	(17000_BF)	67	-1	3 %
66.63	-1.53	3.44	3.77	114.03	66.12	-1.58	3.6	3.94	113.7	0.52	0.53	0.52	0.44	0.43	4.46	17002171	(17000_BF)	66	-1	3 %
66.63	-1.53	3.44	3.77	114.03	66.2	-1.45	4.14	4.39	109.3	1.02	0.82	0.74	0.88	0.71	4.49	17002172	(17000_BF)	66	-1	3 %
66.63	-1.53	3.44	3.77	114.03	66.35	-1.71	3.97	4.32	113.3	0.88	0.61	0.54	0.66	0.53	3.07	17002173	(17000_BF)	66	-1	3 %
66.63	-1.53	3.44	3.77	114.03	66.41	-1.42	4.12	4.36	109.0	1.05	0.72	0.64	0.82	0.64	3.05	17002174	(17000_BF)	67	-1	3 %
66.63	-1.53	3.44	3.77	114.03	65.99	0.42	0.12	0.44	16.3	1.71	3.91	3.45	5.12	4.17	13.75	17002175	(17000_BF)	66	0	1 %
66.63	-1.53	3.44	3.77	114.03	66.17	0.25	0.38	0.46	56.2	3.27	3.58	3.11	4.65	3.77	12.23	17002176	(17000_BF)	66	0	1 %
66.63	-1.53	3.44	3.77	114.03	66.25	-1.91	4.08	4.51	115.1	1.12	0.83	0.74	0.89	0.77	4.1	17002177	(17000_BF)	66	-1	3 %
55.04	51.74	36.85	63.52	35.45	55.67	51.99	36.44	63.49	35.0	0.69	0.78	0.67	0.64	0.65	6.17	17002178	(17000_BF)	55	51	36 %
55.04	51.74	36.85	63.52	35.45	54.53	58.64	40.75	71.41	34.7	3.52	7.94	2.14	2.78	2.06	15.04	17002179	(17000_BF)	55	55	38 %
55.04	51.74	36.85	63.52	35.45	55.57	57.48	39.92	69.98	34.7	3.0	6.53	1.8	2.33	1.75	11.44	17002180	(17000_BF)	55	54	38 %
55.04	51.74	36.85	63.52	35.45	54.94	53.67	29.51	61.25	28.8	4.19	7.58	3.75	5.03	4.22	13.35	17002181	(17000_BF)	55	52	33 %
55.04	51.74	36.85	63.52	35.45	56.74	53.94	31.36	62.4	30.1	3.85	6.14	3.43	4.27	3.71	19.64	17002182	(17000_BF)	56	52	34 %
55.04	51.74	36.85	63.52	35.45	54.64	56.25	32.7	65.07	30.1	3.87	6.13	3.08	4.09	3.43	11.41	17002183	(17000_BF)	55	53	34 %
55.04	51.74	36.85	63.52	35.45	56.87	54.18	35.82	64.96	33.4	2.93	3.21	2.18	2.27	2.16	17.91	17002184	(17000_BF)	56	52	36 %
55.04	51.74	36.85	63.52	35.45	55.63	53.87	29.89	61.61	29.0	4.17	7.3	3.67	4.89	4.11	14.21	17002185	(17000_BF)	55	52	33 %
55.04	51.74	36.85	63.52	35.45	56.02	53.32	28.05	60.25	27.7	4.55	8.99	4.45	5.86	4.96	19.21	17002186	(17000_BF)	56	52	32 %
55.04	51.74	36.85	63.52	35.45	55.14	54.84	30.38	62.7	28.9	4.1	7.17	3.65	4.88	4.1	12.57	17002187	(17000_BF)	55	53	33 %
55.04	51.74	36.85	63.52	35.45	55.25	54.29	28.76	61.44	27.9	4.71	8.48	4.25	5.65	4.76	15.31	17002188	(17000_BF)	55	53	32 %
55.04	51.74	36.85	63.52	35.45	54.82	54.53	29.14	61.83	28.1	4.65	8.2	4.13	5.5	4.63	14.59	17002189	(17000_BF)	55	53	32 %
55.04	51.74	36.85	63.52	35.45	56.72	53.65	31.05	61.99	30.0	3.96	6.33	3.48	4.36	3.78	19.81	17002190	(17000_BF)	56	52	33 %
55.04	51.74	36.85	63.52	35.45	55.2	54.78	29.93	62.42	28.6	4.5	7.55	3.84	5.11	4.3	13.36	17002191	(17000_BF)	55	53	33 %
55.04	51.74	36.85	63.52	35.45	56.51	50.43	38.2	63.26	37.1	2.51	2.39	1.75	1.85	1.76	14.8	17002192	(17000_BF)	56	51	37 %
55.04	51.74	36.85	63.52	35.45	58.65	47.73	34.73	59.03	36.0	4.18	5.79	3.81	3.52	3.55	36.79	17002193	(17000_BF)	57	49	35 %
55.04	51.74	36.85	63.52	35.45	56.25	51.8	44.4	68.22	40.6	4.74	7.64	3.47	4.69	3.81	15.35	17002194	(17000_BF)	56	51	40 %
55.04	51.74	36.85	63.52	35.45	55.21	53.72	45.08	70.13	40.0	4.34	8.46	3.2	4.42	3.47	12.11	17002195	(17000_BF)	55	52	40 %
55.04	51.74	36.85	63.52	35.45	55.39	51.22	35.73	62.45	34.9	1.19	1.28	0.54	0.65	0.55	4.17	17002196	(17000_BF)	55	51	36 %
55.04	51.74	36.85	63.52	35.45	53.93	51.95	34.84	62.55	33.8	2.43	2.3	1.45	1.61	1.49	11.19	17002197	(17000_BF)	54	51	35 %
55.04	51.74	36.85	63.52	35.45	54.12	51.49	35.95	62.8	34.9	1.41	1.3	0.98	0.94	0.95	8.96	17002198	(17000_BF)	55	51	36 %
55.04	51.74	36.85	63.52	35.45	55.06	51.78	36.88	63.57	35.4	0.63	0.05	0.02	0.02	0.02	0.2	17002199	(17000_BF)	55	51	36 %

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> /PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
55.04	51.74	36.85	63.52	35.45	54.99	53.05	37.34	64.88	35.1	1.48	1.4	0.39	0.53	0.4	2.56	17002200	(17000_BF)	55	52	37 %
55.04	51.74	36.85	63.52	35.45	55.74	54.23	43.87	69.75	38.9	4.21	7.48	2.73	3.66	2.89	12.25	17002201	(17000_BF)	55	52	40 %
55.04	51.74	36.85	63.52	35.45	55.84	57.44	41.62	70.94	35.9	3.09	7.47	2.1	2.66	2.01	13.43	17002202	(17000_BF)	55	54	39 %
55.04	51.74	36.85	63.52	35.45	57.04	55.2	37.54	66.76	34.2	2.7	4.05	2.28	2.28	2.19	19.48	17002203	(17000_BF)	56	53	37 %
55.04	51.74	36.85	63.52	35.45	54.9	56.54	36.04	67.05	32.5	2.99	4.87	1.95	2.61	2.12	8.78	17002204	(17000_BF)	55	54	36 %
55.04	51.74	36.85	63.52	35.45	56.07	55.57	34.98	65.66	32.1	3.03	4.38	2.21	2.79	2.38	11.94	17002205	(17000_BF)	56	53	35 %
55.04	51.74	36.85	63.52	35.45	55.56	56.15	36.32	66.88	32.8	2.61	4.47	1.8	2.36	1.93	8.71	17002206	(17000_BF)	55	53	36 %
55.04	51.74	36.85	63.52	35.45	56.34	55.35	34.97	65.48	32.2	2.91	4.27	2.3	2.8	2.44	14.0	17002207	(17000_BF)	56	53	35 %
38.31	0.29	0.2	0.35	34.93	34.49	-0.07	-1.05	1.05	265.7	4.65	4.04	4.04	4.63	3.47	43.37	17002208	(17000_BF)	36	0	0 %
38.31	0.29	0.2	0.35	34.93	33.54	-0.3	-1.04	1.08	253.8	5.14	4.96	4.96	5.66	4.24	53.93	17002209	(17000_BF)	36	0	0 %
38.31	0.29	0.2	0.35	34.93	35.08	0.14	-0.63	0.65	283.0	4.2	3.34	3.34	3.76	2.85	36.46	17002210	(17000_BF)	37	0	0 %
38.31	0.29	0.2	0.35	34.93	35.28	0.5	1.79	1.86	74.3	4.13	3.42	3.41	4.01	2.98	34.82	17002211	(17000_BF)	37	0	1 %
38.31	0.29	0.2	0.35	34.93	34.37	-0.44	-2.02	2.07	257.4	5.51	4.58	4.57	5.45	4.07	45.66	17002212	(17000_BF)	36	0	0 %
38.31	0.29	0.2	0.35	34.93	35.35	-0.22	-2.54	2.55	264.9	5.68	4.07	4.04	5.03	3.68	35.94	17002213	(17000_BF)	37	0	-1 %
38.31	0.29	0.2	0.35	34.93	34.65	-1.35	-1.78	2.24	232.6	4.59	4.48	4.46	5.4	4.31	42.48	17002214	(17000_BF)	36	0	0 %
38.31	0.29	0.2	0.35	34.93	36.83	0.05	-0.22	0.23	283.9	1.48	1.55	1.55	1.76	1.37	16.65	17002215	(17000_BF)	38	0	0 %
38.31	0.29	0.2	0.35	34.93	36.36	-0.87	-2.06	2.24	247.1	4.45	3.21	3.19	4.14	3.2	24.72	17002216	(17000_BF)	37	0	0 %
38.31	0.29	0.2	0.35	34.93	36.02	-0.17	-1.6	1.61	263.6	4.07	2.95	2.94	3.66	2.7	27.15	17002217	(17000_BF)	37	0	0 %
38.31	0.29	0.2	0.35	34.93	36.3	0.31	-2.19	2.21	278.2	4.94	3.12	3.1	3.99	2.85	25.42	17002218	(17000_BF)	37	0	0 %
38.31	0.29	0.2	0.35	34.93	35.22	-0.79	-3.89	3.97	258.3	6.7	5.24	5.2	6.48	4.83	40.46	17002219	(17000_BF)	37	0	-1 %
38.31	0.29	0.2	0.35	34.93	36.91	0.54	-2.61	2.67	281.7	5.26	3.16	3.12	4.16	2.94	21.0	17002220	(17000_BF)	38	0	-1 %
38.31	0.29	0.2	0.35	34.93	31.43	0.68	-4.37	4.43	278.9	5.52	8.27	8.23	9.75	7.04	81.04	17002221	(17000_BF)	35	0	-2 %
38.31	0.29	0.2	0.35	34.93	36.97	0.6	-2.99	3.05	281.3	5.47	3.48	3.44	4.57	3.24	21.8	17002222	(17000_BF)	38	0	-1 %
38.31	0.29	0.2	0.35	34.93	35.46	0.29	-2.57	2.59	276.4	4.99	3.98	3.96	4.93	3.57	34.89	17002223	(17000_BF)	37	0	-1 %
38.31	0.29	0.2	0.35	34.93	36.56	0.86	-2.4	2.55	289.7	5.14	3.19	3.16	4.14	2.99	23.49	17002224	(17000_BF)	37	0	-1 %
38.31	0.29	0.2	0.35	34.93	36.52	0.51	-3.7	3.73	277.9	5.48	4.3	4.25	5.49	3.93	27.98	17002225	(17000_BF)	37	0	-1 %
38.31	0.29	0.2	0.35	34.93	36.94	-0.82	-2.77	2.89	253.4	5.2	3.46	3.42	4.57	3.43	21.43	17002226	(17000_BF)	38	0	-1 %
38.31	0.29	0.2	0.35	34.93	38.29	-0.03	0.32	0.32	96.5	1.19	0.35	0.35	0.53	0.5	1.01	17002227	(17000_BF)	38	0	0 %
38.31	0.29	0.2	0.35	34.93	34.79	0.38	1.78	1.83	77.7	4.19	3.86	3.85	4.47	3.32	40.21	17002228	(17000_BF)	37	0	0 %
38.31	0.29	0.2	0.35	34.93	32.42	-0.89	-3.74	3.85	256.5	6.52	7.19	7.16	8.53	6.31	69.45	17002229	(17000_BF)	35	0	-1 %
38.31	0.29	0.2	0.35	34.93	33.08	0.92	-0.91	1.29	315.3	5.62	5.38	5.38	6.11	4.56	59.02	17002230	(17000_BF)	36	0	0 %
38.31	0.29	0.2	0.35	34.93	33.85	0.04	-2.25	2.25	271.0	5.9	5.09	5.08	6.01	4.41	51.57	17002231	(17000_BF)	36	0	-1 %
38.31	0.29	0.2	0.35	34.93	36.74	-0.92	1.51	1.77	121.4	3.85	2.37	2.36	3.05	2.55	18.84	17002232	(17000_BF)	38	0	0 %
38.31	0.29	0.2	0.35	34.93	35.97	1.02	-3.4	3.56	286.7	5.72	4.36	4.32	5.5	4.02	31.93	17002233	(17000_BF)	37	0	-1 %
38.31	0.29	0.2	0.35	34.93	37.58	-0.56	-0.26	0.62	205.1	2.96	1.22	1.21	1.66	1.49	8.68	17002234	(17000_BF)	38	0	0 %
38.31	0.29	0.2	0.35	34.93	36.83	-1.64	0.37	1.69	167.2	3.96	2.44	2.43	3.21	3.07	17.2	17002235	(17000_BF)	38	0	0 %
38.31	0.29	0.2	0.35	34.93	35.24	-0.3	-1.8	1.83	260.4	5.18	3.71	3.7	4.49	3.34	35.87	17002236	(17000_BF)	37	0	0 %
38.31	0.29	0.2	0.35	34.93	39.04	-0.11	0.21	0.24	117.9	1.86	0.83	0.83	0.99	0.87	8.11	17002237	(17000_BF)	39	0	0 %
47.11	-40.92	-0.77	40.93	181.08	47.06	-40.75	-0.81	40.76	181.1	0.11	0.18	0.08	0.09	0.08	0.64	17002238	(17000_BF)	47	-40	0 %
47.11	-40.92	-0.77	40.93	181.08	47.36	-41.01	-0.88	41.02	181.2	0.2	0.28	0.25	0.24	0.25	2.65	17002239	(17000_BF)	47	-40	0 %
47.11	-40.92	-0.77	40.93	181.08	47.57	-41.26	-0.86	41.27	181.2	0.33	0.57	0.47	0.45	0.46	4.73	17002240	(17000_BF)	47	-41	0 %
47.11	-40.92	-0.77	40.93	181.08	47.48	-41.77	-0.09	41.77	180.1	0.7	1.15	0.63	0.63	0.63	5.24	17002241	(17000_BF)	47	-41	0 %
47.11	-40.92	-0.77	40.93	181.08	46.97	-40.68	-0.78	40.69	181.1	0.14	0.28	0.16	0.16	0.16	1.48	17002242	(17000_BF)	47	-40	0 %
47.11	-40.92	-0.77	40.93	181.08	46.75	-40.5	-0.77	40.51	181.0	0.26	0.55	0.39	0.39	0.38	3.79	17002243	(17000_BF)	47	-40	0 %
47.11	-40.92	-0.77	40.93	181.08	46.57	-40.27	-0.79	40.28	181.1	0.51	0.84	0.58	0.58	0.57	5.65	17002244	(17000_BF)	47	-40	0 %
47.11	-40.92	-0.77	40.93	181.08	47.23	-41.06	-0.64	41.06	180.9	0.21	0.22	0.15	0.14	0.14	1.4	17002245	(17000_BF)	47	-40	0 %
47.11	-40.92	-0.77	40.93	181.08	47.4	-41.12	-0.49	41.12	180.6	0.44	0.44	0.34	0.32	0.33	3.32	17002246	(17000_BF)	47	-41	0 %
47.11	-40.92	-0.77	40.93	181.08	47.39	-41.54	-0.71	41.55	180.9	0.33	0.67	0.35	0.37	0.34	2.9	17002247	(17000_BF)	47	-41	0 %
47.11	-40.92	-0.77	40.93	181.08	47.58	-41.91	-0.63	41.91	180.8	0.64	1.1	0.59	0.61	0.58	4.98	17002248	(17000_BF)	47	-41	0 %
47.11	-40.92	-0.77	40.93	181.08	47.26	-40.94	-0.92	40.95	181.2	0.16	0.2	0.17	0.16	0.16	1.67	17002249	(17000_BF)	47	-40	0 %

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*a*b*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
47.11	-40.92	-0.77	40.93	181.08	47.38	-41.49	-1.04	41.5	181.4	0.38	0.67	0.36	0.37	0.36	3.11	17002250	(17000_BF)	47	-41	0 %
47.11	-40.92	-0.77	40.93	181.08	47.59	-42.07	-1.21	42.09	181.6	0.6	1.31	0.67	0.7	0.66	5.5	17002251	(17000_BF)	47	-41	0 %
47.11	-40.92	-0.77	40.93	181.08	47.13	-40.94	-0.61	40.94	180.8	0.23	0.16	0.1	0.09	0.1	0.86	17002252	(17000_BF)	47	-40	0 %
47.11	-40.92	-0.77	40.93	181.08	47.25	-41.24	-0.54	41.24	180.7	0.42	0.41	0.22	0.22	0.22	1.88	17002253	(17000_BF)	47	-41	0 %
47.11	-40.92	-0.77	40.93	181.08	47.23	-41.11	-0.51	41.12	180.7	0.38	0.33	0.2	0.19	0.2	1.78	17002254	(17000_BF)	47	-41	0 %
47.11	-40.92	-0.77	40.93	181.08	47.53	-41.85	-0.33	41.85	180.4	0.7	1.1	0.59	0.61	0.59	4.96	17002255	(17000_BF)	47	-41	0 %
47.11	-40.92	-0.77	40.93	181.08	47.33	-41.46	-0.75	41.47	181.0	0.36	0.57	0.28	0.3	0.28	2.29	17002256	(17000_BF)	47	-41	0 %
47.11	-40.92	-0.77	40.93	181.08	47.48	-41.95	-0.65	41.96	180.8	0.62	1.09	0.51	0.56	0.51	3.95	17002257	(17000_BF)	47	-41	0 %
32.5	-2.03	-41.87	41.92	267.22	32.57	-2.59	-41.38	41.46	266.4	0.13	0.75	0.4	0.46	0.29	3.25	17002258	(17000_BF)	33	-2	-41 %
32.5	-2.03	-41.87	41.92	267.22	32.73	-1.48	-43.0	43.03	268.0	0.44	1.28	0.57	0.67	0.3	5.68	17002259	(17000_BF)	33	-1	-42 %
32.5	-2.03	-41.87	41.92	267.22	32.37	-1.71	-41.41	41.45	267.6	0.5	0.57	0.27	0.32	0.36	2.45	17002260	(17000_BF)	32	-1	-41 %
32.5	-2.03	-41.87	41.92	267.22	32.72	-3.24	-40.3	40.43	265.3	0.46	1.99	0.98	1.13	0.58	9.99	17002261	(17000_BF)	33	-2	-41 %
32.5	-2.03	-41.87	41.92	267.22	32.39	-2.62	-41.05	41.14	266.3	0.22	1.01	0.48	0.56	0.27	4.22	17002262	(17000_BF)	32	-2	-41 %
32.5	-2.03	-41.87	41.92	267.22	32.52	-1.75	-42.29	42.33	267.6	0.17	0.5	0.23	0.27	0.11	2.23	17002263	(17000_BF)	33	-1	-42 %
32.5	-2.03	-41.87	41.92	267.22	32.9	-2.16	-41.9	41.95	267.0	0.33	0.42	0.41	0.48	0.33	4.9	17002264	(17000_BF)	33	-2	-41 %
32.5	-2.03	-41.87	41.92	267.22	32.96	-1.9	-42.77	42.81	267.4	0.56	1.02	0.56	0.66	0.43	5.87	17002265	(17000_BF)	33	-1	-42 %
32.5	-2.03	-41.87	41.92	267.22	32.85	-0.97	-43.49	43.5	268.7	0.61	1.96	0.94	1.09	0.51	8.32	17002266	(17000_BF)	33	-1	-42 %
32.5	-2.03	-41.87	41.92	267.22	32.72	-2.4	-41.74	41.81	266.6	0.2	0.45	0.32	0.37	0.28	3.12	17002267	(17000_BF)	33	-2	-41 %
32.5	-2.03	-41.87	41.92	267.22	32.62	-2.16	-41.95	42.01	267.0	0.15	0.19	0.14	0.17	0.14	1.42	17002268	(17000_BF)	33	-2	-41 %
32.5	-2.03	-41.87	41.92	267.22	32.54	-0.9	-42.6	42.61	268.7	0.56	1.34	0.74	0.84	0.59	4.6	17002269	(17000_BF)	33	-1	-42 %
32.5	-2.03	-41.87	41.92	267.22	31.99	-1.53	-41.22	41.25	267.8	0.71	0.96	0.62	0.73	0.65	5.97	17002270	(17000_BF)	32	-1	-41 %
32.5	-2.03	-41.87	41.92	267.22	32.87	-2.62	-41.17	41.25	266.3	0.41	0.99	0.58	0.68	0.4	6.98	17002271	(17000_BF)	33	-2	-41 %
32.5	-2.03	-41.87	41.92	267.22	32.74	-2.01	-42.41	42.46	267.2	0.46	0.59	0.3	0.36	0.25	3.25	17002272	(17000_BF)	33	-2	-42 %
32.5	-2.03	-41.87	41.92	267.22	32.24	-1.96	-41.42	41.46	267.2	0.55	0.52	0.3	0.36	0.27	3.18	17002273	(17000_BF)	32	-1	-41 %
32.5	-2.03	-41.87	41.92	267.22	32.85	-2.42	-42.01	42.08	266.6	0.47	0.54	0.42	0.49	0.41	4.23	17002274	(17000_BF)	33	-2	-41 %
32.5	-2.03	-41.87	41.92	267.22	32.75	-2.78	-40.94	41.04	266.1	0.38	1.21	0.63	0.73	0.39	6.86	17002275	(17000_BF)	33	-2	-41 %
32.5	-2.03	-41.87	41.92	267.22	32.45	-2.38	-40.71	40.78	266.6	0.53	1.21	0.47	0.56	0.24	5.94	17002276	(17000_BF)	32	-2	-41 %
32.5	-2.03	-41.87	41.92	267.22	32.38	-1.5	-41.62	41.65	267.9	0.6	0.59	0.34	0.39	0.43	2.01	17002277	(17000_BF)	32	-1	-41 %
34.21	51.77	43.47	67.6	40.02	34.73	53.1	45.61	70.0	40.6	0.56	2.57	0.87	1.15	0.85	6.32	17002278	(17000_BF)	34	52	44 %
34.21	51.77	43.47	67.6	40.02	33.58	51.25	45.65	68.63	41.6	0.85	2.32	1.19	1.67	1.28	7.48	17002279	(17000_BF)	34	51	44 %
34.21	51.77	43.47	67.6	40.02	34.4	52.0	43.7	67.93	40.0	0.14	0.38	0.21	0.24	0.17	2.21	17002280	(17000_BF)	34	51	43 %
34.21	51.77	43.47	67.6	40.02	33.46	51.47	43.08	67.12	39.9	0.58	0.88	0.75	0.87	0.61	8.48	17002281	(17000_BF)	34	51	43 %
34.21	51.77	43.47	67.6	40.02	34.15	51.79	43.85	67.86	40.2	0.23	0.38	0.16	0.23	0.18	0.76	17002282	(17000_BF)	34	51	43 %
34.21	51.77	43.47	67.6	40.02	34.55	52.38	43.93	68.37	39.9	0.24	0.83	0.39	0.47	0.33	3.94	17002283	(17000_BF)	34	52	43 %
34.21	51.77	43.47	67.6	40.02	33.58	51.29	43.28	67.11	40.1	0.58	0.8	0.64	0.74	0.52	7.12	17002284	(17000_BF)	34	51	43 %
34.21	51.77	43.47	67.6	40.02	33.66	51.83	43.94	67.95	40.2	0.42	0.71	0.57	0.67	0.48	6.34	17002285	(17000_BF)	34	51	43 %
34.21	51.77	43.47	67.6	40.02	33.07	51.82	43.98	67.97	40.3	0.73	1.24	1.15	1.34	0.94	13.17	17002286	(17000_BF)	34	51	43 %
34.21	51.77	43.47	67.6	40.02	33.67	51.57	44.45	68.09	40.7	0.51	1.13	0.69	0.9	0.67	6.2	17002287	(17000_BF)	34	51	43 %
34.21	51.77	43.47	67.6	40.02	33.15	51.77	47.37	70.17	42.4	0.95	4.04	1.91	2.65	2.0	12.98	17002288	(17000_BF)	34	51	45 %
34.21	51.77	43.47	67.6	40.02	34.37	52.51	45.21	69.29	40.7	0.4	1.89	0.61	0.86	0.65	2.63	17002289	(17000_BF)	34	52	44 %
34.21	51.77	43.47	67.6	40.02	33.02	51.78	44.87	68.52	40.9	0.75	1.83	1.31	1.6	1.15	13.87	17002290	(17000_BF)	34	51	44 %
34.21	51.77	43.47	67.6	40.02	34.23	51.32	42.53	66.66	39.6	0.18	1.03	0.31	0.45	0.34	1.33	17002291	(17000_BF)	34	51	43 %
34.21	51.77	43.47	67.6	40.02	34.56	53.38	46.86	71.03	41.2	0.58	3.77	1.19	1.66	1.24	5.33	17002292	(17000_BF)	34	52	45 %
34.21	51.77	43.47	67.6	40.02	33.8	51.52	45.57	68.78	41.4	0.72	2.15	1.0	1.43	1.1	5.03	17002293	(17000_BF)	34	51	44 %
34.21	51.77	43.47	67.6	40.02	34.01	51.5	42.63	66.86	39.6	0.19	0.9	0.35	0.48	0.36	2.3	17002294	(17000_BF)	34	51	43 %
34.21	51.77	43.47	67.6	40.02	34.3	51.49	42.98	67.07	39.8	0.09	0.57	0.19	0.25	0.19	1.4	17002295	(17000_BF)	34	51	43 %
34.21	51.77	43.47	67.6	40.02	33.3	51.42	42.49	66.71	39.5	0.69	1.37	0.97	1.15	0.82	10.39	17002296	(17000_BF)	34	51	42 %
34.21	51.77	43.47	67.6	40.02	34.15	53.02	46.63	70.61	41.3	0.56	3.39	1.08	1.54	1.16	3.73	17002297	(17000_BF)	34	52	45 %
83.34	1.29	101.21	101.22	89.26	83.74	2.49	102.03	102.06	88.5	0.54	1.5	0.63	0.7	0.68	3.62	17002298	(17000_BF)	84	1	101 %
83.34	1.29	101.21	101.22	89.26	83.14	2.09	103.85	103.87	88.8	0.45	2.76	0.59	0.87	0.62	2.3	17002299	(17000_BF)	83	1	102 %

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
83.34	1.29	101.21	101.22	89.26	83.82	1.62	99.78	99.8	89.0	0.51	1.54	0.56	0.57	0.44	3.69	17002300	(17000_BF)	84	1	100 %	
83.34	1.29	101.21	101.22	89.26	83.58	1.26	100.54	100.55	89.2	0.25	0.71	0.27	0.26	0.2	1.87	17002301	(17000_BF)	83	1	100 %	
83.34	1.29	101.21	101.22	89.26	83.7	0.37	101.84	101.84	89.7	0.44	1.17	0.52	0.55	0.54	3.1	17002302	(17000_BF)	84	0	101 %	
83.34	1.29	101.21	101.22	89.26	84.19	0.06	101.13	101.13	89.9	0.5	1.49	0.97	0.86	0.84	6.64	17002303	(17000_BF)	84	0	101 %	
83.34	1.29	101.21	101.22	89.26	83.37	1.29	101.5	101.51	89.2	0.12	0.28	0.06	0.08	0.05	0.27	17002304	(17000_BF)	83	1	101 %	
83.34	1.29	101.21	101.22	89.26	83.21	1.11	100.97	100.98	89.3	0.11	0.32	0.15	0.14	0.13	0.99	17002305	(17000_BF)	83	1	101 %	
83.34	1.29	101.21	101.22	89.26	82.9	1.31	101.08	101.09	89.2	0.18	0.45	0.43	0.31	0.29	3.23	17002306	(17000_BF)	83	1	101 %	
83.34	1.29	101.21	101.22	89.26	84.22	0.24	99.35	99.36	89.8	0.6	2.3	1.02	0.98	0.86	6.88	17002307	(17000_BF)	84	0	100 %	
83.34	1.29	101.21	101.22	89.26	83.75	0.87	101.92	101.93	89.5	0.21	0.91	0.46	0.42	0.37	3.17	17002308	(17000_BF)	84	1	101 %	
83.34	1.29	101.21	101.22	89.26	82.94	1.67	101.97	101.98	89.0	0.32	0.93	0.44	0.41	0.35	3.11	17002309	(17000_BF)	83	1	101 %	
83.34	1.29	101.21	101.22	89.26	83.94	1.45	103.41	103.42	89.1	0.29	2.27	0.71	0.77	0.56	4.5	17002310	(17000_BF)	84	1	102 %	
83.34	1.29	101.21	101.22	89.26	83.5	1.05	101.65	101.65	89.4	0.12	0.51	0.2	0.2	0.18	1.26	17002311	(17000_BF)	83	1	101 %	
83.34	1.29	101.21	101.22	89.26	83.96	1.42	104.56	104.57	89.2	0.52	3.4	0.86	1.07	0.72	4.77	17002312	(17000_BF)	84	1	102 %	
83.34	1.29	101.21	101.22	89.26	83.61	0.96	99.16	99.16	89.4	0.5	2.09	0.47	0.65	0.44	2.33	17002313	(17000_BF)	83	1	100 %	
83.34	1.29	101.21	101.22	89.26	83.52	2.81	101.59	101.63	88.4	0.65	1.58	0.63	0.78	0.8	2.9	17002314	(17000_BF)	83	2	101 %	
83.34	1.29	101.21	101.22	89.26	84.08	0.01	102.39	102.39	89.9	0.61	1.89	0.92	0.9	0.85	5.96	17002315	(17000_BF)	84	0	101 %	
83.34	1.29	101.21	101.22	89.26	84.29	1.27	103.92	103.92	89.2	0.48	2.86	1.06	1.04	0.79	7.08	17002316	(17000_BF)	84	1	102 %	
83.34	1.29	101.21	101.22	89.26	83.26	1.94	101.21	101.22	88.8	0.39	0.65	0.27	0.33	0.34	1.25	17002317	(17000_BF)	83	1	101 %	
73.87	-12.71	-21.6	25.06	239.51	73.54	-13.83	-21.0	25.15	236.6	0.8	1.31	0.97	1.01	0.9	3.92	17002318	(17000_BF)	74	-13	-21 %	
73.87	-12.71	-21.6	25.06	239.51	74.08	-12.06	-22.2	25.27	241.4	0.55	0.91	0.66	0.7	0.6	3.08	17002319	(17000_BF)	74	-12	-21 %	
73.87	-12.71	-21.6	25.06	239.51	74.22	-12.64	-21.47	24.92	239.5	0.37	0.38	0.36	0.28	0.27	3.0	17002320	(17000_BF)	74	-12	-21 %	
73.87	-12.71	-21.6	25.06	239.51	73.71	-12.72	-21.79	25.23	239.7	0.15	0.24	0.18	0.16	0.14	1.59	17002321	(17000_BF)	74	-12	-21 %	
73.87	-12.71	-21.6	25.06	239.51	73.58	-14.39	-20.7	25.21	235.2	0.91	1.92	1.4	1.48	1.32	4.99	17002322	(17000_BF)	74	-13	-21 %	
73.87	-12.71	-21.6	25.06	239.51	73.8	-13.23	-21.44	25.19	238.3	0.4	0.54	0.39	0.41	0.37	1.18	17002323	(17000_BF)	74	-12	-21 %	
73.87	-12.71	-21.6	25.06	239.51	74.07	-11.03	-22.76	25.29	244.1	0.93	2.05	1.49	1.61	1.4	5.64	17002324	(17000_BF)	74	-11	-22 %	
73.87	-12.71	-21.6	25.06	239.51	74.78	-13.6	-22.99	26.71	239.3	0.86	1.88	1.19	1.11	1.02	8.91	17002325	(17000_BF)	74	-13	-22 %	
73.87	-12.71	-21.6	25.06	239.51	74.24	-13.13	-22.22	25.82	239.4	0.41	0.84	0.51	0.49	0.45	3.81	17002326	(17000_BF)	74	-12	-21 %	
73.87	-12.71	-21.6	25.06	239.51	74.07	-12.85	-21.32	24.89	238.9	0.27	0.37	0.28	0.27	0.23	2.13	17002327	(17000_BF)	74	-12	-21 %	
73.87	-12.71	-21.6	25.06	239.51	74.44	-12.58	-21.24	24.68	239.3	0.55	0.68	0.59	0.48	0.45	5.04	17002328	(17000_BF)	74	-12	-21 %	
73.87	-12.71	-21.6	25.06	239.51	74.65	-13.73	-22.18	26.09	238.2	0.8	1.4	1.0	0.92	0.87	6.7	17002329	(17000_BF)	74	-13	-21 %	
73.87	-12.71	-21.6	25.06	239.51	73.88	-12.73	-21.74	25.19	239.6	0.1	0.14	0.07	0.08	0.06	0.58	17002330	(17000_BF)	74	-12	-21 %	
73.87	-12.71	-21.6	25.06	239.51	74.07	-12.45	-22.56	25.77	241.0	0.3	1.01	0.64	0.68	0.55	4.19	17002331	(17000_BF)	74	-12	-22 %	
73.87	-12.71	-21.6	25.06	239.51	74.06	-11.68	-22.33	25.2	242.3	0.69	1.28	0.93	1.0	0.87	3.67	17002332	(17000_BF)	74	-12	-21 %	
73.87	-12.71	-21.6	25.06	239.51	73.38	-12.62	-22.45	25.75	240.6	0.44	0.98	0.69	0.65	0.56	5.71	17002333	(17000_BF)	74	-12	-22 %	
73.87	-12.71	-21.6	25.06	239.51	73.15	-12.95	-22.17	25.68	239.7	0.54	0.94	0.77	0.64	0.6	6.66	17002334	(17000_BF)	74	-12	-21 %	
73.87	-12.71	-21.6	25.06	239.51	74.99	-12.82	-20.24	23.96	237.6	1.0	1.76	1.36	1.21	1.08	11.28	17002335	(17000_BF)	74	-12	-20 %	
73.87	-12.71	-21.6	25.06	239.51	73.46	-12.78	-22.11	25.54	239.9	0.2	0.65	0.49	0.43	0.39	4.23	17002336	(17000_BF)	74	-12	-21 %	
73.87	-12.71	-21.6	25.06	239.51	74.46	-12.8	-20.98	24.58	238.6	0.7	0.85	0.69	0.6	0.54	5.72	17002337	(17000_BF)	74	-12	-21 %	
65.52	32.98	3.56	33.18	6.16	65.39	33.16	3.18	33.32	5.4	0.24	0.44	0.3	0.31	0.27	1.91	17002338	(17000_BF)	65	33	3 %	
65.52	32.98	3.56	33.18	6.16	65.53	32.98	3.75	33.2	6.4	0.15	0.18	0.12	0.13	0.11	0.75	17002339	(17000_BF)	66	32	3 %	
65.52	32.98	3.56	33.18	6.16	65.73	32.45	3.69	32.66	6.4	0.37	0.58	0.32	0.32	0.29	2.2	17002340	(17000_BF)	66	32	3 %	
65.52	32.98	3.56	33.18	6.16	65.84	32.51	3.47	32.69	6.0	0.37	0.58	0.37	0.34	0.32	3.04	17002341	(17000_BF)	66	32	3 %	
65.52	32.98	3.56	33.18	6.16	65.34	32.81	3.84	33.04	6.6	0.2	0.37	0.27	0.26	0.24	1.94	17002342	(17000_BF)	65	32	3 %	
65.52	32.98	3.56	33.18	6.16	65.56	32.66	3.75	32.88	6.5	0.19	0.37	0.19	0.21	0.18	1.03	17002343	(17000_BF)	66	32	3 %	
65.52	32.98	3.56	33.18	6.16	65.18	32.19	4.73	32.53	8.3	0.71	1.45	0.94	1.0	0.87	5.67	17002344	(17000_BF)	65	32	4 %	
65.52	32.98	3.56	33.18	6.16	65.7	32.64	3.44	32.82	6.0	0.22	0.4	0.23	0.22	0.21	1.8	17002345	(17000_BF)	66	32	3 %	
65.52	32.98	3.56	33.18	6.16	65.35	33.35	2.92	33.48	5.0	0.45	0.75	0.49	0.51	0.44	3.02	17002346	(17000_BF)	65	33	3 %	
65.52	32.98	3.56	33.18	6.16	66.07	32.26	3.14	32.42	5.5	0.61	0.99	0.66	0.62	0.58	5.39	17002347	(17000_BF)	66	32	3 %	
65.52	32.98	3.56	33.18	6.16	65.13	32.89	3.9	33.12	6.7	0.35	0.52	0.45	0.4	0.38	3.73	17002348	(17000_BF)	65	32	3 %	
65.52	32.98	3.56	33.18	6.16	64.76	33.63	3.5	33.81	5.9	0.59	0.99	0.8	0.68	0.67	6.88	17002349	(17000_BF)	65	33	3 %	

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*a*b*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
65.52	32.98	3.56	33.18	6.16	65.24	32.66	4.17	32.93	7.2	0.5	0.74	0.52	0.52	0.47	3.5	17002350	(17000_BF)	65	32	3	%
65.52	32.98	3.56	33.18	6.16	65.13	33.22	3.57	33.41	6.1	0.37	0.45	0.4	0.33	0.33	3.49	17002351	(17000_BF)	65	33	3	%
65.52	32.98	3.56	33.18	6.16	65.39	33.22	2.58	33.32	4.4	0.64	1.01	0.68	0.71	0.62	4.11	17002352	(17000_BF)	65	33	3	%
65.52	32.98	3.56	33.18	6.16	65.84	32.71	3.07	32.85	5.3	0.44	0.64	0.46	0.44	0.4	3.54	17002353	(17000_BF)	66	32	3	%
65.52	32.98	3.56	33.18	6.16	65.7	33.7	3.84	33.92	6.5	0.43	0.78	0.37	0.4	0.35	2.24	17002354	(17000_BF)	66	33	3	%
65.52	32.98	3.56	33.18	6.16	65.58	32.34	3.95	32.58	6.9	0.54	0.75	0.39	0.43	0.37	2.02	17002355	(17000_BF)	66	32	3	%
65.52	32.98	3.56	33.18	6.16	65.45	32.97	3.51	33.15	6.0	0.12	0.08	0.07	0.06	0.06	0.59	17002356	(17000_BF)	65	32	3	%
65.52	32.98	3.56	33.18	6.16	64.59	33.55	3.68	33.76	6.2	0.74	1.09	0.95	0.79	0.79	8.35	17002357	(17000_BF)	65	33	3	%
19.67	-16.7	1.6	16.78	174.51	20.35	-16.86	1.52	16.93	174.8	0.82	0.7	0.68	1.12	0.48	7.41	17002358	(17000_BF)	20	-16	1	%
19.67	-16.7	1.6	16.78	174.51	20.35	-16.93	2.42	17.1	171.8	1.19	1.08	0.94	1.32	0.76	8.29	17002359	(17000_BF)	20	-16	2	%
19.67	-16.7	1.6	16.78	174.51	20.1	-16.66	1.93	16.77	173.3	0.68	0.53	0.5	0.76	0.38	4.86	17002360	(17000_BF)	20	-16	1	%
19.67	-16.7	1.6	16.78	174.51	20.04	-17.25	1.7	17.33	174.3	0.71	0.66	0.48	0.71	0.44	4.06	17002361	(17000_BF)	20	-16	1	%
19.67	-16.7	1.6	16.78	174.51	19.68	-16.66	1.54	16.73	174.7	0.21	0.07	0.05	0.05	0.05	0.31	17002362	(17000_BF)	20	-16	1	%
19.67	-16.7	1.6	16.78	174.51	19.26	-17.01	1.22	17.06	175.8	0.65	0.64	0.55	0.8	0.46	4.92	17002363	(17000_BF)	19	-16	1	%
19.67	-16.7	1.6	16.78	174.51	19.87	-16.57	1.85	16.68	173.6	0.31	0.34	0.29	0.4	0.24	2.41	17002364	(17000_BF)	20	-16	1	%
19.67	-16.7	1.6	16.78	174.51	20.03	-16.89	1.61	16.97	174.5	0.46	0.4	0.37	0.61	0.27	3.91	17002365	(17000_BF)	20	-16	1	%
19.67	-16.7	1.6	16.78	174.51	19.49	-15.74	1.34	15.79	175.1	0.75	1.01	0.6	0.74	0.69	2.67	17002366	(17000_BF)	20	-16	1	%
19.67	-16.7	1.6	16.78	174.51	19.76	-16.36	1.38	16.42	175.1	0.26	0.41	0.26	0.32	0.28	1.51	17002367	(17000_BF)	20	-16	1	%
19.67	-16.7	1.6	16.78	174.51	20.4	-17.06	1.83	17.16	173.8	1.02	0.84	0.77	1.23	0.57	7.96	17002368	(17000_BF)	20	-16	1	%
19.67	-16.7	1.6	16.78	174.51	20.03	-16.49	2.01	16.61	173.0	0.65	0.58	0.5	0.71	0.42	4.35	17002369	(17000_BF)	20	-16	1	%
19.67	-16.7	1.6	16.78	174.51	20.34	-17.86	1.88	17.96	173.9	1.18	1.36	0.95	1.34	0.9	7.42	17002370	(17000_BF)	20	-17	1	%
19.67	-16.7	1.6	16.78	174.51	19.56	-16.74	0.88	16.77	176.9	0.69	0.73	0.58	0.65	0.54	3.78	17002371	(17000_BF)	20	-16	1	%
19.67	-16.7	1.6	16.78	174.51	19.41	-16.04	1.64	16.12	174.1	0.72	0.71	0.46	0.63	0.49	3.02	17002372	(17000_BF)	20	-16	1	%
19.67	-16.7	1.6	16.78	174.51	20.13	-16.4	2.38	16.58	171.7	1.02	0.95	0.79	1.04	0.69	6.17	17002373	(17000_BF)	20	-16	1	%
19.67	-16.7	1.6	16.78	174.51	19.97	-16.36	1.6	16.44	174.3	0.31	0.44	0.35	0.53	0.3	3.25	17002374	(17000_BF)	20	-16	1	%
19.67	-16.7	1.6	16.78	174.51	19.65	-16.83	1.26	16.87	175.6	0.33	0.35	0.28	0.31	0.26	1.69	17002375	(17000_BF)	20	-16	1	%
19.67	-16.7	1.6	16.78	174.51	20.03	-17.1	1.66	17.18	174.4	0.62	0.53	0.42	0.64	0.36	3.89	17002376	(17000_BF)	20	-16	1	%
19.67	-16.7	1.6	16.78	174.51	19.73	-16.61	1.42	16.67	175.0	0.18	0.2	0.15	0.18	0.14	1.09	17002377	(17000_BF)	20	-16	1	%
16.55	20.19	-11.75	23.36	329.79	15.9	19.98	-11.46	23.03	330.1	0.35	0.74	0.67	1.26	0.47	6.6	17002378	(17000_BF)	16	20	-11	%
16.55	20.19	-11.75	23.36	329.79	17.0	20.32	-12.05	23.63	329.3	0.39	0.56	0.49	0.88	0.35	4.76	17002379	(17000_BF)	17	20	-11	%
16.55	20.19	-11.75	23.36	329.79	16.44	20.08	-12.31	23.55	328.4	0.38	0.57	0.42	0.48	0.37	3.33	17002380	(17000_BF)	17	20	-12	%
16.55	20.19	-11.75	23.36	329.79	16.39	19.49	-11.67	22.72	329.0	0.33	0.71	0.4	0.52	0.41	2.0	17002381	(17000_BF)	16	19	-11	%
16.55	20.19	-11.75	23.36	329.79	16.25	19.91	-11.54	23.01	329.9	0.22	0.46	0.34	0.6	0.26	3.09	17002382	(17000_BF)	16	20	-11	%
16.55	20.19	-11.75	23.36	329.79	16.44	19.93	-11.68	23.1	329.6	0.13	0.29	0.17	0.26	0.16	1.18	17002383	(17000_BF)	16	20	-11	%
16.55	20.19	-11.75	23.36	329.79	16.53	20.92	-11.8	24.02	330.5	0.35	0.73	0.4	0.44	0.41	1.48	17002384	(17000_BF)	17	20	-11	%
16.55	20.19	-11.75	23.36	329.79	16.24	20.29	-11.53	23.34	330.3	0.31	0.38	0.35	0.61	0.26	3.24	17002385	(17000_BF)	16	20	-11	%
16.55	20.19	-11.75	23.36	329.79	16.38	19.85	-11.7	23.04	329.4	0.17	0.38	0.24	0.37	0.22	1.73	17002386	(17000_BF)	16	20	-11	%
16.55	20.19	-11.75	23.36	329.79	16.66	20.58	-11.67	23.67	330.4	0.3	0.41	0.26	0.34	0.25	1.46	17002387	(17000_BF)	17	20	-11	%
16.55	20.19	-11.75	23.36	329.79	16.42	20.12	-11.82	23.33	329.5	0.08	0.15	0.14	0.24	0.1	1.39	17002388	(17000_BF)	16	20	-11	%
16.55	20.19	-11.75	23.36	329.79	16.45	20.32	-11.73	23.46	330.0	0.08	0.16	0.12	0.19	0.1	1.03	17002389	(17000_BF)	17	20	-11	%
16.55	20.19	-11.75	23.36	329.79	17.09	19.63	-12.15	23.08	328.2	0.47	0.87	0.72	1.14	0.59	5.95	17002390	(17000_BF)	17	19	-11	%
16.55	20.19	-11.75	23.36	329.79	16.35	20.55	-12.34	23.97	329.0	0.28	0.71	0.43	0.57	0.38	4.2	17002391	(17000_BF)	16	20	-12	%
16.55	20.19	-11.75	23.36	329.79	16.88	20.99	-11.2	23.79	331.9	0.59	1.02	0.75	0.96	0.68	5.1	17002392	(17000_BF)	17	20	-11	%
16.55	20.19	-11.75	23.36	329.79	16.88	20.28	-11.91	23.52	329.5	0.23	0.38	0.35	0.64	0.24	3.46	17002393	(17000_BF)	17	20	-11	%
16.55	20.19	-11.75	23.36	329.79	15.27	20.87	-10.93	23.56	332.3	0.64	1.66	1.49	2.63	1.11	13.38	17002394	(17000_BF)	16	20	-11	%
16.55	20.19	-11.75	23.36	329.79	15.62	20.73	-11.32	23.62	331.3	0.58	1.16	1.05	1.88	0.77	9.71	17002395	(17000_BF)	16	20	-11	%
16.55	20.19	-11.75	23.36	329.79	16.64	20.6	-11.79	23.74	330.2	0.21	0.42	0.23	0.3	0.24	1.14	17002396	(17000_BF)	17	20	-11	%
16.55	20.19	-11.75	23.36	329.79	16.68	20.89	-11.53	23.86	331.1	0.47	0.74	0.48	0.57	0.47	2.35	17002397	(17000_BF)	17	20	-11	%
53.28	-0.44	-6.98	6.99	266.34	53.21	-0.68	-7.0	7.04	264.4	0.36	0.25	0.22	0.32	0.33	0.92	17002398	(17000_BF)	53	0	-6	%
53.28	-0.44	-6.98	6.99	266.34	53.44	-0.68	-6.96	6.99	264.3	0.27	0.28	0.26	0.34	0.35	1.62	17002399	(17000_BF)	53	0	-6	%

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /.PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation
TUB-Material: Code=rh4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB	data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
53.28	-0.44	-6.98	6.99	266.34	53.69	0.0	-6.4	6.4	270.0	1.05	0.84	0.72	0.89	0.86	5.15	17002400	(17000_BF)	53	0	-6 %	
53.28	-0.44	-6.98	6.99	266.34	52.73	-0.37	-7.0	7.01	266.9	0.61	0.55	0.55	0.49	0.54	5.42	17002401	(17000_BF)	53	0	-6 %	
53.28	-0.44	-6.98	6.99	266.34	53.62	-0.36	-7.81	7.82	267.3	0.77	0.9	0.72	0.85	0.71	5.18	17002402	(17000_BF)	53	0	-7 %	
53.28	-0.44	-6.98	6.99	266.34	53.38	-0.38	-7.38	7.39	266.9	0.32	0.42	0.32	0.4	0.33	2.19	17002403	(17000_BF)	53	0	-7 %	
53.28	-0.44	-6.98	6.99	266.34	53.45	-0.41	-6.95	6.96	266.6	0.14	0.17	0.17	0.15	0.17	1.66	17002404	(17000_BF)	53	0	-6 %	
53.28	-0.44	-6.98	6.99	266.34	53.58	0.54	-6.88	6.9	274.5	1.15	1.04	0.94	1.38	1.41	3.71	17002405	(17000_BF)	53	0	-6 %	
53.28	-0.44	-6.98	6.99	266.34	53.38	-0.41	-7.11	7.13	266.6	0.15	0.17	0.15	0.16	0.15	1.19	17002406	(17000_BF)	53	0	-7 %	
53.28	-0.44	-6.98	6.99	266.34	53.16	-0.17	-7.26	7.26	268.5	0.6	0.41	0.34	0.47	0.44	2.0	17002407	(17000_BF)	53	0	-7 %	
53.28	-0.44	-6.98	6.99	266.34	53.66	-0.44	-6.94	6.96	266.3	0.48	0.37	0.37	0.33	0.36	3.7	17002408	(17000_BF)	53	0	-6 %	
53.28	-0.44	-6.98	6.99	266.34	52.33	-0.4	-6.94	6.95	266.6	0.96	0.95	0.95	0.85	0.93	9.44	17002409	(17000_BF)	53	0	-6 %	
53.28	-0.44	-6.98	6.99	266.34	53.32	-0.44	-6.91	6.92	266.3	0.1	0.07	0.06	0.07	0.06	0.51	17002410	(17000_BF)	53	0	-6 %	
53.28	-0.44	-6.98	6.99	266.34	53.38	0.03	-6.95	6.95	270.2	0.89	0.49	0.44	0.65	0.66	1.48	17002411	(17000_BF)	53	0	-6 %	
53.28	-0.44	-6.98	6.99	266.34	53.16	-0.3	-6.96	6.96	267.4	0.31	0.18	0.17	0.21	0.21	1.19	17002412	(17000_BF)	53	0	-6 %	
53.28	-0.44	-6.98	6.99	266.34	53.54	-0.42	-7.41	7.42	266.7	0.37	0.5	0.41	0.46	0.41	3.23	17002413	(17000_BF)	53	0	-7 %	
53.28	-0.44	-6.98	6.99	266.34	53.46	-0.23	-6.76	6.76	267.9	0.61	0.34	0.3	0.37	0.36	2.12	17002414	(17000_BF)	53	0	-6 %	
53.28	-0.44	-6.98	6.99	266.34	53.33	-0.36	-7.85	7.86	267.3	0.8	0.88	0.67	0.83	0.66	4.38	17002415	(17000_BF)	53	0	-7 %	
53.28	-0.44	-6.98	6.99	266.34	53.46	-0.17	-6.95	6.95	268.5	0.33	0.32	0.3	0.4	0.41	1.85	17002416	(17000_BF)	53	0	-6 %	
53.28	-0.44	-6.98	6.99	266.34	54.16	-0.44	-6.92	6.94	266.2	0.99	0.87	0.87	0.77	0.84	8.63	17002417	(17000_BF)	54	0	-6 %	
86.95	-2.21	3.65	4.27	121.16	87.29	-1.37	3.9	4.14	109.3	1.11	0.93	0.88	1.12	1.18	2.92	17002418	(17000_BF)	87	-1	3 %	
86.95	-2.21	3.65	4.27	121.16	87.09	-2.82	3.45	4.45	129.2	0.82	0.66	0.61	0.8	0.83	1.58	17002419	(17000_BF)	87	-2	3 %	
86.95	-2.21	3.65	4.27	121.16	87.56	-1.83	4.05	4.45	114.3	0.8	0.82	0.79	0.8	0.74	4.66	17002420	(17000_BF)	87	-2	3 %	
86.95	-2.21	3.65	4.27	121.16	86.97	-2.12	3.58	4.16	120.5	0.27	0.11	0.09	0.12	0.12	0.33	17002421	(17000_BF)	87	-2	3 %	
86.95	-2.21	3.65	4.27	121.16	86.81	-2.01	4.01	4.48	116.6	0.36	0.43	0.39	0.5	0.43	1.59	17002422	(17000_BF)	87	-2	3 %	
86.95	-2.21	3.65	4.27	121.16	86.72	-1.97	5.3	5.65	110.3	1.16	1.68	1.46	1.88	1.46	5.7	17002423	(17000_BF)	87	-2	4 %	
86.95	-2.21	3.65	4.27	121.16	86.57	-2.89	3.69	4.69	128.0	1.0	0.78	0.72	0.85	0.9	2.99	17002424	(17000_BF)	87	-2	3 %	
86.95	-2.21	3.65	4.27	121.16	86.62	-2.01	3.7	4.22	118.5	0.3	0.38	0.37	0.33	0.33	2.37	17002425	(17000_BF)	87	-2	3 %	
86.95	-2.21	3.65	4.27	121.16	87.1	-1.57	3.43	3.77	114.5	0.74	0.69	0.62	0.81	0.85	1.69	17002426	(17000_BF)	87	-1	3 %	
86.95	-2.21	3.65	4.27	121.16	87.25	-2.69	4.58	5.32	120.4	0.94	1.09	0.93	1.15	0.96	3.81	17002427	(17000_BF)	87	-2	4 %	
86.95	-2.21	3.65	4.27	121.16	87.19	-2.05	2.87	3.53	125.5	0.7	0.83	0.71	0.93	0.7	3.17	17002428	(17000_BF)	87	-2	3 %	
86.95	-2.21	3.65	4.27	121.16	87.37	-2.43	2.8	3.71	130.9	0.83	0.97	0.89	1.1	0.86	4.2	17002429	(17000_BF)	87	-2	3 %	
86.95	-2.21	3.65	4.27	121.16	86.91	-2.18	4.45	4.95	116.1	0.77	0.79	0.69	0.9	0.68	2.65	17002430	(17000_BF)	87	-2	4 %	
86.95	-2.21	3.65	4.27	121.16	87.56	-2.17	3.74	4.32	120.1	0.3	0.62	0.61	0.45	0.4	4.43	17002431	(17000_BF)	87	-2	3 %	
86.95	-2.21	3.65	4.27	121.16	87.68	-2.74	2.31	3.58	139.8	1.21	1.61	1.51	1.83	1.49	7.02	17002432	(17000_BF)	87	-2	2 %	
86.95	-2.21	3.65	4.27	121.16	86.64	-2.26	3.08	3.82	126.3	0.63	0.65	0.59	0.71	0.54	2.9	17002433	(17000_BF)	87	-2	3 %	
86.95	-2.21	3.65	4.27	121.16	87.0	-2.17	3.32	3.97	123.2	0.27	0.33	0.29	0.38	0.28	1.18	17002434	(17000_BF)	87	-2	3 %	
86.95	-2.21	3.65	4.27	121.16	87.28	-2.66	4.1	4.89	123.0	0.7	0.72	0.63	0.74	0.7	2.91	17002435	(17000_BF)	87	-2	3 %	
86.95	-2.21	3.65	4.27	121.16	86.43	-2.7	2.48	3.66	137.3	1.2	1.36	1.27	1.59	1.29	5.45	17002436	(17000_BF)	87	-2	3 %	
86.95	-2.21	3.65	4.27	121.16	87.37	-1.98	3.8	4.28	117.5	0.34	0.5	0.49	0.45	0.43	3.13	17002437	(17000_BF)	87	-2	3 %	
44.73	37.75	23.1	44.25	31.46	43.74	35.67	21.54	41.67	31.1	1.35	2.77	1.32	1.46	1.28	11.31	17002438	(17000_BF)	44	36	22 %	
44.73	37.75	23.1	44.25	31.46	48.59	36.66	22.51	43.02	31.5	1.82	4.05	3.88	3.71	3.76	41.04	17002439	(17000_BF)	47	37	22 %	
44.73	37.75	23.1	44.25	31.46	45.16	35.46	23.32	42.44	33.3	1.01	2.33	1.12	1.43	1.19	6.85	17002440	(17000_BF)	45	36	23 %	
44.73	37.75	23.1	44.25	31.46	45.6	37.64	23.43	44.34	31.8	0.56	0.93	0.89	0.88	0.85	9.31	17002441	(17000_BF)	45	37	23 %	
44.73	37.75	23.1	44.25	31.46	46.41	37.34	23.56	44.15	32.2	0.98	1.79	1.72	1.69	1.65	17.94	17002442	(17000_BF)	46	37	23 %	
44.73	37.75	23.1	44.25	31.46	43.82	37.77	22.48	43.96	30.7	0.56	1.09	0.97	0.99	0.92	9.77	17002443	(17000_BF)	44	37	22 %	
44.73	37.75	23.1	44.25	31.46	43.63	37.6	21.98	43.56	30.3	1.45	1.57	1.23	1.31	1.19	11.84	17002444	(17000_BF)	44	37	22 %	
44.73	37.75	23.1	44.25	31.46	44.54	38.78	23.03	45.1	30.7	0.47	1.05	0.49	0.6	0.51	3.06	17002445	(17000_BF)	45	38	23 %	
44.73	37.75	23.1	44.25	31.46	45.05	39.6	22.5	45.55	29.6	1.17	1.97	1.03	1.29	1.08	5.03	17002446	(17000_BF)	45	38	22 %	
44.73	37.75	23.1	44.25	31.46	43.38	38.81	21.76	44.49	29.2	1.35	2.18	1.69	1.88	1.67	15.06	17002447	(17000_BF)	44	38	22 %	
44.73	37.75	23.1	44.25	31.46	44.63	36.71	19.92	41.76	28.4	1.39	3.34	1.58	2.05	1.69	8.02	17002448	(17000_BF)	45	37	21 %	
44.73	37.75	23.1	44.25	31.46	45.15	38.34	22.05	44.24	29.9	0.71	1.27	0.83	1.02	0.87	5.29	17002449	(17000_BF)	45	38	22 %	

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /.PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation
TUB-Material: Code=rh4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
44.73	37.75	23.1	44.25	31.46	43.1	38.01	22.54	44.19	30.6	1.0	1.73	1.66	1.67	1.56	17.56	17002450	(17000_BF)	44	37	22 %
44.73	37.75	23.1	44.25	31.46	43.33	39.32	24.15	46.15	31.5	1.35	2.36	1.54	1.58	1.45	16.2	17002451	(17000_BF)	44	38	23 %
44.73	37.75	23.1	44.25	31.46	41.05	36.79	22.1	42.92	30.9	1.68	3.93	3.71	3.73	3.41	39.67	17002452	(17000_BF)	43	37	22 %
44.73	37.75	23.1	44.25	31.46	45.27	38.92	23.17	45.3	30.7	0.76	1.29	0.72	0.8	0.71	6.01	17002453	(17000_BF)	45	38	23 %
44.73	37.75	23.1	44.25	31.46	44.85	36.46	22.72	42.96	31.9	0.27	1.34	0.49	0.61	0.5	3.17	17002454	(17000_BF)	45	37	22 %
44.73	37.75	23.1	44.25	31.46	45.32	36.75	24.46	44.14	33.6	1.05	1.78	1.17	1.47	1.24	7.32	17002455	(17000_BF)	45	37	23 %
44.73	37.75	23.1	44.25	31.46	46.38	38.31	22.64	44.5	30.5	1.12	1.79	1.69	1.68	1.63	17.56	17002456	(17000_BF)	46	38	22 %
44.73	37.75	23.1	44.25	31.46	45.32	38.03	23.33	44.61	31.5	0.53	0.69	0.6	0.59	0.57	6.28	17002457	(17000_BF)	45	37	23 %
44.73	37.75	23.1	44.25	31.46	43.97	34.86	22.44	41.46	32.7	1.45	3.05	1.33	1.59	1.35	9.5	17002458	(17000_BF)	44	36	22 %
44.73	37.75	23.1	44.25	31.46	44.71	36.72	21.44	42.52	30.2	0.61	1.95	0.79	1.01	0.83	4.45	17002459	(17000_BF)	45	37	22 %
44.73	37.75	23.1	44.25	31.46	47.84	38.05	22.37	44.14	30.4	1.68	3.21	3.14	3.04	3.04	33.03	17002460	(17000_BF)	46	37	22 %
44.73	37.75	23.1	44.25	31.46	46.22	33.56	20.53	39.35	31.4	1.51	5.12	2.21	2.52	2.21	20.14	17002461	(17000_BF)	45	35	21 %
44.73	37.75	23.1	44.25	31.46	45.07	37.61	23.56	44.38	32.0	0.27	0.59	0.44	0.5	0.44	3.78	17002462	(17000_BF)	45	37	23 %
44.73	37.75	23.1	44.25	31.46	43.91	39.04	25.74	46.77	33.3	1.47	3.05	1.49	1.78	1.5	11.58	17002463	(17000_BF)	44	38	24 %
44.73	37.75	23.1	44.25	31.46	45.31	37.78	22.22	43.83	30.4	0.39	1.04	0.75	0.84	0.75	6.65	17002464	(17000_BF)	45	37	22 %
44.73	37.75	23.1	44.25	31.46	46.42	38.8	21.18	44.21	28.6	1.68	2.76	2.14	2.36	2.15	18.86	17002465	(17000_BF)	46	38	22 %
44.73	37.75	23.1	44.25	31.46	41.71	38.73	22.7	44.9	30.3	1.82	3.2	3.07	3.09	2.84	33.0	17002466	(17000_BF)	43	38	22 %
44.73	37.75	23.1	44.25	31.46	43.02	36.28	23.13	43.03	32.5	1.55	2.25	1.82	1.87	1.72	18.38	17002467	(17000_BF)	44	37	23 %
44.73	37.75	23.1	44.25	31.46	43.57	38.49	22.92	44.79	30.7	0.84	1.38	1.21	1.23	1.15	12.7	17002468	(17000_BF)	44	38	23 %
44.73	37.75	23.1	44.25	31.46	45.44	39.53	24.77	46.65	32.0	0.86	2.54	1.11	1.25	1.08	8.58	17002469	(17000_BF)	45	38	23 %
44.73	37.75	23.1	44.25	31.46	45.54	36.88	22.76	43.34	31.6	0.58	1.23	0.87	0.88	0.83	9.15	17002470	(17000_BF)	45	37	22 %
44.73	37.75	23.1	44.25	31.46	45.26	39.15	24.33	46.09	31.8	0.87	1.93	0.83	0.94	0.81	6.42	17002471	(17000_BF)	45	38	23 %
44.73	37.75	23.1	44.25	31.46	42.83	40.35	23.19	46.55	29.8	1.68	3.22	2.17	2.3	2.08	21.75	17002472	(17000_BF)	44	39	23 %
44.73	37.75	23.1	44.25	31.46	41.63	38.18	23.4	44.78	31.5	1.68	3.14	3.1	3.09	2.86	33.84	17002473	(17000_BF)	43	37	23 %
44.73	37.75	23.1	44.25	31.46	45.34	37.75	25.19	45.39	33.7	1.17	2.18	1.27	1.59	1.34	7.71	17002474	(17000_BF)	45	37	24 %
44.73	37.75	23.1	44.25	31.46	42.77	37.46	22.78	43.85	31.3	1.47	2.0	1.96	1.95	1.83	21.1	17002475	(17000_BF)	44	37	22 %
44.73	37.75	23.1	44.25	31.46	43.57	37.29	23.86	44.27	32.6	0.87	1.46	1.27	1.34	1.23	12.66	17002476	(17000_BF)	44	37	23 %
44.73	37.75	23.1	44.25	31.46	43.07	38.12	23.55	44.81	31.7	1.03	1.76	1.67	1.66	1.56	18.17	17002477	(17000_BF)	44	37	23 %
44.73	37.75	23.1	44.25	31.46	44.95	38.7	20.73	43.91	28.1	1.51	2.55	1.53	1.98	1.66	6.58	17002478	(17000_BF)	45	38	21 %
44.73	37.75	23.1	44.25	31.46	44.73	37.51	19.25	42.17	27.1	1.47	3.85	2.06	2.67	2.23	9.53	17002479	(17000_BF)	45	37	21 %
44.73	37.75	23.1	44.25	31.46	43.54	36.41	23.54	43.36	32.8	1.0	1.84	1.39	1.5	1.36	12.95	17002480	(17000_BF)	44	37	23 %
44.73	37.75	23.1	44.25	31.46	42.07	36.9	25.07	44.61	34.1	1.68	3.41	2.95	3.14	2.82	29.37	17002481	(17000_BF)	43	37	24 %
44.73	37.75	23.1	44.25	31.46	45.01	38.21	24.24	45.25	32.3	0.44	1.26	0.61	0.75	0.63	3.82	17002482	(17000_BF)	45	37	23 %
44.73	37.75	23.1	44.25	31.46	44.12	36.19	25.1	44.05	34.7	1.42	2.61	1.64	2.13	1.77	8.59	17002483	(17000_BF)	44	36	24 %
44.73	37.75	23.1	44.25	31.46	46.43	38.45	25.51	46.15	33.5	1.39	3.03	2.06	2.24	2.05	18.36	17002484	(17000_BF)	46	38	24 %
62.64	0.16	0.06	0.18	19.8	62.3	-0.11	0.0	0.11	180.7	0.48	0.44	0.44	0.53	0.51	3.11	17002485	(17000_BF)	62	0	0 %
62.64	0.16	0.06	0.18	19.8	62.78	0.2	0.0	0.2	358.7	0.13	0.16	0.16	0.16	0.14	1.31	17002486	(17000_BF)	63	0	0 %
62.64	0.16	0.06	0.18	19.8	62.45	0.0	0.15	0.15	91.0	0.32	0.26	0.26	0.33	0.31	1.74	17002487	(17000_BF)	63	0	0 %
62.64	0.16	0.06	0.18	19.8	62.73	0.66	0.08	0.67	7.1	0.8	0.5	0.5	0.75	0.72	1.29	17002488	(17000_BF)	63	0	0 %
62.64	0.16	0.06	0.18	19.8	62.64	0.17	0.1	0.19	30.2	0.12	0.03	0.03	0.06	0.03	0.15	17002489	(17000_BF)	63	0	0 %
62.64	0.16	0.06	0.18	19.8	62.63	-0.13	0.33	0.36	111.8	0.47	0.41	0.41	0.62	0.53	1.26	17002490	(17000_BF)	63	0	0 %
62.64	0.16	0.06	0.18	19.8	62.51	0.0	0.23	0.23	89.7	0.29	0.27	0.27	0.38	0.32	1.37	17002491	(17000_BF)	63	0	0 %
62.64	0.16	0.06	0.18	19.8	62.86	0.53	0.18	0.56	19.6	0.75	0.44	0.44	0.6	0.57	2.22	17002492	(17000_BF)	63	0	0 %
62.64	0.16	0.06	0.18	19.8	62.97	0.17	0.17	0.25	45.4	0.45	0.35	0.35	0.32	0.3	3.05	17002493	(17000_BF)	63	0	0 %
62.64	0.16	0.06	0.18	19.8	62.57	0.68	-0.25	0.73	339.4	0.75	0.61	0.6	0.91	0.81	1.75	17002494	(17000_BF)	63	0	0 %
62.64	0.16	0.06	0.18	19.8	62.74	0.16	-0.01	0.16	354.1	0.13	0.12	0.12	0.14	0.11	0.96	17002495	(17000_BF)	63	0	0 %
62.64	0.16	0.06	0.18	19.8	62.44	0.17	0.17	0.24	45.5	0.28	0.23	0.23	0.24	0.2	1.88	17002496	(17000_BF)	63	0	0 %
62.64	0.16	0.06	0.18	19.8	62.62	0.21	0.26	0.34	51.4	0.21	0.21	0.21	0.32	0.21	0.85	17002497	(17000_BF)	63	0	0 %
62.64	0.16	0.06	0.18	19.8	62.86	0.22	0.46	0.51	64.3	0.5	0.46	0.46	0.64	0.44	2.55	17002498	(17000_BF)	63	0	0 %
62.64	0.16	0.06	0.18	19.8	62.94	0.34	-0.03	0.34	354.7	0.55	0.36	0.35	0.38	0.37	2.76	17002499	(17000_BF)	63	0	0 %

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
62.64	0.16	0.06	0.18	19.8	62.55	-0.26	-0.13	0.29	206.3	0.88	0.48	0.48	0.73	0.67	1.38	17002500	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.96	0.44	-0.22	0.49	332.5	0.88	0.5	0.5	0.65	0.56	3.14	17002501	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.91	0.35	0.16	0.38	25.0	0.47	0.34	0.33	0.38	0.36	2.47	17002502	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.58	0.58	-0.17	0.6	343.0	0.54	0.48	0.47	0.72	0.65	1.37	17002503	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.49	0.13	0.0	0.13	4.0	0.24	0.16	0.16	0.15	0.14	1.38	17002504	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.89	-0.02	-0.23	0.23	264.8	0.56	0.43	0.43	0.58	0.46	2.59	17002505	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	63.06	-0.35	0.18	0.4	152.7	0.88	0.68	0.68	0.89	0.87	4.0	17002506	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	63.11	-0.03	0.18	0.18	101.4	0.5	0.52	0.52	0.53	0.51	4.26	17002507	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	63.11	0.29	0.37	0.47	52.1	0.69	0.57	0.57	0.63	0.53	4.4	17002508	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.65	0.23	-0.1	0.25	334.8	0.17	0.18	0.18	0.27	0.19	0.7	17002509	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.8	0.07	-0.55	0.55	277.2	0.69	0.64	0.63	0.94	0.63	2.87	17002510	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.54	-0.08	0.01	0.08	172.1	0.42	0.27	0.27	0.4	0.38	0.99	17002511	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.59	0.02	0.04	0.05	60.8	0.21	0.15	0.15	0.22	0.21	0.53	17002512	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.59	0.13	0.04	0.14	19.9	0.14	0.06	0.06	0.07	0.06	0.46	17002513	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.14	0.05	-0.17	0.17	286.9	0.8	0.56	0.56	0.57	0.51	4.61	17002514	(17000_BF)	62	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.59	0.35	0.2	0.4	29.9	0.41	0.23	0.23	0.35	0.3	0.81	17002515	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.97	0.44	-0.22	0.49	332.5	0.59	0.52	0.51	0.66	0.56	3.28	17002516	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.65	-0.04	0.06	0.07	123.9	0.33	0.21	0.21	0.32	0.31	0.44	17002517	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.81	0.44	-0.15	0.46	341.2	0.56	0.38	0.38	0.54	0.47	1.82	17002518	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.96	-0.06	0.4	0.4	98.6	0.45	0.52	0.52	0.68	0.55	3.27	17002519	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.96	-0.03	0.22	0.22	98.9	0.38	0.41	0.41	0.47	0.43	2.96	17002520	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.53	0.13	0.0	0.13	4.0	0.15	0.12	0.12	0.13	0.12	1.01	17002521	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.5	0.16	0.06	0.18	19.7	0.16	0.13	0.13	0.11	0.11	1.21	17002522	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.75	0.64	-0.3	0.71	334.5	0.75	0.61	0.61	0.91	0.79	2.02	17002523	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.56	0.39	0.41	0.57	45.9	0.63	0.42	0.42	0.63	0.48	1.62	17002524	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	63.01	-0.03	0.25	0.26	97.2	0.44	0.46	0.46	0.53	0.47	3.43	17002525	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.55	0.12	-0.18	0.22	303.3	0.34	0.26	0.26	0.39	0.26	1.25	17002526	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.76	0.42	0.18	0.46	24.1	0.45	0.3	0.3	0.44	0.4	1.28	17002527	(17000_BF)	63	0	0	0 %
62.64	0.16	0.06	0.18	19.8	62.62	0.1	-0.49	0.51	282.2	0.71	0.56	0.56	0.85	0.56	2.27	17002528	(17000_BF)	63	0	0	0 %
44.74	37.27	23.28	43.95	31.99	44.39	37.25	22.7	43.62	31.3	0.61	0.68	0.47	0.53	0.47	3.92	17002529	(17000_BF)	45	37	22	%
44.74	37.27	23.28	43.95	31.99	44.61	37.47	22.85	43.89	31.3	0.45	0.49	0.31	0.39	0.33	1.71	17002530	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	45.02	36.75	22.91	43.31	31.9	0.42	0.69	0.35	0.38	0.34	3.46	17002531	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	44.91	37.2	23.49	44.0	32.2	0.21	0.27	0.21	0.23	0.21	1.85	17002532	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	44.87	37.25	23.58	44.09	32.3	0.18	0.31	0.2	0.24	0.21	1.47	17002533	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	44.5	36.87	23.27	43.6	32.2	0.48	0.46	0.29	0.32	0.28	2.61	17002534	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	44.82	37.0	23.16	43.65	32.0	0.18	0.31	0.13	0.15	0.13	1.16	17002535	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	44.95	37.7	23.32	44.33	31.7	0.35	0.47	0.27	0.3	0.27	2.31	17002536	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	44.78	36.57	23.02	43.21	32.1	0.26	0.75	0.26	0.33	0.27	1.66	17002537	(17000_BF)	45	36	23	%
44.74	37.27	23.28	43.95	31.99	44.56	36.96	23.38	43.73	32.3	0.32	0.37	0.24	0.28	0.24	2.03	17002538	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	45.16	37.69	23.15	44.24	31.5	0.61	0.6	0.47	0.5	0.46	4.51	17002539	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	44.74	37.13	23.49	43.94	32.3	0.18	0.25	0.15	0.2	0.16	0.56	17002540	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	44.8	37.32	23.04	43.86	31.6	0.22	0.25	0.15	0.19	0.16	0.86	17002541	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	45.09	37.34	23.21	43.97	31.8	0.39	0.36	0.35	0.34	0.33	3.75	17002542	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	44.68	37.28	23.29	43.96	31.9	0.14	0.05	0.05	0.05	0.05	0.6	17002543	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	44.61	37.58	23.02	44.07	31.4	0.34	0.42	0.26	0.33	0.28	1.62	17002544	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	45.08	37.21	23.76	44.15	32.5	0.35	0.58	0.43	0.48	0.43	3.69	17002545	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	44.58	37.45	23.2	44.05	31.7	0.18	0.24	0.18	0.2	0.18	1.73	17002546	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	44.78	37.91	22.94	44.31	31.1	0.59	0.72	0.39	0.52	0.43	1.54	17002547	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	45.03	37.67	23.61	44.46	32.0	0.43	0.59	0.34	0.36	0.32	3.19	17002548	(17000_BF)	45	37	23	%
44.74	37.27	23.28	43.95	31.99	45.06	37.48	23.37	44.17	31.9	0.43	0.39	0.33	0.32	0.31	3.42	17002549	(17000_BF)	45	37	23	%

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /.PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation
TUB-Material: Code=rh4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
44.74	37.27	23.28	43.95	31.99	45.17	37.37	23.55	44.18	32.2	0.41	0.52	0.45	0.45	0.43	4.61	17002550	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	44.57	37.48	23.32	44.15	31.8	0.24	0.27	0.18	0.19	0.18	1.92	17002551	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	44.92	36.62	23.23	43.37	32.3	0.45	0.68	0.32	0.38	0.32	2.48	17002552	(17000_BF)	45	36	23 %
44.74	37.27	23.28	43.95	31.99	44.58	37.23	22.76	43.64	31.4	0.31	0.54	0.31	0.39	0.33	1.97	17002553	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	45.17	37.54	23.45	44.26	31.9	0.66	0.53	0.44	0.44	0.42	4.59	17002554	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	44.74	36.63	23.06	43.28	32.2	0.33	0.68	0.24	0.3	0.24	1.39	17002555	(17000_BF)	45	36	23 %
44.74	37.27	23.28	43.95	31.99	44.82	37.22	23.05	43.78	31.7	0.21	0.25	0.14	0.17	0.14	1.11	17002556	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	44.91	37.77	23.42	44.44	31.8	0.28	0.54	0.25	0.28	0.24	1.96	17002557	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	44.82	37.61	23.21	44.2	31.6	0.15	0.35	0.18	0.23	0.19	1.09	17002558	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	44.73	36.82	23.03	43.43	32.0	0.24	0.52	0.17	0.21	0.17	1.08	17002559	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	45.42	37.64	23.69	44.47	32.1	0.84	0.87	0.71	0.7	0.67	7.23	17002560	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	45.09	37.72	23.36	44.37	31.7	0.5	0.57	0.39	0.4	0.37	3.74	17002561	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	45.03	37.45	23.53	44.23	32.1	0.25	0.42	0.31	0.32	0.3	3.13	17002562	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	44.58	37.34	22.57	43.64	31.1	0.41	0.72	0.42	0.54	0.45	2.27	17002563	(17000_BF)	45	37	22 %
44.74	37.27	23.28	43.95	31.99	44.87	36.99	22.88	43.5	31.7	0.28	0.5	0.23	0.27	0.23	1.85	17002564	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	44.96	37.47	23.55	44.26	32.1	0.33	0.4	0.25	0.27	0.24	2.42	17002565	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	44.98	37.08	23.39	43.84	32.2	0.29	0.32	0.26	0.28	0.26	2.62	17002566	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	44.63	37.7	23.25	44.3	31.6	0.19	0.44	0.22	0.27	0.22	1.56	17002567	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	44.77	37.52	22.69	43.85	31.1	0.36	0.64	0.38	0.5	0.41	1.51	17002568	(17000_BF)	45	37	22 %
44.74	37.27	23.28	43.95	31.99	45.06	37.19	23.15	43.81	31.8	0.41	0.35	0.32	0.32	0.31	3.51	17002569	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	44.61	38.02	22.86	44.36	31.0	0.51	0.87	0.49	0.63	0.52	2.31	17002570	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	44.91	37.63	23.86	44.56	32.3	0.34	0.69	0.32	0.38	0.32	2.2	17002571	(17000_BF)	45	37	23 %
44.74	37.27	23.28	43.95	31.99	44.98	37.3	23.47	44.07	32.1	0.17	0.3	0.25	0.26	0.24	2.55	17002572	(17000_BF)	45	37	23 %
86.77	-6.92	45.99	46.51	98.56	86.71	-7.21	47.17	47.72	98.6	0.43	1.2	0.39	0.48	0.39	1.75	17002573	(17000_BF)	87	-7	46 %
86.77	-6.92	45.99	46.51	98.56	86.83	-7.29	46.02	46.59	99.0	0.31	0.37	0.22	0.23	0.24	0.73	17002574	(17000_BF)	87	-7	46 %
86.77	-6.92	45.99	46.51	98.56	86.8	-6.7	46.21	46.69	98.2	0.23	0.31	0.16	0.17	0.18	0.5	17002575	(17000_BF)	87	-6	46 %
86.77	-6.92	45.99	46.51	98.56	86.88	-6.79	46.08	46.58	98.3	0.11	0.2	0.14	0.13	0.12	0.88	17002576	(17000_BF)	87	-6	46 %
86.77	-6.92	45.99	46.51	98.56	87.0	-7.04	45.71	46.25	98.7	0.11	0.38	0.26	0.21	0.2	1.76	17002577	(17000_BF)	87	-6	45 %
86.77	-6.92	45.99	46.51	98.56	86.8	-6.58	45.24	45.71	98.2	0.29	0.83	0.29	0.35	0.3	1.22	17002578	(17000_BF)	87	-6	45 %
86.77	-6.92	45.99	46.51	98.56	86.9	-6.62	45.92	46.4	98.2	0.17	0.34	0.22	0.21	0.21	1.08	17002579	(17000_BF)	87	-6	45 %
86.77	-6.92	45.99	46.51	98.56	86.74	-7.06	46.61	47.14	98.6	0.22	0.63	0.2	0.25	0.2	0.92	17002580	(17000_BF)	87	-6	46 %
86.77	-6.92	45.99	46.51	98.56	86.82	-7.16	46.31	46.87	98.7	0.17	0.4	0.16	0.18	0.17	0.68	17002581	(17000_BF)	87	-7	46 %
86.77	-6.92	45.99	46.51	98.56	86.54	-6.47	46.0	46.46	98.0	0.49	0.5	0.35	0.32	0.33	1.77	17002582	(17000_BF)	87	-6	46 %
86.77	-6.92	45.99	46.51	98.56	86.69	-6.44	45.6	46.05	98.0	0.43	0.63	0.3	0.33	0.32	1.04	17002583	(17000_BF)	87	-6	45 %
86.77	-6.92	45.99	46.51	98.56	86.59	-7.03	45.85	46.38	98.7	0.11	0.25	0.19	0.15	0.14	1.3	17002584	(17000_BF)	87	-6	45 %
86.77	-6.92	45.99	46.51	98.56	86.88	-6.9	46.56	47.07	98.4	0.12	0.57	0.22	0.24	0.2	1.09	17002585	(17000_BF)	87	-6	46 %
86.77	-6.92	45.99	46.51	98.56	86.83	-7.04	46.07	46.6	98.6	0.15	0.15	0.09	0.08	0.08	0.52	17002586	(17000_BF)	87	-6	46 %
86.77	-6.92	45.99	46.51	98.56	86.77	-6.72	46.34	46.83	98.2	0.21	0.4	0.17	0.2	0.19	0.56	17002587	(17000_BF)	87	-6	46 %
86.77	-6.92	45.99	46.51	98.56	86.91	-7.22	46.16	46.72	98.8	0.18	0.36	0.22	0.21	0.21	1.12	17002588	(17000_BF)	87	-7	46 %
86.77	-6.92	45.99	46.51	98.56	87.02	-6.96	45.88	46.41	98.6	0.16	0.28	0.25	0.18	0.17	1.87	17002589	(17000_BF)	87	-6	45 %
86.77	-6.92	45.99	46.51	98.56	86.64	-6.78	46.47	46.96	98.3	0.22	0.51	0.23	0.24	0.22	1.2	17002590	(17000_BF)	87	-6	46 %
86.77	-6.92	45.99	46.51	98.56	87.2	-6.89	46.12	46.63	98.4	0.29	0.45	0.43	0.31	0.28	3.12	17002591	(17000_BF)	87	-6	46 %
86.77	-6.92	45.99	46.51	98.56	86.73	-6.4	46.25	46.69	97.8	0.37	0.58	0.33	0.36	0.37	0.9	17002592	(17000_BF)	87	-6	46 %
86.77	-6.92	45.99	46.51	98.56	86.82	-6.84	45.63	46.14	98.5	0.11	0.37	0.13	0.15	0.12	0.68	17002593	(17000_BF)	87	-6	45 %
86.77	-6.92	45.99	46.51	98.56	86.9	-6.79	46.09	46.59	98.3	0.12	0.21	0.16	0.13	0.13	0.98	17002594	(17000_BF)	87	-6	46 %
86.77	-6.92	45.99	46.51	98.56	86.83	-7.26	45.98	46.55	98.9	0.12	0.33	0.2	0.21	0.22	0.67	17002595	(17000_BF)	87	-7	45 %
86.77	-6.92	45.99	46.51	98.56	86.63	-6.9	46.22	46.73	98.4	0.11	0.26	0.15	0.13	0.11	1.04	17002596	(17000_BF)	87	-6	46 %
86.77	-6.92	45.99	46.51	98.56	86.74	-6.67	45.97	46.46	98.2	0.15	0.25	0.15	0.16	0.16	0.43	17002597	(17000_BF)	87	-6	45 %
86.77	-6.92	45.99	46.51	98.56	86.98	-6.89	46.29	46.8	98.4	0.13	0.36	0.23	0.19	0.17	1.55	17002598	(17000_BF)	87	-6	46 %
86.77	-6.92	45.99	46.51	98.56	86.88	-7.12	46.48	47.02	98.7	0.18	0.53	0.21	0.23	0.19	1.08	17002599	(17000_BF)	87	-7	46 %

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /.PS TUB-Material: Code=rha4ta
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
86.77	-6.92	45.99	46.51	98.56	86.62	-7.23	45.57	46.14	99.0	0.22	0.54	0.28	0.29	0.28	1.27	17002600	(17000_BF)	87	-7	45 %
86.77	-6.92	45.99	46.51	98.56	87.17	-6.87	46.28	46.79	98.4	0.17	0.49	0.41	0.31	0.28	2.91	17002601	(17000_BF)	87	-6	46 %
86.77	-6.92	45.99	46.51	98.56	86.77	-7.25	45.96	46.52	98.9	0.2	0.33	0.19	0.2	0.22	0.48	17002602	(17000_BF)	87	-7	45 %
86.77	-6.92	45.99	46.51	98.56	86.52	-7.28	45.76	46.34	99.0	0.27	0.48	0.33	0.3	0.3	1.87	17002603	(17000_BF)	87	-7	45 %
86.77	-6.92	45.99	46.51	98.56	86.72	-6.29	45.59	46.03	97.8	0.6	0.74	0.37	0.41	0.41	1.12	17002604	(17000_BF)	87	-6	45 %
86.77	-6.92	45.99	46.51	98.56	86.58	-6.91	46.03	46.54	98.5	0.12	0.18	0.18	0.13	0.11	1.33	17002605	(17000_BF)	87	-6	46 %
86.77	-6.92	45.99	46.51	98.56	86.71	-7.09	46.19	46.74	98.7	0.19	0.26	0.12	0.12	0.11	0.58	17002606	(17000_BF)	87	-7	46 %
86.77	-6.92	45.99	46.51	98.56	86.59	-7.08	46.08	46.63	98.7	0.14	0.25	0.19	0.16	0.15	1.33	17002607	(17000_BF)	87	-7	46 %
86.77	-6.92	45.99	46.51	98.56	86.64	-7.45	45.99	46.59	99.2	0.35	0.54	0.33	0.34	0.36	1.22	17002608	(17000_BF)	87	-7	45 %
86.77	-6.92	45.99	46.51	98.56	86.87	-7.27	45.89	46.46	99.0	0.27	0.37	0.23	0.23	0.24	0.95	17002609	(17000_BF)	87	-7	45 %
86.77	-6.92	45.99	46.51	98.56	86.7	-7.39	45.94	46.54	99.1	0.34	0.47	0.28	0.3	0.31	0.85	17002610	(17000_BF)	87	-7	45 %
86.77	-6.92	45.99	46.51	98.56	86.54	-7.18	45.62	46.18	98.9	0.23	0.51	0.31	0.28	0.27	1.73	17002611	(17000_BF)	87	-7	45 %
86.77	-6.92	45.99	46.51	98.56	86.55	-7.06	45.26	45.81	98.8	0.18	0.77	0.34	0.35	0.31	1.79	17002612	(17000_BF)	87	-6	45 %
86.77	-6.92	45.99	46.51	98.56	86.84	-7.4	46.07	46.66	99.1	0.28	0.48	0.28	0.29	0.31	0.89	17002613	(17000_BF)	87	-7	46 %
86.77	-6.92	45.99	46.51	98.56	87.21	-7.14	46.07	46.63	98.8	0.29	0.49	0.45	0.34	0.31	3.2	17002614	(17000_BF)	87	-7	46 %
86.77	-6.92	45.99	46.51	98.56	86.78	-6.11	45.8	46.2	97.6	0.53	0.84	0.47	0.51	0.53	1.25	17002615	(17000_BF)	87	-6	45 %
86.77	-6.92	45.99	46.51	98.56	86.74	-7.27	46.26	46.83	98.9	0.25	0.43	0.2	0.22	0.22	0.67	17002616	(17000_BF)	87	-7	46 %
86.77	-6.92	45.99	46.51	98.56	86.58	-6.66	45.9	46.39	98.2	0.24	0.33	0.24	0.21	0.21	1.41	17002617	(17000_BF)	87	-6	45 %
86.77	-6.92	45.99	46.51	98.56	86.75	-7.49	46.18	46.79	99.2	0.38	0.59	0.32	0.35	0.36	0.88	17002618	(17000_BF)	87	-7	46 %
86.77	-6.92	45.99	46.51	98.56	86.7	-6.93	46.46	46.97	98.4	0.13	0.46	0.16	0.19	0.15	0.82	17002619	(17000_BF)	87	-6	46 %
56.39	-31.21	0.6	31.21	178.89	55.98	-30.96	0.32	30.96	179.4	0.29	0.55	0.46	0.41	0.43	4.09	17002620	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.53	-31.49	0.92	31.5	178.3	0.22	0.44	0.28	0.27	0.27	1.91	17002621	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.05	-31.11	0.55	31.11	178.9	0.21	0.35	0.34	0.29	0.31	3.25	17002622	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.68	-30.63	0.59	30.63	178.8	0.34	0.64	0.37	0.37	0.36	2.89	17002623	(17000_BF)	57	-30	0 %
56.39	-31.21	0.6	31.21	178.89	56.43	-30.75	0.41	30.76	179.2	0.16	0.49	0.23	0.25	0.23	1.08	17002624	(17000_BF)	56	-30	0 %
56.39	-31.21	0.6	31.21	178.89	56.49	-31.38	0.41	31.38	179.2	0.19	0.27	0.17	0.17	0.17	1.24	17002625	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.59	-30.71	0.23	30.71	179.5	0.44	0.64	0.37	0.37	0.37	2.56	17002626	(17000_BF)	56	-30	0 %
56.39	-31.21	0.6	31.21	178.89	56.38	-30.68	0.75	30.69	178.5	0.16	0.54	0.24	0.27	0.24	0.94	17002627	(17000_BF)	56	-30	0 %
56.39	-31.21	0.6	31.21	178.89	56.42	-31.27	0.73	31.28	178.6	0.15	0.15	0.09	0.09	0.09	0.62	17002628	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.17	-31.72	1.03	31.74	178.1	0.32	0.71	0.42	0.41	0.41	2.91	17002629	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.27	-30.85	0.71	30.85	178.6	0.24	0.39	0.2	0.21	0.2	1.31	17002630	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.61	-31.33	0.8	31.34	178.5	0.19	0.32	0.26	0.23	0.24	2.24	17002631	(17000_BF)	57	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.39	-31.27	0.9	31.28	178.3	0.19	0.31	0.21	0.2	0.2	1.29	17002632	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.19	-31.85	0.5	31.86	179.0	0.41	0.68	0.34	0.36	0.33	2.18	17002633	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.71	-31.66	0.66	31.67	178.8	0.27	0.55	0.36	0.35	0.35	3.05	17002634	(17000_BF)	57	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.07	-31.27	0.68	31.28	178.7	0.26	0.33	0.32	0.28	0.3	3.09	17002635	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.5	-31.86	0.48	31.87	179.1	0.36	0.67	0.3	0.34	0.3	1.41	17002636	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.54	-31.44	0.58	31.45	178.9	0.1	0.28	0.17	0.17	0.17	1.44	17002637	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.27	-31.6	0.85	31.61	178.4	0.26	0.48	0.26	0.27	0.25	1.67	17002638	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.12	-31.46	0.96	31.48	178.2	0.35	0.51	0.37	0.35	0.36	3.03	17002639	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	55.84	-30.66	0.71	30.67	178.6	0.4	0.78	0.6	0.55	0.56	5.31	17002640	(17000_BF)	56	-30	0 %
56.39	-31.21	0.6	31.21	178.89	56.42	-31.43	0.86	31.44	178.4	0.23	0.34	0.2	0.2	0.2	1.18	17002641	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.25	-31.35	0.48	31.36	179.1	0.15	0.23	0.17	0.16	0.16	1.45	17002642	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.39	-31.96	0.82	31.97	178.5	0.24	0.78	0.34	0.39	0.34	1.37	17002643	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	55.98	-30.74	0.17	30.74	179.6	0.47	0.74	0.53	0.5	0.51	4.32	17002644	(17000_BF)	56	-30	0 %
56.39	-31.21	0.6	31.21	178.89	56.43	-31.25	0.53	31.25	179.0	0.11	0.08	0.06	0.05	0.06	0.47	17002645	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.62	-32.04	0.5	32.05	179.0	0.3	0.87	0.42	0.45	0.41	2.41	17002646	(17000_BF)	57	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.33	-31.03	0.64	31.04	178.8	0.13	0.18	0.09	0.1	0.09	0.63	17002647	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.58	-30.95	0.52	30.95	179.0	0.13	0.33	0.22	0.21	0.21	1.88	17002648	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	57.04	-31.4	0.57	31.4	178.9	0.4	0.67	0.65	0.56	0.6	6.19	17002649	(17000_BF)	57	-31	0 %

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
56.39	-31.21	0.6	31.21	178.89	56.43	-31.7	0.28	31.7	179.4	0.34	0.59	0.3	0.31	0.3	1.52	17002650 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	55.83	-31.17	0.77	31.18	178.5	0.39	0.58	0.57	0.49	0.53	5.43	17002651 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.3	-30.23	0.81	30.24	178.4	0.32	1.0	0.44	0.5	0.45	1.77	17002652 (17000_BF)	56	-30	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.21	-31.01	0.45	31.01	179.1	0.14	0.3	0.21	0.2	0.2	1.82	17002653 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.49	-31.25	0.21	31.25	179.6	0.33	0.39	0.28	0.26	0.27	1.88	17002654 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.51	-31.57	0.57	31.57	178.9	0.16	0.38	0.19	0.2	0.19	1.21	17002655 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.48	-31.13	0.54	31.13	178.9	0.11	0.12	0.1	0.09	0.09	0.89	17002656 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.59	-32.28	0.64	32.29	178.8	0.34	1.09	0.49	0.54	0.48	2.31	17002657 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.58	-31.14	0.64	31.14	178.8	0.16	0.2	0.19	0.16	0.17	1.81	17002658 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.25	-31.92	1.14	31.94	177.9	0.48	0.9	0.48	0.5	0.48	2.82	17002659 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.51	-31.31	0.64	31.32	178.8	0.1	0.16	0.12	0.11	0.12	1.15	17002660 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.07	-31.49	0.62	31.5	178.8	0.34	0.42	0.34	0.3	0.32	3.11	17002661 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.76	-31.53	1.0	31.54	178.1	0.29	0.63	0.47	0.43	0.45	3.87	17002662 (17000_BF)	57	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.32	-30.74	0.69	30.75	178.7	0.18	0.47	0.21	0.24	0.21	0.97	17002663 (17000_BF)	56	-30	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.61	-31.44	0.38	31.45	179.3	0.26	0.38	0.28	0.26	0.26	2.28	17002664 (17000_BF)	57	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.57	-31.5	0.27	31.5	179.5	0.33	0.47	0.31	0.29	0.3	2.21	17002665 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.58	-31.33	0.85	31.34	178.4	0.25	0.34	0.26	0.23	0.24	2.09	17002666 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.29	-31.49	0.15	31.49	179.7	0.43	0.53	0.34	0.33	0.33	2.17	17002667 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	55.36	-31.4	0.75	31.41	178.6	0.75	1.05	1.03	0.9	0.96	9.93	17002668 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.27	-31.05	0.71	31.05	178.6	0.18	0.23	0.15	0.15	0.15	1.25	17002669 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.8	-33.05	0.83	33.06	178.5	0.75	1.9	0.87	0.96	0.86	4.54	17002670 (17000_BF)	57	-32	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.93	-31.22	0.45	31.22	179.1	0.39	0.56	0.55	0.47	0.5	5.21	17002671 (17000_BF)	57	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	57.64	-31.49	0.17	31.49	179.6	0.97	1.35	1.28	1.11	1.18	12.02	17002672 (17000_BF)	57	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.54	-30.95	0.66	30.95	178.7	0.17	0.3	0.18	0.18	0.18	1.5	17002673 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.01	-30.83	0.24	30.83	179.5	0.17	0.64	0.47	0.43	0.45	3.94	17002674 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.49	-30.19	0.97	30.2	178.1	0.75	1.08	0.5	0.56	0.51	2.3	17002675 (17000_BF)	56	-30	0	0 %
56.39	-31.21	0.6	31.21	178.89	57.28	-31.57	1.06	31.58	178.0	0.97	1.06	0.95	0.84	0.89	8.7	17002676 (17000_BF)	57	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.4	-32.12	1.04	32.14	178.1	0.49	1.01	0.48	0.52	0.47	2.22	17002677 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.92	-30.27	0.07	30.27	179.8	0.67	1.19	0.74	0.73	0.72	5.76	17002678 (17000_BF)	57	-30	0	0 %
56.39	-31.21	0.6	31.21	178.89	55.39	-30.53	0.63	30.53	178.8	0.67	1.21	1.04	0.93	0.98	9.68	17002679 (17000_BF)	56	-30	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.67	-31.69	0.91	31.7	178.3	0.36	0.63	0.39	0.38	0.38	2.98	17002680 (17000_BF)	57	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	57.19	-31.39	0.86	31.4	178.4	0.75	0.85	0.81	0.71	0.75	7.65	17002681 (17000_BF)	57	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	57.03	-31.29	0.39	31.29	179.2	0.52	0.67	0.65	0.56	0.6	6.17	17002682 (17000_BF)	57	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.9	-31.18	1.21	31.21	177.7	0.72	0.79	0.66	0.59	0.62	5.51	17002683 (17000_BF)	57	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.76	-31.36	0.81	31.37	178.5	0.47	0.44	0.39	0.35	0.37	3.59	17002684 (17000_BF)	57	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.18	-31.88	0.05	31.88	179.8	0.8	0.88	0.51	0.51	0.5	3.22	17002685 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.79	-31.28	0.78	31.29	178.5	0.23	0.44	0.41	0.36	0.38	3.84	17002686 (17000_BF)	57	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.17	-31.31	0.98	31.32	178.2	0.41	0.45	0.34	0.31	0.33	2.66	17002687 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.66	-31.8	-0.18	31.8	180.3	0.97	1.02	0.65	0.62	0.63	4.26	17002688 (17000_BF)	57	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	55.99	-30.5	1.37	30.53	177.4	0.8	1.11	0.72	0.7	0.71	5.06	17002689 (17000_BF)	56	-30	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.14	-31.78	0.54	31.79	179.0	0.44	0.63	0.34	0.35	0.33	2.56	17002690 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	55.91	-30.95	0.55	30.95	178.9	0.36	0.54	0.49	0.43	0.46	4.6	17002691 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.28	-31.17	0.56	31.18	178.9	0.21	0.11	0.11	0.09	0.1	1.05	17002692 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.23	-30.86	0.91	30.87	178.3	0.29	0.49	0.3	0.29	0.3	2.05	17002693 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.75	-31.31	0.55	31.31	178.9	0.44	0.37	0.35	0.31	0.33	3.4	17002694 (17000_BF)	57	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	55.98	-32.25	0.62	32.26	178.8	0.75	1.12	0.59	0.61	0.57	4.24	17002695 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.43	-30.71	0.15	30.71	179.7	0.27	0.66	0.36	0.37	0.36	2.04	17002696 (17000_BF)	56	-30	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.31	-31.26	0.63	31.27	178.8	0.15	0.1	0.08	0.07	0.08	0.78	17002697 (17000_BF)	56	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.82	-31.29	0.99	31.3	178.1	0.58	0.58	0.5	0.44	0.47	4.36	17002698 (17000_BF)	57	-31	0	0 %
56.39	-31.21	0.6	31.21	178.89	56.37	-30.84	0.29	30.84	179.4	0.19	0.48	0.26	0.26	0.26	1.41	17002699 (17000_BF)	56	-31	0	0 %

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> /PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																				
56.39	-31.21	0.6	31.21	178.89	56.36	-31.05	0.43	31.05	179.1	0.11	0.22	0.13	0.13	0.13	0.78	17002700	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.21	-30.81	0.54	30.82	178.9	0.16	0.43	0.24	0.24	0.23	1.78	17002701	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.41	-31.66	0.38	31.66	179.3	0.18	0.5	0.24	0.26	0.24	1.1	17002702	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.0	-30.43	0.92	30.44	178.2	0.56	0.92	0.55	0.55	0.54	4.05	17002703	(17000_BF)	56	-30	0 %
56.39	-31.21	0.6	31.21	178.89	56.5	-30.82	0.99	30.83	178.1	0.43	0.56	0.33	0.33	0.33	2.03	17002704	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	57.22	-31.75	0.85	31.76	178.4	0.8	1.01	0.87	0.77	0.8	7.92	17002705	(17000_BF)	57	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.08	-30.85	0.57	30.85	178.9	0.21	0.47	0.34	0.31	0.32	2.97	17002706	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.71	-30.12	0.54	30.13	178.9	0.59	1.13	0.55	0.59	0.55	3.44	17002707	(17000_BF)	57	-30	0 %
56.39	-31.21	0.6	31.21	178.89	56.42	-31.7	1.61	31.74	177.0	0.97	1.12	0.71	0.68	0.7	4.26	17002708	(17000_BF)	56	-31	1 %
56.39	-31.21	0.6	31.21	178.89	56.8	-31.56	0.84	31.58	178.4	0.44	0.59	0.46	0.42	0.43	4.0	17002709	(17000_BF)	57	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.26	-31.02	0.96	31.04	178.2	0.31	0.42	0.28	0.27	0.28	1.96	17002710	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.28	-31.2	0.58	31.2	178.9	0.22	0.11	0.1	0.09	0.1	1.04	17002711	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.09	-31.65	1.04	31.67	178.1	0.52	0.69	0.46	0.44	0.44	3.52	17002712	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.48	-31.3	0.52	31.31	179.0	0.15	0.15	0.11	0.1	0.1	0.91	17002713	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.17	-32.42	0.95	32.43	178.3	0.61	1.28	0.59	0.65	0.59	3.11	17002714	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.31	-30.14	0.3	30.14	179.4	0.33	1.11	0.49	0.56	0.5	2.01	17002715	(17000_BF)	56	-30	0 %
56.39	-31.21	0.6	31.21	178.89	56.05	-29.96	0.5	29.96	179.0	0.43	1.29	0.62	0.68	0.62	3.59	17002716	(17000_BF)	56	-30	0 %
56.39	-31.21	0.6	31.21	178.89	56.16	-30.33	0.44	30.33	179.1	0.24	0.92	0.44	0.48	0.44	2.52	17002717	(17000_BF)	56	-30	0 %
56.39	-31.21	0.6	31.21	178.89	56.57	-29.81	1.0	29.83	178.0	0.67	1.46	0.67	0.75	0.68	3.1	17002718	(17000_BF)	56	-30	0 %
56.39	-31.21	0.6	31.21	178.89	56.86	-30.99	0.63	31.0	178.8	0.43	0.51	0.47	0.41	0.43	4.46	17002719	(17000_BF)	57	-31	0 %
56.39	-31.21	0.6	31.21	178.89	55.88	-30.1	0.26	30.1	179.4	0.48	1.26	0.72	0.73	0.7	5.23	17002720	(17000_BF)	56	-30	0 %
56.39	-31.21	0.6	31.21	178.89	56.16	-31.0	0.42	31.0	179.2	0.2	0.35	0.27	0.24	0.25	2.32	17002721	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	57.21	-30.49	0.76	30.5	178.5	0.86	1.09	0.87	0.79	0.81	7.92	17002722	(17000_BF)	57	-30	0 %
56.39	-31.21	0.6	31.21	178.89	55.87	-30.81	0.91	30.82	178.3	0.52	0.72	0.58	0.53	0.55	5.16	17002723	(17000_BF)	56	-31	0 %
56.39	-31.21	0.6	31.21	178.89	56.26	-30.29	-0.3	30.29	180.5	0.75	1.29	0.73	0.74	0.73	4.23	17002724	(17000_BF)	56	-30	0 %
35.38	5.32	-31.0	31.45	279.74	35.45	5.46	-30.82	31.3	280.0	0.33	0.23	0.15	0.18	0.2	1.52	17002725	(17000_BF)	35	5	-30 %
35.38	5.32	-31.0	31.45	279.74	35.47	5.15	-31.09	31.52	279.4	0.3	0.21	0.15	0.18	0.19	1.2	17002726	(17000_BF)	35	5	-31 %
35.38	5.32	-31.0	31.45	279.74	35.59	5.65	-31.03	31.54	280.3	0.21	0.39	0.3	0.36	0.3	2.6	17002727	(17000_BF)	35	5	-31 %
35.38	5.32	-31.0	31.45	279.74	35.4	5.11	-31.15	31.57	279.3	0.31	0.25	0.16	0.2	0.23	0.92	17002728	(17000_BF)	35	5	-31 %
35.38	5.32	-31.0	31.45	279.74	35.34	4.89	-30.54	30.93	279.1	0.16	0.62	0.32	0.39	0.19	2.58	17002729	(17000_BF)	35	5	-30 %
35.38	5.32	-31.0	31.45	279.74	35.59	5.45	-31.17	31.64	279.9	0.31	0.3	0.23	0.27	0.18	2.46	17002730	(17000_BF)	35	5	-31 %
35.38	5.32	-31.0	31.45	279.74	35.36	5.32	-31.12	31.57	279.7	0.12	0.12	0.05	0.06	0.06	0.73	17002731	(17000_BF)	35	5	-31 %
35.38	5.32	-31.0	31.45	279.74	35.53	5.27	-31.2	31.65	279.5	0.32	0.26	0.18	0.21	0.19	1.88	17002732	(17000_BF)	35	5	-31 %
35.38	5.32	-31.0	31.45	279.74	35.65	5.45	-31.21	31.68	279.9	0.48	0.37	0.29	0.33	0.23	3.11	17002733	(17000_BF)	36	5	-31 %
35.38	5.32	-31.0	31.45	279.74	35.2	5.37	-30.78	31.24	279.8	0.21	0.28	0.2	0.23	0.2	2.1	17002734	(17000_BF)	35	5	-30 %
35.38	5.32	-31.0	31.45	279.74	35.34	5.77	-31.21	31.74	280.4	0.21	0.5	0.3	0.37	0.27	1.73	17002735	(17000_BF)	35	5	-31 %
35.38	5.32	-31.0	31.45	279.74	35.41	5.42	-30.93	31.41	279.9	0.11	0.12	0.08	0.11	0.11	0.68	17002736	(17000_BF)	35	5	-30 %
35.38	5.32	-31.0	31.45	279.74	35.41	5.36	-31.37	31.83	279.7	0.32	0.38	0.16	0.18	0.17	1.93	17002737	(17000_BF)	35	5	-31 %
35.38	5.32	-31.0	31.45	279.74	35.57	5.02	-31.05	31.45	279.1	0.37	0.35	0.28	0.33	0.3	2.37	17002738	(17000_BF)	35	5	-31 %
35.38	5.32	-31.0	31.45	279.74	35.4	5.38	-30.77	31.24	279.9	0.26	0.24	0.11	0.13	0.16	1.32	17002739	(17000_BF)	35	5	-30 %
35.38	5.32	-31.0	31.45	279.74	35.14	5.12	-30.73	31.15	279.4	0.15	0.41	0.28	0.33	0.21	2.8	17002740	(17000_BF)	35	5	-30 %
35.38	5.32	-31.0	31.45	279.74	35.4	5.15	-31.21	31.63	279.3	0.26	0.27	0.15	0.19	0.23	1.16	17002741	(17000_BF)	35	5	-31 %
35.38	5.32	-31.0	31.45	279.74	35.32	5.63	-31.06	31.57	280.2	0.18	0.32	0.21	0.26	0.22	1.14	17002742	(17000_BF)	35	5	-31 %
35.38	5.32	-31.0	31.45	279.74	35.08	4.97	-30.65	31.05	279.2	0.25	0.56	0.39	0.45	0.29	3.55	17002743	(17000_BF)	35	5	-30 %
35.38	5.32	-31.0	31.45	279.74	35.61	5.56	-31.43	31.91	280.0	0.38	0.54	0.32	0.37	0.23	3.1	17002744	(17000_BF)	35	5	-31 %
35.38	5.32	-31.0	31.45	279.74	35.16	5.29	-30.77	31.22	279.7	0.27	0.31	0.23	0.26	0.2	2.51	17002745	(17000_BF)	35	5	-30 %
35.38	5.32	-31.0	31.45	279.74	35.51	5.2	-31.24	31.67	279.4	0.37	0.3	0.19	0.23	0.24	1.8	17002746	(17000_BF)	35	5	-31 %
35.38	5.32	-31.0	31.45	279.74	35.34	4.83	-30.81	31.19	278.9	0.38	0.52	0.33	0.41	0.31	1.53	17002747	(17000_BF)	35	5	-30 %
35.38	5.32	-31.0	31.45	279.74	35.36	5.0	-30.72	31.13	279.2	0.16	0.42	0.22	0.27	0.15	1.61	17002748	(17000_BF)	35	5	-30 %
35.38	5.32	-31.0	31.45	279.74	35.16	5.09	-30.75	31.16	279.3	0.23	0.4	0.27	0.32	0.2	2.59	17002749	(17000_BF)	35	5	-30 %

TUB-Registrierung: 20140801-XG97/XG97L0NP.PDF /PS
Anwendung für Messung von Display- oder Drucker-Ausgabe, keine Separation
TUB-Material: Code=rh4ta

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG97/XG97L0NP.PDF> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%L*0	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %																					
35.38	5.32	-31.0	31.45	279.74	35.55	5.06	-31.26	31.67	279.2	0.48	0.4	0.28	0.33	0.35	2.26	17002750	(17000_BF)	35	5	-31 %	
35.38	5.32	-31.0	31.45	279.74	35.14	5.08	-30.77	31.18	279.3	0.28	0.4	0.29	0.33	0.22	2.77	17002751	(17000_BF)	35	5	-30 %	
35.38	5.32	-31.0	31.45	279.74	35.43	5.6	-31.14	31.64	280.2	0.14	0.32	0.2	0.24	0.17	1.11	17002752	(17000_BF)	35	5	-31 %	
35.38	5.32	-31.0	31.45	279.74	35.04	5.39	-30.8	31.27	279.9	0.58	0.39	0.35	0.39	0.31	3.82	17002753	(17000_BF)	35	5	-30 %	
35.38	5.32	-31.0	31.45	279.74	35.69	5.28	-31.33	31.78	279.5	0.58	0.46	0.34	0.39	0.32	3.62	17002754	(17000_BF)	36	5	-31 %	
35.38	5.32	-31.0	31.45	279.74	35.12	5.32	-30.8	31.26	279.8	0.2	0.32	0.27	0.3	0.23	2.92	17002755	(17000_BF)	35	5	-30 %	
35.38	5.32	-31.0	31.45	279.74	35.12	5.36	-30.96	31.42	279.8	0.27	0.26	0.26	0.29	0.21	2.98	17002756	(17000_BF)	35	5	-30 %	
35.38	5.32	-31.0	31.45	279.74	35.26	5.37	-30.81	31.28	279.8	0.29	0.22	0.14	0.17	0.16	1.47	17002757	(17000_BF)	35	5	-30 %	
35.38	5.32	-31.0	31.45	279.74	35.22	5.05	-30.59	31.01	279.3	0.18	0.5	0.27	0.32	0.17	2.5	17002758	(17000_BF)	35	5	-30 %	
35.38	5.32	-31.0	31.45	279.74	35.63	5.03	-31.02	31.42	279.2	0.46	0.38	0.32	0.37	0.31	3.06	17002759	(17000_BF)	36	5	-31 %	
35.38	5.32	-31.0	31.45	279.74	35.26	5.62	-31.09	31.6	280.2	0.29	0.33	0.23	0.28	0.22	1.77	17002760	(17000_BF)	35	5	-31 %	
35.38	5.32	-31.0	31.45	279.74	35.4	5.45	-30.49	30.98	280.1	0.54	0.52	0.24	0.29	0.35	2.78	17002761	(17000_BF)	35	5	-30 %	
35.38	5.32	-31.0	31.45	279.74	35.55	5.3	-30.91	31.37	279.7	0.17	0.19	0.18	0.2	0.14	2.23	17002762	(17000_BF)	35	5	-30 %	
35.38	5.32	-31.0	31.45	279.74	35.67	5.07	-31.23	31.64	279.2	0.65	0.45	0.36	0.41	0.39	3.4	17002763	(17000_BF)	36	5	-31 %	
35.38	5.32	-31.0	31.45	279.74	35.41	5.85	-31.21	31.75	280.6	0.28	0.57	0.35	0.44	0.32	1.68	17002764	(17000_BF)	35	5	-31 %	
35.38	5.32	-31.0	31.45	279.74	35.18	5.13	-30.98	31.4	279.4	0.18	0.27	0.23	0.27	0.21	2.33	17002765	(17000_BF)	35	5	-30 %	
35.38	5.32	-31.0	31.45	279.74	35.3	5.2	-30.58	31.02	279.6	0.2	0.44	0.19	0.23	0.16	2.18	17002766	(17000_BF)	35	5	-30 %	
35.38	5.32	-31.0	31.45	279.74	35.2	5.2	-30.94	31.38	279.5	0.22	0.22	0.19	0.22	0.16	2.04	17002767	(17000_BF)	35	5	-30 %	
35.38	5.32	-31.0	31.45	279.74	35.06	5.46	-30.9	31.38	280.0	0.45	0.36	0.33	0.38	0.3	3.64	17002768	(17000_BF)	35	5	-30 %	
35.38	5.32	-31.0	31.45	279.74	35.28	5.03	-31.06	31.46	279.2	0.36	0.3	0.22	0.27	0.26	1.45	17002769	(17000_BF)	35	5	-31 %	
35.38	5.32	-31.0	31.45	279.74	35.53	5.26	-30.88	31.32	279.6	0.1	0.2	0.16	0.18	0.13	2.12	17002770	(17000_BF)	35	5	-30 %	
35.38	5.32	-31.0	31.45	279.74	35.57	5.37	-31.14	31.6	279.7	0.25	0.25	0.2	0.23	0.16	2.22	17002771	(17000_BF)	35	5	-31 %	
35.38	5.32	-31.0	31.45	279.74	35.36	5.67	-31.24	31.75	280.2	0.21	0.42	0.24	0.29	0.18	1.63	17002772	(17000_BF)	35	5	-31 %	
35.38	5.32	-31.0	31.45	279.74	35.28	5.31	-30.84	31.29	279.7	0.22	0.18	0.11	0.13	0.11	1.23	17002773	(17000_BF)	35	5	-30 %	
35.38	5.32	-31.0	31.45	279.74	35.34	5.78	-31.64	32.16	280.3	0.17	0.78	0.37	0.45	0.2	3.74	17002774	(17000_BF)	35	5	-31 %	
35.38	5.32	-31.0	31.45	279.74	35.36	4.89	-30.58	30.97	279.0	0.22	0.59	0.31	0.38	0.19	2.4	17002775	(17000_BF)	35	5	-30 %	

%L*	a*	b*	C*ab	hab	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
-----	----	----	------	-----	-----	-----	-----	-------	------	----	-------	-------	-------	-------	-------	----	------	----	----	----

%CIELAB data for all colour (a) of experiment, iimp=2776, colour difference pairs BF_2776=BFD_ALL %

Minimum, maximum and average colour difference value

STRESS constant F and STRESS value S

iai+1 = 2776, d_CIELABmina = 0.03, d_CIELABmaxa = 18.2, d_CIELABavea = 3.0

iai+1 = 2776, CIELAB_Fa = 1.62, CIELAB_STRESSa = 42.44

iai+1 = 2776, d_CIELCHmina = 0.03, d_CIELCHmaxa = 18.2, d_CIELCHavea = 3.0

iai+1 = 2776, CIELCHFa = 1.62, CIELCHSTRESSa = 42.44

iai+1 = 2776, d_C94LCHmina = 0.02, d_C94LCHmaxa = 10.82, d_C94LCHavea = 1.8

iai+1 = 2776, C94LCHFa = 0.98, C94LCHSTRESSa = 33.7

iai+1 = 2776, d_CMCLCHmina = 0.02, d_CMCLCHmaxa = 12.24, d_CMCLCHavea = 2.04

iai+1 = 2776, CMCLCHFa = 1.11, CMCLCHSTRESSa = 30.88

iai+1 = 2776, d_C00LCHmina = 0.02, d_C00LCHmaxa = 10.35, d_C00LCHavea = 1.76

iai+1 = 2776, C00LCHFa = 0.96, C00LCHSTRESSa = 29.52

iai+1 = 2776, d_C85LCHmina = 0.15, d_C85LCHmaxa = 97.82, d_C85LCHavea = 12.25

iai+1 = 2776, C85LCHFa = 6.76, C85LCHSTRESSa = 52.94