

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV
iimp=60, colour difference pairs WA_EW060, xchart3=0, xchart4=0 %									
0095050	0100000	0108880	0019170	0026000	0068570	0081450	0085450	0091950	0064170 130000001 % (C-W)
0095050	0100000	0108880	0019170	0026000	0068570	0004440	0004620	0005160	0061500 130000002 % (C-N)
0095050	0100000	0108880	0044450	0051720	0081960	0081450	0085450	0091950	0026450 130000003 % (CW-W)
0095050	0100000	0108880	0044450	0051720	0081960	0019170	0026000	0068570	0026390 130000004 % (CW-C)
0095050	0100000	0108880	0009490	0011740	0024060	0004440	0004620	0005160	0035470 130000005 % (CN-N)
0095050	0100000	0108880	0009490	0011740	0024060	0019170	0026000	0068570	0025800 130000006 % (CN-C)
0095050	0100000	0108880	0044450	0051720	0081960	0009490	0011740	0024060	0034610 130000007 % (CW-CN)
0095050	0100000	0108880	0019170	0026000	0068570	0025350	0026540	0028860	0044010 130000008 % (C-NW)
0095050	0100000	0108880	0019170	0026000	0068570	0009240	0006900	0024940	0041670 130000009 % (C-V)
0095050	0100000	0108880	0013600	0017760	0042310	0019510	0016330	0038200	0035940 130000010 % (Cn-Vn)
0095050	0100000	0108880	0009240	0006900	0024940	0081450	0085450	0091950	0067030 130000011 % (V-W)
0095050	0100000	0108880	0009240	0006900	0024940	0004440	0004620	0005160	0032910 130000012 % (V-N)
0095050	0100000	0108880	0033430	0030620	0052030	0081450	0085450	0091950	0029540 130000013 % (VW-W)
0095050	0100000	0108880	0033430	0030620	0052030	0009240	0006900	0024940	0041950 130000014 % (VW-V)
0095050	0100000	0108880	0006670	0005940	0012800	0004440	0004620	0005160	0016620 130000015 % (VN-N)
0095050	0100000	0108880	0006670	0005940	0012800	0009240	0006900	0024940	0009300 130000016 % (VN-V)
0095050	0100000	0108880	0033430	0030620	0052030	0006670	0005940	0012800	0031720 130000017 % (VW-VN)
0095050	0100000	0108880	0033430	0030620	0052030	0025350	0026540	0028860	0020130 130000018 % (VW-NW)
0095050	0100000	0108880	0009240	0006900	0024940	0031640	0016780	0019250	0045010 130000019 % (V-M)
0095050	0100000	0108880	0007950	0006450	0018640	0014420	0009900	0012180	0033110 130000020 % (Vn-MN)
0095050	0100000	0108880	0031640	0016780	0019250	0081450	0085450	0091950	0074480 130000021 % (M-W)
0095050	0100000	0108880	0031640	0016780	0019250	0004440	0004620	0005160	0061260 130000022 % (M-N)
0095050	0100000	0108880	0055390	0044170	0051880	0081450	0085450	0091950	0031000 130000023 % (MW-W)
0095050	0100000	0108880	0055390	0044170	0051880	0031640	0016780	0019250	0032740 130000024 % (MW-M)
0095050	0100000	0108880	0014420	0009900	0012180	0004440	0004620	0005160	0029680 130000025 % (MN-N)
0095050	0100000	0108880	0014420	0009900	0012180	0031640	0016780	0019250	0026800 130000026 % (MN-M)
0095050	0100000	0108880	0055390	0044170	0051880	0014420	0009900	0012180	0033080 130000027 % (MW-MN)
0095050	0100000	0108880	0042990	0028020	0034740	0025350	0026540	0028860	0046660 130000028 % (Mw-NW)
0095050	0100000	0108880	0031640	0016780	0019250	0031890	0018900	0005610	0028410 130000029 % (M-O)
0095050	0100000	0108880	0021860	0012980	0016690	0021070	0013720	0005510	0024800 130000030 % (Mn-On)
0095050	0100000	0108880	0031890	0018900	0005610	0081450	0085450	0091950	0071770 130000031 % (O-W)
0095050	0100000	0108880	0031890	0018900	0005610	0004440	0004620	0005160	0067210 130000032 % (O-N)
0095050	0100000	0108880	0052200	0043410	0027810	0081450	0085450	0091950	0028010 130000033 % (OW-W)
0095050	0100000	0108880	0052200	0043410	0027810	0031890	0018900	0005610	0037640 130000034 % (OW-O)
0095050	0100000	0108880	0013410	0010050	0005710	0004440	0004620	0005160	0034580 130000035 % (ON-N)
0095050	0100000	0108880	0013410	0010050	0005710	0031890	0018900	0005610	0030620 130000036 % (ON-O)
0095050	0100000	0108880	0052200	0043410	0027810	0013410	0010050	0005710	0038570 130000037 % (OW-ON)
0095050	0100000	0108880	0041230	0029130	0012710	0025350	0026540	0028860	0035240 130000038 % (OW-NW)
0095050	0100000	0108880	0031890	0018900	0005610	0065480	0072390	0010850	0072320 130000039 % (O-Y)
0095050	0100000	0108880	0041230	0029130	0012710	0040430	0045160	0009860	0039780 130000040 % (Ow-Yn)
0095050	0100000	0108880	0065480	0072390	0010850	0081450	0085450	0091950	0037260 130000041 % (Y-W)
0095050	0100000	0108880	0065480	0072390	0010850	0004440	0004620	0005160	0086100 130000042 % (Y-N)
0095050	0100000	0108880	0071150	0079190	0037830	0081450	0085450	0091950	0016990 130000043 % (YW-W)
0095050	0100000	0108880	0071150	0079190	0037830	0065480	0072390	0010850	0011010 130000044 % (YW-Y)
0095050	0100000	0108880	0021850	0024060	0008250	0004440	0004620	0005160	0041770 130000045 % (YN-N)
0095050	0100000	0108880	0021850	0024060	0008250	0065480	0072390	0010850	0029850 130000046 % (YN-Y)
0095050	0100000	0108880	0071150	0079190	0037830	0021850	0024060	0008250	0030560 130000047 % (YW-YN)
0095050	0100000	0108880	0021850	0024060	0008250	0025350	0026540	0028860	0021790 130000048 % (YN-NW)
0095050	0100000	0108880	0065480	0072390	0010850	0009850	0019310	0007710	0064800 130000049 % (Y-L)
0095050	0100000	0108880	0021850	0024060	0008250	0020680	0032750	0018600	0029620 130000050 % (Y-Lw)

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV
iimp=60, colour difference pairs WA_EW060, xchart3=0, xchart4=0 %									
0095050	0100000	0108880	0009850	0019310	0007710	0081450	0085450	0091950	0050890 13000051% (L-W)
0095050	0100000	0108880	0009850	0019310	0007710	0004440	0004620	0005160	0056110 13000052% (L-N)
0095050	0100000	0108880	0034100	0045600	0033770	0081450	0085450	0091950	0025440 13000053% (LW-W)
0095050	0100000	0108880	0034100	0045600	0033770	0009850	0019310	0007710	0028390 13000054% (LW-L)
0095050	0100000	0108880	0006220	0009550	0007170	0004440	0004620	0005160	0035120 13000055% (LN-N)
0095050	0100000	0108880	0006220	0009550	0007170	0009850	0019310	0007710	0018790 13000056% (LN-L)
0095050	0100000	0108880	0034100	0045600	0033770	0006220	0009550	0007170	0035680 13000057% (LW-LN)
0095050	0100000	0108880	0020680	0032750	0018600	0025350	0026540	0028860	0029950 13000058% (Lw-NW)
0095050	0100000	0108880	0009850	0019310	0007710	0019170	0026000	0068570	0040720 13000059% (L-C)
0095050	0100000	0108880	0020680	0032750	0018600	0019170	0026000	0068570	0041360 13000060% (Lw-C)

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV
-----	----	----	----	----	----	----	----	----	----

iimp=60, colour difference pairs WA_EW060, xchart3=0, xchart4=0 %

Minimum, maximum and average colour difference value

STRESS constant F and STRESS value S

iai+1 = 60, d_CIELABmina = 22.26, d_CIELABmaxa = 107.78, d_CIELABavea = 50.28

iai+1 = 60, CIELAB_Fa = 1.26, CIELAB_STRESSa = 22.08

iai+1 = 60, d_CIELCHmina = 22.28, d_CIELCHmaxa = 107.79, d_CIELCHavea = 50.29

iai+1 = 60, CIELCHFa = 1.26, CIELCHSTRESSa = 22.08

iai+1 = 60, d_C94LCHmina = 11.45, d_C94LCHmaxa = 65.31, d_C94LCHavea = 28.81

iai+1 = 60, C94LCHFa = 0.72, C94LCHSTRESSa = 26.04

iai+1 = 60, d_CMCLCHmina = 11.68, d_CMCLCHmaxa = 67.84, d_CMCLCHavea = 31.32

iai+1 = 60, CMCLCHFa = 0.78, CMCLCHSTRESSa = 19.0

iai+1 = 60, d_C00LCHmina = 9.39, d_C00LCHmaxa = 65.06, d_C00LCHavea = 29.37

iai+1 = 60, C00LCHFa = 0.73, C00LCHSTRESSa = 20.81

iai+1 = 60, d_C85LCHmina = 49.44, d_C85LCHmaxa = 514.71, d_C85LCHavea = 221.9

iai+1 = 60, C85LCHFa = 5.6, C85LCHSTRESSa = 26.73

%L*0	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	
iimp=60,	colour	difference	pairs	WA_EW060,	xchart3=0,	xchart4=0	%			
58.04	-25.89	-43.77	50.86	239.39	94.08	0.44	0.74	0.86	58.9	13000001% (C-W)
58.04	-25.89	-43.77	50.86	239.39	25.65	0.65	-0.61	0.89	317.2	13000002% (C-N)
77.11	-13.24	-21.39	25.16	238.23	94.08	0.44	0.74	0.86	58.9	13000003% (CW-W)
77.11	-13.24	-21.39	25.16	238.23	58.04	-25.89	-43.77	50.86	239.3	13000004% (CW-C)
40.81	-12.86	-22.97	26.32	240.75	25.65	0.65	-0.61	0.89	317.2	13000005% (CN-N)
40.81	-12.86	-22.97	26.32	240.75	58.04	-25.89	-43.77	50.86	239.3	13000006% (CN-C)
77.11	-13.24	-21.39	25.16	238.23	40.81	-12.86	-22.97	26.32	240.7	13000007% (CW-CN)
58.04	-25.89	-43.77	50.86	239.39	58.55	0.52	0.05	0.52	5.9	13000008% (C-NW)
58.04	-25.89	-43.77	50.86	239.39	31.6	24.8	-40.31	47.33	301.5	13000009% (C-V)
49.21	-19.52	-33.51	38.79	239.77	47.41	21.64	-31.73	38.4	304.2	13000010% (Cn-Vn)
31.6	24.8	-40.31	47.33	301.59	94.08	0.44	0.74	0.86	58.9	13000011% (V-W)
31.6	24.8	-40.31	47.33	301.59	25.65	0.65	-0.61	0.89	317.2	13000012% (V-N)
62.19	15.92	-21.55	26.8	306.46	94.08	0.44	0.74	0.86	58.9	13000013% (VW-W)
62.19	15.92	-21.55	26.8	306.46	31.6	24.8	-40.31	47.33	301.5	13000014% (VW-V)
29.28	11.13	-19.92	22.82	299.19	25.65	0.65	-0.61	0.89	317.2	13000015% (VN-N)
29.28	11.13	-19.92	22.82	299.19	31.6	24.8	-40.31	47.33	301.5	13000016% (VN-V)
62.19	15.92	-21.55	26.8	306.46	29.28	11.13	-19.92	22.82	299.1	13000017% (VW-VN)
62.19	15.92	-21.55	26.8	306.46	58.55	0.52	0.05	0.52	5.9	13000018% (VW-NW)
31.6	24.8	-40.31	47.33	301.59	47.99	70.71	-1.93	70.74	358.4	13000019% (V-M)
30.54	18.12	-30.82	35.75	300.45	37.68	35.34	-3.84	35.55	353.7	13000020% (Vn-MN)
47.99	70.71	-1.93	70.74	358.43	94.08	0.44	0.74	0.86	58.9	13000021% (M-W)
47.99	70.71	-1.93	70.74	358.43	25.65	0.65	-0.61	0.89	317.2	13000022% (M-N)
72.34	36.84	-3.89	37.05	353.96	94.08	0.44	0.74	0.86	58.9	13000023% (MW-W)
72.34	36.84	-3.89	37.05	353.96	47.99	70.71	-1.93	70.74	358.4	13000024% (MW-M)
37.68	35.34	-3.84	35.55	353.79	25.65	0.65	-0.61	0.89	317.2	13000025% (MN-N)
37.68	35.34	-3.84	35.55	353.79	47.99	70.71	-1.93	70.74	358.4	13000026% (MN-M)
72.34	36.84	-3.89	37.05	353.96	37.68	35.34	-3.84	35.55	353.7	13000027% (MW-MN)
59.91	56.6	-5.78	56.9	354.16	58.55	0.52	0.05	0.52	5.9	13000028% (Mw-NW)
47.99	70.71	-1.93	70.74	358.43	50.58	60.47	40.32	72.68	33.6	13000029% (M-O)
42.74	53.15	-5.77	53.47	353.8	43.84	44.7	29.15	53.36	33.1	13000030% (Mn-On)
50.58	60.47	40.32	72.68	33.69	94.08	0.44	0.74	0.86	58.9	13000031% (O-W)
50.58	60.47	40.32	72.68	33.69	25.65	0.65	-0.61	0.89	317.2	13000032% (O-N)
71.83	30.86	24.53	39.42	38.47	94.08	0.44	0.74	0.86	58.9	13000033% (OW-W)
71.83	30.86	24.53	39.42	38.47	50.58	60.47	40.32	72.68	33.6	13000034% (OW-O)
37.94	27.81	18.1	33.18	33.06	25.65	0.65	-0.61	0.89	317.2	13000035% (ON-N)
37.94	27.81	18.1	33.18	33.06	50.58	60.47	40.32	72.68	33.6	13000036% (ON-O)
71.83	30.86	24.53	39.42	38.47	37.94	27.81	18.1	33.18	33.0	13000037% (OW-ON)
60.9	47.03	34.82	58.52	36.51	58.55	0.52	0.05	0.52	5.9	13000038% (Ow-NW)
50.58	60.47	40.32	72.68	33.69	88.16	-7.35	86.83	87.14	94.8	13000039% (O-Y)
60.9	47.03	34.82	58.52	36.51	73.0	-7.57	63.6	64.05	96.7	13000040% (Ow-Yn)
88.16	-7.35	86.83	87.14	94.84	94.08	0.44	0.74	0.86	58.9	13000041% (Y-W)
88.16	-7.35	86.83	87.14	94.84	25.65	0.65	-0.61	0.89	317.2	13000042% (Y-N)
91.32	-8.59	44.42	45.25	100.95	94.08	0.44	0.74	0.86	58.9	13000043% (YW-W)
91.32	-8.59	44.42	45.25	100.95	88.16	-7.35	86.83	87.14	94.8	13000044% (YW-Y)
56.15	-4.68	39.74	40.01	96.72	25.65	0.65	-0.61	0.89	317.2	13000045% (YN-N)
56.15	-4.68	39.74	40.01	96.72	88.16	-7.35	86.83	87.14	94.8	13000046% (YN-Y)
91.32	-8.59	44.42	45.25	100.95	56.15	-4.68	39.74	40.01	96.7	13000047% (YW-YN)
56.15	-4.68	39.74	40.01	96.72	58.55	0.52	0.05	0.52	5.9	13000048% (YN-NW)
88.16	-7.35	86.83	87.14	94.84	51.05	-54.12	32.83	63.3	148.7	13000049% (Y-L)
56.15	-4.68	39.74	40.01	96.72	63.96	-43.91	26.87	51.48	148.5	13000050% (Y-Lw)

%L*0	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	
iimp=60, colour difference pairs WA_EW060, xchart3=0, xchart4=0 %										
51.05	-54.12	32.83	63.3	148.75	94.08	0.44	0.74	0.86	58.9	130000051% (L-W)
51.05	-54.12	32.83	63.3	148.75	25.65	0.65	-0.61	0.89	317.2	130000052% (L-N)
73.29	-29.56	18.55	34.9	147.88	94.08	0.44	0.74	0.86	58.9	130000053% (LW-W)
73.29	-29.56	18.55	34.9	147.88	51.05	-54.12	32.83	63.3	148.7	130000054% (LW-L)
37.04	-27.03	10.64	29.05	158.5	25.65	0.65	-0.61	0.89	317.2	130000055% (LN-N)
37.04	-27.03	10.64	29.05	158.5	51.05	-54.12	32.83	63.3	148.7	130000056% (LN-L)
73.29	-29.56	18.55	34.9	147.88	37.04	-27.03	10.64	29.05	158.5	130000057% (LW-LN)
63.96	-43.91	26.87	51.48	148.52	58.55	0.52	0.05	0.52	5.9	130000058% (Lw-NW)
51.05	-54.12	32.83	63.3	148.75	58.04	-25.89	-43.77	50.86	239.3	130000059% (L-C)
63.96	-43.91	26.87	51.48	148.52	58.04	-25.89	-43.77	50.86	239.3	130000060% (Lw-C)

%L*0 a*0 b*0 C*ab0 hab0 L*1 a*1 b*1 C*ab1 hab1
iimp=60, colour difference pairs WA_EW060, xchart3=0, xchart4=0 %
Minimum, maximum and average colour difference value
STRESS constant F and STRESS value S
iai+1 = 60, d_CIELABmina = 22.26, d_CIELABmaxa = 107.78, d_CIELABavea = 50.28
iai+1 = 60, CIELAB_Fa = 1.26, CIELAB_STRESSa = 22.08

iai+1 = 60, d_CIELCHmina = 22.28, d_CIELCHmaxa = 107.79, d_CIELCHavea = 50.29
iai+1 = 60, CIELCHFa = 1.26, CIELCHSTRESSa = 22.08

iai+1 = 60, d_C94LCHmina = 11.45, d_C94LCHmaxa = 65.31, d_C94LCHavea = 28.81
iai+1 = 60, C94LCHFa = 0.72, C94LCHSTRESSa = 26.04

iai+1 = 60, d_CMCLCHmina = 11.68, d_CMCLCHmaxa = 67.84, d_CMCLCHavea = 31.32
iai+1 = 60, CMCLCHFa = 0.78, CMCLCHSTRESSa = 19.0

iai+1 = 60, d_C00LCHmina = 9.39, d_C00LCHmaxa = 65.06, d_C00LCHavea = 29.37
iai+1 = 60, C00LCHFa = 0.73, C00LCHSTRESSa = 20.81

iai+1 = 60, d_C85LCHmina = 49.44, d_C85LCHmaxa = 514.71, d_C85LCHavea = 221.9
iai+1 = 60, C85LCHFa = 5.6, C85LCHSTRESSa = 26.73