

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*76	dE*94	dE*CM	dE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE %
%1000*(CIEXYZ & DV) for all colours (a) of experiment, iimp=112, colour difference pairs TC_EC112, xchart3=1, xchart4=0 %																											
0095050	0100000	0108900	0043074	0051427	0077399	0019343	0027473	0069838	0033176	03316	03317	02213	01863	01727	19655	60000001	77	-16	-18	24	227	59	-30	-42	52	233	(CW-W) %
0095050	0100000	0108900	0019343	0027473	0069838	0081871	0087162	0084815	0067428	06741	06741	04269	04198	03956	34126	60000002	59	-30	-42	52	233	95	-1	7	7	104	(CW-C) %
0095050	0100000	0108900	0030852	0028282	0046115	0007801	0005152	0022368	0044117	04408	04410	03581	03506	03251	39042	60000003	60	15	-18	24	309	27	31	-43	53	305	(VW-W) %
0095050	0100000	0108900	0007801	0005152	0022368	0081924	0087171	0085133	0090589	09054	09056	07216	06566	06690	57566	60000004	27	31	-43	53	305	95	-1	6	7	104	(VW-V) %
0095050	0100000	0108900	0053920	0042704	0046585	0033139	0017030	0021987	0043079	04436	04437	02713	02394	02304	22513	60000005	71	37	0	37	359	48	74	-6	75	355	(MW-W) %
0095050	0100000	0108900	0033139	0017030	0021987	0082042	0087291	0085260	0090579	09055	09056	05216	05132	04722	37282	60000006	48	74	-6	75	355	95	-1	6	7	104	(MW-M) %
0095050	0100000	0108900	0052074	0043502	0024322	0030662	0017102	0002671	0047963	04792	04795	02768	02490	02354	22950	60000007	72	30	30	42	44	48	65	52	84	38	(OW-W) %
0095050	0100000	0108900	0030662	0017102	0002671	0082027	0087242	0085550	0093851	09380	09383	05049	05260	04727	38018	60000008	48	65	52	84	38	95	-1	6	6	104	(OW-O) %
0095050	0100000	0108900	0071925	0080693	0032042	0066664	0073806	0006995	0047626	04760	04762	01467	01584	01150	04561	60000009	92	-9	53	54	100	89	-7	100	100	94	(YW-W) %
0095050	0100000	0108900	0066664	0073806	0006995	0081958	0087239	0084996	0094051	09402	09404	01805	03563	02772	13569	60000010	89	-7	100	100	94	95	-1	6	7	104	(YW-Y) %
0095050	0100000	0108900	0032292	0044663	0029339	0009712	0020830	0006418	0039317	03929	03931	02323	02049	01933	18449	60000011	73	-33	23	40	144	53	-62	40	74	146	(LW-W) %
0095050	0100000	0108900	0009712	0020830	0006418	0081974	0087249	0085034	0081287	08125	08127	04551	04418	04036	33084	60000012	53	-62	40	74	146	95	-1	6	7	104	(LW-L) %
0095050	0100000	0108900	0008527	0010959	0021142	0002980	0003099	0003081	0019776	0027949	0070458	0063228	06685	06685	03927	60000013	40	-15	-20	25	232	20	0	1	1	72	(CN-C) %
0095050	0100000	0108900	0002980	0010959	0003081	0003081	0003081	0003081	0019776	0027949	0070458	0063228	06685	06685	03927	60000014	20	0	1	1	72	60	-30	-42	52	234	(CN-N) %
0095050	0100000	0108900	0005284	0004233	0010255	0003089	0003186	0003175	0028095	02806	02809	01480	02173	01964	13045	60000015	24	16	-21	26	307	21	1	1	2	60	(VN-V) %
0095050	0100000	0108900	0003089	0003186	0003175	0008211	0005439	0023150	0055207	05516	05519	05078	03099	02696	24748	60000016	21	1	1	2	60	28	31	-43	53	305	(VN-N) %
0095050	0100000	0108900	0012276	0008036	0009325	0002842	0002946	0002963	0032659	0016614	0021259	0080067	07997	07997	07997	60000017	34	36	-1	36	357	20	0	1	1	64	(MN-M) %
0095050	0100000	0108900	0002842	0002946	0002963	0032659	0016614	0021259	0080067	07997	07997	07488	04631	03610	30982	60000018	20	0	1	1	64	48	75	-6	75	355	(MN-N) %
0095050	0100000	0108900	0011579	0007961	0002636	0002902	0003013	0002999	0043749	04370	04373	01984	03074	02446	17930	60000019	34	32	28	43	40	20	0	1	1	69	(ON-O) %
0095050	0100000	0108900	0002902	0003013	0002999	0030284	0016867	0002520	0087299	08724	08727	08096	04761	03641	31793	60000020	20	0	1	1	69	48	65	53	84	39	(ON-N) %
0095050	0100000	0108900	0020099	0022165	0004769	0003033	0003118	0003076	0059346	05931	05933	03694	04506	03656	33121	60000021	54	-4	50	50	95	21	1	2	2	59	(YN-Y) %
0095050	0100000	0108900	0003033	0003118	0003076	0066791	0074096	0007573	0118821	11878	11879	11131	07104	07169	45963	60000022	21	1	2	2	59	89	-7	98	99	94	(YN-N) %
0095050	0100000	0108900	0005367	0008949	0004486	0003141	0003224	0003188	0040737	04069	04072	02166	03138	02719	18167	60000023	36	-31	20	37	147	21	1	2	2	56	(LN-L) %
0095050	0100000	0108900	0003141	0003224	0003188	0010166	0021504	0006872	0080963	08092	08094	07464	04915	04045	33193	60000024	21	1	2	2	56	54	-62	40	74	147	(LN-N) %
0095050	0100000	0108900	0024110	0025411	0024944	0002842	0002952	0002904	0037697	03766	03766	03764	04001	03255	33943	60000025	57	0	4	4	92	20	0	2	2	72	(C-W) %
0095050	0100000	0108900	0002842	0002952	0002904	0082008	0082763	0085081	0051194	07516	07516	07513	06447	06868	45393	60000026	20	0	2	2	72	95	-1	6	7	104	(C-N) %
0095050	0100000	0108900	0046611	0049509	0049371	0024439	0025719	0025396	0018045	01804	01804	01803	01442	01458	15177	60000027	76	-1	4	4	105	58	0	4	4	90	(V-W) %
0095050	0100000	0108900	0024439	0025719	0025396	0010118	0010588	0010333	0018908	01890	01890	01889	01769	01874	18560	60000028	58	0	4	4	90	39	0	3	3	82	(V-N) %
0095050	0100000	0108900	0010118	0010588	0010333	0003004	0003115	0003093	0018442	01842	01842	01840	02306	01422	19758	60000029	39	0	3	3	82	21	0	1	2	68	(M-W) %
0095050	0100000	0108900	0003004	0003115	0003093	0081804	0087018	0085061	0074446	07441	07441	07438	06369	06774	45213	60000030	21	0	1	2	68	95	-1	6	6	104	(W-N) %
0095050	0100000	0108900	0061414	0068767	0083109	0042846	0051178	0077724	0017466	01746	01746	01386	01188	01070	08855	60000031	86	-9	-6	11	214	77	-16	-18	25	228	(O-W) %
0095050	0100000	0108900	0042846	0051178	0077724	0030129	0038759	0074364	0015830	01582	01582	01044	00912	00832	08777	60000032	77	-16	-18	25	228	69	-23	-30	38	232	(O-N) %
0095050	0100000	0108900	0030129	0038759	0074364	0019117	0027166	0069759	0017316	01731	01731	01087	00970	00920	11217	60000033	69	-23	-30	38	232	59	-30	-42	52	234	(Y-W) %
0095050	0100000	0108900	0019117	0027166	0069759	0081947	0087169	0085208	0067712	06770	06770	04281	04210	03964	34405	60000034	59	-30	-42	52	234	95	-1	6	6	104	(Y-N) %
0095050	0100000	0108900	0053773	0053723	0066406	0031007	0028449	0046980	0023469	02346	02346	02081	01720	01665	16250	60000035	78	7	-7	9	315	60	15	-19	24	308	(L-W) %
0095050	0100000	0108900	0031007	0028449	0046980	0017140	0013979	0033873	0021549	02153	02154	01745	01601	01697	18081	60000036	60	15	-19	24	308	44	22	-31	39	305	(L-N) %
0095050	0100000	0108900	0017140	0013979	0033873	0007724	0005099	0022445	0022641	02261	02262	01798	02005	01504	23099	60000037	44	22	-31	39	305	27	31	-43	53	305	(V-C) %
0095050	0100000	0108900	0007724	0005099	0022445	0081974	0087216	0085018	0090968	09092	09094	07237	06588	06717	57872	60000038	27	31	-43	53	305	95	-1	6	7	104	(V-M) %
0095050	0100000	0108900	0068553	0064010	0066228	0054225	0042964	0047363	0023741	02373	02373	01697	01413	01311	10445	60000039	84	17	2	17	9	72	37	0	37	359	(O-M) %
0095050	0100000	0108900	0054225	0042964	0047363	0043132	0028245	0033517	0022200	02219	02219	01349	01196	01117	10847	60000040	72	37	0	37	359	60	56	-3	56	356	(O-Y) %
0095050	0100000	0108900	0043132	0028245	0033517	0032941	0016859	0021835	0022513	02249	02250	01318	01248	01250	12722	60000041	60	56	-3	56	356	48	74	-6	75	354	(L-Y) %
0095050	0100000	0108900	0032941	0016859	0021835	0082109	0087329	0085546	0090833	09080	09081	05230	05144	04735	37441	60000042	48	74	-6	75	354	95	-1	6	6	104	(L-C) %
0095050	0100000	0108900	0064913	0061743	0048224	0051433	0042502	0023758	0023831	02382	02382	01559	01374	01208	10175	60000043	83	14	17	23	50	71	31	29	43	43	(C-V) %
0095050	0100000	0108900																									

see similar files: http://130.149.60.45/~farbmetrik/YE60/YE60LONP.PDF /.PS application for measurement of display or printer output, no separation


Table with columns: %Xn, Yn, Zn, X0, Y0, Z0, X1, Y1, Z1, DV, dE*ab, dE*76, dE*94, dE*CM, dE*00, dE*85, NR, L*0, a*0, b*0, C*0, h0, L*1, a*1, b*1, C*1, h1, CODE %

TUB registration: 20140801-YE60/YE60LONP.PDF /.PS TUB material: code=rh4ta

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*76	dE*94	dE*CM	dE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE %
%1000*(CIEXYZ & DV) for all colours (a) of experiment, iimp=112, colour difference pairs TC_EC112, xchart3=1, xchart4=0 %																											
0095050	0100000	0108900	0032755	0016755	0021344	0007669	0005063	0022199	0061572	06155	06155	03322	03565	03042	34688	60000101	48	74	-5	75	355	27	31	-43	53	305	(Y-Yn) %
0095050	0100000	0108900	0007669	0005063	0022199	0030245	0016870	0002594	0104644	10457	10463	05888	05098	05034	46411	60000102	27	31	-43	53	305	48	65	52	83	39	(Yn-YN) %
0095050	0100000	0108900	0012120	0012755	0040676	0007373	0004814	0021600	0035301	03527	03530	02438	02760	02486	21008	60000103	42	0	-43	43	269	26	31	-43	53	305	(YN-Ny) %
0095050	0100000	0108900	0007373	0004814	0021600	0016051	0008945	0020741	0029754	02974	02974	01817	01915	01687	17560	60000104	26	31	-43	53	305	36	52	-25	58	334	(Ny-N) %
0095050	0100000	0108900	0016051	0008945	0020741	0032507	0016557	0021023	0032147	03214	03214	01829	01759	01527	17654	60000105	36	52	-25	58	334	48	75	-5	75	355	(L-Ln) %
0095050	0100000	0108900	0032507	0016557	0021023	0019088	0027111	0069596	0112780	11275	11276	05308	06481	07816	28046	60000106	48	75	-5	75	355	59	-30	-42	52	234	(Ln-LN) %
0095050	0100000	0108900	0031564	0016801	0008907	0030157	0016753	0002527	0030074	03003	03007	01359	01721	01447	04629	60000107	48	70	23	74	18	48	65	53	84	39	(LN-NL) %
0095050	0100000	0108900	0030157	0016753	0002527	0046533	0039404	0004835	0048892	04888	04888	02867	04223	03110	20982	60000108	48	65	53	84	39	69	27	75	80	70	(NL-N) %
0095050	0100000	0108900	0046533	0039404	0004835	0066702	0073903	0007494	0046549	04654	04653	02650	02645	02557	16221	60000109	69	27	75	80	70	89	-7	98	99	94	(Z-W) %
0095050	0100000	0108900	0066702	0073903	0007494	0032513	0016565	0021124	0139765	13972	13974	06711	06496	05506	39511	60000110	89	-7	98	99	94	48	75	-5	75	355	(Z-N) %
0095050	0100000	0108900	0028031	0040716	0007177	0009666	0020820	0006752	0041459	04144	04145	02449	02168	02114	15834	60000111	70	-37	67	77	119	53	-62	39	74	147	(H-W) %
0095050	0100000	0108900	0009666	0020820	0006752	0013994	0023976	0027562	0044864	04483	04485	01812	01994	01879	12473	60000112	53	-62	39	74	147	56	-46	-2	46	182	(H-Z) %

see similar files: <http://130.149.60.45/~farbmetrik/YE60/YE60L0NP.PDF> / .PS; transfer output
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-YE60/YE60L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rh4ta



```
%Xn  Yn  Zn  X0  Y0  Z0  X1  Y1  Z1  DV  dE*ab dE*76 dE*94 dE*CM dE*00 dE*85 NR  L*0 a*0 b*0 C*0 h0  L*1 a*1 b*1 C*1 h1  CODE %  
%1000*(CIEXYZ & DV) for all colours (a) of experiment, iimp=112, colour difference pairs TC_EC0112, xchart3=1, xchart4=0 %  
Minimum, maximum and average colour difference value  
STRESS constant F and STRESS value S  
iai+1 = 112, d_CIELABmin = 13.61, d_CIELABmax = 146.9, d_CIELABave = 56.04  
iai+1 = 112, CIELAB_Fa = 0.99, CIELAB_STRESSa = 0.1  
  
iai+1 = 112, d_CIELCHmin = 13.63, d_CIELCHmax = 146.92, d_CIELCHave = 56.05  
iai+1 = 112, CIELCHFa = 0.99, CIELCHSTRESSa = 0.1  
  
iai+1 = 112, d_C94LCHmin = 5.2, d_C94LCHmax = 115.15, d_C94LCHave = 36.62  
iai+1 = 112, C94LCHFa = 0.64, C94LCHSTRESSa = 32.47  
  
iai+1 = 112, d_CMCLCHmin = 6.8, d_CMCLCHmax = 72.5, d_CMCLCHave = 34.8  
iai+1 = 112, CMCLCHFa = 0.59, CMCLCHSTRESSa = 21.91  
  
iai+1 = 112, d_C00LCHmin = 4.93, d_C00LCHmax = 78.16, d_C00LCHave = 32.06  
iai+1 = 112, C00LCHFa = 0.55, C00LCHSTRESSa = 27.15  
  
iai+1 = 112, d_C85LCHmin = 18.94, d_C85LCHmax = 578.72, d_C85LCHave = 245.57  
iai+1 = 112, C85LCHFa = 4.04, C85LCHSTRESSa = 32.94
```

see similar files: <http://130.149.60.45/~farbmetrik/YE60/YE60L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-YE60/YE60L0NP.PDF /.PS TUB material: code=rh4ta
application for measurement of display or printer output, no separation

Table with columns: %L*0, a*0, b*0, C*ab0, hab0, L*1, a*1, b*1, C*ab1, hab1, DV, dE*ab, dE*94, dE*CM, dE*00, dE*85, NR, L*0, a*0, b*0, C*0, h0, L*1, a*1, b*1, C*1, h1, CODE %. Rows contain numerical data for color differences and formulas.

see similar files: http://130.149.60.45/~farbmetrik/YE60/YE60L0NP.PDF /.PS application for measurement of display or printer output, no separation

TUB registration: 20140801-YE60/YE60L0NP.PDF /.PS TUB material: code=rh4ta

see similar files: http://130.149.60.45/~farbmetrik/YE60/YE60L0NP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


Table with columns: %L*0, a*0, b*0, C*ab0, hab0, L*1, a*1, b*1, C*ab1, hab1, DV, dE*ab, dE*94, dE*CM, dE*00, dE*85, NR, L*0, a*0, b*0, C*0, h0, L*1, a*1, b*1, C*1, h1, CODE %

TUB registration: 20140801-YE60/YE60L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rh4ta

%L*0	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE %
%CIELAB data for all colour (a) of experiment, iimp=112, colour difference pairs TC_EC0112, xchart3=1, xchart4=0 %																											
47.96	74.87	-5.91	75.11	355.48	26.94	31.05	-43.68	53.59	305.4	61.57	61.55	33.22	35.65	30.42	346.8860000101	48	74	-5	75	355	27	31	-43	53	305	(Y-Yn) %	
26.94	31.05	-43.68	53.59	305.4	48.1	65.05	52.9	83.85	39.1	104.64104.5758.88	50.98	50.34	464.1160000102	27	31	-43	53	305	48	65	52	83	39	(Yn-YN) %			
42.4	-0.02	-43.34	43.34	269.96	26.22	31.31	-43.85	53.88	305.5	35.3	35.27	24.38	27.6	24.86	210.0860000103	42	0	-43	43	269	26	31	-43	53	305	(YN-Ny) %	
26.22	31.31	-43.85	53.88	305.53	35.89	52.72	-25.61	58.61	334.0	29.75	29.74	18.17	19.15	16.87	175.6	60000104	26	31	-43	53	305	36	52	-25	58	334	(Ny-N) %
35.89	52.72	-25.61	58.61	334.09	47.7	75.08	-5.76	75.3	355.6	32.14	32.14	18.29	17.59	15.27	176.5460000105	36	52	-25	58	334	48	75	-5	75	355	(L-Ln) %	
47.7	75.08	-5.76	75.3	355.6	59.08	-30.79	-42.82	52.74	234.2	112.78112.7553.08	64.81	78.16	280.4660000106	48	75	-5	75	355	59	-30	-42	52	234	(Ln-LN) %			
48.02	70.32	23.53	74.15	18.49	47.96	65.36	53.14	84.24	39.1	30.07	30.03	13.59	17.21	14.47	46.29	60000107	48	70	23	74	18	48	65	53	84	39	(LN-Nl) %
47.96	65.36	53.14	84.24	39.11	69.05	27.5	75.76	80.6	70.0	48.89	48.88	28.67	42.23	31.1	209.8260000108	48	65	53	84	39	69	27	75	80	70	(Nl-N) %	
69.05	27.5	75.76	80.6	70.05	88.88	-7.73	98.83	99.13	94.4	46.54	46.54	26.5	26.45	25.57	162.2160000109	69	27	75	80	70	89	-7	98	99	94	(Z-W) %	
88.88	-7.73	98.83	99.13	94.47	47.72	75.05	-5.93	75.29	355.4	139.76139.7267.11	64.96	55.06	395.1160000110	89	-7	98	99	94	48	75	-5	75	355	(Z-N) %			
69.98	-37.76	67.42	77.27	119.25	52.76	-62.93	39.35	74.22	147.9	41.45	41.44	24.49	21.68	21.14	158.3460000111	70	-37	67	77	119	53	-62	39	74	147	(H-W) %	
52.76	-62.93	39.35	74.22	147.97	56.07	-46.58	-2.26	46.64	182.7	44.86	44.83	18.12	19.94	18.79	124.7360000112	53	-62	39	74	147	56	-46	-2	46	182	(H-Z) %	

see similar files: <http://130.149.60.45/~farbmetrik/YE60/YE60L0NP.PDF> / .PS; transfer output
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-YE60/YE60L0NP.PDF /.PS
 application for measurement of display or printer output, no separation
 TUB material: code=rh4ta



```
%L*0 a*0 b*0 C*ab0 hab0 L*1 a*1 b*1 C*ab1 hab1 DV dE*ab dE*94 dE*CM dE*00 dE*85 NR L*0 a*0 b*0 C*0 h0 L*1 a*1 b*1 C*1 h1 CODE %  
%CIELAB data for all colour (a) of experiment, iimp=112, colour difference pairs TC_EC0112, xchart3=1, xchart4=0 %  
Minimum, maximum and average colour difference value  
STRESS constant F and STRESS value S  
iai+1 = 112, d_CIELABmina = 13.61, d_CIELABmaxa = 146.9, d_CIELABavea = 56.04  
iai+1 = 112, CIELAB_Fa = 0.99, CIELAB_STRESSa = 0.1  
  
iai+1 = 112, d_CIELCHmina = 13.63, d_CIELCHmaxa = 146.92, d_CIELCHavea = 56.05  
iai+1 = 112, CIELCHFa = 0.99, CIELCHSTRESSa = 0.1  
  
iai+1 = 112, d_C94LCHmina = 5.2, d_C94LCHmaxa = 115.15, d_C94LCHavea = 36.62  
iai+1 = 112, C94LCHFa = 0.64, C94LCHSTRESSa = 32.47  
  
iai+1 = 112, d_CMCLCHmina = 6.8, d_CMCLCHmaxa = 72.5, d_CMCLCHavea = 34.8  
iai+1 = 112, CMCLCHFa = 0.59, CMCLCHSTRESSa = 21.91  
  
iai+1 = 112, d_C00LCHmina = 4.93, d_C00LCHmaxa = 78.16, d_C00LCHavea = 32.06  
iai+1 = 112, C00LCHFa = 0.55, C00LCHSTRESSa = 27.15  
  
iai+1 = 112, d_C85LCHmina = 18.94, d_C85LCHmaxa = 578.72, d_C85LCHavea = 245.57  
iai+1 = 112, C85LCHFa = 4.04, C85LCHSTRESSa = 32.94
```

see similar files: <http://130.149.60.45/~farbmetrik/YE60/YE60L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-YE60/YE60L0NP.PDF /.PS TUB material: code=rh4ta
application for measurement of display or printer output, no separation