

Equal 9 step grey scaling between $L^*_{0aN}=14.4$ and $L^*_{0aW}=125.1$, $Y_{0ref}=1.8$, normalisation white W

$L^*_{0aN}=14.4$, $L^*_{0aU}=69.7$, $L^*_{0aW}=125.1$, $Y_{0aN}=1.8$, $Y_{0aU}=40.4$, $Y_{0aW}=180.0$, $C_{0aY}=Y_{0aW}:Y_{0aN}=99.9$

$L^*_{taN}=22.2$, $L^*_{taU}=70.7$, $L^*_{taW}=125.1$, $Y_{taN}=3.6$, $Y_{taU}=41.8$, $Y_{taW}=180.0$, $C_{taY}=Y_{taW}:Y_{taN}=50.5$

Regularity index according to ISO/IEC 15775:2022, annex G for 5 and 9 steps

$g^* = 100 [\Delta L^*_{min}] / [\Delta L^*_{max}]$, $L^*_{CIE LAB} = 116 [Y/Y_n]^{1/3} - 16$ with $Y \geq 0.882$, $Y_n=100$

$g^*_5=99$, $g^*_9=99$

$g^*_5=81$, $g^*_9=74$

$g^*_5=96$, $g^*_9=94$

$L^*_{CIE LAB}$	n0. i	intended output				real output					linearized output	
		L^*_{0a}	L^*_{0r}	Y_{0a}	Y_{0r}	L^*_{ta}	ΔL^*_{ta}	L^*_{tr}	Y_{ta}	$(L^*_{tr})^{1/1.09}$	L^*_{la}	ΔL^*_{la}

