

Seite ähnliche Dateien der ganzen Serie: <http://farbe.li.tu-berlin.de/egb.htm>
Technische Information: <http://farbe.li.tu-berlin.de> oder <http://color.li.tu-berlin.de>



Regulartitätsindex g^* 100 [ΔL*/Δa*/Δb*] für Diafilm

i	r	L^*	a^*	b^*	g^*	g_{rel}	L^*_r	ΔL^*_r
1	8	8	0.00	0.00	0.00	20.00	0.00	$\Delta L^*_{\text{max}}=0.00$
2	8	8	0.00	0.00	0.00	20.00	0.00	
3	8	8	0.00	0.00	0.00	20.00	0.00	
4	8	8	0.00	0.00	0.00	20.00	0.00	
5	11	8	0.00	0.00	0.01	21.37	1.37	
6	12	22	20	0.12	0.05	41.09	20.91	$\Delta L^*_{\text{max}}=1.64$
7	30	37	0.27	0.20	0.25	85.56	85.56	
8	51	46	0.38	0.34	0.35	93.56	47.14	
9	61	58	0.47	0.46	0.46	94.84	54.84	
10	71	70	0.59	0.57	0.57	96.56	62.45	
11	82	80	0.78	0.65	0.61	98.17	87.17	
12	90	87	0.88	0.72	0.70	99.36	93.36	
13	94	102	101	0.84	0.85	94.00	84.00	
14	115	110	112	0.93	0.92	99.87	99.87	
15	120	117	121	1.00	1.00	95.00	95.00	

$r = \sqrt{L^* \sqrt{a^{*2} + b^{*2}}}$ [1], $g_{\text{rel}} = \frac{g^*}{r}$ [2]
 $L^*_r = \sqrt{L^* \sqrt{a^{*2} + b^{*2}}}$ [3]
 $\Delta L^*_r = L^*_r - L^*$ [4]

$g^*_{\text{rel}}=0$
 $g^*_{\text{rel}}=0$ bis $g^*_{\text{rel}}=1$ [2]
 $g^*_{\text{rel}}=0$ bis $g^*_{\text{rel}}=1$ [4]



Regulartitätsindex g^* 100 [ΔL*/Δa*/Δb*] für Diafilm

i	r	L^*	a^*	b^*	g^*	g_{rel}	L^*_r	ΔL^*_r
1	63	53	0.10	0.00	0.00	20.00	2.11	
2	49	49	0.01	0.02	0.02	22.11	0.22	
3	84	78	0.30	0.10	0.10	28.22	6.10	
4	97	90	0.37	0.18	0.17	33.43	6.21	
5	113	109	0.50	0.28	0.28	39.65	5.21	
6	126	121	0.63	0.33	0.33	45.57	9.01	
7	148	144	0.84	0.44	0.44	53.48	7.91	
8	168	163	0.94	0.54	0.55	61.49	8.00	
9	191	188	1.00	0.65	0.65	67.25	7.25	
10	212	212	1.00	0.78	0.78	79.00	9.00	$\Delta L^*_{\text{max}}=9.65$
11	232	234	0.91	0.88	0.89	80.51	1.60	
12	252	252	1.00	1.00	0.99	94.67	7.16	
13	259	259	1.00	1.00	1.00	95.00	0.32	
14	259	259	1.00	1.00	1.00	95.00	0.00	$\Delta L^*_{\text{max}}=0.00$
15	259	259	1.00	1.00	1.00	95.00	0.00	
16	259	259	1.00	1.00	1.00	95.00	0.00	

$r = \sqrt{L^* \sqrt{a^{*2} + b^{*2}}}$ [1], $g_{\text{rel}} = \frac{g^*}{r}$ [2]
 $L^*_r = \sqrt{L^* \sqrt{a^{*2} + b^{*2}}}$ [3]
 $\Delta L^*_r = L^*_r - L^*$ [4]

$g^*_{\text{rel}}=0$
 $g^*_{\text{rel}}=0$ bis $g^*_{\text{rel}}=1$ [2]
 $g^*_{\text{rel}}=0$ bis $g^*_{\text{rel}}=1$ [4]



Regulartitätsindex g^* 100 [ΔL*/Δa*/Δb*] für Diafilm

i	r	L^*	a^*	b^*	g^*	g_{rel}	L^*_r	ΔL^*_r
1	15	8	0.00	0.00	0.00	20.00	0.22	$\Delta L^*_{\text{max}}=0.23$
2	17	8	0.00	0.00	0.00	20.23	0.23	
3	22	29	0.30	0.07	0.08	26.38	6.35	$\Delta L^*_{\text{max}}=0.35$
4	40	40	0.16	0.16	0.16	32.13	5.55	
5	62	56	0.24	0.22	0.23	37.99	4.52	
6	73	68	0.30	0.28	0.30	42.50	4.25	
7	87	81	0.37	0.37	0.35	47.59	5.31	
8	100	97	0.44	0.44	0.44	53.07	5.31	
9	110	105	0.51	0.51	0.50	58.22	5.14	
10	126	123	0.58	0.58	0.58	63.74	5.21	
11	136	140	0.65	0.65	0.65	68.54	5.45	
12	151	149	0.72	0.72	0.72	74.40	5.01	
13	168	167	0.78	0.79	0.79	79.42	4.67	
14	179	179	0.85	0.85	0.85	84.07	4.05	
15	196	191	0.94	0.93	0.93	90.35	4.64	
16	207	207	1.00	1.00	1.00	95.00	0.00	

$r = \sqrt{L^* \sqrt{a^{*2} + b^{*2}}}$ [1], $g_{\text{rel}} = \frac{g^*}{r}$ [2]
 $L^*_r = \sqrt{L^* \sqrt{a^{*2} + b^{*2}}}$ [3]
 $\Delta L^*_r = L^*_r - L^*$ [4]

$g^*_{\text{rel}}=0$
 $g^*_{\text{rel}}=0$ bis $g^*_{\text{rel}}=1$ [2]
 $g^*_{\text{rel}}=0$ bis $g^*_{\text{rel}}=1$ [4]



Regulartitätsindex g^* 100 [ΔL*/Δa*/Δb*] für Diafilm

i	r	L^*	a^*	b^*	g^*	g_{rel}	L^*_r	ΔL^*_r
1	30	13	0.00	0.00	0.00	20.00	2.17	$\Delta L^*_{\text{max}}=2.17$
2	37	21	0.00	0.00	0.00	22.17	6.28	$\Delta L^*_{\text{max}}=0.28$
3	51	43	0.09	0.13	0.11	28.46	5.66	
4	64	57	0.15	0.19	0.16	32.50	4.04	
5	78	73	0.22	0.26	0.23	37.72	5.22	
6	90	84	0.27	0.31	0.28	42.05	4.95	
7	100	99	0.34	0.37	0.35	47.00	5.36	
8	120	114	0.41	0.44	0.43	52.36	4.97	
9	134	132	0.47	0.51	0.49	57.34	5.10	
10	150	147	0.52	0.59	0.58	63.30	5.96	
11	167	162	0.60	0.65	0.64	68.80	6.62	
12	183	178	0.70	0.73	0.72	74.40	5.79	
13	200	197	0.78	0.81	0.79	79.73	4.98	
14	218	214	0.87	0.91	0.89	85.22	5.66	
15	232	231	0.93	0.94	0.93	90.29	5.56	
16	246	246	1.00	1.00	1.00	95.00	0.00	

$r = \sqrt{L^* \sqrt{a^{*2} + b^{*2}}}$ [1], $g_{\text{rel}} = \frac{g^*}{r}$ [2]
 $L^*_r = \sqrt{L^* \sqrt{a^{*2} + b^{*2}}}$ [3]
 $\Delta L^*_r = L^*_r - L^*$ [4]

$g^*_{\text{rel}}=0$
 $g^*_{\text{rel}}=0$ bis $g^*_{\text{rel}}=1$ [2]
 $g^*_{\text{rel}}=0$ bis $g^*_{\text{rel}}=1$ [4]



Regulartitätsindex g^* 100 [ΔL*/Δa*/Δb*] für Negativfilm

i	r	L^*	a^*	b^*	g^*	g_{rel}	L^*_r	ΔL^*_r
1	27	12	0.00	0.00	0.00	20.00	0.92	$\Delta L^*_{\text{max}}=0.92$
2	30	14	0.01	0.01	0.01	21.92	1.94	
3	35	19	0.04	0.03	0.02	23.87	3.15	
4	41	25	0.10	0.09	0.09	26.82	5.15	
5	52	39	0.16	0.14	0.12	31.04	30.66	
6	61	45	0.20	0.17	0.17	34.94	34.83	
7	73	63	0.27	0.22	0.24	39.77	2.29	
8	85	76	0.34	0.34	0.33	44.91	3.21	
9	97	89	0.41	0.41	0.38	49.49	57.14	$\Delta L^*_{\text{max}}=7.00$
10	110	103	0.49	0.49	0.47	53.10	6.66	
11	124	117	0.56	0.57	0.63	59.62	6.41	
12	138	132	0.63	0.63	0.63	65.10	5.42	
13	155	142	0.70	0.70	0.72	70.18	5.42	
14	167	166	0.81	0.81	0.83	75.43	8.14	
15	184	182	0.91	0.90	0.91	88.48	6.86	
16	198	197	1.00	1.00	1.00	95.00	0.00	

$r = \sqrt{L^* \sqrt{a^{*2} + b^{*2}}}$ [1], $g_{\text{rel}} = \frac{g^*}{r}$ [2]
 $L^*_r = \sqrt{L^* \sqrt{a^{*2} + b^{*2}}}$ [3]
 $\Delta L^*_r = L^*_r - L^*$ [4]

$g^*_{\text{rel}}=0$
 $g^*_{\text{rel}}=0$ bis $g^*_{\text{rel}}=1$ [2]
 $g^*_{\text{rel}}=0$ bis $g^*_{\text{rel}}=1$ [4]



Regulartitätsindex g^* 100 [ΔL*/Δa*/Δb*] für Negativfilm

i	r	L^*	a^*	b^*	g^*	g_{rel}	L^*_r	ΔL^*_r
1	23	19	0.00	0.00	0.00	20.00		
2	28	23	0.01	0.01	0.01	21.32	1.32	$\Delta L^*_{\text{max}}=1.32$
3	33	34	0.07	0.06	0.07	25.35	4.02	
4	42	42	0.13	0.12	0.11	29.11	5.40	
5	56	56	0.21	0.21	0.21	34.59	3.91	
6	64	67	0.28	0.28	0.23	39.17	4.66	
7	77	82	0.38	0.32	0.33	45.09	5.91	
8	90	92	0.48	0.38	0.41	51.07	5.97	
9	103	103	0.54	0.44	0.48	56.65	7.33	$\Delta L^*_{\text{max}}=7.33$
10	118	119	0.63	0.54	0.58	62.92	5.98	
11	129	142	0.71	0.64	0.60	69.22	5.07	
12	142	154	0.80	0.70	0.80	75.19	5.99	
13	150	160	0.88	0.79	0.78	80.22	5.97	
14	156	181	0.93	0.83	0.86	84.50	5.65	
15	165	196	1.00	0.93	0.93	90.16	4.78	
16	172	210	1.00	1.00	1.00	95.00	4.83	

$r = \sqrt{L^* \sqrt{a^{*2} + b^{*2}}}$ [1], $g_{\text{rel}} = \frac{g^*}{r}$ [2]
 $L^*_r = \sqrt{L^* \sqrt{a^{*2} + b^{*2}}}$ [3]
 $\Delta L^*_r = L^*_r - L^*$ [4]

$g^*_{\text{rel}}=0$
 $g^*_{\text{rel}}=0$ bis $g^*_{\text{rel}}=1$ [2]
 $g^*_{\text{rel}}=0$ bis $g^*_{\text{rel}}=1$ [4]



Regulartitätsindex g^* 100 [ΔL*/Δa*/Δb*] für Negativfilm

i	r	L^*	a^*	b^*	g^*	g_{rel}	L^*_r	ΔL^*_r
1	29	22	0.00	0.00	0.00	21.09	1.09	$\Delta L^*_{\text{max}}=1.09$
2	33	28	0.07	0.06	0.05	23.38	1.61	
3	40	35	0.11	0.10	0.10	27.50	3.02	
4	49	43	0.15	0.14	0.12	31.17	4.06	
5	62	54	0.20	0.22	0.21	35.11	4.06	
6	78	67	0.30	0.30	0.29	41.78	4.69	
7	90	80	0.39	0.38	0.37	47.99	6.01	
8	103	110	0.47	0.45	0.44	53.61	5.65	
9	118	127	0.56	0.54	0.49	59.03	5.25	
10	134	142	0.62	0.61	0.57	64.00	29.29	
11	145	149	0.70	0.68	0.68	71.34	5.97	
12	160	167	0.77	0.77	0.74	76.76	4.96	
13	174	192	0.84	0.80	0.83	82.28	4.96	
14	190	202	0.94	0.90	0.90	88.28	5.64	
15	206	217	1.00	0.90	0.90	97.93	7.06	$\Delta L^*_{\text{max}}=7.06$
16	224	237	1.00	1.00	1.00	95.00	0.00	

$r = \sqrt{L^* \sqrt{a^{*2} + b^{*2}}}$ [1], $g_{\text{rel}} = \frac{g^*}{r}$ [2]
 $L^*_r = \sqrt{L^* \sqrt{a^{*2} + b^{*2}}}$ [3]
 $\Delta L^*_r = L^*_$