

Munsell (Renotation)-Buntheit  $C = 2$  und Helligkeit (Value)  $V = 1, 5$  und  $9$   
 in Buntheitsdiagramm ( $p_3^*(F,M), p_2^*(F,M)$ )  $n_2=1.0, n_3=2.806$

$$p_2^*(F,M) = c_Y [p_2(F) - (M)] = c_Y p_2(F,M) \quad x_c=0.11, B_c=1.0, c_Y=0.91 \quad Y^{0.341}$$

$$p_2 = n_2 [1.9907 (x - x_c) + 3.8617 y - 2.4046] / y$$

$$p_3 = n_3 B_c [3.0757 (x - x_c) - 2.5702 y - 0.0960] / y$$

-2, 2



2,00

$p_3$

$V=9$   
 $V=5$

-2,00

2,00

$$p_3^*(F,M) = c_Y p_3(F,M)$$

$$= c_Y [p_3(F) - p_3(M)]$$

| $V$ | $p_3^*(F,M)$ | $p_2^*(F,M)$ |
|-----|--------------|--------------|
| 1   | 0.0          | 0.0          |
| 2   | 0.0          | 0.0          |
| 3   | 0.0          | 0.0          |
| 4   | 0.0          | 0.0          |
| 5   | 0.0          | 0.0          |
| 6   | 0.0          | 0.0          |
| 7   | 0.0          | 0.0          |
| 8   | 0.0          | 0.0          |
| 9   | 0.0          | 0.0          |
| M   | 0.0          | 0.0          |

$$x_M = 0.313$$

$$y_M = 0.324$$

$$Y_M = 25.30$$