


HPE\_CIE02 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{T}_1(\lambda)=B_{11}\bar{x}_1(\lambda)+B_{12}\bar{y}_1(\lambda)+B_{13}\bar{z}_1(\lambda)$$

$B_{1j}$  0,3897 0,6889 -0,0786  $\lambda=570$   
 E00:  $\Sigma \bar{T}_1(\lambda)=21,37$   
 $(x, y)_1=(0,3332, 0,3332)$




feb70-1a E00

HPE\_CIE02 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{m}_1(\lambda)=B_{21}\bar{x}_1(\lambda)+B_{22}\bar{y}_1(\lambda)+B_{23}\bar{z}_1(\lambda)$$

$B_{2j}$  -0,2298 1,1834 0,0464  $\lambda=540$   
 E00:  $\Sigma \bar{m}_1(\lambda)=21,37$   
 $(x, y)_1=(0,3332, 0,3332)$




feb70-2a E00

HPE\_CIE02 cone sensitivity  $\bar{y}_{\max}(\lambda)=1$

$$\bar{s}_1(\lambda)=B_{31}\bar{x}_1(\lambda)+B_{32}\bar{y}_1(\lambda)+B_{33}\bar{z}_1(\lambda)$$

$B_{3j}$  0,000 0,000 1,000  $\lambda=430$   
 E00:  $\Sigma \bar{s}_1(\lambda)=21,37$   
 $(x, y)_1=(0,3332, 0,3332)$




feb70-3a E00

feb70-7n

HPE\_CIE02 cone sensitivity  $Y_{\text{sum}}=100$

$$\bar{T}_s(\lambda)=B_{11}\bar{x}_s(\lambda)+B_{12}\bar{y}_s(\lambda)+B_{13}\bar{z}_s(\lambda)$$

$B_{1j}$  0,3897 0,6889 -0,0786  $\lambda=570$   
 E00:  $\Sigma \bar{T}_s(\lambda)=100,00$   
 $(x, y)_s=(0,3333, 0,3333)$



feb70-4a E00