


See for similar files: <http://www.ps.bam.de/BE40/>Technical information: <http://www.ps.bam.de>


Version 2.1, io=1,1




BE400-1, Reflection of elementary hue R




BE400-3, Reflection of elementary hue B




BE400-5, Transmission of elementary hue R




BE400-7, Transmission of elementary hue B




BE400-2, Reflection of elementary hue G




BE400-4, Reflection of elementary hue J




BE400-6, Transmission of elementary hue G






BE400-8, Transmission of elementary hue J






BE401-1, Reflection of black N (=noir)



BE401-3, Reflection of white W

BE401-5, Luminous colour Z and 20% $R(\lambda)$ BE401-7, Luminous colour R and 20% $R(\lambda)$ 

BE401-2, Reflection of mean grey Z

BE401-4, Luminous colour N and 20% $R(\lambda)$ BE401-6, Luminous colour W and 20% $R(\lambda)$ BE401-8, Luminous colour G and 20% $R(\lambda)$ BAM-test chart no. BE40; Reflection – transmission (luminous) input: `olv* setrgbcolor`
Reflection, transmission and room reflection

output: no change compared to input

BAM registration: 20040901-BE40/10L/L40E00NP.PS/.PDF BAM material: code=rha4ta
application for measurement of printer or monitor systems
/BE40/ Form: 1/1, Serie: 1/1, Page: 1 Page: count: 1