

$L^*/Y_{intended}$	0.0/0.0	6.4/0.7	12.7/1.5	19.1/2.8	25.4/4.6	31.8/7.0	38.2/10.2	44.5/14.2	50.9/19.2	57.2/25.2	63.6/32.3	70.0/40.7	76.3/50.4	82.7/61.6	89.0/74.3	95.4/88.6
<i>(absolute)</i>																
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^* = \frac{1}{3} \sum CIE_{LAB, r}$																
$W_{intended}$	0,0	0,067	0,133	0,2	0,267	0,333	0,4	0,467	0,533	0,6	0,667	0,733	0,8	0,867	0,933	1,0
$Y_i / Y_{i,max}$	0,0	0,008	0,017	0,031	0,051	0,079	0,115	0,16	0,216	0,284	0,365	0,459	0,569	0,695	0,838	1,0

Picture C3: 16 visual equidistant L^* -grey steps; PS operator: *nnn0* setcmykcolor*

See for similar files: <http://www.ps.bam.de/CE66/>
 Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=2.2, CIE_{LAB}, 0.5 exp

BAM registration: 20040101-CE66/10S/S66E00F1.PS/.TXT
 Application for achromatic display output with CIE_{LAB} contrast range
 BAM material: code=th4ta