

BAM registration: 20040101-CE70/10Q/Q70E00SP.PS/.PDF BAM material: code=rha4ta
Application for achromatic display output with CIELAB contrast range

$L^*w:L^*n = 95.4 : 0.0$ $L^*w:L^*n = 95.4 : 0.0$ $L^*w:L^*n = 95.4 : 0.0$



www.ps.bam.de/CE70/10Q/Q70E00SP.PS/.PDF;
S: Output Linearization (OL) data CE70/10Q/Q70E00SP.DAT in Distiller Startup (S) Directory

input: 000n* seicnykcolor
output: no change compared to input



$Yw:Yn = 88.6 : 0.0$ $Yw:Yn = 88.6 : 0.0$ $Yw:Yn = 88.6 : 0.0$

See for similar files: <http://www.ps.bam.de/CE70/>
Technical information: <http://www.ps.bam.de/9241> Version 2.0, io=0,0, CIELAB, 1.0 exp

ISO 9241-test chart for four different contrast ranges
Ergonomics – Visual Displays – Field Assessment Methods

BAM registration: 20040101-CE70/10Q/Q70E40SP.PS/.PDF BAM material: code=rha4ta
Application for achromatic display output with CIELAB contrast range

$L^*w:L^*n = 95.4 : 0.0$ $L^*w:L^*n = 95.4 : 0.0$ $L^*w:L^*n = 95.4 : 0.0$



www.ps.bam.de/CE70/10Q/Q70E40SP.PS/.PDF;
S: Output Linearization (OL) data CE70/10Q/Q70E40SP.DAT in Distiller Startup (S) Directory

input: 000n* setcnykcolor
output: no change compared to input



$Yw:Yn = 88.6 : 0.0$ $Yw:Yn = 88.6 : 0.0$ $Yw:Yn = 88.6 : 0.0$

See for similar files: <http://www.ps.bam.de/CE70/>
Technical information: <http://www.ps.bam.de/9241> Version 2.0, io=0,0, CIELAB, 1.0 exp

ISO 9241-test chart for four different contrast ranges
Ergonomics – Visual Displays – Field Assessment Methods