


DEF GHIJ KLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJ KLMNOPQRSTUVWXYZ0123456789 ABC

Stephen J.Singel  
Labanda Sinpat Abarress  
Tendar,BSF  
URANGLE



**LSA**  
Funtres Solber Netener

26 March 2002


Jonathan Q.Maderia

Inpert Mampem Abaress  
2343 Stantin Dawer Lank  
Benhibe,SDF

Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iríure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetuer adipiscing elit, sêd diam nonummy nibh veniam, recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magna aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm dolor sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse ea commodo molestie.



Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip ex ea commodo consequat. Amet, consectetuer adipiscing elit, sêd diam nonummy nibh veniam, adipiscing elit.

Singabet,



Stephen J.Singel  
Demperta Aminerimum  
Labanda Sinpat Abarress

SJS:dwg



DEF GHIJ KLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJ KLMNOPQRSTUVWXYZ0123456789 ABC

170 mm +/- 1%



www.ps.bam.de/CE82/10L/L82E00SP.PS/.PDF;  
S: Output Linearization (OL) data CE82/10L/L82E00SP.DAT in Distiller Startup (S) Directory

250 mm +/- 1%

Form: I, Serie: I, Page: I

2003-05-01, name1 input: www\* setrgbcolor  
Test device type: name2 output: Startup (S) data dependend


ISO/IEC 19752-test chart, form 1  
Proposal by DIN NI28

250 mm +/- 1%

DEF GHIJ KLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJ KLMNOPQRSTUVWXYZ0123456789

DEF GHIJ KLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJ KLMNOPQRSTUVWXYZ0123456789

Stephen J.Singel  
Labanda Sinpat Abarress  
Tendar,BSF  
URANGLE



**LSA**  
Funtres Solber Netener

26 March 2002


Jonathan Q.Maderia

Inpert Mampem Abaress  
2343 Stantin Dawer Lank  
Benhibe,SDF

Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iríure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetuer adipiscing elit, sêd diam nonummy nibh veniam, recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magmana aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm dolor sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse ea commodo molestie.



Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip ex ea commodo consequat. Amet, consectetuer adipiscing elit, sêd diam nonummy nibh veniam, adipiscing elit.

Singabet,

Stephen J.Singel  
Demperta Aminerimum  
Labanda Sinpat Abarress

SJS:dwg

DEF GHIJ KLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJ KLMNOPQRSTUVWXYZ0123456789

170 mm +/- 1%

DEF... ABC

250 mm +/- 1%

Stephen J.Singel  
Labanda Sinpat Abarress  
Tendar,BSF  
URANGLE

26 March 2002

Jonathan Q.Maderia

Inpert Mampem Abaress  
2343 Stantin Dawer Lank  
Benhibe,SDF

Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iríure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetuer adipiscing elit, sêd diam nonummy nibh veniam, recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magmana aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm dolor sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse ea commodo molestie.

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip ex ea commodo consequat. Amet, consectetuer adipiscing elit, sêd diam nonummy nibh veniam, adipiscing elit.


Singabet,

Stephen J.Singel  
Demperta Aminerimum  
Labanda Sinpat Abarress


SJS:dwg

DEF... ABC

170 mm +/- 1%




**LSA**  
Funtres Solber Netener



250 mm +/- 1%

DEF GHI JKL MNOP QRSTUVWXYZ0123456789 ABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789 ABC

Stephen J.Singel  
Labanda Sinpat Abarress  
Tendar,BSF  
URANGLE



**LSA**  
Funtres Solber Netener

26 March 2002


Jonathan Q.Maderia

Inpert Mampem Abaress  
2343 Stantin Dawer Lank  
Benhibe,SDF

Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iríure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetuer adipiscing elit, sêd diam nonummy nibh veniam, recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magmana aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm dolor sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse ea commodo molestie.



Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip ex ea commodo consequat. Amet, consectetuer adipiscing elit, sêd diam nonummy nibh veniam, adipiscing elit.

Singabet,

Stephen J.Singel  
Demperta Aminerimum  
Labanda Sinpat Abarress


SJS:dwg

DEF GHI JKL MNOP QRSTUVWXYZ0123456789 ABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789 ABC


170 mm +/- 1%

See for similar files: <http://www.ps.bam.de/CE82/>  
 Technical information: <http://www.ps.bam.de/19752>


BAM registration: 20030501-CE82/10L/L82E02SP.PS/.PDF  
 application for yield test of monochromatic printers  
 BAM material: code=rh4ta



Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: `www*setrgbcolor`




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: `www*setrgbcolor`




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: `www*setrgbcolor`

ISO/IEC 19752-test chart, form 3  
 Proposal by DIN NI28


2003-05-01, name1 input: `www*setrgbcolor`  
 Test device type: name2 output: *Startup (S) data depend*



Picture C4: Landolt-rings W-N; PS operator: `www*setrgbcolor`




Picture C5: Line raster under 45° (or 135°); PS operator: `www*setrgbcolor`



Picture C6: Line raster under 90° (or 0°); Use of the PS operator `www*setrgbcolor`

DEFHGHIJKLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789

Stephen J.Singel  
Labanda Sinpat Abarress  
Tendar,BSF  
URANGLE



**LSA**  
Funtres Solber Netener

26 March 2002


Jonathan Q.Maderia

Inpert Mampem Abaress  
2343 Stantin Dawer Lank  
Benhibe,SDF

Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iríure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetuer adipiscing elit, sêd diam nonummy nibh veniam, recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magmana aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm dolor sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse ea commodo molestie.



Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip ex ea commodo consequat. Amet, consectetuer adipiscing elit, sêd diam nonummy nibh veniam, adipiscing elit.

Singabet,

Stephen J.Singel  
Demperta Aminerimum  
Labanda Sinpat Abarress

SJS:dwg

170 mm +/- 1%

www.ps.bam.de/CE82/10L/L82E00SP.PS/.PDF;  
S: Output Linearization (OL) data CE82/10L/L82E00SP.DAT in Distiller Startup (S) Directory

250 mm +/- 1%

Form: 1, Serie: 2, Page: 1

2003-05-01, name1 input: www\* setrgbcolor  
Test device type: name2 output: Startup (S) data dependend

ISO/IEC 19752-test chart, form 1  
Proposal by DIN NI28



DEF... ABC

250 mm +/- 1%

Stephen J.Singel  
Labanda Sinpat Abarress  
Tendar,BSF  
URANGLE

26 March 2002

Jonathan Q.Maderia

Inpert Mampem Abaress  
2343 Stantin Dawer Lank  
Benhibe,SDF

Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iríure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetuer adipiscing elit, sêd diam nonummy nibh veniam, recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magmana aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm dolor sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse ea commodo molestie.

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip ex ea commodo consequat. Amet, consectetuer adipiscing elit, sêd diam nonummy nibh veniam, adipiscing elit.


Singabet,

Stephen J.Singel  
Demperta Aminerimum  
Labanda Sinpat Abarress


SJS:dwg

DEF... ABC

170 mm +/- 1%



**LSA**  
Funtres Solber Netener



DEF... ABC

Stephen J.Singel  
Labanda Sinpat Abarress  
Tendar,BSF  
URANGLE

26 March 2002

Jonathan Q.Maderia

Inpert Mampem Abaress  
2343 Stantin Dawer Lank  
Benhibe,SDF

Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iríure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetuer adipiscing elit, sêd diam nonummy nibh veniam, recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magmana aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm dolor sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse ea commodo molestie.


Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip ex ea commodo consequat. Amet, consectetuer adipiscing elit, sêd diam nonummy nibh veniam, adipiscing elit.

Singabet,


Stephen J.Singel  
Demperta Aminerimum  
Labanda Sinpat Abarress

SJS:dwg

DEF... ABC



**LSA**  
Funtres Solber Netener




250 mm +/- 1%


170 mm +/- 1%

See for similar files: <http://www.ps.bam.de/CE82/>  
 Technical information: <http://www.ps.bam.de/19752>


BAM registration: 20030501-CE82/10L/L82E02SP.PS/.PDF  
 application for yield test of monochromatic printers  
 BAM material: code=rh4ta



Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: `www*setrgbcolor`




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: `www*setrgbcolor`




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: `www*setrgbcolor`

ISO/IEC 19752-test chart, form 3  
 Proposal by DIN NI28


2003-05-01, name1 input: `www*setrgbcolor`  
 Test device type: name2 output: *Startup (S) data depend*



Picture C4: Landolt-rings W-N; PS operator: `www*setrgbcolor`



Picture C5: Line raster under 45° (or 135°); PS operator: `www*setrgbcolor`



Picture C6: Line raster under 90° (or 0°); Use of the PS operator `www*setrgbcolor`