


Technical information: <http://o2.ps.bam.de>


PostScript(P.S) internet version 1.5, 2001

BAM registration: 20010220-101


BAM-reference material: code=rca4ra-101




Picture A1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z



Picture A2: 5 visual equidistant L^* -grey steps + N_0 + W_1



Picture A3: 16 visual equidistant L^* -grey steps



Picture A4: Landolt-rings W-N

	120	128	136	144	152	160	168	176	184	192	200	208	216	224	232	240					
120 (+8)																		240			
60 (+4)																			120		
30 (+2)																				60	
15 (+1)																					30
	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30					

line raster diameter in lpi

Picture A5: Line raster under 45° (or 135°); PS-/PDF-output different!

	120	128	136	144	152	160	168	176	184	192	200	208	216	224	232	240					
120 (+8)																		240			
60 (+4)																			120		
30 (+2)																				60	
15 (+1)																					30
	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30					

line raster diameter in lpi

Picture A6: Line raster under 90° (or 0°); PS-/PDF-output different!



Test chart no. 1 for colour devices according to ISO/IEC 15775; PS operator w^* setgray