

Technische Informationen: http://o2.ps.bam.de

Bilddatei-Version 1.5, 20011001-33870-D10

BAM-Registrierung: 20011001-10

BAM-Referenz-Material: Code=rh4ra-D10

i	LAB*ref	LAB*out	LAB*out/c-ref	ΔE^*	Start-Ausgabe S1
1	12.8	0.0	0.0	0.01	Kennzeichnung nach ISO/IEC 15775 Anhang G und DIN 33866-1 Anhang G
2	18.37	0.0	0.0	5.13	nur L*-Helligkeit benutzt
3	23.95	0.0	0.0	10.32	$\Delta L^* = 96.39 - 12.8$
4	29.52	0.0	0.0	10.32	Gleichmaessigkeit
5	35.09	0.0	0.0	8.26	$g^* = 49.3$
6	40.66	0.0	0.0	6.54	Helligkeitsumfang rel. zu Offset
7	46.24	0.0	0.0	5.97	$f^* = 108.0$
8	51.81	0.0	0.0	6.86	ΔL^* -Grauvariation
9	57.38	0.0	0.0	6.63	$\nu^* = 0.0$
10	62.95	0.0	0.0	7.72	Mittlerer Helligkeitsabstand (16 Stufen)
11	68.53	0.0	0.0	8.51	$\Delta E^*_{CIE_{LAB}} = 5.4$
12	74.1	0.0	0.0	3.75	0.01
13	79.67	0.0	0.0	3.48	0.01
14	85.24	0.0	0.0	1.64	0.01
15	90.82	0.0	0.0	1.95	0.01
16	96.39	0.0	0.0	0.01	0.01
17	12.8	0.0	0.0	0.01	0.01
18	33.7	0.0	0.0	8.78	0.01
19	54.59	0.0	0.0	6.75	0.01
20	75.49	0.0	0.0	3.68	0.01
21	96.39	0.0	0.0	0.01	0.01


Mittlerer Farbwiedergabe-Index: $R^*_{ab,m} = 77$

Device: (T); Meas.: X10GS1PN.PS/.PDF; Date: M010203 www.ps.bam.de/DG02/10X/X10GS1PN.PS/.PDF


i	LAB*ref	LAB*out	LAB*out/c-ref	ΔE^*	Optimierte Ausgabe S2
1	15.09	0.0	0.0	0.01	Kennzeichnung nach ISO/IEC 15775 Anhang G und DIN 33866-1 Anhang G
2	20.49	0.0	0.0	1.11	nur L*-Helligkeit benutzt
3	25.89	0.0	0.0	0.93	$\Delta L^* = 96.07 - 15.09$
4	31.29	0.0	0.0	1.02	Gleichmaessigkeit
5	36.68	0.0	0.0	0.27	$g^* = 89.9$
6	42.08	0.0	0.0	0.87	Helligkeitsumfang rel. zu Offset
7	47.48	0.0	0.0	0.1	$f^* = 104.6$
8	52.88	0.0	0.0	0.49	ΔL^* -Grauvariation
9	58.28	0.0	0.0	0.91	$\nu^* = 0.0$
10	63.68	0.0	0.0	2.1	Mittlerer Helligkeitsabstand (16 Stufen)
11	69.08	0.0	0.0	2.65	$\Delta E^*_{CIE_{LAB}} = 0.8$
12	74.48	0.0	0.0	0.86	0.01
13	79.87	0.0	0.0	0.28	0.01
14	85.27	0.0	0.0	1.22	0.01
15	90.67	0.0	0.0	0.27	0.01
16	96.07	0.0	0.0	0.01	0.01
17	15.09	0.0	0.0	0.01	0.01
18	35.34	0.0	0.0	0.05	0.05
19	55.58	0.0	0.0	0.7	0.7
20	75.82	0.0	0.0	0.71	0.71
21	96.07	0.0	0.0	0.01	0.01

Mittlerer Farbwiedergabe-Index: $R^*_{ab,m} = 97$

Device: (T); Meas.: X10GS2PN.PS/.PDF; Date: M010203 www.ps.bam.de/DG02/10X/X10GS2PN.PS/.PDF



Device: (T); Meas.: X10GS1PN.PS/.PDF; Date: M010203 www.ps.bam.de/DG02/10X/X10GS1PN.PS/.PDF



Device: (T); Meas.: X10GS2PN.PS/.PDF; Date: M010203 www.ps.bam.de/DG02/10X/X10GS2PN.PS/.PDF